

# Awareness of Depression among UK Parliamentarians

## METHODOLOGY NOTE

ComRes interviewed 50 MPs online between the 26th February and 30th March 2015. ComRes is a member of the British Polling Council and abides by its rules. Full data tables are available at [www.comres.co.uk](http://www.comres.co.uk).

*All press releases or other publications must be checked with ComRes before use. ComRes requires 48 hours to check a press release unless otherwise agreed.*

To register for Pollwatch, a monthly newsletter update on the polls, please email: [pollwatch@comres.co.uk](mailto:pollwatch@comres.co.uk)

## Awareness of Depression among Parliamentarians - UK

Q7_SUM. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - SUMMARY TABLE .....	1
Base: All respondents	
Q7_1. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Heart or blood pressure or circulation problems .....	2
Base: All respondents	
Q7_2. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Serious deafness/loss of hearing .....	6
Base: All respondents	
Q7_3. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Mental Health problems such as depression .....	10
Base: All respondents	
Q7_4. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Alcohol abuse .....	14
Base: All respondents	
Q7_5. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - HIV/AIDS .....	18
Base: All respondents	
Q7_6. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Chronic Obstructive Pulmonary Disease (COPD) .....	22
Base: All respondents	
Q7_7. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Diabetes .....	26
Base: All respondents	
Q7_8. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cerebrovascular disease .....	30
Base: All respondents	
Q7_9. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cancer .....	34
Base: All respondents	
Q8_SUM. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - SUMMARY TABLE .....	38
Base: All respondents	
Q8_1. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Cardiovascular conditions .....	39
Base: All respondents	
Q8_2. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Serious deafness/loss of hearing .....	41
Base: All respondents	
Q8_3. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Mental health problems such as depression .....	43
Base: All respondents	
Q8_4. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Alcohol abuse .....	45
Base: All respondents	
Q8_5. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - HIV/AIDS .....	47
Base: All respondents	
Q8_6. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Chronic Obstructive Pulmonary Disease (COPD) .....	49
Base: All respondents	
Q8_7. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a	

## Awareness of Depression among Parliamentarians - UK

person's ability to perform normal day to day activities. - Diabetes .....	51
Base: All respondents	
Q8_8. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Cerebrovascular disease .....	53
Base: All respondents	
Q8_9. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Cancer .....	55
Base: All respondents	
Q9. Which of the symptoms below, if any, do you associate with depression in general? .....	57
Base: All respondents	
Q10_SUM. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - SUMMARY TABLE .....	59
Base: All respondents	
Q10_1. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - Anyone can suffer from depression .....	60
Base: All respondents	
Q10_2. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - Depression is a lifestyle disease .....	62
Base: All respondents	
Q10_3. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - People are generally sympathetic to people with depression .....	64
Base: All respondents	
Q10_4. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - The majority of people with depression recover .....	66
Base: All respondents	
Q10_5. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - People with depression are reluctant to tell people about their disease in the workplace ....	68
Base: All respondents	
Q11. What, in your view, are the biggest barriers to someone with depression gaining and retaining employment? .....	70
Base: All respondents	
Q12_SUM. When considering the following figure about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - SUMMARY TABLE .....	72
Base: All respondents	
Q12_1. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - Up to 12% of the British population experience depression in any year .....	73
Base: All respondents	
Q12_2. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - 1 in 6 of the working population in the UK suffer from depression .....	75
Base: All respondents	
Q12_3. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - 11.3 million days of work were lost in 2013/14 due to stress, anxiety or depression .....	77
Base: All respondents	
Q12_4. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - Self-reported depression is the single most important cause of workplace absenteeism in the UK .....	79
Base: All respondents	
Q12_5. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - The total cost of depression in England was estimated to be £7.5 billion in 2007 (comprising cost of services and lost employment) .....	81
Base: All respondents	
Q12_6. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - Around 65% of people with depression are in contact with mental health services .....	83
Base: All respondents	
Q13_SUM. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - SUMMARY TABLE .....	85

## Awareness of Depression among Parliamentarians - UK

Base: All respondents

Q13_1. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - I have had the information I need to provide appropriate signposting and information for constituents needing support for depression .....	86
Base: All respondents	
Q13_2. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - The number of constituents coming to me with concerns about depression has increased .....	88
Base: All respondents	
Q13_3. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - The majority of constituents that have come to me to talk about depression feel it has affected their ability to work .....	90
Base: All respondents	
Q13_4. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - A majority of constituents that have reported symptoms of depression to me are unemployed but would like to work .....	92
Base: All respondents	
Q14_SUM. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in... - SUMMARY TABLE .....	94
Base: All respondents	
Q14_1. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in healthcare settings? .....	95
Base: All respondents	
Q14_2. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in the workplace? .....	97
Base: All respondents	
Q14_3. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in clinical research? .....	99
Base: All respondents	
Q15_SUM. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - SUMMARY TABLE .....	101
Base: All respondents	
Q15_1. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - The NHS is sufficiently prepared to manage depression efficiently .....	102
Base: All respondents	
Q15_2. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - GPs and healthcare professionals should ask about their patient's employment status as a factor impacting symptoms of depression .....	104
Base: All respondents	
Q15_3. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - Employment status should be recorded on a patient's medical records to provide GPs and healthcare professionals baseline data on their employment history .....	106
Base: All respondents	
Q15_4. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - GPs and healthcare professionals should be incentivised to support patients with depression remain in or find appropriate employment opportunities .....	108
Base: All respondents	
Q15_5. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - Cost-effective mental health services should be provided with the same mandatory funding that physical health services are .....	110
Base: All respondents	
Q15_6. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - The NHS should ensure that all new mental health treatments are subject to the same approval process as treatments for physical conditions before they are made available to patients .....	112
Base: All respondents	
Q16_SUM. To what extent do you agree or disagree with the following statement? - SUMMARY TABLE .....	114
Base: All respondents	

## Awareness of Depression among Parliamentarians - UK

Q16_1. To what extent do you agree or disagree with the following statement? - Employers should have obligations under the Health and Safety at Work Act to support mental wellbeing in the workplace .....	115
Base: All respondents	
Q16_2. To what extent do you agree or disagree with the following statement? - The government should provide support to SMEs to promote prevention and early intervention in depression in the workplace .....	117
Base: All respondents	
Q16_3. To what extent do you agree or disagree with the following statement? - The UK should introduce legislation to protect the rights of employees and prevent workplace discrimination on the grounds of mental health conditions (including depression) .....	119
Base: All respondents	
Q17. What, in your view, are the most important areas for the next Government (2015-20) to prioritise to help support people with depression? .....	121
Base: All respondents	
Q18. Choosing from the list below, which, if any, of the following have been influential in forming your impression of depression? .....	123
Base: All respondents	
Q19. Which one of these sources would you say is the most influential for you forming your impression of depression? .....	125
Base: All respondents	
Q18/Q19_SUM Which, if any, of the following have been influential in forming your impression of depression? - SUMMARY TABLE .....	127
Base: All respondents	
Q20. To the best of your knowledge, have you or any of your friends or family members ever been diagnosed as having depression by a doctor/medical professional? .....	128
Base: All respondents	
Q21. To the best of your knowledge, have any of your colleagues in your current or previous roles ever been diagnosed as having depression by a doctor/medical professional? .....	130
Base: All respondents	

## Awareness of Depression among Parliamentarians - UK

### Q7\_SUM. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - SUMMARY TABLE

Base: All respondents

	Total	1 = Not at all important											NETS			
			2	3	4	5	6	7	8	9	10 = Extremely Important	Don't know	Net: High importance (8-10)	Net: Medium importance (4-7)	Net: Low importance (1-3)	Mean
Cancer	50	-	-	-	1	2	5	4	10	9	19	-	38	12	-	8.46
	100%	-	-	-	2%	4%	10%	8%	20%	18%	38%	-	76%	24%	-	
Mental Health problems such as depression	50	-	-	1	2	5	5	7	7	10	13	-	30	19	1	7.82
	100%	-	-	2%	4%	10%	10%	14%	14%	20%	26%	-	60%	38%	2%	
Diabetes	50	-	-	1	-	1	9	11	9	7	12	-	28	21	1	7.88
	100%	-	-	2%	-	2%	18%	22%	18%	14%	24%	-	56%	42%	2%	
Heart or blood pressure or circulation problems	50	-	-	-	1	5	11	7	13	6	7	-	26	24	-	7.44
	100%	-	-	-	2%	10%	22%	14%	26%	12%	14%	-	52%	48%	-	
Alcohol abuse	50	-	1	-	3	5	8	9	13	4	7	-	24	25	1	7.20
	100%	-	2%	-	6%	10%	16%	18%	26%	8%	14%	-	48%	50%	2%	
Chronic Obstructive Pulmonary Disease (COPD)	50	-	-	5	5	5	4	7	9	3	6	5	18	21	5	6.64
	100%	-	-	10%	10%	10%	8%	14%	18%	6%	12%	10%	36%	42%	10%	
Cerebrovascular disease	50	-	-	5	8	8	4	5	4	3	6	4	13	25	5	6.16
	100%	-	-	10%	16%	16%	8%	10%	8%	6%	12%	8%	26%	50%	10%	
Serious deafness/loss of hearing	50	1	2	2	4	9	11	9	3	4	5	-	12	33	5	6.22
	100%	2%	4%	4%	8%	18%	22%	18%	6%	8%	10%	-	24%	66%	10%	
HIV/AIDS	50	1	1	6	12	7	3	9	3	3	5	-	11	31	8	5.72
	100%	2%	2%	12%	24%	14%	6%	18%	6%	6%	10%	-	22%	62%	16%	

## Awareness of Depression among Parliamentarians - UK

### Q7\_1. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Heart or blood pressure or circulation problems

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female	
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%	
1 = Not at all important	(1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(4)	1 2%	1 4%	-	1 3%	-	-	1 8%	-	-	1 4%	1 6%	-	-	-	-	1 4%	1 2%	-	
	(5)	5 10%	4 17%	1 5%	5 13%	-	3 17%	1 8%	1 5%	1 4%	4 17%	3 17%	2 17%	-	-	1 5%	4 15%	5 11%	-	
	(6)	11 22%	8 33%	2 9%	1 25%	10 26%	1 8%	5 28%	4 33%	2 10%	5 19%	6 26%	4 22%	2 17%	5 25%	1 33%	4 20%	6 22%	10 23%	1 17%
	(7)	7 14%	4 17%	2 9%	1 25%	6 16%	1 8%	4 22%	2 17%	1 5%	5 19%	2 9%	2 11%	2 17%	3 15%	-	4 20%	3 11%	6 14%	1 17%
	(8)	13 26%	4 17%	7 32%	2 50%	7 18%	6 50%	3 17%	2 17%	8 40%	10 37%	3 13%	4 22%	4 33%	5 25%	-	9 45%	4 15%	12 27%	1 17%
	(9)	6 12%	-	6 27%	-	3 8%	3 25%	1 6%	-	5 25%	2 7%	4 17%	2 11%	1 8%	3 15%	1 33%	-	5 19%	5 11%	1 17%
10 = Extremely Important	(10)	7 14%	3 13%	4 18%	-	6 16%	1 8%	2 11%	2 17%	3 15%	4 15%	3 13%	2 11%	1 8%	4 20%	1 33%	2 10%	4 15%	5 11%	2 33%
Don't know		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>NETS</b>																				
Net: High importance (8-10)	26 52%	7 29%	17 77%	2 50%	16 42%	10 83%	6 33%	4 33%	16 80%	16 59%	10 43%	8 44%	6 50%	12 60%	2 67%	11 55%	13 48%	22 50%	4 67%	
Net: Medium importance (4-7)	24 48%	17 71%	5 23%	2 50%	22 58%	2 17%	12 67%	8 67%	4 20%	11 41%	13 57%	10 56%	6 50%	8 40%	1 33%	9 45%	14 52%	22 50%	2 33%	

## Awareness of Depression among Parliamentarians - UK

### Q7\_1. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Heart or blood pressure or circulation problems

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Net: Low importance (1-3)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Mean score	7.44	6.75	8.23	7.25	7.21	8.17	7.00	6.92	8.15	7.70	7.13	7.06	7.25	7.90	8.33	7.45	7.33	7.32	8.33
Standard deviation	1.63	1.65	1.38	.96	1.73	1.03	1.57	1.83	1.35	1.38	1.87	1.80	1.54	1.48	2.08	1.28	1.84	1.61	1.63
Standard error	.23	.34	.29	.48	.28	.30	.37	.53	.30	.27	.39	.42	.45	.33	1.20	.29	.35	.24	.67



## Awareness of Depression among Parliamentarians - UK

### Q7\_1. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Heart or blood pressure or circulation problems

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
1 = Not at all important	(1) - -	- -	- -	- -	- -	- -	- -
(2)	- -	- -	- -	- -	- -	- -	- -
(3)	- -	- -	- -	- -	- -	- -	- -
(4)	1 2%	- -	1 5%	1 3%	- -	- -	- -
(5)	5 10%	1 3%	4 20%	4 13%	1 7%	3 9%	1 17%
(6)	11 22%	4 13%	7 35%	5 16%	4 29%	7 22%	2 33%
(7)	7 14%	4 13%	3 15%	4 13%	3 21%	4 13%	1 17%
(8)	13 26%	9 30%	4 20%	8 25%	4 29%	9 28%	1 17%
(9)	6 12%	5 17%	1 5%	4 13%	1 7%	3 9%	1 17%
10 = Extremely Important	(10) 7 14%	7 23%	- -	6 19%	1 7%	6 19%	- -
Don't know	- -	- -	- -	- -	- -	- -	- -
<b>NETS</b>							
Net: High importance (8-10)	26 52%	21 70%	5 25%	18 56%	6 43%	18 56%	2 33%
Net: Medium importance (4-7)	24 48%	9 30%	15 75%	14 44%	8 57%	14 44%	4 67%

## Awareness of Depression among Parliamentarians - UK

### Q7\_1. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Heart or blood pressure or circulation problems

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Net: Low importance (1-3)	-	-	-	-	-	-	-
Mean score	7.44	8.13	6.40	7.56	7.21	7.63	6.83
Standard deviation	1.63	1.46	1.31	1.78	1.37	1.62	1.47
Standard error	.23	.27	.29	.31	.37	.29	.60

## Awareness of Depression among Parliamentarians - UK

### Q7\_2. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Serious deafness/loss of hearing

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female	
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%	
1 = Not at all important	(1)	1 2%	-	1 5%	-	1 3%	-	1 6%	-	-	1 4%	-	-	1 5%	-	-	1 4%	1 2%	-	
	(2)	2 4%	1 4%	1 5%	-	2 5%	-	2 11%	-	-	1 4%	1 4%	-	2 17%	-	1 5%	1 4%	2 5%	-	
	(3)	2 4%	2 8%	-	-	2 5%	-	1 6%	-	1 5%	-	2 9%	1 6%	1 8%	-	-	2 7%	2 5%	-	
	(4)	4 8%	2 8%	2 9%	-	4 11%	-	2 17%	2 10%	3 11%	1 4%	1 6%	1 8%	2 10%	-	3 15%	1 4%	4 9%	-	
	(5)	9 18%	6 25%	2 9%	1 25%	7 18%	2 17%	4 22%	3 25%	2 10%	7 26%	2 9%	4 22%	1 8%	4 20%	1 33%	3 15%	5 19%	9 20%	-
	(6)	11 22%	6 25%	5 23%	-	9 24%	2 17%	3 17%	3 25%	5 25%	5 19%	6 26%	3 17%	3 25%	5 25%	-	6 30%	5 19%	9 20%	2 33%
	(7)	9 18%	2 8%	5 23%	2 50%	6 16%	3 25%	4 22%	2 17%	3 15%	4 15%	5 22%	4 22%	1 8%	4 20%	-	5 25%	4 15%	9 20%	-
	(8)	3 6%	2 8%	1 5%	-	1 3%	2 17%	2 11%	1 8%	-	1 4%	2 9%	2 11%	1 8%	-	1 33%	-	2 7%	2 5%	1 17%
	(9)	4 8%	-	4 18%	-	3 8%	1 8%	-	-	4 20%	2 7%	2 9%	2 11%	1 8%	1 5%	-	-	4 15%	2 5%	2 33%
10 = Extremely Important	(10)	5 10%	3 13%	1 5%	1 25%	3 8%	2 17%	1 6%	1 8%	3 15%	3 11%	2 9%	1 6%	1 8%	3 15%	1 33%	2 10%	2 7%	4 9%	1 17%
Don't know		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>NETS</b>																				
Net: High importance (8-10)	12 24%	5 21%	6 27%	1 25%	7 18%	5 42%	3 17%	2 17%	7 35%	6 22%	6 26%	5 28%	3 25%	4 20%	2 67%	2 10%	8 30%	8 18%	4 67%	
Net: Medium importance (4-7)	33 66%	16 67%	14 64%	3 75%	26 68%	7 58%	11 61%	10 83%	12 60%	19 70%	14 61%	12 67%	6 50%	15 75%	1 33%	17 85%	15 56%	31 70%	2 33%	

## Awareness of Depression among Parliamentarians - UK

### Q7\_2. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Serious deafness/loss of hearing

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Net: Low importance (1-3)	5 10%	3 13%	2 9%	- -	5 13%	- -	4 22%	- -	1 5%	2 7%	3 13%	1 6%	3 25%	1 5%	- -	1 5%	4 15%	5 11%	- -
Mean score	6.22	5.92	6.36	7.25	5.87	7.33	5.56	6.08	6.90	6.07	6.39	6.50	5.67	6.30	7.67	6.00	6.22	5.98	8.00
Standard deviation	2.19	2.15	2.28	2.06	2.22	1.72	2.36	1.73	2.17	2.27	2.13	1.86	2.61	2.25	2.52	1.89	2.38	2.15	1.67
Standard error	.31	.44	.49	1.03	.36	.50	.56	.50	.49	.44	.44	.44	.75	.50	1.45	.42	.46	.32	.68

## Awareness of Depression among Parliamentarians - UK

### Q7\_2. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Serious deafness/loss of hearing

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
1 = Not at all important	(1) 1 2%	1 3%	- -	1 3%	- -	1 3%	- -
(2)	2 4%	- -	2 10%	1 3%	1 7%	1 3%	1 17%
(3)	2 4%	- -	2 10%	2 6%	- -	1 3%	1 17%
(4)	4 8%	3 10%	1 5%	3 9%	- -	3 9%	- -
(5)	9 18%	2 7%	7 35%	3 9%	5 36%	4 13%	- -
(6)	11 22%	6 20%	5 25%	7 22%	3 21%	7 22%	2 33%
(7)	9 18%	7 23%	2 10%	7 22%	2 14%	8 25%	1 17%
(8)	3 6%	2 7%	1 5%	2 6%	1 7%	2 6%	1 17%
(9)	4 8%	4 13%	- -	3 9%	- -	2 6%	- -
10 = Extremely Important	(10) 5 10%	5 17%	- -	3 9%	2 14%	3 9%	- -
Don't know	- -	- -	- -	- -	- -	- -	- -
<b>NETS</b>							
Net: High importance (8-10)	12 24%	11 37%	1 5%	8 25%	3 21%	7 22%	1 17%
Net: Medium importance (4-7)	33 66%	18 60%	15 75%	20 63%	10 71%	22 69%	3 50%

## Awareness of Depression among Parliamentarians - UK

### Q7\_2. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Serious deafness/loss of hearing

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Net: Low importance (1-3)	5 10%	1 3%	4 20%	4 13%	1 7%	3 9%	2 33%
Mean score	6.22	7.00	5.05	6.25	6.21	6.25	5.33
Standard deviation	2.19	2.20	1.61	2.29	2.12	2.17	2.34
Standard error	.31	.40	.36	.40	.57	.38	.95

## Awareness of Depression among Parliamentarians - UK

### Q7\_3. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Mental Health problems such as depression

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female	
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%	
1 = Not at all important	(1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(3)	1 2%	1 4%	-	1 3%	-	-	1 8%	-	-	1 4%	1 6%	-	-	-	-	1 4%	1 2%	-	
	(4)	2 4%	2 8%	-	1 3%	1 8%	1 6%	1 8%	-	-	2 9%	1 6%	-	1 5%	-	-	2 7%	2 5%	-	
	(5)	5 10%	2 8%	3 14%	4 11%	1 8%	3 17%	-	2 10%	2 7%	3 13%	3 17%	2 17%	-	1 33%	1 5%	3 11%	4 9%	1 17%	
	(6)	5 10%	4 17%	1 5%	4 11%	1 8%	1 6%	2 17%	2 10%	3 11%	2 9%	3 17%	1 8%	1 5%	1 33%	1 5%	3 11%	5 11%	-	
	(7)	7 14%	3 13%	3 14%	1 25%	5 13%	2 17%	6 33%	-	1 5%	5 19%	2 9%	3 17%	2 17%	2 10%	-	4 20%	3 11%	6 14%	1 17%
	(8)	7 14%	4 17%	3 14%	-	6 16%	1 8%	3 17%	3 25%	1 5%	5 19%	2 9%	1 6%	1 8%	5 25%	-	4 20%	3 11%	7 16%	-
	(9)	10 20%	3 13%	6 27%	1 25%	7 25%	3 6%	2 17%	7 35%	4 15%	6 26%	2 11%	2 17%	6 30%	-	4 20%	6 22%	9 20%	1 17%	
10 = Extremely Important	(10)	13 26%	5 21%	6 27%	2 50%	10 26%	3 25%	3 17%	7 35%	8 30%	5 22%	4 22%	4 33%	5 25%	1 33%	6 30%	6 22%	10 23%	3 50%	
Don't know		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>NETS</b>																				
Net: High importance (8-10)	30 60%	12 50%	15 68%	3 75%	23 61%	7 58%	7 39%	8 67%	15 75%	17 63%	13 57%	7 39%	7 58%	16 80%	1 33%	14 70%	15 56%	26 59%	4 67%	
Net: Medium importance (4-7)	19 38%	11 46%	7 32%	1 25%	14 37%	5 42%	11 61%	3 25%	5 25%	10 37%	9 39%	10 56%	5 42%	4 20%	2 67%	6 30%	11 41%	17 39%	2 33%	

## Awareness of Depression among Parliamentarians - UK

### Q7\_3. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Mental Health problems such as depression

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Net: Low importance (1-3)	1 2%	1 4%	- -	- -	1 3%	- -	- -	1 8%	- -	- -	1 4%	1 6%	- -	- -	- -	- -	1 4%	1 2%	- -
Mean score	7.82	7.29	8.18	9.00	7.82	7.83	7.22	7.58	8.50	8.11	7.48	7.06	8.00	8.40	7.00	8.35	7.52	7.73	8.50
Standard deviation	1.97	2.14	1.74	1.41	1.97	2.04	1.80	2.35	1.73	1.65	2.27	2.24	1.95	1.54	2.65	1.50	2.17	1.96	2.07
Standard error	.28	.44	.37	.71	.32	.59	.42	.68	.39	.32	.47	.53	.56	.34	1.53	.33	.42	.30	.85



## Awareness of Depression among Parliamentarians - UK

### Q7\_3. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Mental Health problems such as depression

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
1 = Not at all important	(1) - -	- -	- -	- -	- -	- -	- -
(2) - -	(2) - -	- -	- -	- -	- -	- -	- -
(3) 1 2%	(3) 1 2%	- -	1 5%	1 3%	- -	1 3%	- -
(4) 2 4%	(4) 2 4%	- -	2 10%	1 3%	- -	1 3%	- -
(5) 5 10%	(5) 5 10%	- -	5 25%	4 13%	1 7%	3 9%	1 17%
(6) 5 10%	(6) 5 10%	- -	5 25%	2 6%	2 14%	2 6%	1 17%
(7) 7 14%	(7) 7 14%	- -	7 35%	3 9%	4 29%	4 13%	1 17%
(8) 7 14%	(8) 7 14%	7 23%	- -	5 16%	2 14%	6 19%	- -
(9) 10 20%	(9) 10 20%	10 33%	- -	6 19%	2 14%	6 19%	1 17%
10 = Extremely Important	(10) 13 26%	13 43%	- -	10 31%	3 21%	9 28%	2 33%
Don't know	- -	- -	- -	- -	- -	- -	- -
<b>NETS</b>							
Net: High importance (8-10)	30 60%	30 100%	- -	21 66%	7 50%	21 66%	3 50%
Net: Medium importance (4-7)	19 38%	- -	19 95%	10 31%	7 50%	10 31%	3 50%

### Awareness of Depression among Parliamentarians - UK

#### **Q7\_3. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Mental Health problems such as depression**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Net: Low importance (1-3)	1 2%	- -	1 5%	1 3%	- -	1 3%	- -
Mean score	7.82	9.20	5.75	7.94	7.79	7.94	7.83
Standard deviation	1.97	.81	1.21	2.08	1.63	1.98	2.14
Standard error	.28	.15	.27	.37	.43	.35	.87

## Awareness of Depression among Parliamentarians - UK

### Q7\_4. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Alcohol abuse

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female	
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%	
1 = Not at all important	(1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(2)	1 2%	-	1 5%	1 3%	-	1 6%	-	-	1 4%	-	-	1 8%	-	-	1 5%	-	1 2%	-	
	(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(4)	3 6%	2 8%	1 5%	-	3 8%	1 6%	1 8%	1 5%	3 11%	-	-	1 8%	2 10%	-	3 15%	-	3 7%	-	
	(5)	5 10%	3 13%	2 9%	-	3 8%	2 17%	3 17%	1 8%	1 5%	3 11%	2 9%	2 11%	2 17%	1 5%	2 67%	1 5%	2 7%	5 11%	-
	(6)	8 16%	4 17%	3 14%	1 25%	8 21%	-	4 22%	1 8%	3 15%	4 15%	4 17%	3 17%	2 17%	3 15%	-	4 20%	4 15%	6 14%	2 33%
	(7)	9 18%	5 21%	3 14%	1 25%	6 16%	3 25%	5 28%	1 8%	3 15%	3 11%	6 26%	5 28%	2 17%	2 10%	-	2 10%	7 26%	9 20%	-
	(8)	13 26%	7 29%	5 23%	1 25%	10 26%	3 25%	2 11%	7 58%	4 20%	6 22%	7 30%	5 28%	2 17%	6 30%	-	6 30%	7 26%	12 27%	1 17%
	(9)	4 8%	-	3 14%	1 25%	2 5%	2 17%	-	-	4 20%	2 7%	2 9%	2 11%	1 8%	1 5%	-	1 5%	3 11%	3 7%	1 17%
10 = Extremely Important	(10)	7 14%	3 13%	4 18%	-	5 13%	2 17%	2 11%	1 8%	4 20%	5 19%	2 9%	1 6%	1 8%	5 25%	1 33%	2 10%	4 15%	5 11%	2 33%
Don't know		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>NETS</b>																				
Net: High importance (8-10)	24 48%	10 42%	12 55%	2 50%	17 45%	7 58%	4 22%	8 67%	12 60%	13 48%	11 48%	8 44%	4 33%	12 60%	1 33%	9 45%	14 52%	20 45%	4 67%	
Net: Medium importance (4-7)	25 50%	14 58%	9 41%	2 50%	20 53%	5 42%	13 72%	4 33%	8 40%	13 48%	12 52%	10 56%	7 58%	8 40%	2 67%	10 50%	13 48%	23 52%	2 33%	

## Awareness of Depression among Parliamentarians - UK

### Q7\_4. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Alcohol abuse

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Net: Low importance (1-3)	1 2%	- -	1 5%	- -	1 3%	- -	1 6%	- -	- -	1 4%	- -	- -	1 8%	- -	- -	1 5%	- -	1 2%	- -
Mean score	7.20	7.00	7.36	7.50	7.03	7.75	6.44	7.33	7.80	7.04	7.39	7.28	6.42	7.60	6.67	6.70	7.63	7.07	8.17
Standard deviation	1.86	1.72	2.13	1.29	1.91	1.66	1.95	1.61	1.77	2.21	1.37	1.36	2.23	1.96	2.89	2.13	1.47	1.85	1.83
Standard error	.26	.35	.45	.65	.31	.48	.46	.47	.39	.43	.29	.32	.65	.44	1.67	.48	.28	.28	.75

## Awareness of Depression among Parliamentarians - UK

### Q7\_4. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Alcohol abuse

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
1 = Not at all important	(1)	-	-	-	-	-	-
	(2)	1 2%	-	1 5%	-	1 7%	1 17%
	(3)	-	-	-	-	-	-
	(4)	3 6%	3 10%	-	1 3%	2 14%	1 17%
	(5)	5 10%	1 3%	4 20%	1 3%	2 14%	3 9%
	(6)	8 16%	3 10%	5 25%	5 16%	2 14%	5 16%
	(7)	9 18%	3 10%	6 30%	7 22%	2 14%	8 25%
	(8)	13 26%	10 33%	3 15%	11 34%	2 14%	9 28%
	(9)	4 8%	4 13%	-	2 6%	1 7%	1 3%
10 = Extremely Important	(10)	7 14%	6 20%	1 5%	5 16%	2 14%	5 16%
Don't know		-	-	-	-	-	-
		-	-	-	-	-	-
<b>NETS</b>							
Net: High importance (8-10)		24 48%	20 67%	4 20%	18 56%	5 36%	15 47%
Net: Medium importance (4-7)		25 50%	10 33%	15 75%	14 44%	8 57%	17 53%

## Awareness of Depression among Parliamentarians - UK

### Q7\_4. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Alcohol abuse

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Net: Low importance (1-3)	1 2%	-	1 5%	-	1 7%	-	1 17%
Mean score	7.20	7.73	6.40	7.63	6.50	7.38	5.17
Standard deviation	1.86	1.84	1.64	1.50	2.38	1.60	2.04
Standard error	.26	.34	.37	.26	.64	.28	.83

## Awareness of Depression among Parliamentarians - UK

### Q7\_5. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - HIV/AIDS

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female	
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%	
1 = Not at all important	(1)	1 2%	-	-	1 3%	-	1 6%	-	-	-	1 4%	-	1 8%	-	-	-	1 4%	1 2%	-	
	(2)	1 2%	-	-	1 3%	-	1 6%	-	-	-	1 4%	-	1 8%	-	-	-	1 4%	1 2%	-	
	(3)	6 12%	5 21%	1 5%	-	6 16%	3 17%	2 17%	1 5%	4 15%	2 9%	2 11%	2 17%	2 10%	-	4 20%	2 7%	6 14%	-	
	(4)	12 24%	6 25%	6 27%	-	8 21%	4 22%	4 33%	4 20%	7 26%	5 22%	4 22%	-	8 40%	1 33%	5 25%	6 22%	12 27%	-	
	(5)	7 14%	3 13%	4 18%	-	6 16%	1 6%	2 17%	4 20%	4 15%	3 13%	3 17%	3 25%	1 5%	1 33%	3 15%	3 11%	6 14%	1 17%	
	(6)	3 6%	-	2 9%	1 25%	3 8%	-	-	1 10%	3 11%	-	1 6%	1 8%	1 5%	-	-	3 11%	3 7%	-	
	(7)	9 18%	3 13%	4 18%	2 50%	7 18%	2 28%	2 17%	2 10%	5 19%	4 17%	6 33%	1 8%	2 10%	-	5 25%	4 15%	7 16%	2 33%	
	(8)	3 6%	-	2 9%	1 25%	-	3 25%	-	-	3 15%	2 7%	1 4%	1 6%	-	2 10%	-	2 10%	1 4%	3 7%	-
	(9)	3 6%	1 4%	2 9%	-	2 5%	1 8%	-	1 10%	-	3 13%	1 6%	1 8%	1 5%	-	-	3 11%	1 2%	2 33%	
10 = Extremely Important	(10)	5 10%	4 17%	1 5%	-	4 11%	1 8%	2 11%	1 8%	2 7%	3 13%	-	2 17%	3 15%	1 33%	1 5%	3 11%	4 9%	1 17%	
Don't know		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>NETS</b>																				
Net: High importance (8-10)	11 22%	5 21%	5 23%	1 25%	6 16%	5 42%	2 11%	2 17%	7 35%	4 15%	7 30%	2 11%	3 25%	6 30%	1 33%	3 15%	7 26%	8 18%	3 50%	
Net: Medium importance (4-7)	31 62%	12 50%	16 73%	3 75%	24 63%	7 58%	11 61%	8 67%	12 60%	19 70%	12 52%	14 78%	5 42%	12 60%	2 67%	13 65%	16 59%	28 64%	3 50%	

## Awareness of Depression among Parliamentarians - UK

### Q7\_5. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - HIV/AIDS

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Net: Low importance (1-3)	8 16%	7 29%	1 5%	- -	8 21%	- -	5 28%	2 17%	1 5%	4 15%	4 17%	2 11%	4 33%	2 10%	- -	4 20%	4 15%	8 18%	- -
Mean score	5.72	5.29	5.95	7.00	5.47	6.50	5.22	5.42	6.35	5.52	5.96	5.67	5.50	5.90	6.33	5.40	5.89	5.43	7.83
Standard deviation	2.37	2.77	1.99	.82	2.39	2.20	2.56	2.31	2.18	2.03	2.74	1.78	3.03	2.49	3.21	2.06	2.55	2.30	1.83
Standard error	.33	.57	.42	.41	.39	.63	.60	.67	.49	.39	.57	.42	.87	.56	1.86	.46	.49	.35	.75



## Awareness of Depression among Parliamentarians - UK

### Q7\_5. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - HIV/AIDS

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
1 = Not at all important	(1) 1 2%	- -	1 5%	1 3%	- -	1 3%	- -
(2)	1 2%	- -	1 5%	1 3%	- -	1 3%	- -
(3)	6 12%	3 10%	3 15%	2 6%	4 29%	2 6%	3 50%
(4)	12 24%	6 20%	6 30%	9 28%	3 21%	8 25%	1 17%
(5)	7 14%	2 7%	5 25%	3 9%	2 14%	4 13%	- -
(6)	3 6%	3 10%	- -	2 6%	1 7%	2 6%	- -
(7)	9 18%	5 17%	4 20%	7 22%	1 7%	9 28%	- -
(8)	3 6%	3 10%	- -	2 6%	1 7%	1 3%	1 17%
(9)	3 6%	3 10%	- -	2 6%	- -	1 3%	- -
10 = Extremely Important	(10) 5 10%	5 17%	- -	3 9%	2 14%	3 9%	1 17%
Don't know	- -	- -	- -	- -	- -	- -	- -
<b>NETS</b>							
Net: High importance (8-10)	11 22%	11 37%	- -	7 22%	3 21%	5 16%	2 33%
Net: Medium importance (4-7)	31 62%	16 53%	15 75%	21 66%	7 50%	23 72%	1 17%

## Awareness of Depression among Parliamentarians - UK

### Q7\_5. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - HIV/AIDS

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Net: Low importance (1-3)	8 16%	3 10%	5 25%	4 13%	4 29%	4 13%	3 50%
Mean score	5.72	6.57	4.45	5.78	5.36	5.72	5.17
Standard deviation	2.37	2.40	1.67	2.39	2.50	2.29	3.06
Standard error	.33	.44	.37	.42	.67	.40	1.25

## Awareness of Depression among Parliamentarians - UK

### Q7\_6. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Chronic Obstructive Pulmonary Disease (COPD)

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
1 = Not at all important	(1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(3)	5 10%	5 21%	-	5 13%	-	3 17%	1 8%	1 5%	-	5 22%	3 17%	2 17%	-	-	-	5 19%	4 9%	1 17%
	(4)	5 10%	4 17%	-	5 13%	-	2 11%	2 17%	1 5%	2 7%	3 13%	3 17%	-	2 10%	-	1 5%	4 15%	5 11%	-
	(5)	5 10%	4 17%	1 5%	3 8%	2 17%	3 17%	1 8%	1 5%	4 15%	1 4%	3 17%	1 8%	1 5%	2 67%	1 5%	2 7%	5 11%	-
	(6)	4 8%	-	3 14%	3 8%	1 8%	1 6%	1 8%	2 10%	2 7%	2 9%	2 11%	-	2 10%	-	2 10%	2 7%	4 9%	-
	(7)	7 14%	1 4%	6 27%	6 16%	1 8%	1 6%	3 25%	3 15%	5 19%	2 9%	1 6%	-	6 30%	-	5 25%	2 7%	7 16%	-
	(8)	9 18%	3 13%	4 18%	7 18%	2 17%	3 17%	2 17%	4 20%	6 22%	3 13%	2 11%	5 42%	2 10%	-	5 25%	4 15%	8 18%	1 17%
	(9)	3 6%	-	3 14%	2 5%	1 8%	-	-	3 15%	1 4%	2 9%	1 6%	1 8%	1 5%	-	1 5%	2 7%	1 2%	2 33%
10 = Extremely Important	(10)	6 12%	3 13%	3 14%	4 11%	2 17%	-	2 17%	4 20%	4 15%	2 9%	1 6%	1 8%	4 20%	1 33%	1 5%	4 15%	4 9%	2 33%
Don't know		5 10%	3 13%	2 9%	3 8%	2 17%	4 22%	-	1 5%	3 11%	2 9%	1 6%	2 17%	2 10%	-	4 20%	1 4%	5 11%	-
<b>NETS</b>																			
Net: High importance (8-10)	18 36%	6 25%	10 45%	2 50%	13 34%	5 42%	3 17%	4 33%	11 55%	11 41%	7 30%	4 22%	7 58%	7 35%	1 33%	7 35%	10 37%	13 30%	5 83%
Net: Medium importance (4-7)	21 42%	9 38%	10 45%	2 50%	17 45%	4 33%	7 39%	7 58%	7 35%	13 48%	8 35%	9 50%	1 8%	11 55%	2 67%	9 45%	10 37%	21 48%	-

## Awareness of Depression among Parliamentarians - UK

### Q7\_6. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Chronic Obstructive Pulmonary Disease (COPD)

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Net: Low importance (1-3)	5 10%	5 21%	- -	- -	5 13%	- -	3 17%	1 8%	1 5%	- -	5 22%	3 17%	2 17%	- -	- -	- -	5 19%	4 9%	1 17%
Mean score	6.64	5.60	7.70	6.50	6.40	7.56	5.31	6.58	7.58	7.17	6.00	5.63	7.00	7.33	6.67	7.19	6.28	6.39	8.17
Standard deviation	2.25	2.54	1.45	1.91	2.29	1.94	1.93	2.27	2.06	1.88	2.53	2.22	2.45	1.94	2.89	1.47	2.59	2.13	2.64
Standard error	.34	.57	.33	.96	.39	.65	.54	.66	.47	.38	.57	.55	.77	.46	1.67	.37	.52	.34	1.08

## Awareness of Depression among Parliamentarians - UK

### Q7\_6. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Chronic Obstructive Pulmonary Disease (COPD)

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
1 = Not at all important	(1) - -	- -	- -	- -	- -	- -	- -
(2) - -	- -	- -	- -	- -	- -	- -	- -
(3) 5 10%	- 10%	- 25%	5 17%	5 16%	- -	3 9%	1 17%
(4) 5 10%	2 7%	3 15%	3 9%	2 14%	3 9%	- -	- -
(5) 5 10%	1 3%	4 20%	1 3%	4 29%	3 9%	1 17%	- -
(6) 4 8%	1 3%	3 15%	3 9%	1 7%	2 6%	- -	- -
(7) 7 14%	6 20%	1 5%	6 19%	- -	6 19%	- -	- -
(8) 9 18%	8 27%	1 5%	6 19%	3 21%	5 16%	3 50%	- -
(9) 3 6%	2 7%	1 5%	2 6%	- -	1 3%	- -	- -
10 = Extremely Important	(10) 6 12%	6 20%	- -	4 13%	2 14%	4 13%	- -
Don't know	5 10%	3 10%	2 10%	1 3%	2 14%	4 13%	1 17%
<b>NETS</b>							
Net: High importance (8-10)	18 36%	16 53%	2 10%	12 38%	5 36%	10 31%	3 50%
Net: Medium importance (4-7)	21 42%	10 33%	11 55%	13 41%	7 50%	14 44%	1 17%

## Awareness of Depression among Parliamentarians - UK

### Q7\_6. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Chronic Obstructive Pulmonary Disease (COPD)

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Net: Low importance (1-3)	5 10%	- -	5 25%	5 16%	- -	3 9%	1 17%
Mean score	6.64	7.81	4.94	6.60	6.50	6.63	6.40
Standard deviation	2.25	1.74	1.80	2.34	2.20	2.24	2.30
Standard error	.34	.34	.42	.43	.63	.43	1.03

## Awareness of Depression among Parliamentarians - UK

### Q7\_7. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Diabetes

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
1 = Not at all important	(1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(3)	1 2%	1 4%	-	1 3%	-	1 6%	-	-	-	1 4%	-	1 8%	-	-	-	1 4%	1 2%	-
	(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(5)	1 2%	-	1 5%	1 3%	-	-	-	1 5%	-	1 4%	1 6%	-	-	-	-	1 4%	1 2%	-
	(6)	9 18%	7 29%	2 9%	7 18%	2 17%	3 17%	4 33%	2 10%	4 15%	5 22%	5 28%	2 17%	2 10%	1 33%	2 10%	6 22%	8 18%	1 17%
	(7)	11 22%	7 29%	4 18%	8 21%	3 25%	7 39%	2 17%	2 10%	7 26%	4 17%	4 22%	4 33%	3 15%	1 33%	5 25%	5 19%	10 23%	1 17%
	(8)	9 18%	4 17%	4 18%	7 18%	2 17%	3 17%	2 17%	4 20%	6 22%	3 13%	2 11%	2 17%	5 25%	-	4 20%	5 19%	9 20%	-
	(9)	7 14%	1 4%	5 23%	4 11%	3 25%	1 6%	1 8%	5 25%	3 11%	4 17%	2 11%	-	5 25%	-	4 20%	3 11%	6 14%	1 17%
10 = Extremely Important	(10)	12 24%	4 17%	6 27%	10 26%	2 17%	3 17%	3 25%	6 30%	7 26%	5 22%	4 22%	3 25%	5 25%	1 33%	5 25%	6 22%	9 20%	3 50%
Don't know		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>NETS</b>																			
Net: High importance (8-10)	28 56%	9 38%	15 68%	4 100%	21 55%	7 58%	7 39%	6 50%	15 75%	16 59%	12 52%	8 44%	5 42%	15 75%	1 33%	13 65%	14 52%	24 55%	4 67%
Net: Medium importance (4-7)	21 42%	14 58%	7 32%	-	16 42%	5 42%	10 56%	6 50%	5 25%	11 41%	10 43%	10 56%	6 50%	5 25%	2 67%	7 35%	12 44%	19 43%	2 33%

## Awareness of Depression among Parliamentarians - UK

### Q7\_7. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Diabetes

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Net: Low importance (1-3)	1 2%	1 4%	- -	- -	1 3%	- -	1 6%	- -	- -	- -	1 4%	- -	1 8%	- -	- -	- -	1 4%	1 2%	- -
Mean score	7.88	7.29	8.27	9.25	7.84	8.00	7.39	7.75	8.40	8.07	7.65	7.61	7.42	8.40	7.67	8.25	7.63	7.77	8.67
Standard deviation	1.66	1.68	1.52	.96	1.75	1.41	1.72	1.66	1.54	1.44	1.90	1.69	2.02	1.31	2.08	1.37	1.82	1.64	1.75
Standard error	.23	.34	.32	.48	.28	.41	.41	.48	.34	.28	.40	.40	.58	.29	1.20	.31	.35	.25	.71



## Awareness of Depression among Parliamentarians - UK

### Q7\_7. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Diabetes

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
1 = Not at all important	(1)	-	-	-	-	-	-
	(2)	-	-	-	-	-	-
	(3)	1 2%	1 5%	1 3%	-	1 3%	-
	(4)	-	-	-	-	-	-
	(5)	1 2%	1 5%	1 3%	-	-	-
	(6)	9 18%	1 3%	8 40%	4 13%	4 29%	1 17%
	(7)	11 22%	3 10%	8 40%	5 16%	5 36%	6 67%
	(8)	9 18%	8 27%	1 5%	5 16%	3 21%	6 17%
	(9)	7 14%	7 23%	-	6 19%	-	5 16%
10 = Extremely Important	(10)	12 24%	11 37%	1 5%	10 31%	2 14%	10 31%
Don't know		-	-	-	-	-	-
		-	-	-	-	-	-
<b>NETS</b>							
Net: High importance (8-10)		28 56%	26 87%	2 10%	21 66%	5 36%	1 17%
Net: Medium importance (4-7)		21 42%	4 13%	17 85%	10 31%	9 64%	5 83%

## Awareness of Depression among Parliamentarians - UK

### Q7\_7. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Diabetes

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Net: Low importance (1-3)	1 2%	-	1 5%	1 3%	-	1 3%	-
Mean score	7.88	8.80	6.50	8.16	7.36	8.19	7.00
Standard deviation	1.66	1.16	1.32	1.80	1.34	1.71	.63
Standard error	.23	.21	.29	.32	.36	.30	.26

## Awareness of Depression among Parliamentarians - UK

### Q7\_8. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cerebrovascular disease

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female	
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%	
1 = Not at all important	(1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(3)	5 10%	2 8%	2 9%	1 25%	5 13%	-	3 17%	-	2 10%	3 11%	2 9%	2 11%	2 17%	1 5%	-	2 10%	3 11%	4 9%	1 17%
	(4)	8 16%	5 21%	3 14%	-	7 18%	1 8%	3 17%	3 25%	2 10%	3 11%	5 22%	5 28%	-	3 15%	1 33%	1 5%	6 22%	8 18%	-
	(5)	8 16%	6 25%	2 9%	-	6 16%	2 17%	3 17%	2 17%	3 15%	5 19%	3 13%	2 11%	1 8%	5 25%	-	5 25%	3 11%	8 18%	-
	(6)	4 8%	2 8%	1 5%	1 25%	3 8%	1 8%	2 11%	2 17%	-	2 7%	2 9%	1 6%	1 8%	2 10%	1 33%	1 5%	2 7%	4 9%	-
	(7)	5 10%	1 4%	3 14%	1 25%	3 8%	2 17%	2 11%	-	3 15%	2 7%	3 13%	2 11%	1 8%	2 10%	-	2 10%	3 11%	5 11%	-
	(8)	4 8%	1 4%	3 14%	-	2 5%	2 17%	1 6%	2 17%	1 5%	3 11%	1 4%	2 11%	-	2 10%	-	3 15%	1 4%	4 9%	-
	(9)	3 6%	1 4%	2 9%	-	2 5%	1 8%	-	1 8%	2 10%	-	3 13%	1 6%	1 8%	1 5%	-	-	3 11%	1 2%	2 33%
10 = Extremely Important	(10)	6 12%	3 13%	2 9%	1 25%	4 11%	2 17%	1 6%	1 8%	4 20%	4 15%	2 9%	2 11%	1 8%	3 15%	1 33%	2 10%	3 11%	4 9%	2 33%
Don't know		4 8%	2 8%	2 9%	-	4 11%	-	2 11%	1 8%	1 5%	3 11%	1 4%	-	3 25%	1 5%	-	3 15%	1 4%	4 9%	-
<b>NETS</b>																				
Net: High importance (8-10)	13 26%	5 21%	7 32%	1 25%	8 21%	5 42%	2 11%	4 33%	7 35%	7 26%	6 26%	5 28%	2 17%	6 30%	1 33%	5 25%	7 26%	9 20%	4 67%	
Net: Medium importance (4-7)	25 50%	14 58%	9 41%	2 50%	19 50%	6 50%	10 56%	7 58%	8 40%	12 44%	13 57%	10 56%	3 25%	12 60%	2 67%	9 45%	14 52%	25 57%	-	

## Awareness of Depression among Parliamentarians - UK

### Q7\_8. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cerebrovascular disease

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Net: Low importance (1-3)	5 10%	2 8%	2 9%	1 25%	5 13%	- -	3 17%	- -	2 10%	3 11%	2 9%	2 11%	2 17%	1 5%	- -	2 10%	3 11%	4 9%	1 17%
Mean score	6.16	5.81	6.50	6.50	5.81	7.18	5.33	6.27	6.82	6.18	6.14	5.94	6.14	6.37	6.67	6.19	6.08	5.89	8.20
Standard deviation	2.33	2.29	2.33	2.89	2.35	2.04	2.02	2.15	2.58	2.40	2.31	2.38	2.73	2.24	3.06	2.20	2.43	2.14	2.95
Standard error	.36	.50	.55	1.44	.42	.62	.52	.65	.63	.51	.50	.58	1.03	.51	1.76	.55	.50	.35	1.32

## Awareness of Depression among Parliamentarians - UK

### Q7\_8. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cerebrovascular disease

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
1 = Not at all important	(1)	-	-	-	-	-	-
		-	-	-	-	-	-
(2)	-	-	-	-	-	-	-
	-	-	-	-	-	-	-
(3)	5 10%	2 7%	3 15%	3 9%	2 14%	3 9%	1 17%
(4)	8 16%	2 7%	6 30%	6 19%	2 14%	3 9%	2 33%
(5)	8 16%	4 13%	4 20%	4 13%	4 29%	6 19%	-
(6)	4 8%	1 3%	3 15%	2 6%	1 7%	3 9%	-
(7)	5 10%	4 13%	1 5%	5 16%	-	5 16%	-
(8)	4 8%	3 10%	1 5%	3 9%	1 7%	3 9%	1 17%
(9)	3 6%	3 10%	-	2 6%	-	1 3%	-
10 = Extremely Important	(10)	6 12%	6 20%	-	4 13%	2 14%	4 13%
		-	-	-	-	-	-
Don't know	4 8%	3 10%	1 5%	-	2 14%	1 3%	2 33%
<b>NETS</b>							
Net: High importance (8-10)	13 26%	12 40%	1 5%	9 28%	3 21%	8 25%	1 17%
Net: Medium importance (4-7)	25 50%	11 37%	14 70%	17 53%	7 50%	17 53%	2 33%

## Awareness of Depression among Parliamentarians - UK

### Q7\_8. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cerebrovascular disease

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Net: Low importance (1-3)	5 10%	2 7%	3 15%	3 9%	2 14%	3 9%	1 17%
Mean score	6.16	7.16	4.78	6.28	5.67	6.32	4.75
Standard deviation	2.33	2.37	1.40	2.33	2.42	2.21	2.22
Standard error	.36	.47	.33	.43	.70	.42	1.11

## Awareness of Depression among Parliamentarians - UK

### Q7\_9. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cancer

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female	
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%	
1 = Not at all important	(1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(4)	1 2%	-	1 5%	1 3%	-	-	-	1 5%	-	1 4%	1 6%	-	-	-	-	1 4%	1 2%	-	
	(5)	2 4%	2 8%	-	2 5%	-	1 6%	1 8%	-	-	2 9%	1 6%	1 8%	-	-	-	2 7%	2 5%	-	
	(6)	5 10%	2 8%	3 14%	4 11%	1 8%	1 6%	2 17%	2 10%	3 11%	2 9%	2 11%	1 8%	2 10%	-	3 15%	2 7%	5 11%	-	
	(7)	4 8%	3 13%	-	4 11%	-	1 6%	1 8%	2 10%	2 7%	2 9%	3 17%	1 8%	-	1 33%	1 5%	2 7%	4 9%	-	
	(8)	10 20%	6 25%	3 14%	8 21%	2 17%	7 39%	1 8%	2 10%	6 22%	4 17%	3 17%	3 25%	4 20%	-	5 25%	5 19%	9 20%	1 17%	
	(9)	9 18%	1 4%	8 36%	6 16%	3 25%	2 11%	1 8%	6 30%	5 19%	4 17%	2 11%	3 25%	4 20%	-	4 20%	5 19%	8 18%	1 17%	
10 = Extremely Important	(10)	19 38%	10 42%	7 32%	2 50%	13 34%	6 50%	6 33%	6 50%	7 35%	11 41%	8 35%	6 33%	3 25%	10 50%	2 67%	7 35%	10 37%	15 34%	4 67%
Don't know		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>NETS</b>																				
Net: High importance (8-10)	38 76%	17 71%	18 82%	3 75%	27 71%	11 92%	15 83%	8 67%	15 75%	22 81%	16 70%	11 61%	9 75%	18 90%	2 67%	16 80%	20 74%	32 73%	6 100%	
Net: Medium importance (4-7)	12 24%	7 29%	4 18%	1 25%	11 29%	1 8%	3 17%	4 33%	5 25%	5 19%	7 30%	7 39%	3 25%	2 10%	1 33%	4 20%	7 26%	12 27%	-	

## Awareness of Depression among Parliamentarians - UK

### Q7\_9. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cancer

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Net: Low importance (1-3)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Mean score	8.46	8.33	8.55	8.75	8.26	9.08	8.44	8.42	8.50	8.70	8.17	8.00	8.25	9.00	9.00	8.55	8.33	8.32	9.50
Standard deviation	1.64	1.71	1.65	1.50	1.72	1.24	1.46	1.93	1.70	1.38	1.90	1.91	1.60	1.30	1.73	1.43	1.82	1.68	.84
Standard error	.23	.35	.35	.75	.28	.36	.35	.56	.38	.27	.40	.45	.46	.29	1.00	.32	.35	.25	.34



## Awareness of Depression among Parliamentarians - UK

### Q7\_9. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cancer

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
1 = Not at all important	(1) - -	- -	- -	- -	- -	- -	- -
(2) - -	- -	- -	- -	- -	- -	- -	- -
(3) - -	- -	- -	- -	- -	- -	- -	- -
(4) 1 2%	- 2%	- -	1 5%	1 3%	- -	- -	- -
(5) 2 4%	- 4%	- -	2 10%	2 6%	- -	1 3%	- -
(6) 5 10%	- 10%	2 7%	3 15%	4 13%	- -	4 13%	- -
(7) 4 8%	- 8%	- -	4 20%	2 6%	2 14%	2 6%	1 17%
(8) 10 20%	- 20%	5 17%	5 25%	7 22%	3 21%	8 25%	1 17%
(9) 9 18%	- 18%	7 23%	2 10%	4 13%	3 21%	5 16%	1 17%
10 = Extremely Important	(10) 19 38%	16 53%	3 15%	12 38%	6 43%	12 38%	3 50%
Don't know	- -	- -	- -	- -	- -	- -	- -
<b>NETS</b>							
Net: High importance (8-10)	38 76%	28 93%	10 50%	23 72%	12 86%	25 78%	5 83%
Net: Medium importance (4-7)	12 24%	2 7%	10 50%	9 28%	2 14%	7 22%	1 17%

## Awareness of Depression among Parliamentarians - UK

### Q7\_9. How important or otherwise would you say the following health problems are as a national policy issue in the UK? - Cancer

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Net: Low importance (1-3)	-	-	-	-	-	-	-
Mean score	8.46	9.17	7.40	8.25	8.93	8.50	9.00
Standard deviation	1.64	1.15	1.73	1.81	1.14	1.52	1.26
Standard error	.23	.21	.39	.32	.30	.27	.52

### Awareness of Depression among Parliamentarians - UK

**Q8\_SUM. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - SUMMARY TABLE**

Base: All respondents

	Total	Least disabling	2nd	3rd	4th	5th	6th	7th	8th	Most disabling	Don't know	Mean
Cancer	50 100%	6 12%	- -	3 6%	2 4%	5 10%	5 10%	4 8%	7 14%	14 28%	4 8%	6.26
Mental health problems such as depression	50 100%	2 4%	4 8%	6 12%	3 6%	5 10%	4 8%	9 18%	6 12%	7 14%	4 8%	5.72
Cardiovascular conditions	50 100%	1 2%	7 14%	5 10%	6 12%	1 2%	6 12%	9 18%	8 16%	3 6%	4 8%	5.41
Alcohol abuse	50 100%	8 16%	3 6%	1 2%	4 8%	4 8%	8 16%	6 12%	9 18%	3 6%	4 8%	5.26
Diabetes	50 100%	1 2%	6 12%	6 12%	5 10%	11 22%	5 10%	4 8%	2 4%	6 12%	4 8%	5.09
Chronic Obstructive Pulmonary Disease (COPD)	50 100%	4 8%	3 6%	10 20%	8 16%	6 12%	4 8%	1 2%	7 14%	3 6%	4 8%	4.70
Cerebrovascular disease	50 100%	5 10%	4 8%	5 10%	9 18%	6 12%	7 14%	5 10%	1 2%	4 8%	4 8%	4.67
Serious deafness/loss of hearing	50 100%	6 12%	11 22%	4 8%	4 8%	7 14%	6 12%	5 10%	- -	3 6%	4 8%	4.11
HIV/AIDS	50 100%	13 26%	8 16%	6 12%	5 10%	1 2%	1 2%	3 6%	6 12%	3 6%	4 8%	3.78

## Awareness of Depression among Parliamentarians - UK

**Q8\_1. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Cardiovascular conditions**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Least disabling (1)	1 2%	1 4%	- -	- -	1 3%	- -	- -	1 8%	- -	- -	1 4%	- -	1 8%	- -	- -	- -	1 4%	- -	1 17%
2nd (2)	7 14%	2 8%	4 18%	1 25%	5 13%	2 17%	4 22%	1 8%	2 10%	6 22%	1 4%	2 11%	3 25%	2 10%	1 33%	4 20%	2 7%	7 16%	- -
3rd (3)	5 10%	3 13%	1 5%	1 25%	4 11%	1 8%	1 6%	1 8%	3 15%	2 7%	3 13%	2 11%	1 8%	2 10%	- -	2 10%	3 11%	5 11%	- -
4th (4)	6 12%	3 13%	3 14%	- -	3 8%	3 25%	- -	3 25%	3 15%	4 15%	2 9%	2 11%	- -	4 20%	1 33%	3 15%	2 7%	6 14%	- -
5th (5)	1 2%	- -	1 5%	- -	1 3%	- -	- -	- -	1 5%	- -	1 4%	- -	- -	1 5%	- -	- -	1 4%	1 2%	- -
6th (6)	6 12%	4 17%	2 9%	- -	6 16%	- -	1 6%	4 33%	1 5%	5 19%	1 4%	1 6%	1 8%	4 20%	- -	2 10%	4 15%	4 9%	2 33%
7th (7)	9 18%	3 13%	4 18%	2 50%	7 18%	2 17%	5 28%	- -	4 20%	5 19%	4 17%	5 28%	2 17%	2 10%	- -	6 30%	3 11%	9 20%	- -
8th (8)	8 16%	4 17%	4 18%	- -	5 13%	3 25%	5 28%	1 8%	2 10%	5 19%	3 13%	4 22%	2 17%	2 10%	1 33%	3 15%	4 15%	7 16%	1 17%
Most disabling (9)	3 6%	1 4%	2 9%	- -	2 5%	1 8%	1 6%	1 8%	1 5%	- -	3 13%	- -	1 8%	2 10%	- -	- -	3 11%	3 7%	- -
Don't know	4 8%	3 13%	1 5%	- -	4 11%	- -	1 6%	- -	3 15%	- -	4 17%	2 11%	1 8%	1 5%	- -	- -	4 15%	2 5%	2 33%
Mean score	5.41	5.33	5.62	4.75	5.38	5.50	5.94	4.92	5.24	5.15	5.79	5.69	5.00	5.42	4.67	5.20	5.70	5.43	5.25
Standard deviation	2.40	2.39	2.46	2.63	2.37	2.58	2.59	2.35	2.28	2.28	2.57	2.27	3.00	2.22	3.06	2.28	2.49	2.38	2.99
Standard error	.35	.52	.54	1.31	.41	.74	.63	.68	.55	.44	.59	.57	.90	.51	1.76	.51	.52	.37	1.49

### Awareness of Depression among Parliamentarians - UK

**Q8\_1. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Cardiovascular conditions**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Least disabling (1)	1 2%	1 3%	- -	1 3%	- -	1 3%	- -
2nd (2)	7 14%	4 13%	3 15%	5 16%	2 14%	4 13%	2 33%
3rd (3)	5 10%	4 13%	1 5%	3 9%	2 14%	2 6%	2 33%
4th (4)	6 12%	4 13%	2 10%	3 9%	3 21%	2 6%	- -
5th (5)	1 2%	1 3%	- -	1 3%	- -	1 3%	- -
6th (6)	6 12%	2 7%	4 20%	4 13%	1 7%	4 13%	- -
7th (7)	9 18%	6 20%	3 15%	5 16%	3 21%	7 22%	- -
8th (8)	8 16%	4 13%	4 20%	5 16%	2 14%	6 19%	2 33%
Most disabling (9)	3 6%	2 7%	1 5%	3 9%	- -	3 9%	- -
Don't know	4 8%	2 7%	2 10%	2 6%	1 7%	2 6%	- -
Mean score	5.41	5.21	5.72	5.43	5.00	5.87	4.33
Standard deviation	2.40	2.47	2.32	2.54	2.24	2.45	2.88
Standard error	.35	.47	.55	.46	.62	.45	1.17

## Awareness of Depression among Parliamentarians - UK

**Q8\_2. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Serious deafness/loss of hearing**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Least disabling (1)	6 12%	3 13%	3 14%	- -	5 13%	1 8%	3 17%	1 8%	2 10%	4 15%	2 9%	- -	1 8%	5 25%	- -	2 10%	4 15%	6 14%	- -
2nd (2)	11 22%	7 29%	3 14%	1 25%	10 26%	1 8%	6 33%	4 33%	1 5%	5 19%	6 26%	3 17%	3 25%	5 25%	- -	6 30%	5 19%	11 25%	- -
3rd (3)	4 8%	2 8%	1 5%	1 25%	2 5%	2 17%	3 17%	- -	1 5%	2 7%	2 9%	2 11%	1 8%	1 5%	- -	1 5%	3 11%	4 9%	- -
4th (4)	4 8%	1 4%	3 14%	- -	4 11%	- -	- -	- -	4 20%	3 11%	1 4%	2 11%	1 8%	1 5%	- -	2 10%	2 7%	3 7%	1 17%
5th (5)	7 14%	2 8%	5 23%	- -	3 8%	4 33%	2 11%	2 17%	3 15%	5 19%	2 9%	2 11%	1 8%	4 20%	1 33%	4 20%	2 7%	7 16%	- -
6th (6)	6 12%	3 13%	2 9%	1 25%	5 13%	1 8%	1 6%	3 25%	2 10%	3 11%	3 13%	4 22%	1 8%	1 5%	2 67%	1 5%	3 11%	6 14%	- -
7th (7)	5 10%	2 8%	2 9%	1 25%	3 8%	2 17%	2 11%	1 8%	2 10%	2 7%	3 13%	3 17%	2 17%	- -	- -	2 10%	3 11%	3 7%	2 33%
8th (8)	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Most disabling (9)	3 6%	1 4%	2 9%	- -	2 5%	1 8%	- -	1 8%	2 10%	3 11%	- -	- -	1 8%	2 10%	- -	2 10%	1 4%	2 5%	1 17%
Don't know	4 8%	3 13%	1 5%	- -	4 11%	- -	1 6%	- -	3 15%	- -	4 17%	2 11%	1 8%	1 5%	- -	- -	4 15%	2 5%	2 33%
Mean score	4.11	3.71	4.43	4.50	3.85	4.83	3.18	4.42	4.82	4.30	3.84	4.69	4.36	3.47	5.67	4.15	3.87	3.86	6.75
Standard deviation	2.37	2.37	2.42	2.38	2.38	2.29	2.04	2.54	2.38	2.52	2.17	1.85	2.62	2.57	.58	2.50	2.38	2.26	2.06
Standard error	.35	.52	.53	1.19	.41	.66	.49	.73	.58	.49	.50	.46	.79	.59	.33	.56	.50	.35	1.03

### Awareness of Depression among Parliamentarians - UK

**Q8\_2. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Serious deafness/loss of hearing**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Least disabling (1)	6 12%	3 10%	3 15%	4 13%	2 14%	4 13%	- -
2nd (2)	11 22%	8 27%	3 15%	6 19%	4 29%	7 22%	2 33%
3rd (3)	4 8%	2 7%	2 10%	3 9%	- -	4 13%	- -
4th (4)	4 8%	3 10%	1 5%	3 9%	- -	3 9%	1 17%
5th (5)	7 14%	4 13%	3 15%	3 9%	4 29%	5 16%	1 17%
6th (6)	6 12%	2 7%	4 20%	3 9%	3 21%	1 3%	1 17%
7th (7)	5 10%	3 10%	2 10%	5 16%	- -	4 13%	- -
8th (8)	- -	- -	- -	- -	- -	- -	- -
Most disabling (9)	3 6%	3 10%	- -	3 9%	- -	2 6%	1 17%
Don't know	4 8%	2 7%	2 10%	2 6%	1 7%	2 6%	- -
Mean score	4.11	4.18	4.00	4.40	3.69	3.97	4.67
Standard deviation	2.37	2.54	2.14	2.58	2.02	2.37	2.66
Standard error	.35	.48	.50	.47	.56	.43	1.09

### Awareness of Depression among Parliamentarians - UK

**Q8\_3. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Mental health problems such as depression**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Least disabling (1)	2 4%	1 4%	1 5%	- -	2 5%	- -	- -	1 8%	1 5%	2 7%	- -	- -	1 8%	1 5%	- -	1 5%	1 4%	1 2%	1 17%
2nd (2)	4 8%	1 4%	2 9%	1 25%	2 5%	2 17%	2 11%	- -	2 10%	2 7%	2 9%	3 17%	- -	1 5%	1 33%	- -	3 11%	4 9%	- -
3rd (3)	6 12%	4 17%	1 5%	1 25%	4 11%	2 17%	2 11%	2 17%	2 10%	3 11%	3 13%	3 17%	1 8%	2 10%	- -	3 15%	3 11%	5 11%	1 17%
4th (4)	3 6%	2 8%	1 5%	- -	2 5%	1 8%	3 17%	- -	- -	2 7%	1 4%	1 6%	2 17%	- -	- -	1 5%	2 7%	3 7%	- -
5th (5)	5 10%	3 13%	1 5%	1 25%	4 11%	1 8%	3 17%	1 8%	1 5%	3 11%	2 9%	2 11%	2 17%	1 5%	1 33%	2 10%	2 7%	5 11%	- -
6th (6)	4 8%	1 4%	2 9%	1 25%	4 11%	- -	2 11%	1 8%	1 5%	2 7%	2 9%	1 6%	- -	3 15%	- -	3 15%	1 4%	4 9%	- -
7th (7)	9 18%	5 21%	4 18%	- -	6 16%	3 25%	3 17%	3 25%	3 15%	6 22%	3 13%	- -	2 17%	7 35%	1 33%	5 25%	3 11%	9 20%	- -
8th (8)	6 12%	4 17%	2 9%	- -	4 11%	2 17%	1 6%	3 25%	2 10%	2 7%	4 17%	4 22%	1 8%	1 5%	- -	2 10%	4 15%	5 11%	1 17%
Most disabling (9)	7 14%	- -	7 32%	- -	6 16%	1 8%	1 6%	1 8%	5 25%	5 19%	2 9%	2 11%	2 17%	3 15%	- -	3 15%	4 15%	6 14%	1 17%
Don't know	4 8%	3 13%	1 5%	- -	4 11%	- -	1 6%	- -	3 15%	- -	4 17%	2 11%	1 8%	1 5%	- -	- -	4 15%	2 5%	2 33%
Mean score	5.72	5.29	6.48	4.00	5.82	5.42	5.12	6.00	6.12	5.67	5.79	5.31	5.64	6.11	4.67	6.00	5.61	5.76	5.25
Standard deviation	2.48	2.22	2.66	1.83	2.49	2.54	2.06	2.49	2.87	2.60	2.37	2.68	2.58	2.33	2.52	2.27	2.71	2.38	3.86
Standard error	.37	.48	.58	.91	.43	.73	.50	.72	.70	.50	.54	.67	.78	.53	1.45	.51	.56	.37	1.93



### Awareness of Depression among Parliamentarians - UK

**Q8\_3. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Mental health problems such as depression**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Least disabling (1)	2 4%	1 3%	1 5%	2 6%	- -	2 6%	- -
2nd (2)	4 8%	1 3%	3 15%	1 3%	2 14%	1 3%	1 17%
3rd (3)	6 12%	5 17%	1 5%	5 16%	1 7%	5 16%	- -
4th (4)	3 6%	1 3%	2 10%	1 3%	2 14%	1 3%	2 33%
5th (5)	5 10%	1 3%	4 20%	4 13%	1 7%	3 9%	1 17%
6th (6)	4 8%	4 13%	- -	3 9%	1 7%	4 13%	- -
7th (7)	9 18%	5 17%	4 20%	3 9%	5 36%	4 13%	1 17%
8th (8)	6 12%	3 10%	3 15%	5 16%	1 7%	3 9%	1 17%
Most disabling (9)	7 14%	7 23%	- -	6 19%	- -	7 22%	- -
Don't know	4 8%	2 7%	2 10%	2 6%	1 7%	2 6%	- -
Mean score	5.72	6.18	5.00	5.87	5.31	5.90	5.00
Standard deviation	2.48	2.51	2.33	2.60	2.10	2.60	2.19
Standard error	.37	.47	.55	.47	.58	.48	.89

## Awareness of Depression among Parliamentarians - UK

**Q8\_4. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Alcohol abuse**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female	
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%	
Least disabling	(1)	8 16%	4 17%	3 14%	1 25%	6 16%	2 17%	4 22%	1 8%	3 15%	5 19%	3 13%	1 6%	3 25%	4 20%	-	4 20%	4 15%	8 18%	-
2nd	(2)	3 6%	1 4%	1 5%	1 25%	3 8%	-	1 6%	1 8%	1 5%	1 4%	2 9%	2 11%	1 8%	-	-	2 10%	1 4%	2 5%	1 17%
3rd	(3)	1 2%	-	1 5%	-	-	1 8%	1 6%	-	-	1 4%	-	1 6%	-	-	1 33%	-	-	1 2%	-
4th	(4)	4 8%	2 8%	2 9%	-	3 8%	1 8%	2 11%	2 17%	-	2 7%	2 9%	1 6%	1 8%	2 10%	-	2 10%	2 7%	3 7%	1 17%
5th	(5)	4 8%	2 8%	2 9%	-	4 11%	-	1 6%	1 8%	2 10%	2 7%	2 9%	3 17%	-	1 5%	-	1 5%	3 11%	3 7%	1 17%
6th	(6)	8 16%	4 17%	3 14%	1 25%	5 13%	3 25%	4 22%	-	4 20%	4 15%	4 17%	2 11%	3 25%	3 15%	1 33%	4 20%	3 11%	8 18%	-
7th	(7)	6 12%	3 13%	2 9%	1 25%	5 13%	1 8%	2 11%	2 17%	2 10%	6 22%	-	2 11%	1 8%	3 15%	-	2 10%	4 15%	6 14%	-
8th	(8)	9 18%	4 17%	5 23%	-	6 16%	3 25%	2 11%	4 33%	3 15%	6 22%	3 13%	1 6%	2 17%	6 30%	1 33%	5 25%	3 11%	8 18%	1 17%
Most disabling	(9)	3 6%	1 4%	2 9%	-	2 5%	1 8%	-	1 8%	2 10%	-	3 13%	3 17%	-	-	-	-	3 11%	3 7%	-
Don't know		4 8%	3 13%	1 5%	-	4 11%	-	1 6%	-	3 15%	-	4 17%	2 11%	1 8%	1 5%	-	-	4 15%	2 5%	2 33%
Mean score		5.26	5.24	5.52	4.00	5.15	5.58	4.47	5.92	5.59	5.26	5.26	5.50	4.55	5.47	5.67	4.95	5.48	5.31	4.75
Standard deviation		2.67	2.66	2.69	2.94	2.68	2.75	2.55	2.64	2.76	2.60	2.84	2.61	2.84	2.70	2.52	2.72	2.73	2.71	2.50
Standard error		.39	.58	.59	1.47	.46	.79	.62	.76	.67	.50	.65	.65	.86	.62	1.45	.61	.57	.42	1.25

### Awareness of Depression among Parliamentarians - UK

**Q8\_4. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Alcohol abuse**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Least disabling (1)	8 16%	6 20%	2 10%	4 13%	3 21%	5 16%	2 33%
2nd (2)	3 6%	1 3%	2 10%	3 9%	- -	2 6%	- -
3rd (3)	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
4th (4)	4 8%	3 10%	1 5%	2 6%	2 14%	4 13%	- -
5th (5)	4 8%	2 7%	2 10%	3 9%	1 7%	2 6%	1 17%
6th (6)	8 16%	5 17%	3 15%	5 16%	2 14%	6 19%	1 17%
7th (7)	6 12%	5 17%	1 5%	5 16%	1 7%	5 16%	- -
8th (8)	9 18%	5 17%	4 20%	5 16%	3 21%	5 16%	1 17%
Most disabling (9)	3 6%	1 3%	2 10%	3 9%	- -	1 3%	- -
Don't know	4 8%	2 7%	2 10%	2 6%	1 7%	2 6%	- -
Mean score	5.26	5.14	5.44	5.50	4.77	5.17	4.00
Standard deviation	2.67	2.68	2.73	2.65	2.68	2.55	2.83
Standard error	.39	.51	.64	.48	.74	.47	1.15

### Awareness of Depression among Parliamentarians - UK

**Q8\_5. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - HIV/AIDS**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Least disabling (1)	13 26%	5 21%	7 32%	1 25%	9 24%	4 33%	5 28%	3 25%	5 25%	5 19%	8 35%	7 39%	1 8%	5 25%	1 33%	6 30%	6 22%	12 27%	1 17%
2nd (2)	8 16%	4 17%	4 18%	-	6 16%	2 17%	2 11%	2 17%	4 20%	7 26%	1 4%	1 6%	3 25%	4 20%	-	4 20%	4 15%	7 16%	1 17%
3rd (3)	6 12%	4 17%	2 9%	-	5 13%	1 8%	3 17%	2 17%	1 5%	3 11%	3 13%	1 6%	2 17%	3 15%	-	3 15%	3 11%	6 14%	-
4th (4)	5 10%	2 8%	2 9%	1 25%	4 11%	1 8%	2 11%	1 8%	2 10%	1 4%	4 17%	2 11%	-	3 15%	-	2 10%	3 11%	5 11%	-
5th (5)	1 2%	-	1 5%	-	1 3%	-	1 6%	-	-	1 4%	-	-	-	1 5%	-	-	1 4%	1 2%	-
6th (6)	1 2%	1 4%	-	-	1 3%	-	1 6%	-	-	-	1 4%	-	1 8%	-	-	-	1 4%	1 2%	-
7th (7)	3 6%	1 4%	2 9%	-	2 5%	1 8%	2 11%	1 8%	-	3 11%	-	1 6%	1 8%	1 5%	1 33%	1 5%	1 4%	2 5%	1 17%
8th (8)	6 12%	2 8%	3 14%	1 25%	4 11%	2 17%	-	2 17%	4 20%	5 19%	1 4%	2 11%	2 17%	2 10%	-	4 20%	2 7%	5 11%	1 17%
Most disabling (9)	3 6%	2 8%	-	1 25%	2 5%	1 8%	1 6%	1 8%	1 5%	2 7%	1 4%	2 11%	1 8%	-	1 33%	-	2 7%	3 7%	-
Don't know	4 8%	3 13%	1 5%	-	4 11%	-	1 6%	-	3 15%	-	4 17%	2 11%	1 8%	1 5%	-	-	4 15%	2 5%	2 33%
Mean score	3.78	3.81	3.43	5.50	3.74	3.92	3.53	4.08	3.82	4.30	3.05	3.81	4.64	3.26	5.67	3.50	3.78	3.71	4.50
Standard deviation	2.81	2.82	2.66	3.70	2.72	3.18	2.50	3.06	3.07	2.98	2.44	3.25	2.98	2.31	4.16	2.72	2.76	2.78	3.51
Standard error	.41	.62	.58	1.85	.47	.92	.61	.88	.74	.57	.56	.81	.90	.53	2.40	.61	.58	.43	1.76

### Awareness of Depression among Parliamentarians - UK

**Q8\_5. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - HIV/AIDS**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Least disabling (1)	13 26%	9 30%	4 20%	10 31%	3 21%	10 31%	1 17%
2nd (2)	8 16%	5 17%	3 15%	4 13%	3 21%	5 16%	- -
3rd (3)	6 12%	3 10%	3 15%	4 13%	1 7%	4 13%	1 17%
4th (4)	5 10%	2 7%	3 15%	4 13%	- -	4 13%	- -
5th (5)	1 2%	1 3%	- -	1 3%	- -	1 3%	- -
6th (6)	1 2%	1 3%	- -	- -	1 7%	- -	1 17%
7th (7)	3 6%	1 3%	2 10%	1 3%	2 14%	1 3%	2 33%
8th (8)	6 12%	4 13%	2 10%	5 16%	1 7%	4 13%	1 17%
Most disabling (9)	3 6%	2 7%	1 5%	1 3%	2 14%	1 3%	- -
Don't know	4 8%	2 7%	2 10%	2 6%	1 7%	2 6%	- -
Mean score	3.78	3.71	3.89	3.57	4.46	3.37	5.33
Standard deviation	2.81	2.92	2.72	2.75	3.23	2.63	2.73
Standard error	.41	.55	.64	.50	.90	.48	1.12

## Awareness of Depression among Parliamentarians - UK

**Q8\_6. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Chronic Obstructive Pulmonary Disease (COPD)**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Least disabling (1)	4 8%	2 8%	2 9%	- -	3 8%	1 8%	2 11%	1 8%	1 5%	3 11%	1 4%	1 6%	2 17%	1 5%	- -	3 15%	1 4%	4 9%	- -
2nd (2)	3 6%	2 8%	1 5%	- -	2 5%	1 8%	1 6%	2 17%	- -	2 7%	1 4%	2 11%	- -	1 5%	- -	2 10%	1 4%	3 7%	- -
3rd (3)	10 20%	3 13%	6 27%	1 25%	8 21%	2 17%	3 17%	2 17%	5 25%	7 26%	3 13%	2 11%	2 17%	6 30%	1 33%	3 15%	6 22%	8 18%	2 33%
4th (4)	8 16%	5 21%	3 14%	- -	6 16%	2 17%	4 22%	2 17%	2 10%	3 11%	5 22%	2 11%	4 33%	2 10%	1 33%	4 20%	3 11%	8 18%	- -
5th (5)	6 12%	4 17%	- -	2 50%	4 11%	2 17%	2 11%	2 17%	2 10%	4 15%	2 9%	3 17%	1 8%	2 10%	- -	2 10%	4 15%	5 11%	1 17%
6th (6)	4 8%	1 4%	3 14%	- -	3 8%	1 8%	- -	- -	4 20%	2 7%	2 9%	3 17%	1 8%	- -	- -	- -	4 15%	3 7%	1 17%
7th (7)	1 2%	- -	1 5%	- -	- -	1 8%	- -	- -	1 5%	1 4%	- -	- -	- -	1 5%	- -	1 5%	- -	1 2%	- -
8th (8)	7 14%	4 17%	2 9%	1 25%	6 16%	1 8%	4 22%	2 17%	1 5%	2 7%	5 22%	2 11%	1 8%	4 20%	- -	3 15%	4 15%	7 16%	- -
Most disabling (9)	3 6%	- -	3 14%	- -	2 5%	1 8%	1 6%	1 8%	1 5%	3 11%	- -	1 6%	- -	2 10%	1 33%	2 10%	- -	3 7%	- -
Don't know	4 8%	3 13%	1 5%	- -	4 11%	- -	1 6%	- -	3 15%	- -	4 17%	2 11%	1 8%	1 5%	- -	- -	4 15%	2 5%	2 33%
Mean score	4.70	4.43	4.86	5.25	4.68	4.75	4.71	4.50	4.82	4.52	4.95	4.81	3.91	5.05	5.33	4.55	4.74	4.74	4.25
Standard deviation	2.37	2.20	2.65	2.06	2.40	2.42	2.59	2.61	2.10	2.50	2.22	2.32	2.02	2.61	3.21	2.72	2.03	2.45	1.50
Standard error	.35	.48	.58	1.03	.41	.70	.63	.75	.51	.48	.51	.58	.61	.60	1.86	.61	.42	.38	.75

### Awareness of Depression among Parliamentarians - UK

**Q8\_6. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Chronic Obstructive Pulmonary Disease (COPD)**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Least disabling (1)	4 8%	2 7%	2 10%	2 6%	1 7%	3 9%	1 17%
2nd (2)	3 6%	1 3%	2 10%	2 6%	1 7%	3 9%	- -
3rd (3)	10 20%	5 17%	5 25%	7 22%	3 21%	7 22%	- -
4th (4)	8 16%	5 17%	3 15%	7 22%	1 7%	6 19%	1 17%
5th (5)	6 12%	4 13%	2 10%	2 6%	3 21%	2 6%	1 17%
6th (6)	4 8%	3 10%	1 5%	4 13%	- -	2 6%	1 17%
7th (7)	1 2%	1 3%	- -	1 3%	- -	1 3%	- -
8th (8)	7 14%	6 20%	1 5%	4 13%	3 21%	5 16%	1 17%
Most disabling (9)	3 6%	1 3%	2 10%	1 3%	1 7%	1 3%	1 17%
Don't know	4 8%	2 7%	2 10%	2 6%	1 7%	2 6%	- -
Mean score	4.70	5.04	4.17	4.57	4.92	4.40	5.50
Standard deviation	2.37	2.30	2.46	2.19	2.60	2.39	2.88
Standard error	.35	.43	.58	.40	.72	.44	1.18

## Awareness of Depression among Parliamentarians - UK

**Q8\_7. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Diabetes**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female	
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%	
Least disabling	(1)	1 2%	- -	- -	1 3%	- -	1 6%	- -	- -	- -	1 4%	1 6%	- -	- -	- -	- -	1 4%	1 2%	- -	
2nd	(2)	6 12%	2 8%	4 18%	- -	3 8%	3 25%	- -	1 8%	5 25%	3 11%	3 13%	3 17%	- -	3 15%	1 33%	- -	5 19%	4 9%	2 33%
3rd	(3)	6 12%	3 13%	3 14%	- -	5 13%	1 8%	2 11%	3 25%	1 5%	4 15%	2 9%	2 11%	1 8%	3 15%	- -	4 20%	2 7%	6 14%	- -
4th	(4)	5 10%	2 8%	3 14%	- -	3 8%	2 17%	2 11%	2 17%	1 5%	4 15%	1 4%	2 11%	1 8%	2 10%	1 33%	3 15%	1 4%	5 11%	- -
5th	(5)	11 22%	6 25%	4 18%	1 25%	10 26%	1 8%	5 28%	2 17%	4 20%	4 15%	7 30%	3 17%	5 42%	3 15%	- -	5 25%	6 22%	10 23%	1 17%
6th	(6)	5 10%	2 8%	3 14%	- -	2 5%	3 25%	3 17%	- -	2 10%	2 7%	3 13%	1 6%	- -	4 20%	- -	1 5%	4 15%	5 11%	- -
7th	(7)	4 8%	2 8%	2 9%	- -	3 8%	1 8%	1 6%	2 17%	1 5%	2 7%	2 9%	1 6%	2 17%	1 5%	1 33%	2 10%	1 4%	4 9%	- -
8th	(8)	2 4%	1 4%	- -	1 25%	2 5%	- -	1 6%	- -	1 5%	2 7%	- -	1 6%	- -	1 5%	- -	- -	2 7%	2 5%	- -
Most disabling	(9)	6 12%	2 8%	2 9%	2 50%	5 13%	1 8%	2 11%	2 17%	2 10%	6 22%	- -	2 11%	2 17%	2 10%	- -	5 25%	1 4%	5 11%	1 17%
Don't know		4 8%	3 13%	1 5%	- -	4 11%	- -	1 6%	- -	3 15%	- -	4 17%	2 11%	1 8%	1 5%	- -	- -	4 15%	2 5%	2 33%
Mean score	5.09	4.95	4.71	7.75	5.24	4.67	5.35	5.08	4.82	5.56	4.42	4.69	5.82	5.00	4.33	5.70	4.65	5.14	4.50	
Standard deviation	2.28	2.22	2.15	1.89	2.31	2.23	2.12	2.39	2.46	2.50	1.77	2.55	1.94	2.24	2.52	2.27	2.23	2.20	3.32	
Standard error	.34	.49	.47	.95	.40	.64	.51	.69	.60	.48	.41	.64	.58	.51	1.45	.51	.46	.34	1.66	



### Awareness of Depression among Parliamentarians - UK

**Q8\_7. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Diabetes**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Least disabling (1)	1 2%	- -	1 5%	1 3%	- -	1 3%	- -
2nd (2)	6 12%	5 17%	1 5%	5 16%	1 7%	4 13%	1 17%
3rd (3)	6 12%	4 13%	2 10%	2 6%	3 21%	4 13%	- -
4th (4)	5 10%	2 7%	3 15%	2 6%	2 14%	2 6%	2 33%
5th (5)	11 22%	8 27%	3 15%	10 31%	1 7%	9 28%	1 17%
6th (6)	5 10%	3 10%	2 10%	3 9%	1 7%	4 13%	- -
7th (7)	4 8%	2 7%	2 10%	3 9%	1 7%	2 6%	1 17%
8th (8)	2 4%	1 3%	1 5%	- -	2 14%	- -	- -
Most disabling (9)	6 12%	3 10%	3 15%	4 13%	2 14%	4 13%	1 17%
Don't know	4 8%	2 7%	2 10%	2 6%	1 7%	2 6%	- -
Mean score	5.09	4.89	5.39	5.00	5.46	4.93	5.17
Standard deviation	2.28	2.20	2.43	2.27	2.50	2.24	2.48
Standard error	.34	.42	.57	.42	.69	.41	1.01

## Awareness of Depression among Parliamentarians - UK

**Q8\_8. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Cerebrovascular disease**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Least disabling	(1) 5 10%	1 4%	4 18%	- -	4 11%	1 8%	1 6%	2 17%	2 10%	3 11%	2 9%	3 17%	1 8%	1 5%	1 33%	2 10%	2 7%	5 11%	- -
2nd	(2) 4 8%	2 8%	2 9%	- -	3 8%	1 8%	1 6%	1 8%	2 10%	1 4%	3 13%	- -	1 8%	3 15%	- -	2 10%	2 7%	4 9%	- -
3rd	(3) 5 10%	2 8%	3 14%	- -	4 11%	1 8%	1 6%	2 17%	2 10%	3 11%	2 9%	1 6%	2 17%	2 10%	1 33%	3 15%	1 4%	5 11%	- -
4th	(4) 9 18%	3 13%	4 18%	2 50%	7 18%	2 17%	2 11%	2 17%	5 25%	8 30%	1 4%	2 11%	2 17%	5 25%	- -	2 10%	7 26%	7 16%	2 33%
5th	(5) 6 12%	3 13%	3 14%	- -	3 8%	3 25%	2 11%	1 8%	3 15%	4 15%	2 9%	2 11%	1 8%	3 15%	- -	4 20%	2 7%	6 14%	- -
6th	(6) 7 14%	4 17%	2 9%	1 25%	5 13%	2 17%	5 28%	2 17%	- -	6 22%	1 4%	3 17%	3 25%	1 5%	- -	5 25%	2 7%	6 14%	1 17%
7th	(7) 5 10%	3 13%	2 9%	- -	4 11%	1 8%	2 11%	2 17%	1 5%	1 4%	4 17%	2 11%	1 8%	2 10%	- -	- -	5 19%	4 9%	1 17%
8th	(8) 1 2%	1 4%	- -	- -	1 3%	- -	1 6%	- -	- -	- -	1 4%	- -	- -	1 5%	- -	1 5%	- -	1 2%	- -
Most disabling	(9) 4 8%	2 8%	1 5%	1 25%	3 8%	1 8%	2 11%	- -	2 10%	1 4%	3 13%	3 17%	- -	1 5%	1 33%	1 5%	2 7%	4 9%	- -
Don't know	4 8%	3 13%	1 5%	- -	4 11%	- -	1 6%	- -	3 15%	- -	4 17%	2 11%	1 8%	1 5%	- -	- -	4 15%	2 5%	2 33%
Mean score	4.67	5.19	3.95	5.75	4.65	4.75	5.53	4.08	4.24	4.37	5.11	5.19	4.27	4.47	4.33	4.50	4.87	4.62	5.25
Standard deviation	2.31	2.25	2.25	2.36	2.39	2.18	2.24	2.15	2.36	1.88	2.81	2.74	1.90	2.17	4.16	2.16	2.28	2.38	1.50
Standard error	.34	.49	.49	1.18	.41	.63	.54	.62	.57	.36	.64	.68	.57	.50	2.40	.48	.48	.37	.75

### Awareness of Depression among Parliamentarians - UK

**Q8\_8. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Cerebrovascular disease**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Least disabling (1)	5 10%	1 3%	4 20%	3 9%	1 7%	2 6%	1 17%
2nd (2)	4 8%	3 10%	1 5%	4 13%	- -	4 13%	- -
3rd (3)	5 10%	3 10%	2 10%	4 13%	1 7%	3 9%	1 17%
4th (4)	9 18%	7 23%	2 10%	6 19%	3 21%	6 19%	- -
5th (5)	6 12%	5 17%	1 5%	3 9%	2 14%	4 13%	- -
6th (6)	7 14%	3 10%	4 20%	3 9%	4 29%	4 13%	2 33%
7th (7)	5 10%	3 10%	2 10%	3 9%	1 7%	3 9%	1 17%
8th (8)	1 2%	1 3%	- -	1 3%	- -	1 3%	- -
Most disabling (9)	4 8%	2 7%	2 10%	3 9%	1 7%	3 9%	1 17%
Don't know	4 8%	2 7%	2 10%	2 6%	1 7%	2 6%	- -
Mean score	4.67	4.79	4.50	4.53	5.08	4.77	5.33
Standard deviation	2.31	2.08	2.68	2.43	1.98	2.33	2.88
Standard error	.34	.39	.63	.44	.55	.43	1.17

## Awareness of Depression among Parliamentarians - UK

**Q8\_9. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Cancer**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Least disabling	(1) 6 12%	3 13%	1 5%	2 50%	3 8%	3 25%	1 6%	2 17%	3 15%	5 19%	1 4%	3 17%	1 8%	2 10%	1 33%	2 10%	3 11%	5 11%	1 17%
2nd	(2) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3rd	(3) 3 6%	-	3 14%	-	2 5%	1 8%	1 6%	-	2 10%	2 7%	1 4%	2 11%	1 8%	-	-	1 5%	2 7%	2 5%	1 17%
4th	(4) 2 4%	1 4%	-	1 25%	2 5%	-	2 11%	-	-	-	2 9%	2 11%	-	-	-	1 5%	1 4%	2 5%	-
5th	(5) 5 10%	1 4%	4 18%	-	4 11%	1 8%	1 6%	3 25%	1 5%	4 15%	1 4%	1 6%	1 8%	3 15%	1 33%	2 10%	2 7%	4 9%	1 17%
6th	(6) 5 10%	1 4%	4 18%	-	3 8%	2 17%	-	2 17%	3 15%	3 11%	2 9%	1 6%	1 8%	3 15%	-	4 20%	1 4%	5 11%	-
7th	(7) 4 8%	2 8%	2 9%	-	4 11%	-	-	1 8%	3 15%	1 4%	3 13%	2 11%	-	2 10%	-	1 5%	3 11%	4 9%	-
8th	(8) 7 14%	1 4%	5 23%	1 25%	6 16%	1 8%	3 17%	-	4 20%	5 19%	2 9%	2 11%	3 25%	2 10%	1 33%	2 10%	4 15%	7 16%	-
Most disabling	(9) 14 28%	12 50%	2 9%	-	10 26%	4 33%	9 50%	4 33%	1 5%	7 26%	7 30%	3 17%	4 33%	7 35%	-	7 35%	7 26%	13 30%	1 17%
Don't know	4 8%	3 13%	1 5%	-	4 11%	-	1 6%	-	3 15%	-	4 17%	2 11%	1 8%	1 5%	-	-	4 15%	2 5%	2 33%
Mean score	6.26	7.05	6.00	3.50	6.50	5.58	7.18	6.00	5.53	5.89	6.79	5.31	6.82	6.74	4.67	6.45	6.30	6.43	4.50
Standard deviation	2.77	2.92	2.19	3.32	2.55	3.34	2.65	2.86	2.72	2.98	2.42	2.96	2.75	2.54	3.51	2.65	2.85	2.69	3.42
Standard error	.41	.64	.48	1.66	.44	.96	.64	.83	.66	.57	.55	.74	.83	.58	2.03	.59	.59	.41	1.71

### Awareness of Depression among Parliamentarians - UK

**Q8\_9. Please rank each of the health problems below, with 1 as the least disabling and 9 as the most disabling? Please rank them all, using each number only once. By disabling we mean a condition that has a detrimental impact upon a person's ability to perform normal day to day activities. - Cancer**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Least disabling (1)	6 12%	5 17%	1 5%	3 9%	3 21%	2 6%	1 17%
2nd (2)	-	-	-	-	-	-	-
3rd (3)	3 6%	2 7%	1 5%	2 6%	1 7%	1 3%	1 17%
4th (4)	2 4%	1 3%	1 5%	2 6%	-	2 6%	-
5th (5)	5 10%	2 7%	3 15%	3 9%	1 7%	3 9%	1 17%
6th (6)	5 10%	5 17%	-	5 16%	-	5 16%	-
7th (7)	4 8%	2 7%	2 10%	4 13%	-	3 9%	1 17%
8th (8)	7 14%	4 13%	3 15%	5 16%	1 7%	6 19%	-
Most disabling (9)	14 28%	7 23%	7 35%	6 19%	7 50%	8 25%	2 33%
Don't know	4 8%	2 7%	2 10%	2 6%	1 7%	2 6%	-
Mean score	6.26	5.86	6.89	6.13	6.31	6.63	5.67
Standard deviation	2.77	2.92	2.47	2.50	3.54	2.33	3.27
Standard error	.41	.55	.58	.46	.98	.42	1.33

## Awareness of Depression among Parliamentarians - UK

### Q9. Which of the symptoms below, if any, do you associate with depression in general?

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Loss of interest in daily activities	47 94%	23 96%	20 91%	4 100%	37 97%	10 83%	16 89%	12 100%	19 95%	25 93%	22 96%	16 89%	12 100%	19 95%	2 67%	20 100%	25 93%	42 95%	5 83%
Low mood or sadness	45 90%	21 88%	20 91%	4 100%	35 92%	10 83%	17 94%	11 92%	17 85%	24 89%	21 91%	16 89%	11 92%	18 90%	2 67%	19 95%	24 89%	40 91%	5 83%
Trouble concentrating	40 80%	18 75%	20 91%	2 50%	29 76%	11 92%	12 67%	10 83%	18 90%	23 85%	17 74%	12 67%	11 92%	17 85%	3 100%	15 75%	22 81%	36 82%	4 67%
Trouble sleeping/insomnia	40 80%	18 75%	18 82%	4 100%	33 87%	7 58%	11 61%	11 92%	18 90%	21 78%	19 83%	14 78%	10 83%	16 80%	2 67%	18 90%	20 74%	35 80%	5 83%
Crying for no reason	37 74%	18 75%	17 77%	2 50%	27 71%	10 83%	12 67%	11 92%	14 70%	22 81%	15 65%	10 56%	9 75%	18 90%	1 33%	17 85%	19 70%	33 75%	4 67%
Indecisiveness	29 58%	11 46%	15 68%	3 75%	19 50%	10 83%	10 56%	6 50%	13 65%	21 78%	8 35%	11 61%	8 67%	10 50%	2 67%	13 65%	14 52%	26 59%	3 50%
Aggressive behaviour	25 50%	12 50%	12 55%	1 25%	20 53%	5 42%	8 44%	7 58%	10 50%	15 56%	10 43%	8 44%	6 50%	11 55%	1 33%	10 50%	14 52%	23 52%	2 33%
Forgetfulness	21 42%	9 38%	11 50%	1 25%	16 42%	5 42%	7 39%	5 42%	9 45%	12 44%	9 39%	6 33%	7 58%	8 40%	1 33%	8 40%	12 44%	18 41%	3 50%
None of these	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

## Awareness of Depression among Parliamentarians - UK

### Q9. Which of the symptoms below, if any, do you associate with depression in general?

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Loss of interest in daily activities	47 94%	29 97%	18 90%	31 97%	13 93%	30 94%	5 83%
Low mood or sadness	45 90%	29 97%	16 80%	31 97%	11 79%	29 91%	6 100%
Trouble concentrating	40 80%	26 87%	14 70%	26 81%	12 86%	25 78%	5 83%
Trouble sleeping/insomnia	40 80%	25 83%	15 75%	28 88%	10 71%	27 84%	3 50%
Crying for no reason	37 74%	23 77%	14 70%	24 75%	10 71%	24 75%	3 50%
Indecisiveness	29 58%	18 60%	11 55%	18 56%	10 71%	18 56%	3 50%
Aggressive behaviour	25 50%	16 53%	9 45%	14 44%	8 57%	17 53%	2 33%
Forgetfulness	21 42%	14 47%	7 35%	14 44%	5 36%	16 50%	1 17%
None of these	- -	- -	- -	- -	- -	- -	- -
Don't know	- -	- -	- -	- -	- -	- -	- -

## Awareness of Depression among Parliamentarians - UK

**Q10\_SUM. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? -**

### SUMMARY TABLE

Base: All respondents

								NETS		
	Total	Strongly agree	Tend to agree	Neither agree nor disagree	Tend to disagree	Strongly disagree	Don't know	Net: Agree	Net: Disagree	Mean
Anyone can suffer from depression	50 100%	32 64%	16 32%	1 2%	- -	1 2%	- -	48 96%	1 2%	4.56
People with depression are reluctant to tell people about their disease in the workplace	50 100%	28 56%	17 34%	4 8%	- -	1 2%	- -	45 90%	1 2%	4.42
The majority of people with depression recover	50 100%	3 6%	16 32%	16 32%	9 18%	- -	6 12%	19 38%	9 18%	3.30
Depression is a lifestyle disease	50 100%	1 2%	6 12%	7 14%	16 32%	15 30%	5 10%	7 14%	31 62%	2.16
People are generally sympathetic to people with depression	50 100%	1 2%	6 12%	11 22%	30 60%	2 4%	- -	7 14%	32 64%	2.48



## Awareness of Depression among Parliamentarians - UK

**Q10\_1. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - Anyone can suffer from depression**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	32 64%	13 54%	16 73%	3 75%	23 61%	9 75%	8 44%	5 42%	19 95%	14 52%	18 78%	11 61%	8 67%	13 65%	1 33%	11 55%	20 74%	26 59%	6 100%
Tend to agree (4)	16 32%	11 46%	5 23%	-	14 37%	2 17%	8 44%	7 58%	1 5%	11 41%	5 22%	5 28%	4 33%	7 35%	1 33%	8 40%	7 26%	16 36%	-
Neither agree nor disagree (3)	1 2%	-	1 5%	-	-	1 8%	1 6%	-	-	1 4%	-	1 6%	-	-	1 33%	-	-	1 2%	-
Tend to disagree (2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strongly disagree (1)	1 2%	-	-	1 25%	1 3%	-	1 6%	-	-	1 4%	-	1 6%	-	-	-	1 5%	-	1 2%	-
Don't know	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>NETS</b>																			
Net: Agree	48 96%	24 100%	21 95%	3 75%	37 97%	11 92%	16 89%	12 100%	20 100%	25 93%	23 100%	16 89%	12 100%	20 100%	2 67%	19 95%	27 100%	42 95%	6 100%
Net: Disagree	1 2%	-	-	1 25%	1 3%	-	1 6%	-	-	1 4%	-	1 6%	-	-	-	1 5%	-	1 2%	-
Mean score	4.56	4.54	4.68	4.00	4.53	4.67	4.22	4.42	4.95	4.37	4.78	4.39	4.67	4.65	4.00	4.40	4.74	4.50	5.00
Standard deviation	.73	.51	.57	2.00	.76	.65	1.00	.51	.22	.88	.42	1.04	.49	.49	1.00	.94	.45	.76	-
Standard error	.10	.10	.12	1.00	.12	.19	.24	.15	.05	.17	.09	.24	.14	.11	.58	.21	.09	.11	-

## Awareness of Depression among Parliamentarians - UK

**Q10\_1. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - Anyone can suffer from depression**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	32 64%	23 77%	9 45%	24 75%	5 36%	23 72%	2 33%
Tend to agree (4)	16 32%	7 23%	9 45%	7 22%	8 57%	8 25%	3 50%
Neither agree nor disagree (3)	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
Tend to disagree (2)	- -	- -	- -	- -	- -	- -	- -
Strongly disagree (1)	1 2%	- -	1 5%	1 3%	- -	1 3%	- -
Don't know	- -	- -	- -	- -	- -	- -	- -
<b>NETS</b>							
Net: Agree	48 96%	30 100%	18 90%	31 97%	13 93%	31 97%	5 83%
Net: Disagree	1 2%	- -	1 5%	1 3%	- -	1 3%	- -
Mean score	4.56	4.77	4.25	4.66	4.29	4.63	4.17
Standard deviation	.73	.43	.97	.79	.61	.79	.75
Standard error	.10	.08	.22	.14	.16	.14	.31

## Awareness of Depression among Parliamentarians - UK

**Q10\_2. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? -**

**Depression is a lifestyle disease**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	1 2%	-	1 5%	-	-	1 8%	1 6%	-	-	1 4%	-	1 6%	-	-	1 33%	-	-	1 2%	-
Tend to agree (4)	6 12%	5 21%	-	1 25%	6 16%	-	2 11%	2 17%	2 10%	2 7%	4 17%	4 22%	1 8%	1 5%	-	1 5%	5 19%	6 14%	-
Neither agree nor disagree (3)	7 14%	3 13%	4 18%	-	6 16%	1 8%	3 17%	-	4 20%	4 15%	3 13%	2 11%	3 25%	2 10%	-	3 15%	4 15%	6 14%	1 17%
Tend to disagree (2)	16 32%	12 50%	4 18%	-	14 37%	2 17%	6 33%	7 58%	3 15%	9 33%	7 30%	3 17%	5 42%	8 40%	1 33%	5 25%	10 37%	14 32%	2 33%
Strongly disagree (1)	15 30%	4 17%	8 36%	3 75%	9 24%	6 50%	5 28%	2 17%	8 40%	8 30%	7 30%	7 39%	3 25%	5 25%	1 33%	9 45%	5 19%	13 30%	2 33%
Don't know	5 10%	-	5 23%	-	3 8%	2 17%	1 6%	1 8%	3 15%	3 11%	2 9%	1 6%	-	4 20%	-	2 10%	3 11%	4 9%	1 17%
<b>NETS</b>																			
Net: Agree	7 14%	5 21%	1 5%	1 25%	6 16%	1 8%	3 17%	2 17%	2 10%	3 11%	4 17%	5 28%	1 8%	1 5%	1 33%	1 5%	5 19%	7 16%	-
Net: Disagree	31 62%	16 67%	12 55%	3 75%	23 61%	8 67%	11 61%	9 75%	11 55%	17 63%	14 61%	10 56%	8 67%	13 65%	2 67%	14 70%	15 56%	27 61%	4 67%
Mean score	2.16	2.38	1.94	1.75	2.26	1.80	2.29	2.18	2.00	2.13	2.19	2.35	2.17	1.94	2.67	1.78	2.38	2.20	1.80
Standard deviation	1.11	1.01	1.14	1.50	1.04	1.32	1.21	.98	1.12	1.12	1.12	1.41	.94	.85	2.08	.94	1.06	1.14	.84
Standard error	.17	.21	.28	.75	.18	.42	.29	.30	.27	.23	.25	.34	.27	.21	1.20	.22	.22	.18	.37

## Awareness of Depression among Parliamentarians - UK

**Q10\_2. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? -**

**Depression is a lifestyle disease**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
Tend to agree (4)	6 12%	2 7%	4 20%	3 9%	3 21%	4 13%	- -
Neither agree nor disagree (3)	7 14%	3 10%	4 20%	5 16%	1 7%	5 16%	2 33%
Tend to disagree (2)	16 32%	10 33%	6 30%	10 31%	6 43%	10 31%	2 33%
Strongly disagree (1)	15 30%	11 37%	4 20%	11 34%	3 21%	12 38%	- -
Don't know	5 10%	4 13%	1 5%	3 9%	- -	1 3%	1 17%
<b>NETS</b>							
Net: Agree	7 14%	2 7%	5 25%	3 9%	4 29%	4 13%	1 17%
Net: Disagree	31 62%	21 70%	10 50%	21 66%	9 64%	22 69%	2 33%
Mean score	2.16	1.85	2.58	2.00	2.50	2.03	3.00
Standard deviation	1.11	.92	1.22	1.00	1.29	1.05	1.22
Standard error	.17	.18	.28	.19	.34	.19	.55

## Awareness of Depression among Parliamentarians - UK

**Q10\_3. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - People are generally sympathetic to people with depression**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	1 2%	1 4%	- -	- -	1 3%	- -	- -	1 8%	- -	1 4%	- -	- -	- -	1 5%	- -	1 5%	- -	1 2%	- -
Tend to agree (4)	6 12%	5 21%	1 5%	- -	6 16%	- -	2 11%	3 25%	1 5%	2 7%	4 17%	1 6%	2 17%	3 15%	- -	4 20%	2 7%	6 14%	- -
Neither agree nor disagree (3)	11 22%	5 21%	5 23%	1 25%	6 16%	5 42%	6 33%	- -	5 25%	5 19%	6 26%	5 28%	2 17%	4 20%	1 33%	4 20%	6 22%	9 20%	2 33%
Tend to disagree (2)	30 60%	13 54%	14 64%	3 75%	24 63%	6 50%	10 56%	8 67%	12 60%	17 63%	13 57%	11 61%	8 67%	11 55%	2 67%	10 50%	18 67%	27 61%	3 50%
Strongly disagree (1)	2 4%	- -	2 9%	- -	1 3%	1 8%	- -	- -	2 10%	2 7%	- -	1 6%	- -	1 5%	- -	1 5%	1 4%	1 2%	1 17%
Don't know	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
<b>NETS</b>																			
Net: Agree	7 14%	6 25%	1 5%	- -	7 18%	- -	2 11%	4 33%	1 5%	3 11%	4 17%	1 6%	2 17%	4 20%	- -	5 25%	2 7%	7 16%	- -
Net: Disagree	32 64%	13 54%	16 73%	3 75%	25 66%	7 58%	10 56%	8 67%	14 70%	19 70%	13 57%	12 67%	8 67%	12 60%	2 67%	11 55%	19 70%	28 64%	4 67%
Mean score	2.48	2.75	2.23	2.25	2.53	2.33	2.56	2.75	2.25	2.37	2.61	2.33	2.50	2.60	2.33	2.70	2.33	2.52	2.17
Standard deviation	.84	.94	.69	.50	.89	.65	.70	1.14	.72	.88	.78	.69	.80	.99	.58	1.03	.68	.85	.75
Standard error	.12	.19	.15	.25	.14	.19	.17	.33	.16	.17	.16	.16	.23	.22	.33	.23	.13	.13	.31

### Awareness of Depression among Parliamentarians - UK

**Q10\_3. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - People are generally sympathetic to people with depression**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	1 2%	1 3%	- -	1 3%	- -	1 3%	- -
Tend to agree (4)	6 12%	6 20%	- -	5 16%	1 7%	4 13%	1 17%
Neither agree nor disagree (3)	11 22%	4 13%	7 35%	6 19%	3 21%	9 28%	1 17%
Tend to disagree (2)	30 60%	17 57%	13 65%	18 56%	10 71%	16 50%	4 67%
Strongly disagree (1)	2 4%	2 7%	- -	2 6%	- -	2 6%	- -
Don't know	- -	- -	- -	- -	- -	- -	- -
<b>NETS</b>							
Net: Agree	7 14%	7 23%	- -	6 19%	1 7%	5 16%	1 17%
Net: Disagree	32 64%	19 63%	13 65%	20 63%	10 71%	18 56%	4 67%
Mean score	2.48	2.57	2.35	2.53	2.36	2.56	2.50
Standard deviation	.84	1.01	.49	.95	.63	.91	.84
Standard error	.12	.18	.11	.17	.17	.16	.34

## Awareness of Depression among Parliamentarians - UK

**Q10\_4. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - The majority of people with depression recover**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	3 6%	1 4%	2 9%	-	2 5%	1 8%	2 11%	-	1 5%	2 7%	1 4%	1 6%	1 8%	1 5%	1 33%	2 10%	-	2 5%	1 17%
Tend to agree (4)	16 32%	8 33%	5 23%	3 75%	12 32%	4 33%	7 39%	3 25%	6 30%	9 33%	7 30%	8 44%	3 25%	5 25%	-	5 25%	11 41%	15 34%	1 17%
Neither agree nor disagree (3)	16 32%	8 33%	8 36%	-	12 32%	4 33%	3 17%	6 50%	7 35%	9 33%	7 30%	4 22%	6 50%	6 30%	2 67%	6 30%	8 30%	14 32%	2 33%
Tend to disagree (2)	9 18%	4 17%	4 18%	1 25%	7 18%	2 17%	4 22%	1 8%	4 20%	4 15%	5 22%	5 28%	1 8%	3 15%	-	5 25%	4 15%	8 18%	1 17%
Strongly disagree (1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	6 12%	3 13%	3 14%	-	5 13%	1 8%	2 11%	2 17%	2 10%	3 11%	3 13%	-	1 8%	5 25%	-	2 10%	4 15%	5 11%	1 17%
<b>NETS</b>																			
Net: Agree	19 38%	9 38%	7 32%	3 75%	14 37%	5 42%	9 50%	3 25%	7 35%	11 41%	8 35%	9 50%	4 33%	6 30%	1 33%	7 35%	11 41%	17 39%	2 33%
Net: Disagree	9 18%	4 17%	4 18%	1 25%	7 18%	2 17%	4 22%	1 8%	4 20%	4 15%	5 22%	5 28%	1 8%	3 15%	-	5 25%	4 15%	8 18%	1 17%
Mean score	3.30	3.29	3.26	3.50	3.27	3.36	3.44	3.20	3.22	3.38	3.20	3.28	3.36	3.27	3.67	3.22	3.30	3.28	3.40
Standard deviation	.88	.85	.93	1.00	.88	.92	1.03	.63	.88	.88	.89	.96	.81	.88	1.15	1.00	.76	.86	1.14
Standard error	.13	.18	.21	.50	.15	.28	.26	.20	.21	.18	.20	.23	.24	.23	.67	.24	.16	.14	.51

## Awareness of Depression among Parliamentarians - UK

**Q10\_4. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - The majority of people with depression recover**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	3 6%	1 3%	2 10%	2 6%	1 7%	2 6%	1 17%
Tend to agree (4)	16 32%	11 37%	5 25%	8 25%	8 57%	9 28%	2 33%
Neither agree nor disagree (3)	16 32%	10 33%	6 30%	11 34%	4 29%	12 38%	1 17%
Tend to disagree (2)	9 18%	4 13%	5 25%	8 25%	1 7%	6 19%	2 33%
Strongly disagree (1)	- -	- -	- -	- -	- -	- -	- -
Don't know	6 12%	4 13%	2 10%	3 9%	- -	3 9%	- -
<b>NETS</b>							
Net: Agree	19 38%	12 40%	7 35%	10 31%	9 64%	11 34%	3 50%
Net: Disagree	9 18%	4 13%	5 25%	8 25%	1 7%	6 19%	2 33%
Mean score	3.30	3.35	3.22	3.14	3.64	3.24	3.33
Standard deviation	.88	.80	1.00	.92	.74	.87	1.21
Standard error	.13	.16	.24	.17	.20	.16	.49



## Awareness of Depression among Parliamentarians - UK

**Q10\_5. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - People with depression are reluctant to tell people about their disease in the workplace**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	28 56%	9 38%	16 73%	3 75%	21 55%	7 58%	4 22%	8 67%	16 80%	16 59%	12 52%	10 56%	6 50%	12 60%	2 67%	12 60%	14 52%	23 52%	5 83%
Tend to agree (4)	17 34%	13 54%	3 14%	1 25%	13 34%	4 33%	10 56%	4 33%	3 15%	8 30%	9 39%	7 39%	4 33%	6 30%	-	7 35%	10 37%	17 39%	-
Neither agree nor disagree (3)	4 8%	2 8%	2 9%	-	4 11%	-	3 17%	-	1 5%	2 7%	2 9%	-	2 17%	2 10%	-	1 5%	3 11%	3 7%	1 17%
Tend to disagree (2)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strongly disagree (1)	1 2%	-	1 5%	-	-	1 8%	1 6%	-	-	1 4%	-	1 6%	-	-	1 33%	-	-	1 2%	-
Don't know	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>NETS</b>																			
Net: Agree	45 90%	22 92%	19 86%	4 100%	34 89%	11 92%	14 78%	12 100%	19 95%	24 89%	21 91%	17 94%	10 83%	18 90%	2 67%	19 95%	24 89%	40 91%	5 83%
Net: Disagree	1 2%	-	1 5%	-	-	1 8%	1 6%	-	-	1 4%	-	1 6%	-	-	1 33%	-	-	1 2%	-
Mean score	4.42	4.29	4.50	4.75	4.45	4.33	3.89	4.67	4.75	4.41	4.43	4.39	4.33	4.50	3.67	4.55	4.41	4.39	4.67
Standard deviation	.81	.62	1.01	.50	.69	1.15	.96	.49	.55	.93	.66	.98	.78	.69	2.31	.60	.69	.81	.82
Standard error	.11	.13	.22	.25	.11	.33	.23	.14	.12	.18	.14	.23	.22	.15	1.33	.14	.13	.12	.33

## Awareness of Depression among Parliamentarians - UK

**Q10\_5. The following statements are things people might say about depression. To what extent do you agree or disagree with the following statement? - People with depression are reluctant to tell people about their disease in the workplace**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	28 56%	22 73%	6 30%	21 66%	5 36%	19 59%	2 33%
Tend to agree (4)	17 34%	7 23%	10 50%	10 31%	6 43%	12 38%	2 33%
Neither agree nor disagree (3)	4 8%	1 3%	3 15%	1 3%	2 14%	1 3%	1 17%
Tend to disagree (2)	- -	- -	- -	- -	- -	- -	- -
Strongly disagree (1)	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
Don't know	- -	- -	- -	- -	- -	- -	- -
<b>NETS</b>							
Net: Agree	45 90%	29 97%	16 80%	31 97%	11 79%	31 97%	4 67%
Net: Disagree	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
Mean score	4.42	4.70	4.00	4.63	4.00	4.56	3.67
Standard deviation	.81	.53	.97	.55	1.11	.56	1.51
Standard error	.11	.10	.22	.10	.30	.10	.61

## Awareness of Depression among Parliamentarians - UK

### Q11. What, in your view, are the biggest barriers to someone with depression gaining and retaining employment?

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Lack of motivation and drive	38 76%	21 88%	14 64%	3 75%	31 82%	7 58%	14 78%	11 92%	13 65%	21 78%	17 74%	12 67%	12 100%	14 70%	3 100%	15 75%	20 74%	34 77%	4 67%
Stigma	25 50%	10 42%	12 55%	3 75%	19 50%	6 50%	8 44%	5 42%	12 60%	12 44%	13 57%	5 28%	7 58%	13 65%	- -	10 50%	15 56%	24 55%	1 17%
Isolation	20 40%	9 38%	9 41%	2 50%	14 37%	6 50%	7 39%	2 17%	11 55%	7 26%	13 57%	9 50%	4 33%	7 35%	1 33%	6 30%	13 48%	19 43%	1 17%
Lack of concentration	17 34%	10 42%	7 32%	- -	13 34%	4 33%	5 28%	8 67%	4 20%	11 41%	6 26%	5 28%	6 50%	6 30%	3 100%	7 35%	7 26%	14 32%	3 50%
Sadness	9 18%	6 25%	3 14%	- -	8 21%	1 8%	4 22%	2 17%	3 15%	5 19%	4 17%	2 11%	4 33%	3 15%	- -	4 20%	5 19%	8 18%	1 17%
Indecisiveness	9 18%	6 25%	2 9%	1 25%	6 16%	3 25%	5 28%	3 25%	1 5%	8 30%	1 4%	4 22%	1 8%	4 20%	2 67%	3 15%	4 15%	9 20%	- -
Loneliness	9 18%	4 17%	4 18%	1 25%	8 21%	1 8%	4 22%	1 8%	4 20%	5 19%	4 17%	5 28%	1 8%	3 15%	- -	3 15%	6 22%	7 16%	2 33%
Other	3 6%	- -	2 9%	1 25%	2 5%	1 8%	1 6%	- -	2 10%	2 7%	1 4%	1 6%	- -	2 10%	- -	3 15%	- -	3 7%	- -
None of these	1 2%	- -	1 5%	- -	- -	1 8%	1 6%	- -	- -	1 4%	- -	1 6%	- -	- -	- -	1 5%	- -	1 2%	- -
Don't know	1 2%	- -	1 5%	- -	1 3%	- -	- -	- -	1 5%	- -	1 4%	- -	- -	1 5%	- -	- -	1 4%	- -	1 17%

### Awareness of Depression among Parliamentarians - UK

#### Q11. What, in your view, are the biggest barriers to someone with depression gaining and retaining employment?

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Lack of motivation and drive	38 76%	22 73%	16 80%	24 75%	11 79%	24 75%	5 83%
Stigma	25 50%	18 60%	7 35%	17 53%	5 36%	16 50%	2 33%
Isolation	20 40%	15 50%	5 25%	14 44%	5 36%	13 41%	2 33%
Lack of concentration	17 34%	11 37%	6 30%	10 31%	6 43%	12 38%	2 33%
Sadness	9 18%	3 10%	6 30%	6 19%	3 21%	4 13%	3 50%
Indecisiveness	9 18%	2 7%	7 35%	4 13%	5 36%	5 16%	1 17%
Loneliness	9 18%	2 7%	7 35%	6 19%	3 21%	5 16%	2 33%
Other	3 6%	3 10%	- -	3 9%	- -	3 9%	- -
None of these	1 2%	- -	1 5%	- -	1 7%	1 3%	- -
Don't know	1 2%	1 3%	- -	- -	- -	- -	- -

## Awareness of Depression among Parliamentarians - UK

**Q12\_SUM. When considering the following figure about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - SUMMARY TABLE**

Base: All respondents

	Total							NETS	
		Far higher than I expected	Slightly higher than I expected	About the same as I expected	Slightly lower than I expected	Far lower than I expected	Don't know	Net: Higher than I expected	Net: Lower than I expected
Around 65% of people with depression are in contact with mental health services	50 100%	13 26%	24 48%	5 10%	4 8%	1 2%	3 6%	37 74%	5 10%
Self-reported depression is the single most important cause of workplace absenteeism in the UK	50 100%	14 28%	13 26%	14 28%	4 8%	- -	5 10%	27 54%	4 8%
11.3 million days of work were lost in 2013/14 due to stress, anxiety or depression	50 100%	7 14%	18 36%	16 32%	1 2%	- -	7 14%	25 50%	1 2%
The total cost of depression in England was estimated to be £7.5 billion in 2007 (comprising cost of services and lost employment)	50 100%	8 16%	15 30%	16 32%	4 8%	- -	7 14%	23 46%	4 8%
1 in 6 of the working population in the UK suffer from depression	50 100%	6 12%	16 32%	19 38%	6 12%	- -	3 6%	22 44%	6 12%
Up to 12% of the British population experience depression in any year	50 100%	4 8%	12 24%	20 40%	11 22%	1 2%	2 4%	16 32%	12 24%

## Awareness of Depression among Parliamentarians - UK

**Q12\_1. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - Up to 12% of the British population experience depression in any year**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Far higher than I expected	4 8%	3 13%	1 5%	- -	4 11%	- -	2 11%	1 8%	1 5%	3 11%	1 4%	- -	1 8%	3 15%	- -	4 20%	- -	4 9%	- -
Slightly higher than I expected	12 24%	4 17%	7 32%	1 25%	7 18%	5 42%	2 11%	3 25%	7 35%	6 22%	6 26%	6 33%	1 8%	5 25%	- -	6 30%	6 22%	11 25%	1 17%
About the same as I expected	20 40%	8 33%	10 45%	2 50%	14 37%	6 50%	9 50%	4 33%	7 35%	11 41%	9 39%	7 39%	4 33%	9 45%	2 67%	6 30%	12 44%	18 41%	2 33%
Slightly lower than I expected	11 22%	8 33%	2 9%	1 25%	10 26%	1 8%	4 22%	3 25%	4 20%	6 22%	5 22%	4 22%	5 42%	2 10%	1 33%	3 15%	7 26%	8 18%	3 50%
Far lower than I expected	1 2%	- -	1 5%	- -	1 3%	- -	- -	- -	1 5%	- -	1 4%	1 6%	- -	- -	- -	- -	1 4%	1 2%	- -
Don't know	2 4%	1 4%	1 5%	- -	2 5%	- -	1 6%	1 8%	- -	1 4%	1 4%	- -	1 8%	1 5%	- -	1 5%	1 4%	2 5%	- -
<b>NETS</b>																			
Net: Higher than I expected	16 32%	7 29%	8 36%	1 25%	11 29%	5 42%	4 22%	4 33%	8 40%	9 33%	7 30%	6 33%	2 17%	8 40%	- -	10 50%	6 22%	15 34%	1 17%
Net: Lower than I expected	12 24%	8 33%	3 14%	1 25%	11 29%	1 8%	4 22%	3 25%	5 25%	6 22%	6 26%	5 28%	5 42%	2 10%	1 33%	3 15%	8 30%	9 20%	3 50%

## Awareness of Depression among Parliamentarians - UK

**Q12\_1. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - Up to 12% of the British population experience depression in any year**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Far higher than I expected	4 8%	4 13%	- -	3 9%	1 7%	3 9%	1 17%
Slightly higher than I expected	12 24%	7 23%	5 25%	7 22%	4 29%	8 25%	1 17%
About the same as I expected	20 40%	11 37%	9 45%	14 44%	5 36%	13 41%	2 33%
Slightly lower than I expected	11 22%	7 23%	4 20%	7 22%	3 21%	8 25%	1 17%
Far lower than I expected	1 2%	- -	1 5%	1 3%	- -	- -	- -
Don't know	2 4%	1 3%	1 5%	- -	1 7%	- -	1 17%
<b>NETS</b>							
Net: Higher than I expected	16 32%	11 37%	5 25%	10 31%	5 36%	11 34%	2 33%
Net: Lower than I expected	12 24%	7 23%	5 25%	8 25%	3 21%	8 25%	1 17%

## Awareness of Depression among Parliamentarians - UK

**Q12\_2. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - 1 in 6 of the working population in the UK suffer from depression**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Far higher than I expected	6 12%	2 8%	3 14%	1 25%	4 11%	2 17%	3 17%	1 8%	2 10%	4 15%	2 9%	3 17%	1 8%	2 10%	- -	4 20%	2 7%	6 14%	- -
Slightly higher than I expected	16 32%	9 38%	6 27%	1 25%	11 29%	5 42%	5 28%	4 33%	7 35%	9 33%	7 30%	5 28%	1 8%	10 50%	1 33%	5 25%	10 37%	15 34%	1 17%
About the same as I expected	19 38%	8 33%	9 41%	2 50%	16 42%	3 25%	6 33%	5 42%	8 40%	9 33%	10 43%	8 44%	7 58%	4 20%	1 33%	7 35%	11 41%	15 34%	4 67%
Slightly lower than I expected	6 12%	3 13%	3 14%	- -	4 11%	2 17%	3 17%	- -	3 15%	3 11%	3 13%	2 11%	2 17%	2 10%	1 33%	2 10%	3 11%	5 11%	1 17%
Far lower than I expected	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Don't know	3 6%	2 8%	1 5%	- -	3 8%	- -	1 6%	2 17%	- -	2 7%	1 4%	- -	1 8%	2 10%	- -	2 10%	1 4%	3 7%	- -
<b>NETS</b>																			
Net: Higher than I expected	22 44%	11 46%	9 41%	2 50%	15 39%	7 58%	8 44%	5 42%	9 45%	13 48%	9 39%	8 44%	2 17%	12 60%	1 33%	9 45%	12 44%	21 48%	1 17%
Net: Lower than I expected	6 12%	3 13%	3 14%	- -	4 11%	2 17%	3 17%	- -	3 15%	3 11%	3 13%	2 11%	2 17%	2 10%	1 33%	2 10%	3 11%	5 11%	1 17%



## Awareness of Depression among Parliamentarians - UK

**Q12\_2. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - 1 in 6 of the working population in the UK suffer from depression**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Far higher than I expected	6 12%	4 13%	2 10%	2 6%	4 29%	3 9%	1 17%
Slightly higher than I expected	16 32%	10 33%	6 30%	9 28%	5 36%	11 34%	1 17%
About the same as I expected	19 38%	10 33%	9 45%	16 50%	2 14%	13 41%	2 33%
Slightly lower than I expected	6 12%	4 13%	2 10%	4 13%	2 14%	4 13%	1 17%
Far lower than I expected	- -	- -	- -	- -	- -	- -	- -
Don't know	3 6%	2 7%	1 5%	1 3%	1 7%	1 3%	1 17%
<b>NETS</b>							
Net: Higher than I expected	22 44%	14 47%	8 40%	11 34%	9 64%	14 44%	2 33%
Net: Lower than I expected	6 12%	4 13%	2 10%	4 13%	2 14%	4 13%	1 17%

## Awareness of Depression among Parliamentarians - UK

**Q12\_3. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - 11.3 million days of work were lost in 2013/14 due to stress, anxiety or depression**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Far higher than I expected	7 14%	4 17%	3 14%	-	5 13%	2 17%	4 22%	1 8%	2 10%	4 15%	3 13%	3 17%	1 8%	3 15%	1 33%	3 15%	3 11%	6 14%	1 17%
Slightly higher than I expected	18 36%	10 42%	6 27%	2 50%	13 34%	5 42%	3 17%	6 50%	9 45%	8 30%	10 43%	7 39%	2 17%	9 45%	-	4 20%	14 52%	14 32%	4 67%
About the same as I expected	16 32%	6 25%	8 36%	2 50%	12 32%	4 33%	9 50%	2 17%	5 25%	9 33%	7 30%	6 33%	5 42%	5 25%	2 67%	7 35%	7 26%	15 34%	1 17%
Slightly lower than I expected	1 2%	1 4%	-	-	1 3%	-	-	-	1 5%	-	1 4%	1 6%	-	-	-	-	1 4%	1 2%	-
Far lower than I expected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	7 14%	3 13%	4 18%	-	7 18%	-	2 11%	3 25%	2 10%	5 19%	2 9%	1 6%	4 33%	2 10%	-	5 25%	2 7%	7 16%	-
<b>NETS</b>																			
Net: Higher than I expected	25 50%	14 58%	9 41%	2 50%	18 47%	7 58%	7 39%	7 58%	11 55%	12 44%	13 57%	10 56%	3 25%	12 60%	1 33%	7 35%	17 63%	20 45%	5 83%
Net: Lower than I expected	1 2%	1 4%	-	-	1 3%	-	-	-	1 5%	-	1 4%	1 6%	-	-	-	-	1 4%	1 2%	-

### Awareness of Depression among Parliamentarians - UK

**Q12\_3. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - 11.3 million days of work were lost in 2013/14 due to stress, anxiety or depression**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Far higher than I expected	7 14%	2 7%	5 25%	4 13%	3 21%	6 19%	- -
Slightly higher than I expected	18 36%	12 40%	6 30%	11 34%	5 36%	10 31%	- -
About the same as I expected	16 32%	9 30%	7 35%	12 38%	4 29%	12 38%	2 33%
Slightly lower than I expected	1 2%	- -	1 5%	1 3%	- -	- -	1 17%
Far lower than I expected	- -	- -	- -	- -	- -	- -	- -
Don't know	7 14%	6 20%	1 5%	3 9%	2 14%	4 13%	2 33%
<b>NETS</b>							
Net: Higher than I expected	25 50%	14 47%	11 55%	15 47%	8 57%	16 50%	- -
Net: Lower than I expected	1 2%	- -	1 5%	1 3%	- -	- -	1 17%

## Awareness of Depression among Parliamentarians - UK

**Q12\_4. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - Self-reported depression is the single most important cause of workplace absenteeism in the UK**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Far higher than I expected	14 28%	7 29%	5 23%	2 50%	12 32%	2 17%	5 28%	4 33%	5 25%	7 26%	7 30%	6 33%	2 17%	6 30%	- -	8 40%	6 22%	13 30%	1 17%
Slightly higher than I expected	13 26%	7 29%	5 23%	1 25%	10 26%	3 25%	3 17%	3 25%	7 35%	6 22%	7 30%	5 28%	5 42%	3 15%	1 33%	3 15%	9 33%	11 25%	2 33%
About the same as I expected	14 28%	8 33%	5 23%	1 25%	10 26%	4 33%	8 44%	3 25%	3 15%	10 37%	4 17%	4 22%	3 25%	7 35%	2 67%	5 25%	7 26%	12 27%	2 33%
Slightly lower than I expected	4 8%	1 4%	3 14%	- -	2 5%	2 17%	1 6%	- -	3 15%	1 4%	3 13%	2 11%	- -	2 10%	- -	1 5%	3 11%	3 7%	1 17%
Far lower than I expected	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Don't know	5 10%	1 4%	4 18%	- -	4 11%	1 8%	1 6%	2 17%	2 10%	3 11%	2 9%	1 6%	2 17%	2 10%	- -	3 15%	2 7%	5 11%	- -
<b>NETS</b>																			
Net: Higher than I expected	27 54%	14 58%	10 45%	3 75%	22 58%	5 42%	8 44%	7 58%	12 60%	13 48%	14 61%	11 61%	7 58%	9 45%	1 33%	11 55%	15 56%	24 55%	3 50%
Net: Lower than I expected	4 8%	1 4%	3 14%	- -	2 5%	2 17%	1 6%	- -	3 15%	1 4%	3 13%	2 11%	- -	2 10%	- -	1 5%	3 11%	3 7%	1 17%

### Awareness of Depression among Parliamentarians - UK

**Q12\_4. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - Self-reported depression is the single most important cause of workplace absenteeism in the UK**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Far higher than I expected	14 28%	8 27%	6 30%	11 34%	3 21%	11 34%	2 33%
Slightly higher than I expected	13 26%	7 23%	6 30%	8 25%	5 36%	6 19%	1 17%
About the same as I expected	14 28%	9 30%	5 25%	8 25%	4 29%	12 38%	1 17%
Slightly lower than I expected	4 8%	2 7%	2 10%	2 6%	1 7%	1 3%	- -
Far lower than I expected	- -	- -	- -	- -	- -	- -	- -
Don't know	5 10%	4 13%	1 5%	3 9%	1 7%	2 6%	2 33%
<b>NETS</b>							
Net: Higher than I expected	27 54%	15 50%	12 60%	19 59%	8 57%	17 53%	3 50%
Net: Lower than I expected	4 8%	2 7%	2 10%	2 6%	1 7%	1 3%	- -

## Awareness of Depression among Parliamentarians - UK

**Q12\_5. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - The total cost of depression in England was estimated to be £7.5 billion in 2007 (comprising cost of services and lost employment)**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Far higher than I expected	8 16%	6 25%	2 9%	- -	7 18%	1 8%	5 28%	1 8%	2 10%	5 19%	3 13%	2 11%	2 17%	4 20%	- -	3 15%	5 19%	8 18%	- -
Slightly higher than I expected	15 30%	8 33%	6 27%	1 25%	10 26%	5 42%	4 22%	4 33%	7 35%	8 30%	7 30%	9 50%	2 17%	4 20%	1 33%	4 20%	10 37%	13 30%	2 33%
About the same as I expected	16 32%	5 21%	9 41%	2 50%	14 37%	2 17%	5 28%	4 33%	7 35%	9 33%	7 30%	3 17%	6 50%	7 35%	1 33%	8 40%	7 26%	14 32%	2 33%
Slightly lower than I expected	4 8%	2 8%	1 5%	1 25%	2 5%	2 17%	1 6%	1 8%	2 10%	3 11%	1 4%	2 11%	1 8%	1 5%	1 33%	2 10%	1 4%	3 7%	1 17%
Far lower than I expected	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Don't know	7 14%	3 13%	4 18%	- -	5 13%	2 17%	3 17%	2 17%	2 10%	2 7%	5 22%	2 11%	1 8%	4 20%	- -	3 15%	4 15%	6 14%	1 17%
<b>NETS</b>																			
Net: Higher than I expected	23 46%	14 58%	8 36%	1 25%	17 45%	6 50%	9 50%	5 42%	9 45%	13 48%	10 43%	11 61%	4 33%	8 40%	1 33%	7 35%	15 56%	21 48%	2 33%
Net: Lower than I expected	4 8%	2 8%	1 5%	1 25%	2 5%	2 17%	1 6%	1 8%	2 10%	3 11%	1 4%	2 11%	1 8%	1 5%	1 33%	2 10%	1 4%	3 7%	1 17%

### Awareness of Depression among Parliamentarians - UK

**Q12\_5. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - The total cost of depression in England was estimated to be £7.5 billion in 2007 (comprising cost of services and lost employment)**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Far higher than I expected	8 16%	5 17%	3 15%	4 13%	4 29%	5 16%	1 17%
Slightly higher than I expected	15 30%	7 23%	8 40%	11 34%	4 29%	8 25%	2 33%
About the same as I expected	16 32%	12 40%	4 20%	12 38%	3 21%	14 44%	1 17%
Slightly lower than I expected	4 8%	2 7%	2 10%	2 6%	2 14%	2 6%	- -
Far lower than I expected	- -	- -	- -	- -	- -	- -	- -
Don't know	7 14%	4 13%	3 15%	3 9%	1 7%	3 9%	2 33%
<b>NETS</b>							
Net: Higher than I expected	23 46%	12 40%	11 55%	15 47%	8 57%	13 41%	3 50%
Net: Lower than I expected	4 8%	2 7%	2 10%	2 6%	2 14%	2 6%	- -

## Awareness of Depression among Parliamentarians - UK

**Q12\_6. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - Around 65% of people with depression are in contact with mental health services**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Far higher than I expected	13 26%	5 21%	7 32%	1 25%	12 32%	1 8%	6 33%	2 17%	5 25%	9 33%	4 17%	4 22%	4 33%	5 25%	1 33%	7 35%	5 19%	11 25%	2 33%
Slightly higher than I expected	24 48%	12 50%	10 45%	2 50%	18 47%	6 50%	7 39%	6 50%	11 55%	13 48%	11 48%	8 44%	6 50%	10 50%	2 67%	8 40%	14 52%	21 48%	3 50%
About the same as I expected	5 10%	2 8%	3 14%	-	1 3%	4 33%	2 11%	1 8%	2 10%	3 11%	2 9%	3 17%	-	2 10%	-	3 15%	2 7%	5 11%	-
Slightly lower than I expected	4 8%	2 8%	1 5%	1 25%	4 11%	-	-	2 17%	2 10%	1 4%	3 13%	2 11%	1 8%	1 5%	-	1 5%	3 11%	3 7%	1 17%
Far lower than I expected	1 2%	1 4%	-	-	-	1 8%	1 6%	-	-	-	1 4%	-	-	1 5%	-	-	1 4%	1 2%	-
Don't know	3 6%	2 8%	1 5%	-	3 8%	-	2 11%	1 8%	-	1 4%	2 9%	1 6%	1 8%	1 5%	-	1 5%	2 7%	3 7%	-
<b>NETS</b>																			
Net: Higher than I expected	37 74%	17 71%	17 77%	3 75%	30 79%	7 58%	13 72%	8 67%	16 80%	22 81%	15 65%	12 67%	10 83%	15 75%	3 100%	15 75%	19 70%	32 73%	5 83%
Net: Lower than I expected	5 10%	3 13%	1 5%	1 25%	4 11%	1 8%	1 6%	2 17%	2 10%	1 4%	4 17%	2 11%	1 8%	2 10%	-	1 5%	4 15%	4 9%	1 17%



### Awareness of Depression among Parliamentarians - UK

**Q12\_6. When considering the following figures about depression and mental illness, are these figures higher, lower or about the same as you would have expected? - Around 65% of people with depression are in contact with mental health services**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Far higher than I expected	13 26%	7 23%	6 30%	8 25%	5 36%	9 28%	3 50%
Slightly higher than I expected	24 48%	15 50%	9 45%	16 50%	6 43%	16 50%	1 17%
About the same as I expected	5 10%	4 13%	1 5%	4 13%	1 7%	3 9%	1 17%
Slightly lower than I expected	4 8%	3 10%	1 5%	3 9%	1 7%	2 6%	- -
Far lower than I expected	1 2%	- -	1 5%	- -	- -	1 3%	- -
Don't know	3 6%	1 3%	2 10%	1 3%	1 7%	1 3%	1 17%
<b>NETS</b>							
Net: Higher than I expected	37 74%	22 73%	15 75%	24 75%	11 79%	25 78%	4 67%
Net: Lower than I expected	5 10%	3 10%	2 10%	3 9%	1 7%	3 9%	- -

## Awareness of Depression among Parliamentarians - UK

**Q13\_SUM. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - SUMMARY**

**TABLE**

Base: All respondents

								<b>NETS</b>		
	Total	Strongly agree	Tend to agree	Neither agree nor disagree	Tend to disagree	Strongly disagree	Don't know	Net: Agree	Net: Disagree	Mean
The majority of constituents that have come to me to talk about depression feel it has affected their ability to work	50 100%	8 16%	25 50%	7 14%	1 2%	1 2%	8 16%	33 66%	2 4%	3.90
I have had the information I need to provide appropriate signposting and information for constituents needing support for depression	50 100%	- -	20 40%	7 14%	17 34%	4 8%	2 4%	20 40%	21 42%	2.90
A majority of constituents that have reported symptoms of depression to me are unemployed but would like to work	50 100%	4 8%	14 28%	19 38%	7 14%	2 4%	4 8%	18 36%	9 18%	3.24
The number of constituents coming to me with concerns about depression has increased	50 100%	6 12%	4 8%	14 28%	16 32%	9 18%	1 2%	10 20%	25 50%	2.63

## Awareness of Depression among Parliamentarians - UK

**Q13\_1. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - I have had the information I need to provide appropriate signposting and information for constituents needing support for depression**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree	(5) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tend to agree	(4) 20 40%	9 38%	8 36%	3 75%	16 42%	4 33%	5 28%	5 42%	10 50%	10 37%	10 43%	10 56%	4 33%	6 30%	1 33%	8 40%	11 41%	18 41%	2 33%
Neither agree nor disagree	(3) 7 14%	3 13%	4 18%	-	5 13%	2 17%	3 17%	1 8%	3 15%	3 11%	4 17%	1 6%	3 25%	3 15%	1 33%	2 10%	4 15%	7 16%	-
Tend to disagree	(2) 17 34%	9 38%	7 32%	1 25%	11 29%	6 50%	7 39%	4 33%	6 30%	10 37%	7 30%	6 33%	4 33%	7 35%	1 33%	7 35%	9 33%	14 32%	3 50%
Strongly disagree	(1) 4 8%	1 4%	3 14%	-	4 11%	-	2 11%	1 8%	1 5%	2 7%	2 9%	1 6%	1 8%	2 10%	-	2 10%	2 7%	3 7%	1 17%
Don't know	2 4%	2 8%	-	-	2 5%	-	1 6%	1 8%	-	2 7%	-	-	-	2 10%	-	1 5%	1 4%	2 5%	-
<b>NETS</b>																			
Net: Agree	20 40%	9 38%	8 36%	3 75%	16 42%	4 33%	5 28%	5 42%	10 50%	10 37%	10 43%	10 56%	4 33%	6 30%	1 33%	8 40%	11 41%	18 41%	2 33%
Net: Disagree	21 42%	10 42%	10 45%	1 25%	15 39%	6 50%	9 50%	5 42%	7 35%	12 44%	9 39%	7 39%	5 42%	9 45%	1 33%	9 45%	11 41%	17 39%	4 67%
Mean score	2.90	2.91	2.77	3.50	2.92	2.83	2.65	2.91	3.10	2.84	2.96	3.11	2.83	2.72	3.00	2.84	2.92	2.95	2.50
Standard deviation	1.06	1.02	1.11	1.00	1.11	.94	1.06	1.14	1.02	1.07	1.07	1.08	1.03	1.07	1.00	1.12	1.06	1.03	1.22
Standard error	.15	.22	.24	.50	.18	.27	.26	.34	.23	.21	.22	.25	.30	.25	.58	.26	.21	.16	.50

## Awareness of Depression among Parliamentarians - UK

**Q13\_1. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - I have had the information I need to provide appropriate signposting and information for constituents needing support for depression**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	- -	- -	- -	- -	- -	- -	- -
Tend to agree (4)	20 40%	13 43%	7 35%	16 50%	4 29%	13 41%	2 33%
Neither agree nor disagree (3)	7 14%	2 7%	5 25%	3 9%	3 21%	5 16%	1 17%
Tend to disagree (2)	17 34%	10 33%	7 35%	10 31%	5 36%	11 34%	2 33%
Strongly disagree (1)	4 8%	4 13%	- -	2 6%	1 7%	2 6%	1 17%
Don't know	2 4%	1 3%	1 5%	1 3%	1 7%	1 3%	- -
<b>NETS</b>							
Net: Agree	20 40%	13 43%	7 35%	16 50%	4 29%	13 41%	2 33%
Net: Disagree	21 42%	14 47%	7 35%	12 38%	6 43%	13 41%	3 50%
Mean score	2.90	2.83	3.00	3.06	2.77	2.94	2.67
Standard deviation	1.06	1.17	.88	1.06	1.01	1.03	1.21
Standard error	.15	.22	.20	.19	.28	.19	.49

## Awareness of Depression among Parliamentarians - UK

**Q13\_2. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - The number of constituents coming to me with concerns about depression has increased**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	6 12%	1 4%	4 18%	1 25%	5 13%	1 8%	2 11%	1 8%	3 15%	5 19%	1 4%	2 11%	1 8%	3 15%	-	4 20%	2 7%	5 11%	1 17%
Tend to agree (4)	4 8%	1 4%	3 14%	-	4 11%	-	1 6%	1 8%	2 10%	2 7%	2 9%	1 6%	1 8%	2 10%	-	2 10%	2 7%	4 9%	-
Neither agree nor disagree (3)	14 28%	7 29%	6 27%	1 25%	9 24%	5 42%	6 33%	1 8%	7 35%	6 22%	8 35%	6 33%	2 17%	6 30%	1 33%	4 20%	9 33%	12 27%	2 33%
Tend to disagree (2)	16 32%	8 33%	7 32%	1 25%	12 32%	4 33%	4 22%	6 50%	6 30%	6 22%	10 43%	5 28%	5 42%	6 30%	-	6 30%	10 37%	14 32%	2 33%
Strongly disagree (1)	9 18%	6 25%	2 9%	1 25%	7 18%	2 17%	5 28%	2 17%	2 10%	7 26%	2 9%	4 22%	3 25%	2 10%	2 67%	4 20%	3 11%	9 20%	-
Don't know	1 2%	1 4%	-	-	1 3%	-	-	1 8%	-	1 4%	-	-	-	1 5%	-	-	1 4%	-	1 17%
<b>NETS</b>																			
Net: Agree	10 20%	2 8%	7 32%	1 25%	9 24%	1 8%	3 17%	2 17%	5 25%	7 26%	3 13%	3 17%	2 17%	5 25%	-	6 30%	4 15%	9 20%	1 17%
Net: Disagree	25 50%	14 58%	9 41%	2 50%	19 50%	6 50%	9 50%	8 67%	8 40%	13 48%	12 52%	9 50%	8 67%	8 40%	2 67%	10 50%	13 48%	23 52%	2 33%
Mean score	2.63	2.26	3.00	2.75	2.68	2.50	2.50	2.36	2.90	2.69	2.57	2.56	2.33	2.89	1.67	2.80	2.62	2.59	3.00
Standard deviation	1.24	1.05	1.27	1.71	1.29	1.09	1.29	1.21	1.21	1.46	.95	1.25	1.23	1.24	1.15	1.44	1.06	1.24	1.22
Standard error	.18	.22	.27	.85	.21	.31	.31	.36	.27	.29	.20	.29	.36	.29	.67	.32	.21	.19	.55

## Awareness of Depression among Parliamentarians - UK

**Q13\_2. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - The number of constituents coming to me with concerns about depression has increased**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	6 12%	5 17%	1 5%	5 16%	- -	5 16%	1 17%
Tend to agree (4)	4 8%	3 10%	1 5%	3 9%	1 7%	3 9%	- -
Neither agree nor disagree (3)	14 28%	9 30%	5 25%	10 31%	3 21%	11 34%	- -
Tend to disagree (2)	16 32%	9 30%	7 35%	11 34%	3 21%	9 28%	2 33%
Strongly disagree (1)	9 18%	3 10%	6 30%	2 6%	7 50%	3 9%	3 50%
Don't know	1 2%	1 3%	- -	1 3%	- -	1 3%	- -
<b>NETS</b>							
Net: Agree	10 20%	8 27%	2 10%	8 25%	1 7%	8 25%	1 17%
Net: Disagree	25 50%	12 40%	13 65%	13 41%	10 71%	12 38%	5 83%
Mean score	2.63	2.93	2.20	2.94	1.86	2.94	2.00
Standard deviation	1.24	1.25	1.11	1.18	1.03	1.21	1.55
Standard error	.18	.23	.25	.21	.27	.22	.63

## Awareness of Depression among Parliamentarians - UK

**Q13\_3. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - The majority of constituents that have come to me to talk about depression feel it has affected their ability to work**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	8 16%	3 13%	4 18%	1 25%	7 18%	1 8%	3 17%	2 17%	3 15%	4 15%	4 17%	2 11%	1 8%	5 25%	- -	4 20%	4 15%	8 18%	- -
Tend to agree (4)	25 50%	12 50%	11 50%	2 50%	18 47%	7 58%	7 39%	5 42%	13 65%	12 44%	13 57%	8 44%	7 58%	10 50%	2 67%	8 40%	15 56%	21 48%	4 67%
Neither agree nor disagree (3)	7 14%	3 13%	4 18%	- -	3 8%	4 33%	4 22%	1 8%	2 10%	4 15%	3 13%	4 22%	2 17%	1 5%	1 33%	3 15%	3 11%	6 14%	1 17%
Tend to disagree (2)	1 2%	- -	1 5%	- -	1 3%	- -	- -	- -	1 5%	- -	1 4%	1 6%	- -	- -	- -	- -	1 4%	1 2%	- -
Strongly disagree (1)	1 2%	- -	1 5%	- -	1 3%	- -	1 6%	- -	- -	1 4%	- -	- -	1 8%	- -	- -	1 5%	- -	1 2%	- -
Don't know	8 16%	6 25%	1 5%	1 25%	8 21%	- -	3 17%	4 33%	1 5%	6 22%	2 9%	3 17%	1 8%	4 20%	- -	4 20%	4 15%	7 16%	1 17%
<b>NETS</b>																			
Net: Agree	33 66%	15 63%	15 68%	3 75%	25 66%	8 67%	10 56%	7 58%	16 80%	16 59%	17 74%	10 56%	8 67%	15 75%	2 67%	12 60%	19 70%	29 66%	4 67%
Net: Disagree	2 4%	- -	2 9%	- -	2 5%	- -	1 6%	- -	1 5%	1 4%	1 4%	1 6%	1 8%	- -	- -	1 5%	1 4%	2 5%	- -
Mean score	3.90	4.00	3.76	4.33	3.97	3.75	3.73	4.13	3.95	3.86	3.95	3.73	3.64	4.25	3.67	3.88	3.96	3.92	3.80
Standard deviation	.82	.59	1.00	.58	.89	.62	1.03	.64	.71	.91	.74	.80	1.03	.58	.58	1.02	.71	.86	.45
Standard error	.13	.14	.22	.33	.16	.18	.27	.23	.16	.20	.16	.21	.31	.14	.33	.26	.15	.14	.20

### Awareness of Depression among Parliamentarians - UK

**Q13\_3. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - The majority of constituents that have come to me to talk about depression feel it has affected their ability to work**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	8 16%	7 23%	1 5%	5 16%	2 14%	6 19%	- -
Tend to agree (4)	25 50%	19 63%	6 30%	18 56%	5 36%	17 53%	3 50%
Neither agree nor disagree (3)	7 14%	1 3%	6 30%	4 13%	3 21%	5 16%	1 17%
Tend to disagree (2)	1 2%	- -	1 5%	1 3%	- -	- -	- -
Strongly disagree (1)	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
Don't know	8 16%	3 10%	5 25%	4 13%	3 21%	4 13%	1 17%
<b>NETS</b>							
Net: Agree	33 66%	26 87%	7 35%	23 72%	7 50%	23 72%	3 50%
Net: Disagree	2 4%	- -	2 10%	1 3%	1 7%	- -	1 17%
Mean score	3.90	4.22	3.33	3.96	3.64	4.04	3.20
Standard deviation	.82	.51	.98	.69	1.12	.64	1.30
Standard error	.13	.10	.25	.13	.34	.12	.58



## Awareness of Depression among Parliamentarians - UK

**Q13\_4. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - A majority of constituents that have reported symptoms of depression to me are unemployed but would like to work**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	4 8%	1 4%	3 14%	- -	2 5%	2 17%	- -	2 17%	2 10%	2 7%	2 9%	2 11%	1 8%	1 5%	1 33%	2 10%	1 4%	4 9%	- -
Tend to agree (4)	14 28%	3 13%	8 36%	3 75%	9 24%	5 42%	3 17%	3 25%	8 40%	9 33%	5 22%	6 33%	3 25%	5 25%	2 67%	6 30%	6 22%	12 27%	2 33%
Neither agree nor disagree (3)	19 38%	11 46%	7 32%	1 25%	14 37%	5 42%	10 56%	2 17%	7 35%	6 22%	13 57%	7 39%	5 42%	7 35%	- -	6 30%	13 48%	17 39%	2 33%
Tend to disagree (2)	7 14%	4 17%	3 14%	- -	7 18%	- -	2 11%	3 25%	2 10%	6 22%	1 4%	1 6%	1 8%	5 25%	- -	4 20%	3 11%	6 14%	1 17%
Strongly disagree (1)	2 4%	1 4%	1 5%	- -	2 5%	- -	2 11%	- -	- -	2 7%	- -	- -	2 17%	- -	- -	2 10%	- -	2 5%	- -
Don't know	4 8%	4 17%	- -	- -	4 11%	- -	1 6%	2 17%	1 5%	2 7%	2 9%	2 11%	- -	2 10%	- -	- -	4 15%	3 7%	1 17%
<b>NETS</b>																			
Net: Agree	18 36%	4 17%	11 50%	3 75%	11 29%	7 58%	3 17%	5 42%	10 50%	11 41%	7 30%	8 44%	4 33%	6 30%	3 100%	8 40%	7 26%	16 36%	2 33%
Net: Disagree	9 18%	5 21%	4 18%	- -	9 24%	- -	4 22%	3 25%	2 10%	8 30%	1 4%	1 6%	3 25%	5 25%	- -	6 30%	3 11%	8 18%	1 17%
Mean score	3.24	2.95	3.41	3.75	3.06	3.75	2.82	3.40	3.53	3.12	3.38	3.56	3.00	3.11	4.33	3.10	3.22	3.24	3.20
Standard deviation	.97	.89	1.05	.50	.98	.75	.88	1.17	.84	1.13	.74	.81	1.21	.90	.58	1.17	.74	.99	.84
Standard error	.14	.20	.22	.25	.17	.22	.21	.37	.19	.23	.16	.20	.35	.21	.33	.26	.15	.16	.37

### Awareness of Depression among Parliamentarians - UK

**Q13\_4. Thinking about your constituency work in the last five years, to what extent do you agree or disagree with the following statement? - A majority of constituents that have reported symptoms of depression to me are unemployed but would like to work**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	4 8%	3 10%	1 5%	3 9%	1 7%	2 6%	- -
Tend to agree (4)	14 28%	9 30%	5 25%	7 22%	6 43%	8 25%	1 17%
Neither agree nor disagree (3)	19 38%	12 40%	7 35%	15 47%	2 14%	15 47%	2 33%
Tend to disagree (2)	7 14%	4 13%	3 15%	5 16%	1 7%	5 16%	1 17%
Strongly disagree (1)	2 4%	1 3%	1 5%	- -	2 14%	- -	2 33%
Don't know	4 8%	1 3%	3 15%	2 6%	2 14%	2 6%	- -
<b>NETS</b>							
Net: Agree	18 36%	12 40%	6 30%	10 31%	7 50%	10 31%	1 17%
Net: Disagree	9 18%	5 17%	4 20%	5 16%	3 21%	5 16%	3 50%
Mean score	3.24	3.31	3.12	3.27	3.25	3.23	2.33
Standard deviation	.97	.97	.99	.87	1.29	.82	1.21
Standard error	.14	.18	.24	.16	.37	.15	.49

### Awareness of Depression among Parliamentarians - UK

**Q14\_SUM. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in... - SUMMARY TABLE**

Base: All respondents

	Total	Too much	About the right amount	Too little
Clinical research	50 100%	1 2%	14 28%	35 70%
Healthcare settings	50 100%	1 2%	13 26%	36 72%
The workplace	50 100%	1 2%	9 18%	40 80%

## Awareness of Depression among Parliamentarians - UK

**Q14\_1. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in healthcare settings?**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Too much	1 2%	-	1 5%	-	-	1 8%	1 6%	-	-	1 4%	-	1 6%	-	-	1 33%	-	-	1 2%	-
About the right amount	13 26%	10 42%	3 14%	-	12 32%	1 8%	6 33%	4 33%	3 15%	4 15%	9 39%	4 22%	3 25%	6 30%	-	5 25%	8 30%	13 30%	-
Too little	36 72%	14 58%	18 82%	4 100%	26 68%	10 83%	11 61%	8 67%	17 85%	22 81%	14 61%	13 72%	9 75%	14 70%	2 67%	15 75%	19 70%	30 68%	6 100%

### Awareness of Depression among Parliamentarians - UK

**Q14\_1. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in healthcare settings?**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Too much	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
About the right amount	13 26%	6 20%	7 35%	9 28%	3 21%	9 28%	3 50%
Too little	36 72%	24 80%	12 60%	23 72%	10 71%	23 72%	2 33%

## Awareness of Depression among Parliamentarians - UK

**Q14\_2. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in the workplace?**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Too much	1 2%	- -	1 5%	- -	- -	1 8%	1 6%	- -	- -	1 4%	- -	1 6%	- -	- -	1 33%	- -	- -	1 2%	- -
About the right amount	9 18%	8 33%	1 5%	- -	7 18%	2 17%	5 28%	3 25%	1 5%	5 19%	4 17%	2 11%	3 25%	4 20%	- -	5 25%	4 15%	9 20%	- -
Too little	40 80%	16 67%	20 91%	4 100%	31 82%	9 75%	12 67%	9 75%	19 95%	21 78%	19 83%	15 83%	9 75%	16 80%	2 67%	15 75%	23 85%	34 77%	6 100%

### Awareness of Depression among Parliamentarians - UK

**Q14\_2. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in the workplace?**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Too much	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
About the right amount	9 18%	4 13%	5 25%	4 13%	4 29%	6 19%	2 33%
Too little	40 80%	26 87%	14 70%	28 88%	9 64%	26 81%	3 50%

### Awareness of Depression among Parliamentarians - UK

**Q14\_3. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in clinical research?**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Too much	1 2%	-	1 5%	-	-	1 8%	1 6%	-	-	1 4%	-	1 6%	-	-	1 33%	-	-	1 2%	-
About the right amount	14 28%	11 46%	3 14%	-	12 32%	2 17%	8 44%	3 25%	3 15%	5 19%	9 39%	5 28%	5 42%	4 20%	-	5 25%	9 33%	12 27%	2 33%
Too little	35 70%	13 54%	18 82%	4 100%	26 68%	9 75%	9 50%	9 75%	17 85%	21 78%	14 61%	12 67%	7 58%	16 80%	2 67%	15 75%	18 67%	31 70%	4 67%



### Awareness of Depression among Parliamentarians - UK

**Q14\_3. Over the course of the current Parliament (2010-15), would you say that too much, too little or about the right amount has been done to achieve 'parity of esteem' between physical and mental health (i.e. ensuring that mental health is given equal priority to physical health) in clinical research?**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Too much	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
About the right amount	14 28%	6 20%	8 40%	9 28%	3 21%	10 31%	3 50%
Too little	35 70%	24 80%	11 55%	23 72%	10 71%	22 69%	2 33%

## Awareness of Depression among Parliamentarians - UK

### Q15\_SUM. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - SUMMARY TABLE

Base: All respondents

								NETS		
	Total	Strongly agree	Tend to agree	Neither agree nor disagree	Tend to disagree	Strongly disagree	Don't know	Net: Agree	Net: Disagree	Mean
Cost-effective mental health services should be provided with the same mandatory funding that physical health services are	50 100%	18 36%	20 40%	7 14%	2 4%	1 2%	2 4%	38 76%	3 6%	4.08
GPs and healthcare professionals should ask about their patient's employment status as a factor impacting symptoms of depression	50 100%	5 10%	28 56%	7 14%	1 2%	1 2%	8 16%	33 66%	2 4%	3.83
The NHS should ensure that all new mental health treatments are subject to the same approval process as treatments for physical conditions before they are made available to patients	50 100%	8 16%	25 50%	5 10%	3 6%	3 6%	6 12%	33 66%	6 12%	3.73
GPs and healthcare professionals should be incentivised to support patients with depression remain in or find appropriate employment opportunities	50 100%	7 14%	21 42%	10 20%	6 12%	2 4%	4 8%	28 56%	8 16%	3.54
Employment status should be recorded on a patient's medical records to provide GPs and healthcare professionals baseline data on their employment history	50 100%	3 6%	22 44%	8 16%	3 6%	3 6%	11 22%	25 50%	6 12%	3.49
The NHS is sufficiently prepared to manage depression efficiently	50 100%	- -	4 8%	10 20%	24 48%	9 18%	3 6%	4 8%	33 66%	2.19

## Awareness of Depression among Parliamentarians - UK

### Q15\_1. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - The NHS is sufficiently prepared to manage depression efficiently

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree	(5) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tend to agree	(4) 4 8%	1 4%	3 14%	-	3 8%	1 8%	3 17%	-	1 5%	3 11%	1 4%	1 6%	2 17%	1 5%	1 33%	2 10%	1 4%	4 9%	-
Neither agree nor disagree	(3) 10 20%	6 25%	3 14%	1 25%	4 11%	6 50%	6 33%	1 8%	3 15%	3 11%	7 30%	4 22%	3 25%	3 15%	-	3 15%	7 26%	9 20%	1 17%
Tend to disagree	(2) 24 48%	13 54%	8 36%	3 75%	21 55%	3 25%	6 33%	8 67%	10 50%	13 48%	11 48%	10 56%	5 42%	9 45%	1 33%	10 50%	13 48%	20 45%	4 67%
Strongly disagree	(1) 9 18%	2 8%	7 32%	-	7 18%	2 17%	2 11%	1 8%	6 30%	6 22%	3 13%	2 11%	2 17%	5 25%	1 33%	4 20%	4 15%	8 18%	1 17%
Don't know	3 6%	2 8%	1 5%	-	3 8%	-	1 6%	2 17%	-	2 7%	1 4%	1 6%	-	2 10%	-	1 5%	2 7%	3 7%	-
<b>NETS</b>																			
Net: Agree	4 8%	1 4%	3 14%	-	3 8%	1 8%	3 17%	-	1 5%	3 11%	1 4%	1 6%	2 17%	1 5%	1 33%	2 10%	1 4%	4 9%	-
Net: Disagree	33 66%	15 63%	15 68%	3 75%	28 74%	5 42%	8 44%	9 75%	16 80%	19 70%	14 61%	12 67%	7 58%	14 70%	2 67%	14 70%	17 63%	28 64%	5 83%
Mean score	2.19	2.27	2.10	2.25	2.09	2.50	2.59	2.00	1.95	2.12	2.27	2.24	2.42	2.00	2.33	2.16	2.20	2.22	2.00
Standard deviation	.85	.70	1.04	.50	.82	.90	.94	.47	.83	.93	.77	.75	1.00	.84	1.53	.90	.76	.88	.63
Standard error	.12	.15	.23	.25	.14	.26	.23	.15	.18	.19	.16	.18	.29	.20	.88	.21	.15	.14	.26

## Awareness of Depression among Parliamentarians - UK

### Q15\_1. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - The NHS is sufficiently prepared to manage depression efficiently

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	- -	- -	- -	- -	- -	- -	- -
Tend to agree (4)	4 8%	2 7%	2 10%	1 3%	3 21%	1 3%	3 50%
Neither agree nor disagree (3)	10 20%	5 17%	5 25%	7 22%	2 14%	8 25%	1 17%
Tend to disagree (2)	24 48%	15 50%	9 45%	16 50%	7 50%	15 47%	2 33%
Strongly disagree (1)	9 18%	8 27%	1 5%	7 22%	1 7%	8 25%	- -
Don't know	3 6%	- -	3 15%	1 3%	1 7%	- -	- -
<b>NETS</b>							
Net: Agree	4 8%	2 7%	2 10%	1 3%	3 21%	1 3%	3 50%
Net: Disagree	33 66%	23 77%	10 50%	23 72%	8 57%	23 72%	2 33%
Mean score	2.19	2.03	2.47	2.06	2.54	2.06	3.17
Standard deviation	.85	.85	.80	.77	.97	.80	.98
Standard error	.12	.16	.19	.14	.27	.14	.40

## Awareness of Depression among Parliamentarians - UK

### Q15\_2. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - GPs and healthcare professionals should ask about their patient's employment status as a factor impacting symptoms of depression

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	5 10%	1 4%	4 18%	-	3 8%	2 17%	1 6%	1 8%	3 15%	1 4%	4 17%	4 22%	-	1 5%	-	2 10%	3 11%	4 9%	1 17%
Tend to agree (4)	28 56%	15 63%	9 41%	4 100%	24 63%	4 33%	8 44%	9 75%	11 55%	17 63%	11 48%	9 50%	6 50%	13 65%	1 33%	12 60%	15 56%	25 57%	3 50%
Neither agree nor disagree (3)	7 14%	2 8%	5 23%	-	3 8%	4 33%	3 17%	-	4 20%	4 15%	3 13%	2 11%	2 17%	3 15%	2 67%	2 10%	3 11%	5 11%	2 33%
Tend to disagree (2)	1 2%	1 4%	-	-	-	1 8%	1 6%	-	-	-	1 4%	-	-	1 5%	-	-	1 4%	1 2%	-
Strongly disagree (1)	1 2%	-	1 5%	-	1 3%	-	1 6%	-	-	1 4%	-	-	-	1 5%	-	-	1 4%	1 2%	-
Don't know	8 16%	5 21%	3 14%	-	7 18%	1 8%	4 22%	2 17%	2 10%	4 15%	4 17%	3 17%	4 33%	1 5%	-	4 20%	4 15%	8 18%	-
<b>NETS</b>																			
Net: Agree	33 66%	16 67%	13 59%	4 100%	27 71%	6 50%	9 50%	10 83%	14 70%	18 67%	15 65%	13 72%	6 50%	14 70%	1 33%	14 70%	18 67%	29 66%	4 67%
Net: Disagree	2 4%	1 4%	1 5%	-	1 3%	1 8%	2 11%	-	-	1 4%	1 4%	-	-	2 10%	-	-	2 7%	2 5%	-
Mean score	3.83	3.84	3.79	4.00	3.90	3.64	3.50	4.10	3.94	3.74	3.95	4.13	3.75	3.63	3.33	4.00	3.78	3.83	3.83
Standard deviation	.76	.60	.98	-	.70	.92	1.02	.32	.64	.75	.78	.64	.46	.90	.58	.52	.90	.77	.75
Standard error	.12	.14	.22	-	.13	.28	.27	.10	.15	.16	.18	.17	.16	.21	.33	.13	.19	.13	.31

## Awareness of Depression among Parliamentarians - UK

### Q15\_2. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - GPs and healthcare professionals should ask about their patient's employment status as a factor impacting symptoms of depression

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	5 10%	2 7%	3 15%	4 13%	1 7%	2 6%	- -
Tend to agree (4)	28 56%	19 63%	9 45%	20 63%	8 57%	20 63%	3 50%
Neither agree nor disagree (3)	7 14%	4 13%	3 15%	4 13%	2 14%	5 16%	1 17%
Tend to disagree (2)	1 2%	- -	1 5%	- -	- -	1 3%	- -
Strongly disagree (1)	1 2%	1 3%	- -	1 3%	- -	1 3%	- -
Don't know	8 16%	4 13%	4 20%	3 9%	3 21%	3 9%	2 33%
<b>NETS</b>							
Net: Agree	33 66%	21 70%	12 60%	24 75%	9 64%	22 69%	3 50%
Net: Disagree	2 4%	1 3%	1 5%	1 3%	- -	2 6%	- -
Mean score	3.83	3.81	3.88	3.90	3.91	3.72	3.75
Standard deviation	.76	.75	.81	.77	.54	.80	.50
Standard error	.12	.15	.20	.14	.16	.15	.25

## Awareness of Depression among Parliamentarians - UK

**Q15\_3. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - Employment status should be recorded on a patient's medical records to provide GPs and healthcare professionals baseline data on their employment history**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	3 6%	-	2 9%	1 25%	3 8%	-	1 6%	1 8%	1 5%	-	3 13%	3 17%	-	-	-	2 10%	1 4%	3 7%	-
Tend to agree (4)	22 44%	9 38%	11 50%	2 50%	14 37%	8 67%	6 33%	5 42%	11 55%	15 56%	7 30%	9 50%	6 50%	7 35%	1 33%	12 60%	9 33%	18 41%	4 67%
Neither agree nor disagree (3)	8 16%	3 13%	4 18%	1 25%	6 16%	2 17%	4 22%	1 8%	3 15%	7 26%	1 4%	2 11%	1 8%	5 25%	2 67%	1 5%	5 19%	7 16%	1 17%
Tend to disagree (2)	3 6%	1 4%	2 9%	-	3 8%	-	-	2 17%	1 5%	1 4%	2 9%	-	-	3 15%	-	1 5%	2 7%	2 5%	1 17%
Strongly disagree (1)	3 6%	3 13%	-	-	3 8%	-	2 11%	1 8%	-	2 7%	1 4%	-	1 8%	2 10%	-	2 10%	1 4%	3 7%	-
Don't know	11 22%	8 33%	3 14%	-	9 24%	2 17%	5 28%	2 17%	4 20%	2 7%	9 39%	4 22%	4 33%	3 15%	-	2 10%	9 33%	11 25%	-
<b>NETS</b>																			
Net: Agree	25 50%	9 38%	13 59%	3 75%	17 45%	8 67%	7 39%	6 50%	12 60%	15 56%	10 43%	12 67%	6 50%	7 35%	1 33%	14 70%	10 37%	21 48%	4 67%
Net: Disagree	6 12%	4 17%	2 9%	-	6 16%	-	2 11%	3 25%	1 5%	3 11%	3 13%	-	1 8%	5 25%	-	3 15%	3 11%	5 11%	1 17%
Mean score	3.49	3.13	3.68	4.00	3.38	3.80	3.31	3.30	3.75	3.40	3.64	4.07	3.50	3.00	3.33	3.61	3.39	3.48	3.50
Standard deviation	1.02	1.20	.82	.82	1.15	.42	1.18	1.25	.68	.91	1.22	.62	1.07	1.06	.58	1.14	.98	1.06	.84
Standard error	.16	.30	.19	.41	.21	.13	.33	.40	.17	.18	.32	.16	.38	.26	.33	.27	.23	.19	.34

### Awareness of Depression among Parliamentarians - UK

**Q15\_3. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - Employment status should be recorded on a patient's medical records to provide GPs and healthcare professionals baseline data on their employment history**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	3 6%	2 7%	1 5%	3 9%	- -	2 6%	- -
Tend to agree (4)	22 44%	12 40%	10 50%	14 44%	8 57%	15 47%	2 33%
Neither agree nor disagree (3)	8 16%	5 17%	3 15%	4 13%	4 29%	5 16%	1 17%
Tend to disagree (2)	3 6%	3 10%	- -	2 6%	- -	2 6%	- -
Strongly disagree (1)	3 6%	3 10%	- -	2 6%	1 7%	2 6%	1 17%
Don't know	11 22%	5 17%	6 30%	7 22%	1 7%	6 19%	2 33%
<b>NETS</b>							
Net: Agree	25 50%	14 47%	11 55%	17 53%	8 57%	17 53%	2 33%
Net: Disagree	6 12%	6 20%	- -	4 13%	1 7%	4 13%	1 17%
Mean score	3.49	3.28	3.86	3.56	3.46	3.50	3.00
Standard deviation	1.02	1.17	.53	1.08	.88	1.03	1.41
Standard error	.16	.23	.14	.22	.24	.20	.71



## Awareness of Depression among Parliamentarians - UK

### Q15\_4. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - GPs and healthcare professionals should be incentivised to support patients with depression remain in or find appropriate employment opportunities

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	7 14%	-	6 27%	1 25%	5 13%	2 17%	4 22%	-	3 15%	4 15%	3 13%	4 22%	1 8%	2 10%	1 33%	3 15%	3 11%	7 16%	-
Tend to agree (4)	21 42%	11 46%	8 36%	2 50%	17 45%	4 33%	5 28%	5 42%	11 55%	11 41%	10 43%	7 39%	7 58%	7 35%	1 33%	9 45%	11 41%	18 41%	3 50%
Neither agree nor disagree (3)	10 20%	7 29%	3 14%	-	6 16%	4 33%	5 28%	2 17%	3 15%	3 11%	7 30%	3 17%	2 17%	5 25%	-	2 10%	8 30%	9 20%	1 17%
Tend to disagree (2)	6 12%	4 17%	2 9%	-	5 13%	1 8%	2 11%	2 17%	2 10%	5 19%	1 4%	1 6%	1 8%	4 20%	1 33%	1 5%	4 15%	4 9%	2 33%
Strongly disagree (1)	2 4%	1 4%	1 5%	-	1 3%	1 8%	1 6%	-	1 5%	2 7%	-	-	1 8%	1 5%	-	2 10%	-	2 5%	-
Don't know	4 8%	1 4%	2 9%	1 25%	4 11%	-	1 6%	3 25%	-	2 7%	2 9%	3 17%	-	1 5%	-	3 15%	1 4%	4 9%	-
<b>NETS</b>																			
Net: Agree	28 56%	11 46%	14 64%	3 75%	22 58%	6 50%	9 50%	5 42%	14 70%	15 56%	13 57%	11 61%	8 67%	9 45%	2 67%	12 60%	14 52%	25 57%	3 50%
Net: Disagree	8 16%	5 21%	3 14%	-	6 16%	2 17%	3 17%	2 17%	3 15%	7 26%	1 4%	1 6%	2 17%	5 25%	1 33%	3 15%	4 15%	6 14%	2 33%
Mean score	3.54	3.22	3.80	4.33	3.59	3.42	3.53	3.33	3.65	3.40	3.71	3.93	3.50	3.26	3.67	3.59	3.50	3.60	3.17
Standard deviation	1.05	.90	1.15	.58	1.02	1.16	1.18	.87	1.04	1.22	.78	.88	1.09	1.10	1.53	1.23	.91	1.06	.98
Standard error	.15	.19	.26	.33	.17	.34	.29	.29	.23	.24	.17	.23	.31	.25	.88	.30	.18	.17	.40

### Awareness of Depression among Parliamentarians - UK

#### Q15\_4. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - GPs and healthcare professionals should be incentivised to support patients with depression remain in or find appropriate employment opportunities

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	7 14%	4 13%	3 15%	5 16%	2 14%	3 9%	2 33%
Tend to agree (4)	21 42%	13 43%	8 40%	13 41%	7 50%	16 50%	- -
Neither agree nor disagree (3)	10 20%	6 20%	4 20%	6 19%	2 14%	5 16%	3 50%
Tend to disagree (2)	6 12%	4 13%	2 10%	4 13%	2 14%	5 16%	- -
Strongly disagree (1)	2 4%	2 7%	- -	1 3%	1 7%	1 3%	1 17%
Don't know	4 8%	1 3%	3 15%	3 9%	- -	2 6%	- -
<b>NETS</b>							
Net: Agree	28 56%	17 57%	11 55%	18 56%	9 64%	19 59%	2 33%
Net: Disagree	8 16%	6 20%	2 10%	5 16%	3 21%	6 19%	1 17%
Mean score	3.54	3.45	3.71	3.59	3.50	3.50	3.33
Standard deviation	1.05	1.12	.92	1.05	1.16	1.01	1.51
Standard error	.15	.21	.22	.20	.31	.18	.61

## Awareness of Depression among Parliamentarians - UK

### Q15\_5. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - Cost-effective mental health services should be provided with the same mandatory funding that physical health services are

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	18 36%	3 13%	12 55%	3 75%	14 37%	4 33%	4 22%	4 33%	10 50%	12 44%	6 26%	8 44%	3 25%	7 35%	2 67%	7 35%	9 33%	15 34%	3 50%
Tend to agree (4)	20 40%	14 58%	5 23%	1 25%	16 42%	4 33%	9 50%	4 33%	7 35%	10 37%	10 43%	6 33%	7 58%	7 35%	-	7 35%	13 48%	18 41%	2 33%
Neither agree nor disagree (3)	7 14%	4 17%	3 14%	-	5 13%	2 17%	3 17%	1 8%	3 15%	2 7%	5 22%	2 11%	2 17%	3 15%	-	4 20%	3 11%	6 14%	1 17%
Tend to disagree (2)	2 4%	2 8%	-	-	1 3%	1 8%	1 6%	1 8%	-	1 4%	1 4%	-	-	2 10%	-	1 5%	1 4%	2 5%	-
Strongly disagree (1)	1 2%	-	1 5%	-	-	1 8%	1 6%	-	-	1 4%	-	1 6%	-	-	1 33%	-	-	1 2%	-
Don't know	2 4%	1 4%	1 5%	-	2 5%	-	-	2 17%	-	1 4%	1 4%	1 6%	-	1 5%	-	1 5%	1 4%	2 5%	-
<b>NETS</b>																			
Net: Agree	38 76%	17 71%	17 77%	4 100%	30 79%	8 67%	13 72%	8 67%	17 85%	22 81%	16 70%	14 78%	10 83%	14 70%	2 67%	14 70%	22 81%	33 75%	5 83%
Net: Disagree	3 6%	2 8%	1 5%	-	1 3%	2 17%	2 11%	1 8%	-	2 7%	1 4%	1 6%	-	2 10%	1 33%	1 5%	1 4%	3 7%	-
Mean score	4.08	3.78	4.29	4.75	4.19	3.75	3.78	4.10	4.35	4.19	3.95	4.18	4.08	4.00	3.67	4.05	4.15	4.05	4.33
Standard deviation	.94	.80	1.06	.50	.79	1.29	1.06	.99	.75	1.02	.84	1.07	.67	1.00	2.31	.91	.78	.96	.82
Standard error	.14	.17	.23	.25	.13	.37	.25	.31	.17	.20	.18	.26	.19	.23	1.33	.21	.15	.15	.33

## Awareness of Depression among Parliamentarians - UK

**Q15\_5. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - Cost-effective mental health services should be provided with the same mandatory funding that physical health services are**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	18 36%	14 47%	4 20%	14 44%	3 21%	13 41%	1 17%
Tend to agree (4)	20 40%	12 40%	8 40%	11 34%	8 57%	10 31%	4 67%
Neither agree nor disagree (3)	7 14%	3 10%	4 20%	5 16%	2 14%	7 22%	- -
Tend to disagree (2)	2 4%	1 3%	1 5%	1 3%	- -	2 6%	- -
Strongly disagree (1)	1 2%	- -	1 5%	- -	1 7%	- -	1 17%
Don't know	2 4%	- -	2 10%	1 3%	- -	- -	- -
<b>NETS</b>							
Net: Agree	38 76%	26 87%	12 60%	25 78%	11 79%	23 72%	5 83%
Net: Disagree	3 6%	1 3%	2 10%	1 3%	1 7%	2 6%	1 17%
Mean score	4.08	4.30	3.72	4.23	3.86	4.06	3.67
Standard deviation	.94	.79	1.07	.84	1.03	.95	1.37
Standard error	.14	.15	.25	.15	.27	.17	.56

## Awareness of Depression among Parliamentarians - UK

**Q15\_6. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - The NHS should ensure that all new mental health treatments are subject to the same approval process as treatments for physical conditions before they are made available to patients**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	8 16%	1 4%	6 27%	1 25%	5 13%	3 25%	1 6%	1 8%	6 30%	5 19%	3 13%	2 11%	- -	6 30%	1 33%	4 20%	3 11%	8 18%	- -
Tend to agree (4)	25 50%	15 63%	9 41%	1 25%	21 55%	4 33%	10 56%	5 42%	10 50%	12 44%	13 57%	8 44%	9 75%	8 40%	1 33%	10 50%	14 52%	20 45%	5 83%
Neither agree nor disagree (3)	5 10%	2 8%	2 9%	1 25%	3 8%	2 17%	3 17%	- -	2 10%	2 7%	3 13%	3 17%	1 8%	1 5%	- -	1 5%	4 15%	4 9%	1 17%
Tend to disagree (2)	3 6%	2 8%	1 5%	- -	3 8%	- -	1 6%	1 8%	1 5%	3 11%	- -	- -	2 17%	1 5%	- -	1 5%	2 7%	3 7%	- -
Strongly disagree (1)	3 6%	1 4%	2 9%	- -	2 5%	1 8%	2 11%	1 8%	- -	2 7%	1 4%	2 11%	- -	1 5%	1 33%	- -	2 7%	3 7%	- -
Don't know	6 12%	3 13%	2 9%	1 25%	4 11%	2 17%	1 6%	4 33%	1 5%	3 11%	3 13%	3 17%	- -	3 15%	- -	4 20%	2 7%	6 14%	- -
<b>NETS</b>																			
Net: Agree	33 66%	16 67%	15 68%	2 50%	26 68%	7 58%	11 61%	6 50%	16 80%	17 63%	16 70%	10 56%	9 75%	14 70%	2 67%	14 70%	17 63%	28 64%	5 83%
Net: Disagree	6 12%	3 13%	3 14%	- -	5 13%	1 8%	3 17%	2 17%	1 5%	5 19%	1 4%	2 11%	2 17%	2 10%	1 33%	1 5%	4 15%	6 14%	- -
Mean score	3.73	3.62	3.80	4.00	3.71	3.80	3.41	3.50	4.11	3.63	3.85	3.53	3.58	4.00	3.33	4.06	3.56	3.71	3.83
Standard deviation	1.06	.92	1.24	1.00	1.03	1.23	1.12	1.31	.81	1.21	.88	1.19	.79	1.12	2.08	.77	1.08	1.14	.41
Standard error	.16	.20	.28	.58	.18	.39	.27	.46	.19	.25	.20	.31	.23	.27	1.20	.19	.22	.18	.17

### Awareness of Depression among Parliamentarians - UK

**Q15\_6. Thinking about national policy around depression, to what extent do you agree or disagree with the following statement? - The NHS should ensure that all new mental health treatments are subject to the same approval process as treatments for physical conditions before they are made available to patients**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	8 16%	7 23%	1 5%	6 19%	2 14%	5 16%	1 17%
Tend to agree (4)	25 50%	13 43%	12 60%	15 47%	8 57%	16 50%	3 50%
Neither agree nor disagree (3)	5 10%	3 10%	2 10%	5 16%	- -	5 16%	- -
Tend to disagree (2)	3 6%	3 10%	- -	2 6%	1 7%	2 6%	1 17%
Strongly disagree (1)	3 6%	1 3%	2 10%	2 6%	1 7%	2 6%	1 17%
Don't know	6 12%	3 10%	3 15%	2 6%	2 14%	2 6%	- -
<b>NETS</b>							
Net: Agree	33 66%	20 67%	13 65%	21 66%	10 71%	21 66%	4 67%
Net: Disagree	6 12%	4 13%	2 10%	4 13%	2 14%	4 13%	2 33%
Mean score	3.73	3.81	3.59	3.70	3.75	3.67	3.33
Standard deviation	1.06	1.08	1.06	1.09	1.14	1.06	1.51
Standard error	.16	.21	.26	.20	.33	.19	.61

## Awareness of Depression among Parliamentarians - UK

### Q16\_SUM. To what extent do you agree or disagree with the following statement? - SUMMARY TABLE

Base: All respondents

								NETS		
	Total	Strongly agree	Tend to agree	Neither agree nor disagree	Tend to disagree	Strongly disagree	Don't know	Net: Agree	Net: Disagree	Mean
The government should provide support to SMEs to promote prevention and early intervention in depression in the workplace	50 100%	11 22%	25 50%	6 12%	2 4%	4 8%	2 4%	36 72%	6 12%	3.77
Employers should have obligations under the Health and Safety at Work Act to support mental wellbeing in the workplace	50 100%	15 30%	14 28%	9 18%	8 16%	2 4%	2 4%	29 58%	10 20%	3.67
The UK should introduce legislation to protect the rights of employees and prevent workplace discrimination on the grounds of mental health conditions (including depression)	50 100%	14 28%	13 26%	12 24%	6 12%	3 6%	2 4%	27 54%	9 18%	3.60

## Awareness of Depression among Parliamentarians - UK

### Q16\_1. To what extent do you agree or disagree with the following statement? - Employers should have obligations under the Health and Safety at Work Act to support mental wellbeing in the workplace

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	15 30%	-	12 55%	3 75%	10 26%	5 42%	3 17%	2 17%	10 50%	8 30%	7 30%	7 39%	2 17%	6 30%	1 33%	7 35%	7 26%	13 30%	2 33%
Tend to agree (4)	14 28%	8 33%	5 23%	1 25%	12 32%	2 17%	5 28%	2 17%	7 35%	8 30%	6 26%	5 28%	4 33%	5 25%	-	5 25%	9 33%	12 27%	2 33%
Neither agree nor disagree (3)	9 18%	7 29%	2 9%	-	6 16%	3 25%	4 22%	3 25%	2 10%	3 11%	6 26%	3 17%	4 33%	2 10%	-	2 10%	7 26%	7 16%	2 33%
Tend to disagree (2)	8 16%	7 29%	1 5%	-	7 18%	1 8%	3 17%	4 33%	1 5%	5 19%	3 13%	2 11%	1 8%	5 25%	2 67%	4 20%	2 7%	8 18%	-
Strongly disagree (1)	2 4%	1 4%	1 5%	-	2 5%	-	2 11%	-	-	2 7%	-	-	1 8%	1 5%	-	1 5%	1 4%	2 5%	-
Don't know	2 4%	1 4%	1 5%	-	1 3%	1 8%	1 6%	1 8%	-	1 4%	1 4%	1 6%	-	1 5%	-	1 5%	1 4%	2 5%	-
<b>NETS</b>																			
Net: Agree	29 58%	8 33%	17 77%	4 100%	22 58%	7 58%	8 44%	4 33%	17 85%	16 59%	13 57%	12 67%	6 50%	11 55%	1 33%	12 60%	16 59%	25 57%	4 67%
Net: Disagree	10 20%	8 33%	2 9%	-	9 24%	1 8%	5 28%	4 33%	1 5%	7 26%	3 13%	2 11%	2 17%	6 30%	2 67%	5 25%	3 11%	10 23%	-
Mean score	3.67	2.96	4.24	4.75	3.57	4.00	3.24	3.18	4.30	3.58	3.77	4.00	3.42	3.53	3.00	3.68	3.73	3.62	4.00
Standard deviation	1.21	.93	1.14	.50	1.24	1.10	1.30	1.17	.86	1.33	1.07	1.06	1.16	1.35	1.73	1.34	1.08	1.25	.89
Standard error	.17	.19	.25	.25	.20	.33	.32	.35	.19	.26	.23	.26	.34	.31	1.00	.31	.21	.19	.37



## Awareness of Depression among Parliamentarians - UK

**Q16\_1. To what extent do you agree or disagree with the following statement? - Employers should have obligations under the Health and Safety at Work Act to support mental wellbeing in the workplace**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	15 30%	12 40%	3 15%	11 34%	3 21%	9 28%	2 33%
Tend to agree (4)	14 28%	9 30%	5 25%	10 31%	3 21%	11 34%	1 17%
Neither agree nor disagree (3)	9 18%	2 7%	7 35%	6 19%	2 14%	6 19%	1 17%
Tend to disagree (2)	8 16%	4 13%	4 20%	3 9%	5 36%	4 13%	1 17%
Strongly disagree (1)	2 4%	2 7%	- -	1 3%	1 7%	1 3%	1 17%
Don't know	2 4%	1 3%	1 5%	1 3%	- -	1 3%	- -
<b>NETS</b>							
Net: Agree	29 58%	21 70%	8 40%	21 66%	6 43%	20 63%	3 50%
Net: Disagree	10 20%	6 20%	4 20%	4 13%	6 43%	5 16%	2 33%
Mean score	3.67	3.86	3.37	3.87	3.14	3.74	3.33
Standard deviation	1.21	1.30	1.01	1.12	1.35	1.12	1.63
Standard error	.17	.24	.23	.20	.36	.20	.67

## Awareness of Depression among Parliamentarians - UK

**Q16\_2. To what extent do you agree or disagree with the following statement? - The government should provide support to SMEs to promote prevention and early intervention in depression in the workplace**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1-9.9%	10.0-19.9%	20%+	Pre 1997	1997-2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	11 22%	-	7 32%	4 100%	6 16%	5 42%	2 11%	-	9 45%	7 26%	4 17%	7 39%	-	4 20%	1 33%	5 25%	5 19%	9 20%	2 33%
Tend to agree (4)	25 50%	13 54%	12 55%	-	21 55%	4 33%	9 50%	6 50%	10 50%	12 44%	13 57%	7 39%	8 67%	10 50%	-	9 45%	16 59%	22 50%	3 50%
Neither agree nor disagree (3)	6 12%	5 21%	1 5%	-	6 16%	-	1 6%	4 33%	1 5%	2 7%	4 17%	2 11%	3 25%	1 5%	1 33%	2 10%	3 11%	5 11%	1 17%
Tend to disagree (2)	2 4%	2 8%	-	-	2 5%	-	2 11%	-	-	2 7%	-	-	-	2 10%	-	1 5%	1 4%	2 5%	-
Strongly disagree (1)	4 8%	3 13%	1 5%	-	2 5%	2 17%	3 17%	1 8%	-	3 11%	1 4%	1 6%	1 8%	2 10%	1 33%	2 10%	1 4%	4 9%	-
Don't know	2 4%	1 4%	1 5%	-	1 3%	1 8%	1 6%	1 8%	-	1 4%	1 4%	1 6%	-	1 5%	-	1 5%	1 4%	2 5%	-
<b>NETS</b>																			
Net: Agree	36 72%	13 54%	19 86%	4 100%	27 71%	9 75%	11 61%	6 50%	19 95%	19 70%	17 74%	14 78%	8 67%	14 70%	1 33%	14 70%	21 78%	31 70%	5 83%
Net: Disagree	6 12%	5 21%	1 5%	-	4 11%	2 17%	5 28%	1 8%	-	5 19%	1 4%	1 6%	1 8%	4 20%	1 33%	3 15%	2 7%	6 14%	-
Mean score	3.77	3.22	4.14	5.00	3.73	3.91	3.29	3.36	4.40	3.69	3.86	4.12	3.50	3.63	3.00	3.74	3.88	3.71	4.17
Standard deviation	1.12	1.09	.91	-	.99	1.51	1.36	.92	.60	1.29	.89	1.05	.90	1.26	2.00	1.24	.91	1.15	.75
Standard error	.16	.23	.20	-	.16	.46	.33	.28	.13	.25	.19	.26	.26	.29	1.15	.28	.18	.18	.31

## Awareness of Depression among Parliamentarians - UK

**Q16\_2. To what extent do you agree or disagree with the following statement? - The government should provide support to SMEs to promote prevention and early intervention in depression in the workplace**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	11 22%	9 30%	2 10%	7 22%	3 21%	5 16%	1 17%
Tend to agree (4)	25 50%	16 53%	9 45%	18 56%	6 43%	19 59%	3 50%
Neither agree nor disagree (3)	6 12%	1 3%	5 25%	5 16%	1 7%	4 13%	- -
Tend to disagree (2)	2 4%	1 3%	1 5%	- -	2 14%	1 3%	- -
Strongly disagree (1)	4 8%	2 7%	2 10%	1 3%	2 14%	2 6%	2 33%
Don't know	2 4%	1 3%	1 5%	1 3%	- -	1 3%	- -
<b>NETS</b>							
Net: Agree	36 72%	25 83%	11 55%	25 78%	9 64%	24 75%	4 67%
Net: Disagree	6 12%	3 10%	3 15%	1 3%	4 29%	3 9%	2 33%
Mean score	3.77	4.00	3.42	3.97	3.43	3.77	3.17
Standard deviation	1.12	1.07	1.12	.84	1.40	.99	1.72
Standard error	.16	.20	.26	.15	.37	.18	.70

## Awareness of Depression among Parliamentarians - UK

**Q16\_3. To what extent do you agree or disagree with the following statement? - The UK should introduce legislation to protect the rights of employees and prevent workplace discrimination on the grounds of mental health conditions (including depression)**

Base: All respondents

	Total	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER	
		Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Strongly agree (5)	14 28%	-	12 55%	2 50%	9 24%	5 42%	2 11%	1 8%	11 55%	9 33%	5 22%	6 33%	2 17%	6 30%	1 33%	6 30%	7 26%	12 27%	2 33%
Tend to agree (4)	13 26%	6 25%	5 23%	2 50%	10 26%	3 25%	3 17%	5 42%	5 25%	6 22%	7 30%	4 22%	4 33%	5 25%	-	4 20%	9 33%	11 25%	2 33%
Neither agree nor disagree (3)	12 24%	9 38%	3 14%	-	10 26%	2 17%	7 39%	2 17%	3 15%	6 22%	6 26%	4 22%	5 42%	3 15%	1 33%	5 25%	6 22%	10 23%	2 33%
Tend to disagree (2)	6 12%	6 25%	-	-	6 16%	-	3 17%	2 17%	1 5%	3 11%	3 13%	2 11%	1 8%	3 15%	-	3 15%	3 11%	6 14%	-
Strongly disagree (1)	3 6%	2 8%	1 5%	-	1 3%	2 17%	2 11%	1 8%	-	2 7%	1 4%	1 6%	-	2 10%	1 33%	1 5%	1 4%	3 7%	-
Don't know	2 4%	1 4%	1 5%	-	2 5%	-	1 6%	1 8%	-	1 4%	1 4%	1 6%	-	1 5%	-	1 5%	1 4%	2 5%	-
<b>NETS</b>																			
Net: Agree	27 54%	6 25%	17 77%	4 100%	19 50%	8 67%	5 28%	6 50%	16 80%	15 56%	12 52%	10 56%	6 50%	11 55%	1 33%	10 50%	16 59%	23 52%	4 67%
Net: Disagree	9 18%	8 33%	1 5%	-	7 18%	2 17%	5 28%	3 25%	1 5%	5 19%	4 17%	3 17%	1 8%	5 25%	1 33%	4 20%	4 15%	9 20%	-
Mean score	3.60	2.83	4.29	4.50	3.56	3.75	3.00	3.27	4.30	3.65	3.55	3.71	3.58	3.53	3.00	3.58	3.69	3.55	4.00
Standard deviation	1.22	.94	1.06	.58	1.13	1.48	1.17	1.19	.92	1.29	1.14	1.26	.90	1.39	2.00	1.26	1.12	1.25	.89
Standard error	.18	.20	.23	.29	.19	.43	.28	.36	.21	.25	.24	.31	.26	.32	1.15	.29	.22	.19	.37

### Awareness of Depression among Parliamentarians - UK

**Q16\_3. To what extent do you agree or disagree with the following statement? - The UK should introduce legislation to protect the rights of employees and prevent workplace discrimination on the grounds of mental health conditions (including depression)**

Base: All respondents

	Total	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION	
		High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Strongly agree (5)	14 28%	12 40%	2 10%	10 31%	2 14%	9 28%	1 17%
Tend to agree (4)	13 26%	9 30%	4 20%	10 31%	3 21%	10 31%	- -
Neither agree nor disagree (3)	12 24%	5 17%	7 35%	8 25%	4 29%	8 25%	3 50%
Tend to disagree (2)	6 12%	3 10%	3 15%	2 6%	4 29%	2 6%	1 17%
Strongly disagree (1)	3 6%	1 3%	2 10%	1 3%	1 7%	2 6%	1 17%
Don't know	2 4%	- -	2 10%	1 3%	- -	1 3%	- -
<b>NETS</b>							
Net: Agree	27 54%	21 70%	6 30%	20 63%	5 36%	19 59%	1 17%
Net: Disagree	9 18%	4 13%	5 25%	3 9%	5 36%	4 13%	2 33%
Mean score	3.60	3.93	3.06	3.84	3.07	3.71	2.83
Standard deviation	1.22	1.14	1.16	1.07	1.21	1.16	1.33
Standard error	.18	.21	.27	.19	.32	.21	.54

## Awareness of Depression among Parliamentarians - UK

### Q17. What, in your view, are the most important areas for the next Government (2015-20) to prioritise to help support people with depression?

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Supporting those with depression back into employment	36 72%	18 75%	16 73%	2 50%	28 74%	8 67%	13 72%	9 75%	14 70%	16 59%	20 87%	13 72%	8 67%	15 75%	1 33%	15 75%	20 74%	33 75%	3 50%
Ensuring equal access to and choice of the full range of evidence-based treatments (medical and non-medical)	31 62%	15 63%	13 59%	3 75%	24 63%	7 58%	10 56%	7 58%	14 70%	18 67%	13 57%	11 61%	8 67%	12 60%	2 67%	10 50%	19 70%	27 61%	4 67%
Tackling stigma and discrimination	29 58%	11 46%	14 64%	4 100%	22 58%	7 58%	9 50%	6 50%	14 70%	16 59%	13 57%	11 61%	9 75%	9 45%	1 33%	10 50%	18 67%	23 52%	6 100%
Providing broader education and training on depression to HR professionals to ensure effective support to people to maintain employment	17 34%	7 29%	8 36%	2 50%	11 29%	6 50%	7 39%	2 17%	8 40%	12 44%	5 22%	7 39%	5 42%	5 25%	3 100%	6 30%	8 30%	15 34%	2 33%
Investing in further research	15 30%	7 29%	7 32%	1 25%	13 34%	2 17%	6 33%	4 33%	5 25%	7 26%	8 35%	5 28%	1 8%	9 45%	1 33%	7 35%	7 26%	14 32%	1 17%
Other	1 2%	- -	1 5%	- -	- -	1 8%	- -	- -	1 5%	1 4%	- -	- -	- -	1 5%	- -	1 5%	- -	1 2%	- -
None of these	1 2%	1 4%	- -	- -	1 3%	- -	- -	1 8%	- -	1 4%	- -	- -	- -	1 5%	- -	1 5%	- -	1 2%	- -

## Awareness of Depression among Parliamentarians - UK

**Q17. What, in your view, are the most important areas for the next Government (2015-20) to prioritise to help support people with depression?**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Supporting those with depression back into employment	36 72%	22 73%	14 70%	24 75%	9 64%	22 69%	6 100%
Ensuring equal access to and choice of the full range of evidence-based treatments (medical and non-medical)	31 62%	21 70%	10 50%	20 63%	8 57%	19 59%	3 50%
Tackling stigma and discrimination	29 58%	20 67%	9 45%	20 63%	7 50%	17 53%	3 50%
Providing broader education and training on depression to HR professionals to ensure effective support to people to maintain employment	17 34%	10 33%	7 35%	11 34%	6 43%	11 34%	3 50%
Investing in further research	15 30%	9 30%	6 30%	8 25%	6 43%	9 28%	1 17%
Other	1 2%	1 3%	-	1 3%	-	1 3%	-
None of these	1 2%	1 3%	-	1 3%	-	1 3%	-

## Awareness of Depression among Parliamentarians - UK

### Q18. Choosing from the list below, which, if any, of the following have been influential in forming your impression of depression?

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Personal contact or personal experience	43 86%	20 83%	20 91%	3 75%	34 89%	9 75%	15 83%	11 92%	17 85%	22 81%	21 91%	15 83%	11 92%	17 85%	2 67%	16 80%	25 93%	37 84%	6 100%
Conversations with health professionals	30 60%	14 58%	14 64%	2 50%	24 63%	6 50%	8 44%	8 67%	14 70%	16 59%	14 61%	11 61%	7 58%	12 60%	2 67%	11 55%	17 63%	25 57%	5 83%
Letters or meeting with your constituents	29 58%	13 54%	14 64%	2 50%	24 63%	5 42%	10 56%	6 50%	13 65%	14 52%	15 65%	10 56%	8 67%	11 55%	1 33%	10 50%	18 67%	25 57%	4 67%
Conversations with colleagues	24 48%	10 42%	13 59%	1 25%	19 50%	5 42%	6 33%	6 50%	12 60%	11 41%	13 57%	9 50%	5 42%	10 50%	1 33%	6 30%	17 63%	20 45%	4 67%
Television news and current affairs programmes	19 38%	9 38%	9 41%	1 25%	14 37%	5 42%	7 39%	3 25%	9 45%	8 30%	11 48%	7 39%	4 33%	8 40%	- -	7 35%	12 44%	15 34%	4 67%
Debates in the House	15 30%	8 33%	4 18%	3 75%	12 32%	3 25%	6 33%	3 25%	6 30%	8 30%	7 30%	9 50%	2 17%	4 20%	1 33%	5 25%	9 33%	12 27%	3 50%
Briefing papers	15 30%	5 21%	8 36%	2 50%	11 29%	4 33%	5 28%	2 17%	8 40%	10 37%	5 22%	5 28%	5 42%	5 25%	1 33%	6 30%	8 30%	12 27%	3 50%
National newspapers	14 28%	10 42%	4 18%	- -	13 34%	1 8%	4 22%	6 50%	4 20%	7 26%	7 30%	1 6%	5 42%	8 40%	1 33%	5 25%	8 30%	10 23%	4 67%
Radio	6 12%	3 13%	3 14%	- -	5 13%	1 8%	2 11%	1 8%	3 15%	3 11%	3 13%	1 6%	2 17%	3 15%	- -	1 5%	5 19%	3 7%	3 50%
Blogs or social media	6 12%	- -	4 18%	2 50%	4 11%	2 17%	2 11%	- -	4 20%	2 7%	4 17%	4 22%	- -	2 10%	- -	3 15%	3 11%	5 11%	1 17%
Local newspapers	4 8%	3 13%	1 5%	- -	4 11%	- -	1 6%	1 8%	2 10%	1 4%	3 13%	1 6%	1 8%	2 10%	- -	1 5%	3 11%	2 5%	2 33%
Other television	3 6%	2 8%	1 5%	- -	3 8%	- -	2 11%	- -	1 5%	1 4%	2 9%	- -	1 8%	2 10%	- -	1 5%	2 7%	2 5%	1 17%
None of these	3 6%	2 8%	- -	1 25%	2 5%	1 8%	2 11%	- -	1 5%	3 11%	- -	1 6%	1 8%	1 5%	- -	2 10%	1 4%	3 7%	- -



## Awareness of Depression among Parliamentarians - UK

### Q18. Choosing from the list below, which, if any, of the following have been influential in forming your impression of depression?

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Personal contact or personal experience	43 86%	26 87%	17 85%	30 94%	9 64%	29 91%	4 67%
Conversations with health professionals	30 60%	22 73%	8 40%	22 69%	5 36%	22 69%	1 17%
Letters or meeting with your constituents	29 58%	20 67%	9 45%	20 63%	6 43%	20 63%	3 50%
Conversations with colleagues	24 48%	17 57%	7 35%	18 56%	4 29%	18 56%	1 17%
Television news and current affairs programmes	19 38%	14 47%	5 25%	14 44%	4 29%	15 47%	1 17%
Debates in the House	15 30%	8 27%	7 35%	8 25%	5 36%	11 34%	1 17%
Briefing papers	15 30%	12 40%	3 15%	9 28%	4 29%	10 31%	2 33%
National newspapers	14 28%	10 33%	4 20%	9 28%	3 21%	10 31%	1 17%
Radio	6 12%	5 17%	1 5%	3 9%	1 7%	5 16%	- -
Blogs or social media	6 12%	4 13%	2 10%	5 16%	- -	3 9%	- -
Local newspapers	4 8%	3 10%	1 5%	2 6%	1 7%	2 6%	1 17%
Other television	3 6%	3 10%	- -	- -	2 14%	1 3%	1 17%
None of these	3 6%	2 7%	1 5%	- -	3 21%	- -	1 17%

## Awareness of Depression among Parliamentarians - UK

### Q19. Which one of these sources would you say is the most influential for you forming your impression of depression?

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Personal contact or personal experience	33 66%	16 67%	14 64%	3 75%	25 66%	8 67%	13 72%	7 58%	13 65%	17 63%	16 70%	13 72%	9 75%	11 55%	2 67%	13 65%	18 67%	28 64%	5 83%
Letters or meeting with your constituents	7 14%	3 13%	4 18%	-	6 16%	1 8%	2 11%	2 17%	3 15%	3 11%	4 17%	2 11%	1 8%	4 20%	-	2 10%	5 19%	6 14%	1 17%
Debates in the House	2 4%	-	2 9%	-	-	2 17%	1 6%	-	1 5%	2 7%	-	1 6%	-	1 5%	1 33%	1 5%	-	2 5%	-
Conversations with colleagues	2 4%	1 4%	1 5%	-	2 5%	-	-	1 8%	1 5%	-	2 9%	1 6%	-	1 5%	-	-	2 7%	2 5%	-
Conversations with health professionals	2 4%	1 4%	1 5%	-	2 5%	-	-	1 8%	1 5%	2 7%	-	-	1 8%	1 5%	-	1 5%	1 4%	2 5%	-
Television news and current affairs programmes	1 2%	1 4%	-	-	1 3%	-	-	1 8%	-	-	1 4%	-	-	1 5%	-	1 5%	-	1 2%	-
National newspapers	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Local newspapers	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Briefing papers	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other television	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Radio	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Blogs or social media	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
None of these	3 6%	2 8%	-	1 25%	2 5%	1 8%	2 11%	-	1 5%	3 11%	-	1 6%	1 8%	1 5%	-	2 10%	1 4%	3 7%	-

### Awareness of Depression among Parliamentarians - UK

#### Q19. Which one of these sources would you say is the most influential for you forming your impression of depression?

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Personal contact or personal experience	33 66%	17 57%	16 80%	22 69%	7 50%	22 69%	4 67%
Letters or meeting with your constituents	7 14%	6 20%	1 5%	6 19%	1 7%	5 16%	1 17%
Debates in the House	2 4%	1 3%	1 5%	- -	2 14%	2 6%	- -
Conversations with colleagues	2 4%	1 3%	1 5%	2 6%	- -	1 3%	- -
Conversations with health professionals	2 4%	2 7%	- -	1 3%	1 7%	1 3%	- -
Television news and current affairs programmes	1 2%	1 3%	- -	1 3%	- -	1 3%	- -
National newspapers	- -	- -	- -	- -	- -	- -	- -
Local newspapers	- -	- -	- -	- -	- -	- -	- -
Briefing papers	- -	- -	- -	- -	- -	- -	- -
Other television	- -	- -	- -	- -	- -	- -	- -
Radio	- -	- -	- -	- -	- -	- -	- -
Blogs or social media	- -	- -	- -	- -	- -	- -	- -
None of these	3 6%	2 7%	1 5%	- -	3 21%	- -	1 17%

## Awareness of Depression among Parliamentarians - UK

### Q18/Q19\_SUM Which, if any, of the following have been influential in forming your impression of depression? - SUMMARY TABLE

Base: All respondents

	Any Influential	Most influential
Total	50 100%	50 100%
Personal contact or personal experience	43 86%	33 66%
Conversations with health professionals	30 60%	2 4%
Letters or meeting with your constituents	29 58%	7 14%
Conversations with colleagues	24 48%	2 4%
Television news and current affairs programmes	19 38%	1 2%
Debates in the House	15 30%	2 4%
Briefing papers	15 30%	- -
National newspapers	14 28%	- -
Radio	6 12%	- -
Blogs or social media	6 12%	- -
Local newspapers	4 8%	- -
Other television	3 6%	- -
None of these	3 6%	3 6%

## Awareness of Depression among Parliamentarians - UK

**Q20. To the best of your knowledge, have you or any of your friends or family members ever been diagnosed as having depression by a doctor/medical professional?**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Yes	32 64%	16 67%	14 64%	2 50%	26 68%	6 50%	10 56%	9 75%	13 65%	13 48%	19 83%	13 72%	7 58%	12 60%	- -	11 55%	21 78%	27 61%	5 83%
No	14 28%	7 29%	5 23%	2 50%	9 24%	5 42%	7 39%	2 17%	5 25%	12 44%	2 9%	5 28%	4 33%	5 25%	3 100%	7 35%	4 15%	14 32%	- -
Don't know	1 2%	- -	1 5%	- -	1 3%	- -	- -	- -	1 5%	- -	1 4%	- -	- -	1 5%	- -	- -	1 4%	- -	1 17%
Prefer not to say	3 6%	1 4%	2 9%	- -	2 5%	1 8%	1 6%	1 8%	1 5%	2 7%	1 4%	- -	1 8%	2 10%	- -	2 10%	1 4%	3 7%	- -

### Awareness of Depression among Parliamentarians - UK

**Q20. To the best of your knowledge, have you or any of your friends or family members ever been diagnosed as having depression by a doctor/medical professional?**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Yes	32 64%	21 70%	11 55%	32 100%	- -	26 81%	2 33%
No	14 28%	7 23%	7 35%	- -	14 100%	4 13%	4 67%
Don't know	1 2%	1 3%	- -	- -	- -	- -	- -
Prefer not to say	3 6%	1 3%	2 10%	- -	- -	2 6%	- -

## Awareness of Depression among Parliamentarians - UK

**Q21. To the best of your knowledge, have any of your colleagues in your current or previous roles ever been diagnosed as having depression by a doctor/medical professional?**

Base: All respondents

	PARTY			COUNTRY		REGION			DATE OF BIRTH		MARGINALITY			LENGTH OF SERVICE			GENDER		
	Total	Con	Lab	Other	Eng land	Wales/ Scot & NI	South	Mid lands	North	Pre 1960	1960+	0.1- 9.9%	10.0- 19.9%	20%+	Pre 1997	1997- 2009	2010+	Male	Female
Total	50 100%	24 100%	22 100%	4 100%	38 100%	12 100%	18 100%	12 100%	20 100%	27 100%	23 100%	18 100%	12 100%	20 100%	3 100%	20 100%	27 100%	44 100%	6 100%
Yes	32 64%	16 67%	14 64%	2 50%	25 66%	7 58%	13 72%	8 67%	11 55%	16 59%	16 70%	11 61%	7 58%	14 70%	1 33%	13 65%	18 67%	27 61%	5 83%
No	6 12%	3 13%	3 14%	- -	4 11%	2 17%	4 22%	- -	2 10%	4 15%	2 9%	2 11%	3 25%	1 5%	1 33%	3 15%	2 7%	6 14%	- -
Don't know	9 18%	3 13%	4 18%	2 50%	6 16%	3 25%	1 6%	2 17%	6 30%	5 19%	4 17%	5 28%	1 8%	3 15%	1 33%	2 10%	6 22%	8 18%	1 17%
Prefer not to say	2 4%	1 4%	1 5%	- -	2 5%	- -	- -	1 8%	1 5%	1 4%	1 4%	- -	1 8%	1 5%	- -	1 5%	1 4%	2 5%	- -

### Awareness of Depression among Parliamentarians - UK

**Q21. To the best of your knowledge, have any of your colleagues in your current or previous roles ever been diagnosed as having depression by a doctor/medical professional?**

Base: All respondents

	IMPORTANCE OF DEPRESSION		PERSONAL EXPERIENCE OF DEPRESSION		PROFESSIONAL EXPERIENCE OF DEPRESSION		
	Total	High	Medium/ Low	Yes	No	Yes	No
Total	50 100%	30 100%	20 100%	32 100%	14 100%	32 100%	6 100%
Yes	32 64%	21 70%	11 55%	26 81%	4 29%	32 100%	- -
No	6 12%	3 10%	3 15%	2 6%	4 29%	- -	6 100%
Don't know	9 18%	4 13%	5 25%	3 9%	5 36%	- -	- -
Prefer not to say	2 4%	1 3%	1 5%	1 3%	- -	- -	- -