

Clic Sargent: Cancer in children and young people – GPs poll

METHODOLOGY NOTE

ComRes interviewed 1,002 General Practitioners online between the 16th and 24th July 2015. Data are representative of all GPs in the UK by former SHA region, with all respondents verified by their GMC number. ComRes is a member of the British Polling Council and abides by its rules.

All press releases or other publications must be checked with ComRes before use. ComRes requires 48 hours to check a press release unless otherwise agreed.

To commission a public opinion survey or have any other enquiries, please contact Katharine Peacock:

katharine.peacock@comres.co.uk

To register for PollWatch, a monthly newsletter update on policy, polling and public opinion, please email:

pollwatch@comres.co.uk

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 1
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

	Total	S3 - Region														S3 - England		S3 - England NHS Networks																																							
		London	South East Coastal	South Central	South West	West Midlands	East Midlands	East of England	Yorkshire & Humber	North East	North West	Scotland	Wales	Northern Ireland	England	NHS London	NHS South of England	NHS Midlands and East SHA	NHS North of England																																						
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R																																						
Not enough training available on identifying cancer in children and young people																																																									
NET: Top 3	465	46%	61	50%	28	43%	27	40%	41	44%	36	42%	34	49%	48	52%	36	41%	16	36%	61	CHI55%	41	45%	25	51%	11	44%	388	46%	61	50%	96	42%	118	48%	113	46%																			
1	217	22%	26	21%	11	17%	13	19%	17	18%	18	21%	15	22%	26	HI28%	14	16%	6	13%	32	HI29%	19	21%	14	29%	6	24%	178	21%	26	21%	41	18%	59	24%	52	21%																			
2	139	14%	20	17%	9	14%	11	16%	11	12%	11	13%	7	10%	12	13%	11	13%	7	16%	17	15%	14	15%	7	14%	2	8%	116	14%	20	17%	31	14%	30	12%	35	14%																			
3	109	11%	15	C12%	8	12%	3	4%	13	C14%	7	8%	12	C17%	10	11%	11	13%	3	7%	12	11%	8	9%	4	8%	3	12%	94	11%	15	12%	24	11%	29	12%	26	11%																			
4	78	8%	5	4%	5	8%	4	6%	5	5%	12	ADG14%	7	G10%	2	2%	11	AG13%	8	ADGK18%	7	6%	5	5%	5	10%	2	8%	66	8%	5	4%	14	6%	21	9%	26	O11%																			
5	67	7%	8	I7%	7	I11%	5	I7%	8	I9%	5	I6%	3	4%	5	I5%	9	I10%	0	0%	5	I5%	9	I10%	2	4%	1	4%	55	7%	8	7%	20	9%	13	5%	14	6%																			
6	47	5%	5	Lm4%	3	5%	6	Lm9%	2	2%	4	Lm5%	7	DLm10%	7	Lm8%	3	3%	2	4%	5	Lm5%	3	3%	0	0%	0	0%	44	5%	5	4%	11	5%	18	7%	10	4%																			
7	39	4%	8	GHI7%	2	3%	1	1%	3	3%	3	4%	4	I6%	1	1%	1	1%	0	0%	6	I5%	6	I7%	3	6%	1	4%	29	3%	8	7%	6	3%	8	3%	7	3%																			
8	16	2%	3	2%	0	0%	2	3%	2	2%	2	2%	1	1%	1	1%	1	1%	0	0%	2	2%	1	1%	1	2%	0	0%	14	2%	3	2%	4	2%	4	2%	3	1%																			
Not selected as a barrier	290	29%	31	26%	20	31%	23	F34%	32	F34%	23	27%	13	19%	28	30%	27	31%	19	AFJ42%	25	23%	26	29%	13	27%	10	40%	241	29%	31	26%	75	33%	64	26%	71	29%																			
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%																			
AVG		3		3		3		3		3		3		3		3		3		3		3		3		3		3		3		3		3		3		3		3																	
Insufficient opportunities to gain experience in the care of children and young people during initial GP training																																																									
NET: Top 3	334	33%	42	m35%	26	Gm40%	20	m29%	26	m28%	28	m33%	27	m39%	23	25%	28	m32%	13	29%	37	m33%	39	DGm43%	22	DGm45%	3	12%	270	32%	42	35%	72	32%	78	32%	78	32%																			
1	112	11%	20	GJm17%	5	8%	7	10%	9	10%	10	12%	6	9%	7	8%	8	9%	4	9%	9	8%	17	BGJm19%	9	m18%	1	4%	85	10%	20	R17%	21	9%	23	9%	21	9%																			
2	120	12%	9	7%	12	AG18%	7	10%	11	G12%	12	G14%	13	AG19%	3	3%	13	G15%	6	13%	12	G11%	12	G13%	8	G16%	2	8%	98	12%	9	7%	30	13%	28	11%	31	13%																			
3	102	10%	13	m11%	9	m14%	6	m9%	6	m6%	6	m7%	8	m12%	13	m14%	7	m8%	3	7%	16	m14%	10	m11%	5	m10%	0	0%	87	10%	13	11%	21	9%	27	11%	26	11%																			
4	79	8%	14	FHI12%	4	I6%	4	I6%	7	I8%	6	I7%	2	3%	8	I9%	3	3%	0	0%	10	I9%	9	I10%	4	I8%	8	abcdefghijk132%	58	7%	14	12%	15	7%	16	7%	13	5%																			
5	74	7%	12	Lm10%	3	5%	5	m7%	6	m6%	7	m8%	11	BHILm16%	6	m7%	5	m6%	2	4%	9	m8%	7	m8%	1	2%	0	0%	66	8%	12	10%	14	6%	24	10%	16	7%																			
6	62	6%	5	4%	5	8%	4	6%	5	5%	7	8%	4	6%	8	9%	7	8%	3	7%	8	7%	3	3%	2	4%	1	4%	56	7%	5	4%	14	6%	19	8%	18	7%																			
7	51	5%	7	6%	3	5%	3	4%	2	2%	4	5%	4	6%	6	7%	5	6%	5	11%	6	5%	2	2%	3	6%	1	4%	45	5%	7	6%	8	4%	14	6%	16	7%																			
8	68	7%	10	8%	3	5%	8	12%	9	10%	6	7%	5	7%	7	8%	5	6%	2	4%	4	4%	5	5%	2	4%	2	8%	59	7%	10	8%	20	9%	18	7%	11	5%																			
Not selected as a barrier	334	33%	31	26%	21	32%	24	35%	38	AF41%	27	32%	16	23%	34	37%	35	AF40%	20	AF44%	37	33%	26	29%	15	31%	10	40%	283	34%	31	26%	83	O37%	77	31%	92	O38%																			
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%																			
AVG		4		4		4		K4		4		4		4		KL4		4		4		4		3		3		4		4		4		4		4		4		4																	

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 1
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

Total	S3 - Region																S3 - England		S3 - England NHS Networks																			
	London	South East Coastal	South Central	South West	West Midlands	East Midlands	East of England	Yorkshire & Humber	North East	North West	Scotland	Wales	Northern Ireland	England	NHS London	NHS South of England	NHS Midlands and East SHA	NHS North of England																				
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R																				
Lack of awareness of the symptoms																																						
NET: Top 3	317	32%	37	31%	20	31%	18	26%	31	33%	24	28%	24	35%	29	32%	24	27%	11	24%	41	37%	31	34%	18	37%	9	36%	259	31%	37	31%	69	31%	77	31%	76	31%
1	147	15%	15	12%	11	17%	7	10%	16	17%	10	12%	11	16%	14	15%	11	13%	9	20%	17	15%	15	16%	8	16%	3	12%	121	14%	15	12%	34	15%	35	14%	37	15%
2	98	10%	12	I10%	6	9%	5	7%	9	I10%	7	8%	9	I13%	9	I10%	6	7%	1	2%	18	HI16%	7	8%	4	8%	5	i20%	82	10%	12	10%	20	9%	25	10%	25	10%
3	72	7%	10	8%	3	5%	6	9%	6	6%	7	8%	4	6%	6	7%	7	8%	1	2%	6	5%	9	I10%	6	12%	1	4%	56	7%	10	8%	15	7%	17	7%	14	6%
4	61	6%	7	6%	4	6%	4	6%	7	8%	4	5%	6	9%	9	KL10%	6	7%	5	11%	5	5%	2	2%	1	2%	1	4%	57	7%	7	6%	15	7%	19	8%	16	7%
5	71	7%	14	GJ12%	6	9%	4	6%	8	9%	7	8%	7	10%	3	3%	5	6%	2	4%	3	3%	8	9%	2	4%	2	8%	59	7%	14	R12%	18	8%	17	7%	10	4%
6	68	7%	10	8%	4	6%	5	7%	6	6%	5	6%	3	4%	9	J10%	7	8%	2	4%	3	3%	7	8%	6	12%	1	4%	54	6%	10	8%	15	7%	17	7%	12	5%
7	62	6%	9	Gm7%	4	m6%	4	m6%	7	Gm8%	9	Gm11%	9	GJm13%	1	1%	5	m6%	2	4%	4	m4%	5	m5%	3	6%	0	0%	54	6%	9	7%	15	7%	19	8%	11	5%
8	81	8%	11	D9%	3	5%	9	D13%	0	0%	5	D6%	6	D9%	10	D11%	10	D11%	2	4%	12	D11%	6	D7%	3	6%	4	d16%	68	8%	11	9%	12	5%	21	9%	24	10%
Not selected as a barrier	342	34%	33	27%	24	F37%	24	F35%	34	F37%	31	F36%	14	20%	31	34%	31	F35%	21	AF47%	43	F39%	32	F35%	16	33%	8	32%	286	34%	33	27%	82	36%	76	31%	95	O39%
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%
AVG	4		D4		4		D5		3		4		4		4		D4		4		4		4		4		4		4		4		4		4		4	
Current NHS referral pathways for children and young people with cancer																																						
NET: Top 3	260	26%	37	K31%	22	K34%	22	K32%	20	22%	30	DKLm35%	20	K29%	22	K24%	26	K30%	9	20%	29	K26%	10	11%	9	18%	4	16%	237	28%	37	31%	64	28%	72	29%	64	26%
1	99	10%	9	L7%	7	L11%	10	KL15%	9	L10%	15	AGKLm18%	8	L12%	7	L8%	13	KLm15%	4	L9%	13	KL12%	3	3%	0	0%	1	4%	95	11%	9	7%	26	12%	30	12%	30	12%
2	87	9%	14	K12%	9	K14%	6	9%	7	8%	12	IK14%	5	7%	11	K12%	6	7%	2	4%	7	6%	3	3%	3	6%	2	8%	79	9%	14	12%	22	10%	28	R11%	15	6%
3	74	7%	14	DEGK12%	6	9%	6	9%	4	4%	3	4%	7	10%	4	4%	7	8%	3	7%	9	8%	4	4%	6	12%	1	4%	63	8%	14	12%	16	7%	14	6%	19	8%
4	76	8%	13	m11%	4	m6%	6	m9%	5	m5%	8	m9%	4	m6%	6	m7%	8	m9%	3	7%	11	m10%	6	m7%	2	4%	0	0%	68	8%	13	11%	15	7%	18	7%	22	9%
5	77	8%	12	10%	3	5%	6	9%	5	5%	5	6%	7	10%	6	7%	5	6%	5	11%	8	7%	6	7%	4	8%	5	20%	62	7%	12	10%	14	6%	18	7%	18	7%
6	60	6%	8	I7%	3	5%	1	1%	9	CI10%	6	I7%	4	I6%	4	I4%	3	3%	0	0%	6	I5%	9	CI10%	3	6%	4	i16%	44	5%	8	7%	13	6%	14	6%	9	4%
7	96	10%	10	8%	6	9%	3	4%	7	8%	8	9%	8	12%	14	CJ15%	6	7%	7	16%	6	5%	13	CJ14%	6	12%	2	8%	75	9%	10	8%	16	7%	30	12%	19	8%
8	78	8%	8	m7%	6	m9%	7	m10%	9	m10%	3	4%	5	m7%	8	m9%	8	m9%	3	7%	10	m9%	5	m5%	6	m12%	0	0%	67	8%	8	7%	22	10%	16	7%	21	9%
Not selected as a barrier	355	35%	33	27%	21	32%	23	34%	38	A41%	25	29%	21	30%	32	35%	32	36%	18	40%	41	37%	42	AEF46%	19	39%	10	40%	284	34%	33	27%	82	36%	78	32%	91	O37%
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%
AVG	4		4		4		4		E5		4		4		E5		4		5		4		ABCEFHJ5		5		4		4		4		4		4			

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 1
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

Total	S3 - Region														S3 - England		S3 - England NHS Networks																					
	London	South East Coastal	South Central	South West	West Midlands	East Midlands	East of England	Yorkshire & Humber	North East	North West	Scotland	Wales	Northern Ireland	England	NHS London	NHS South of England	NHS Midlands and East SHA	NHS North of England																				
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R																				
Not enough time to participate in training																																						
NET: Top 3	238	24%	29	24%	12	18%	12	18%	21	23%	24	28%	18	26%	20	22%	20	23%	11	24%	27	24%	28	C31%	10	20%	6	24%	194	23%	29	24%	45	20%	62	25%	58	24%
1	60	6%	6	5%	5	8%	3	4%	9	10%	4	5%	6	9%	5	5%	6	7%	2	4%	4	4%	5	5%	2	4%	3	12%	50	6%	6	5%	17	8%	15	6%	12	5%
2	81	8%	14	DI12%	3	5%	4	6%	4	4%	5	6%	7	10%	7	8%	5	6%	1	2%	13	DI12%	11	I12%	6	12%	1	4%	63	8%	14	P12%	11	5%	19	8%	19	8%
3	97	10%	9	7%	4	6%	5	7%	8	9%	15	ABCFL18%	5	7%	8	9%	9	10%	8	L18%	10	9%	12	L13%	2	4%	2	8%	81	10%	9	7%	17	8%	28	11%	27	11%
4	96	10%	20	EGHIK17%	7	11%	7	10%	10	11%	6	7%	8	12%	6	7%	6	7%	2	4%	10	9%	7	8%	6	12%	1	4%	82	10%	20	QR17%	24	11%	20	8%	18	7%
5	79	8%	4	3%	1	2%	7	B10%	4	4%	10	AB12%	5	7%	12	ABD13%	7	B8%	4	9%	9	B8%	7	8%	8	ABD16%	1	4%	63	8%	4	3%	12	5%	27	OP11%	20	O8%
6	85	8%	13	E11%	10	EKL15%	7	E10%	7	8%	2	2%	8	E12%	6	7%	9	E10%	5	11%	9	8%	4	4%	2	4%	3	12%	76	9%	13	11%	24	11%	16	7%	23	9%
7	74	7%	8	7%	8	I12%	6	9%	5	5%	3	4%	6	9%	7	8%	9	I10%	1	2%	9	8%	5	5%	6	12%	1	4%	62	7%	8	7%	19	8%	16	7%	19	8%
8	61	6%	7	6%	5	8%	3	4%	8	J9%	11	GHIJL13%	7	J10%	4	4%	4	5%	1	2%	2	2%	6	7%	1	2%	2	8%	52	6%	7	6%	16	R7%	22	R9%	7	3%
Not selected as a barrier	369	37%	40	33%	22	34%	26	38%	38	F41%	29	34%	17	25%	37	F40%	33	38%	21	F47%	45	F41%	34	37%	16	33%	11	44%	308	37%	40	33%	86	38%	83	34%	99	41%
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%
AVG	4		4		5		5		4		5		4		5		5		4		4		4		4		4		4		4		5		5		4	
Inadequate information available																																						
NET: Top 3	230	23%	25	21%	16	25%	20	29%	19	20%	19	22%	17	25%	18	20%	17	19%	11	24%	29	26%	20	22%	10	20%	9	36%	191	23%	25	21%	55	24%	54	22%	57	23%
1	52	5%	9	D7%	4	D6%	6	D9%	0	0%	6	D7%	4	D6%	4	D4%	3	3%	3	7%	6	D5%	3	3%	1	2%	3	12%	45	5%	9	7%	10	4%	14	6%	12	5%
2	87	9%	7	6%	6	9%	8	E12%	8	9%	2	2%	4	6%	9	E10%	10	E11%	6	E13%	11	E10%	10	E11%	4	8%	2	8%	71	8%	7	6%	22	10%	15	6%	27	Q11%
3	91	9%	9	7%	6	9%	6	9%	11	12%	11	H13%	9	13%	5	5%	4	5%	2	4%	12	11%	7	8%	5	10%	4	16%	75	9%	9	7%	23	10%	25	10%	18	7%
4	82	8%	11	I9%	6	9%	7	10%	7	8%	6	7%	9	HI13%	8	9%	3	3%	1	2%	10	9%	9	I10%	4	8%	1	4%	68	8%	11	9%	20	9%	23	9%	14	6%
5	76	8%	12	Cm10%	4	m6%	2	3%	9	m10%	6	m7%	5	m7%	9	m10%	8	m9%	3	7%	7	m6%	6	m7%	5	m10%	0	0%	65	8%	12	10%	15	7%	20	8%	18	7%
6	94	9%	12	10%	5	8%	6	9%	8	9%	5	6%	11	EGm16%	5	5%	12	14%	7	16%	9	8%	8	9%	5	10%	1	4%	80	10%	12	10%	19	8%	21	9%	28	11%
7	72	7%	11	9%	4	6%	6	9%	4	4%	10	J12%	4	6%	9	10%	9	10%	2	4%	4	4%	5	5%	3	6%	1	4%	63	8%	11	9%	14	6%	23	9%	15	6%
8	66	7%	9	7%	6	9%	3	4%	6	6%	6	7%	6	9%	7	8%	8	9%	3	7%	7	6%	3	3%	1	2%	1	4%	61	7%	9	7%	15	7%	19	8%	18	7%
Not selected as a barrier	382	38%	41	34%	24	37%	24	35%	40	F43%	33	39%	17	25%	36	F39%	31	35%	18	40%	45	F41%	40	F44%	21	F43%	12	f48%	309	37%	41	34%	88	39%	86	35%	94	39%
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%
AVG	5		5		4		4		m5		5		5		5		5		4		4		4		4		3		5		5		4		5		5	

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 1
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

Total	S3 - Region														S3 - England		S3 - England NHS Networks																						
	London	South East Coastal	South Central	South West	West Midlands	East Midlands	East of England	Yorkshire & Humber	North East	North West	Scotland	Wales	Northern Ireland	England	NHS London	NHS South of England	NHS Midlands and East SHA	NHS North of England																					
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R																					
Lack of time to research the symptoms																																							
NET: Top 3	229	23%	28	23%	10	15%	17	25%	25	27%	21	25%	16	23%	24	26%	22	25%	12	27%	18	16%	21	23%	10	20%	5	20%	193	23%	28	23%	52	23%	61	25%	52	21%	
1	47	5%	3	2%	2	3%	2	3%	6	m6%	4	m5%	5	m7%	6	m7%	7	m8%	3	7%	3	3%	5	m5%	1	2%	0	0%	41	5%	3	2%	10	4%	15	6%	13	5%	
2	73	7%	10	B8%	1	2%	4	6%	12	BFJ13%	9	BJ11%	3	4%	6	7%	7	B8%	4	9%	3	3%	8	B9%	3	6%	3	12%	59	7%	10	8%	17	8%	18	7%	14	6%	
3	109	11%	15	12%	7	11%	11	16%	7	8%	8	9%	8	12%	12	13%	8	9%	5	11%	12	11%	8	9%	6	12%	2	8%	93	11%	15	12%	25	11%	28	11%	25	10%	
4	96	10%	6	m5%	7	m11%	9	m13%	6	m6%	4	m5%	12	ADEm17%	10	m11%	9	m10%	5	m11%	10	m9%	13	AEm14%	5	m10%	0	0%	78	9%	6	5%	22	10%	26	O11%	24	10%	
5	78	8%	8	7%	5	8%	8	12%	8	9%	5	6%	7	10%	7	8%	7	8%	3	7%	9	8%	4	4%	3	6%	4	16%	67	8%	8	7%	21	9%	19	8%	19	8%	
6	89	9%	19	DGHIm16%	7	11%	5	7%	5	5%	11	HI13%	5	7%	6	7%	4	5%	1	2%	11	I10%	9	I10%	5	10%	1	4%	74	9%	19	PR16%	17	8%	22	9%	16	7%	
7	72	7%	12	I10%	4	I6%	5	I7%	7	I8%	5	I6%	8	I12%	4	I4%	8	I9%	0	0%	8	I7%	4	I4%	4	I8%	3	12%	61	7%	12	10%	16	7%	17	7%	16	7%	
8	64	6%	7	6%	7	C11%	1	1%	4	4%	6	7%	2	3%	7	C8%	5	6%	4	9%	8	C7%	5	5%	7	CF14%	1	4%	51	6%	7	6%	12	5%	15	6%	17	7%	
Not selected as a barrier	374	37%	41	34%	25	38%	23	34%	38	41%	33	39%	19	28%	34	37%	33	38%	20	44%	47	F42%	35	38%	15	31%	11	44%	313	37%	41	34%	86	38%	86	35%	100	41%	
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%	
AVG	5		5		5	CDI5	4		4		5		4		4		4		4		4	DI5	4		4	DI5	5		5		5		5		4		4		5
Limited or no access to expert support (e.g. a paediatric specialist)																																							
NET: Top 3	207	21%	32	I26%	12	18%	11	16%	15	16%	26	CDGIK31%	16	23%	16	17%	19	22%	5	11%	23	21%	16	18%	10	20%	6	24%	175	21%	32	P26%	38	17%	58	24%	47	19%	
1	67	7%	14	GIK12%	6	I9%	5	I7%	5	I5%	5	I6%	4	I6%	3	3%	5	I6%	0	0%	9	I8%	4	I4%	5	I10%	2	8%	56	7%	14	Q12%	16	7%	12	5%	14	6%	
2	77	8%	11	9%	2	3%	4	6%	5	5%	11	B13%	9	B13%	10	B11%	6	7%	3	7%	7	6%	5	5%	3	6%	1	4%	68	8%	11	9%	11	5%	30	PR12%	16	7%	
3	63	6%	7	6%	4	6%	2	3%	5	5%	10	CG12%	3	4%	3	3%	8	9%	2	4%	7	6%	7	8%	2	4%	3	12%	51	6%	7	6%	11	5%	16	7%	17	7%	
4	68	7%	7	I6%	4	I6%	3	4%	7	I8%	9	I11%	4	I6%	8	I9%	9	I10%	0	0%	6	I5%	5	I5%	4	I8%	2	8%	57	7%	7	6%	14	6%	21	9%	15	6%	
5	77	8%	10	D8%	11	DEFKm17%	5	7%	2	2%	4	5%	4	6%	7	8%	7	8%	5	11%	11	D10%	5	5%	5	10%	1	4%	66	8%	10	8%	18	8%	15	6%	23	9%	
6	70	7%	6	5%	2	3%	6	9%	6	6%	7	8%	6	9%	9	10%	6	7%	3	7%	6	5%	5	5%	6	12%	2	8%	57	7%	6	5%	14	6%	22	9%	15	6%	
7	97	10%	12	L10%	8	L12%	11	EL16%	13	L14%	5	6%	5	7%	10	L11%	6	7%	5	11%	11	L10%	7	8%	1	2%	3	12%	86	10%	12	10%	32	Q14%	20	8%	22	9%	
8	110	11%	17	Gm14%	6	9%	6	9%	9	10%	8	9%	15	BCDEGHJm22%	4	4%	7	8%	7	16%	9	8%	16	GJm18%	5	10%	1	4%	88	11%	17	14%	21	9%	27	11%	23	9%	
Not selected as a barrier	373	37%	37	31%	22	34%	26	38%	41	AF44%	26	31%	19	28%	38	41%	34	39%	20	44%	45	41%	37	41%	18	37%	10	40%	308	37%	37	31%	89	39%	83	34%	99	41%	
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%	
AVG	5		5		5		5		5		4		5		5		5		aeghj16		5		E5	5		4		5		5		5		5		5		5	

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 1
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

	Total	S3 - Region														S3 - England		S3 - England NHS Networks																				
		London		South East Coastal		South Central		South West		West Midlands		East Midlands		East of England		Yorkshire & Humber	North East	North West	Scotland	Wales	Northern Ireland	England	NHS London	NHS South of England	NHS Midlands and East SHA	NHS North of England												
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R																			
None – there are no barriers in identifying cancer in children and young people	201	20%	19	16%	14	22%	15	22%	22	24%	13	15%	10	14%	20	22%	21	24%	14	AEF31%	18	16%	20	22%	9	18%	6	24%	166	20%	19	16%	51	23%	43	17%	53	22%
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%

Prepared by ComRes



Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 2
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

Total	S2 - GP type				D3 - Gender		D4 - Year of qualification						D6 - Age					D8 - CCG Involvement																					
	GP Principal	Salaried GP	GP Registrar	Locum GP	Male	Female	1979 or earlier	1980-1989	1990-1999	2000-2010	Under 30	30 - 39	40 - 49	50 - 59	60 or over	I am, or plan to be, an active member of my CCG governing board	I am, or plan to be, a GP representative	I do not take an active part in my CCG																					
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O																								
Not enough training available on identifying cancer in children and young people																																							
NET: Top 3	465	46%	285	45%	117	49%	1	50%	62	48%	264	47%	201	46%	51	152%	102	45%	124	39%	188	152%	1	100%	173	49%	143	44%	104	44%	44	51%	39	44%	68	46%	281	47%	
1	217	22%	135	c21%	50	c21%	0	0%	32	c25%	126	22%	91	21%	30	I30%	52	23%	57	18%	78	22%	0	0%	70	k20%	66	k20%	53	k22%	28	kLM32%	17	19%	40	27%	121	20%	
2	139	14%	76	12%	42	A18%	1	50%	20	16%	72	13%	67	15%	14	14%	25	11%	34	11%	66	HI18%	1	100%	61	N17%	41	13%	26	11%	10	11%	15	17%	15	10%	86	14%	
3	109	11%	74	c12%	25	c10%	0	0%	10	c8%	66	12%	43	10%	7	7%	25	11%	33	10%	44	12%	0	0%	42	k12%	36	k11%	25	k11%	6	k7%	7	8%	13	9%	74	12%	
4	78	8%	61	BcD10%	12	c5%	0	0%	5	c4%	51	9%	27	6%	10	10%	15	7%	30	10%	23	6%	0	0%	27	k8%	26	k8%	17	k7%	8	k9%	11	13%	10	7%	45	7%	
5	67	7%	40	c6%	16	c7%	0	0%	11	c9%	28	5%	39	E9%	4	4%	16	7%	30	GJ10%	17	5%	0	0%	21	k6%	26	k8%	16	k7%	4	k5%	5	6%	8	5%	42	7%	
6	47	5%	34	c5%	9	c4%	0	0%	4	c3%	29	5%	18	4%	3	3%	8	4%	17	5%	19	5%	0	0%	16	k5%	20	k6%	9	k4%	2	2%	9	10%	8	5%	27	4%	
7	39	4%	21	c3%	13	c5%	0	0%	5	c4%	27	5%	12	3%	3	3%	8	4%	13	4%	15	4%	0	0%	15	k4%	12	k4%	8	k3%	4	k5%	6	7%	5	3%	20	3%	
8	16	2%	10	c2%	4	c2%	0	0%	2	2%	9	2%	7	2%	3	3%	3	1%	3	1%	7	2%	0	0%	7	k2%	3	1%	3	1%	3	3%	0	0%	3	2%	11	2%	
Not selected as a barrier	290	29%	181	29%	68	28%	1	50%	40	31%	154	27%	136	31%	25	25%	75	33%	98	31%	92	25%	0	0%	92	k26%	97	k30%	79	k33%	22	k25%	18	20%	46	31%	177	29%	
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%	
AVG		3		3		3		2		3		3		3		3		G3		3		2		3		3		3		3		3		3		3		3	
Insufficient opportunities to gain experience in the care of children and young people during initial GP training																																							
NET: Top 3	334	33%	213	34%	76	32%	1	50%	44	34%	188	33%	146	33%	34	34%	70	31%	103	33%	127	35%	0	0%	119	k34%	115	k35%	71	k30%	29	k33%	34	39%	50	34%	188	31%	
1	112	11%	68	11%	29	12%	1	50%	14	11%	52	9%	60	E14%	9	9%	19	8%	29	9%	55	HI15%	0	0%	50	kN14%	33	k10%	21	k9%	8	k9%	10	11%	12	8%	64	11%	
2	120	12%	80	c13%	25	c10%	0	0%	15	c12%	74	13%	46	10%	15	15%	26	11%	44	14%	35	10%	0	0%	32	k9%	47	kL14%	28	k12%	13	k15%	12	14%	25	17%	62	10%	
3	102	10%	65	c10%	22	c9%	0	0%	15	c12%	62	11%	40	9%	10	10%	25	11%	30	10%	37	10%	0	0%	37	k11%	35	k11%	22	k9%	8	k9%	12	14%	13	9%	62	10%	
4	79	8%	46	c7%	21	c9%	0	0%	12	c9%	51	9%	28	6%	11	11%	18	8%	28	9%	22	6%	0	0%	24	k7%	27	k8%	18	k8%	10	k11%	6	7%	10	7%	42	7%	
5	74	7%	45	c7%	21	c9%	0	0%	8	c6%	46	8%	28	6%	4	4%	18	8%	24	8%	28	8%	0	0%	27	k8%	23	k7%	18	k8%	6	k7%	9	10%	12	8%	45	7%	
6	62	6%	42	c7%	12	c5%	0	0%	8	c6%	34	6%	28	6%	10	10%	13	6%	17	5%	22	6%	0	0%	24	k7%	13	k4%	14	k6%	11	kM13%	7	8%	4	3%	45	7%	
7	51	5%	34	c5%	11	c5%	0	0%	6	c5%	29	5%	22	5%	8	8%	9	4%	14	4%	20	6%	0	0%	20	k6%	15	k5%	10	k4%	6	k7%	3	3%	8	5%	34	6%	
8	68	7%	39	c6%	19	c8%	0	0%	10	c8%	38	7%	30	7%	5	5%	11	5%	21	7%	31	9%	0	0%	28	k8%	26	k8%	11	k5%	3	3%	7	8%	9	6%	43	7%	
Not selected as a barrier	334	33%	213	34%	79	33%	1	50%	41	32%	176	31%	158	36%	27	27%	88	GJ39%	108	34%	111	31%	1	100%	109	31%	108	33%	94	LO40%	22	25%	22	25%	55	37%	206	34%	
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%	
AVG		4		4		4		1		4		4		4		4		4		4		4		4		4		4		4		4		4		4		4	

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 2
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

	Total	S2 - GP type				D3 - Gender		D4 - Year of qualification					D6 - Age					D8 - CCG Involvement																																						
		GP Principal	Salaried GP	GP Registrar	Locum GP	Male	Female	1979 or earlier	1980-1989	1990-1999	2000-2010	Under 30	30 - 39	40 - 49	50 - 59	60 or over	I am, or plan to be, an active member of my CCG governing board	I am, or plan to be, a GP representative	I do not take an active part in my CCG																																					
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O																																								
Lack of awareness of the symptoms																																																								
NET: Top 3	317	32%	197	c31%	79	c33%	0	0%	41	c32%	175	31%	142	32%	29	29%	84	37%	92	29%	112	31%	1	Imno100%	108	31%	96	29%	88	M37%	24	28%	32	36%	42	28%	187	31%																		
1	147	15%	98	c16%	34	c14%	0	0%	15	c12%	82	15%	65	15%	10	10%	43	G19%	46	15%	48	13%	0	0%	44	k13%	50	kO15%	46	kLO19%	7	k8%	11	13%	21	14%	89	15%																		
2	98	10%	62	c10%	20	c8%	0	0%	16	c12%	57	10%	41	9%	10	10%	23	10%	32	10%	33	9%	0	0%	36	k10%	27	k8%	25	k11%	10	k11%	14	16%	10	7%	59	10%																		
3	72	7%	37	c6%	25	Ac10%	0	0%	10	c8%	36	6%	36	8%	9	9%	18	8%	14	4%	31	I9%	1	Imno100%	28	8%	19	6%	17	7%	7	8%	7	8%	11	7%	39	6%																		
4	61	6%	35	c6%	16	c7%	0	0%	10	c8%	36	6%	25	6%	9	H9%	6	3%	18	6%	28	H8%	0	0%	19	kN5%	29	kN9%	5	k2%	8	kN9%	2	2%	12	8%	43	7%																		
5	71	7%	46	c7%	16	c7%	0	0%	9	c7%	41	7%	30	7%	6	6%	14	6%	23	7%	28	8%	0	0%	24	k7%	28	k9%	13	k6%	6	k7%	7	8%	6	4%	46	8%																		
6	68	7%	45	c7%	16	c7%	0	0%	7	c5%	41	7%	27	6%	12	J12%	16	7%	23	7%	17	5%	0	0%	17	k5%	21	k6%	20	k8%	10	k11%	4	5%	13	9%	37	6%																		
7	62	6%	40	c6%	16	c7%	0	0%	6	c5%	32	6%	30	7%	4	4%	13	6%	17	5%	28	8%	0	0%	31	kMN9%	15	k5%	11	k5%	5	k6%	10	11%	7	5%	37	6%																		
8	81	8%	56	9%	14	6%	1	50%	10	8%	55	F10%	26	6%	8	8%	16	7%	26	8%	31	9%	0	0%	31	k9%	24	k7%	18	k8%	8	k9%	11	13%	10	7%	47	8%																		
Not selected as a barrier	342	34%	213	34%	82	34%	1	50%	46	36%	182	32%	160	36%	31	31%	78	34%	116	37%	117	32%	0	0%	121	k34%	114	k35%	81	k34%	26	k30%	22	25%	58	39%	206	34%																		
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%																		
AVG		4	4	4	4	8	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4																		
Current NHS referral pathways for children and young people with cancer																																																								
NET: Top 3	260	26%	159	c25%	71	c30%	0	0%	30	c23%	132	23%	128	E29%	22	22%	54	24%	86	27%	98	27%	0	0%	101	k29%	82	k25%	52	k22%	25	k29%	24	27%	48	32%	165	27%																		
1	99	10%	62	c10%	29	cD12%	0	0%	8	c6%	50	9%	49	11%	8	8%	16	7%	36	11%	39	11%	0	0%	39	k11%	32	k10%	20	k8%	8	k9%	10	11%	15	10%	70	12%																		
2	87	9%	56	c9%	22	c9%	0	0%	9	c7%	41	7%	46	10%	4	4%	25	G11%	26	8%	32	9%	0	0%	34	k10%	27	k8%	20	k8%	6	k7%	8	9%	19	13%	52	9%																		
3	74	7%	41	c6%	20	c8%	0	0%	13	c10%	41	7%	33	8%	10	10%	13	6%	24	8%	27	7%	0	0%	28	k8%	23	k7%	12	k5%	11	kN13%	6	7%	14	9%	43	7%																		
4	76	8%	48	8%	20	8%	1	50%	7	5%	47	8%	29	7%	6	6%	16	7%	18	6%	36	I10%	0	0%	34	k10%	23	k7%	14	k6%	5	k6%	8	9%	9	6%	51	8%																		
5	77	8%	49	c8%	17	c7%	0	0%	11	c9%	54	F10%	23	5%	9	9%	19	8%	25	8%	24	7%	0	0%	20	k6%	27	k8%	21	k9%	9	k10%	10	11%	7	5%	46	8%																		
6	60	6%	34	c5%	12	c5%	0	0%	14	c11%	34	6%	26	6%	6	6%	9	4%	24	8%	21	6%	0	0%	19	k5%	25	k8%	10	k4%	6	k7%	7	8%	5	3%	32	5%																		
7	96	10%	62	c10%	21	c9%	0	0%	13	c10%	53	9%	43	10%	14	14%	17	7%	29	9%	36	10%	0	0%	37	k11%	32	k10%	18	k8%	9	k10%	9	10%	8	5%	58	10%																		
8	78	8%	53	c8%	17	c7%	0	0%	8	c6%	45	8%	33	8%	13	13%	19	8%	20	6%	26	7%	0	0%	22	k6%	23	k7%	23	k10%	10	k11%	5	6%	12	8%	50	8%																		
Not selected as a barrier	355	35%	227	36%	81	34%	1	50%	46	36%	197	35%	158	36%	29	29%	93	G41%	113	36%	120	33%	1	Imno100%	118	34%	115	35%	98	O42%	23	26%	25	28%	59	40%	201	33%																		
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%																		
AVG		4	4	4	4	5	5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4																	

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 2
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

Total	S2 - GP type				D3 - Gender		D4 - Year of qualification					D6 - Age					D8 - CCG Involvement																							
	GP Principal	Salaried GP	GP Registrar	Locum GP	Male	Female	1979 or earlier	1980-1989	1990-1999	2000-2010	Under 30	30 - 39	40 - 49	50 - 59	60 or over	I am, or plan to be, an active member of my CCG governing board	I am, or plan to be, a GP representative	I do not take an active part in my CCG																						
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O																									
Not enough time to participate in training																																								
NET: Top 3	238	24%	160	c25%	49	c21%	0	0%	29	c22%	146	26%	92	21%	27	27%	50	22%	74	23%	87	24%	0	0%	84	k24%	72	k22%	59	k25%	23	k26%	25	28%	23	16%	146	24%		
1	60	6%	37	c6%	13	c5%	0	0%	10	c8%	34	6%	26	6%	7	7%	11	5%	19	6%	23	6%	0	0%	25	k7%	17	k5%	13	k6%	5	k6%	6	7%	7	5%	37	6%		
2	81	8%	54	c9%	19	c8%	0	0%	8	c6%	50	9%	31	7%	7	7%	13	6%	29	9%	32	9%	0	0%	29	k8%	30	k9%	17	k7%	5	k6%	6	7%	9	6%	48	8%		
3	97	10%	69	c11%	17	c7%	0	0%	11	c9%	62	11%	35	8%	13	13%	26	11%	26	8%	32	9%	0	0%	30	k9%	25	k8%	29	k12%	13	k15%	13	15%	7	5%	61	10%		
4	96	10%	60	c9%	24	c10%	0	0%	12	c9%	49	9%	47	11%	8	8%	28	12%	30	10%	30	8%	0	0%	32	k9%	28	k9%	28	k12%	8	k9%	10	11%	15	10%	57	9%		
5	79	8%	49	c8%	24	cD10%	0	0%	6	c5%	42	7%	37	8%	10	10%	17	7%	22	7%	30	8%	0	0%	28	k8%	24	k7%	19	k8%	8	k9%	9	10%	11	7%	44	7%		
6	85	8%	43	c7%	25	c10%	0	0%	17	Ac13%	48	9%	37	8%	8	8%	16	7%	23	7%	38	11%	0	0%	38	kN11%	27	k8%	12	k5%	8	k9%	9	10%	15	10%	52	9%		
7	74	7%	44	7%	18	8%	1	50%	11	9%	48	9%	26	6%	10	10%	12	5%	25	8%	27	7%	0	0%	20	k6%	33	kLN10%	9	k4%	12	kLN14%	6	7%	10	7%	46	8%		
8	61	6%	44	Bc7%	9	c4%	0	0%	8	c6%	35	6%	26	6%	6	6%	15	7%	23	7%	17	5%	0	0%	18	k5%	22	k7%	17	k7%	4	k5%	6	7%	9	6%	38	6%		
Not selected as a barrier	369	37%	232	37%	90	38%	1	50%	46	36%	194	35%	175	40%	30	30%	89	39%	118	37%	132	37%	1	Imno100%	131	37%	121	37%	92	O39%	24	28%	23	26%	65	44%	220	36%		
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%		
AVG	4		4		4		7		5		4		4		4		4		4		4		4		4		5		4		5		4		5		4		4	
Inadequate information available																																								
NET: Top 3	230	23%	147	23%	51	21%	1	50%	31	24%	132	23%	98	22%	24	24%	53	23%	74	23%	79	22%	0	0%	77	k22%	76	k23%	55	k23%	22	k25%	24	27%	34	23%	134	22%		
1	52	5%	34	c5%	12	c5%	0	0%	6	c5%	35	6%	17	4%	5	5%	14	6%	20	6%	13	4%	0	0%	14	k4%	20	k6%	12	k5%	6	k7%	9	10%	4	3%	33	5%		
2	87	9%	50	c8%	26	c11%	0	0%	11	c9%	43	8%	44	10%	9	9%	25	11%	22	7%	31	9%	0	0%	31	k9%	23	k7%	27	k11%	6	k7%	6	7%	16	11%	49	8%		
3	91	9%	63	B10%	13	5%	1	50%	14	11%	54	10%	37	8%	10	10%	14	6%	32	10%	35	10%	0	0%	32	k9%	33	k10%	16	k7%	10	k11%	9	10%	14	9%	52	9%		
4	82	8%	47	c7%	20	c8%	0	0%	15	c12%	46	8%	36	8%	8	8%	19	8%	21	7%	34	9%	0	0%	35	k10%	22	k7%	17	k7%	8	k9%	6	7%	14	9%	49	8%		
5	76	8%	45	c7%	20	c8%	0	0%	11	c9%	43	8%	33	8%	12	12%	14	6%	18	6%	32	9%	0	0%	36	kM10%	15	k5%	15	k6%	10	k11%	9	10%	9	6%	47	8%		
6	94	9%	60	c9%	25	c10%	0	0%	9	c7%	57	10%	37	8%	11	11%	16	7%	27	9%	40	11%	0	0%	36	k10%	33	k10%	17	k7%	8	k9%	5	6%	13	9%	62	10%		
7	72	7%	56	Bc9%	10	c4%	0	0%	6	c5%	47	8%	25	6%	7	7%	20	9%	23	7%	22	6%	0	0%	19	k5%	24	k7%	22	k9%	7	k8%	13	15%	12	8%	38	6%		
8	66	7%	38	c6%	21	c9%	0	0%	7	c5%	36	6%	30	7%	6	6%	11	5%	28	9%	21	6%	0	0%	18	k5%	31	kLN9%	10	k4%	7	k8%	7	8%	8	5%	46	8%		
Not selected as a barrier	382	38%	239	38%	92	38%	1	50%	50	39%	201	36%	181	41%	31	31%	94	41%	124	39%	133	37%	1	Imno100%	130	37%	126	39%	100	O42%	25	29%	24	27%	58	39%	227	38%		
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%		
AVG	5		5		5		3		4		5		4		5		4		5		5		4		4		5		4		5		5		5		5		5	

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 3
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

Total	D2 - Practice Location					D1 - Overall practice size				D5 - Dispensing Practice		D7 - Number of patients on practice list																						
	Rural area	Urban area	Semi-rural area	Suburban area	Other	1-2	3-5	6-10	11 or more	Yes	No	1-2500	2501-5000	5001-7500	7501-10000	10001+																		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P																		
Not enough training available on identifying cancer in children and young people																																		
NET: Top 3	465	46%	38	40%	197	48%	112	D51%	114	42%	4	ad80%	36	48%	186	44%	211	49%	32	43%	81	45%	384	47%	24	41%	76	43%	104	47%	110	48%	151	47%
1	217	22%	17	18%	101	D25%	49	22%	47	17%	3	60%	19	25%	87	21%	98	23%	13	17%	32	18%	185	23%	14	24%	40	23%	46	21%	55	24%	62	19%
2	139	14%	9	10%	60	15%	35	16%	34	13%	1	20%	11	15%	61	14%	55	13%	12	16%	22	12%	117	14%	6	10%	24	14%	36	16%	30	13%	43	13%
3	109	11%	12	e13%	36	e9%	28	e13%	33	e12%	0	0%	6	8%	38	9%	58	G14%	7	9%	27	15%	82	10%	4	7%	12	7%	22	10%	25	11%	46	LM14%
4	78	8%	10	e11%	26	e6%	18	e8%	24	e9%	0	0%	7	9%	39	9%	27	6%	5	7%	20	11%	58	7%	5	8%	21	OP12%	21	10%	14	6%	17	5%
5	67	7%	6	e6%	27	e7%	12	e5%	22	e8%	0	0%	7	9%	30	7%	25	6%	5	7%	7	4%	60	J7%	7	12%	12	7%	12	5%	16	7%	20	6%
6	47	5%	3	3%	14	e3%	10	e5%	20	Be7%	0	0%	3	4%	25	6%	16	4%	3	4%	7	4%	40	5%	2	3%	12	7%	8	4%	9	4%	16	5%
7	39	4%	4	e4%	23	Ce6%	3	1%	9	e3%	0	0%	3	4%	12	3%	23	I5%	1	1%	6	3%	33	4%	4	7%	5	3%	6	3%	12	5%	12	4%
8	16	2%	0	0%	9	Ae2%	2	1%	5	Ae2%	0	0%	1	1%	9	I2%	6	I1%	0	0%	1	1%	15	2%	1	2%	5	3%	4	2%	3	1%	3	1%
Not selected as a barrier	290	29%	33	35%	116	28%	63	29%	77	28%	1	20%	18	24%	122	29%	121	28%	29	F39%	60	33%	230	28%	16	27%	44	25%	65	30%	65	28%	100	31%
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%
AVG	3	3	3	3	3	Ce3	1	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Insufficient opportunities to gain experience in the care of children and young people during initial GP training																																		
NET: Top 3	334	33%	29	31%	144	35%	69	31%	89	33%	3	60%	30	I40%	148	I35%	138	32%	18	24%	50	27%	284	35%	22	37%	61	35%	74	34%	77	34%	100	31%
1	112	11%	7	7%	50	12%	28	13%	26	10%	1	20%	6	8%	46	11%	52	12%	8	11%	17	9%	95	12%	4	14%	14	8%	22	10%	30	13%	38	12%
2	120	12%	12	13%	49	12%	23	10%	35	13%	1	20%	15	HI20%	57	I13%	43	10%	5	7%	19	10%	101	12%	9	15%	27	P15%	25	11%	31	14%	28	9%
3	102	10%	10	11%	45	11%	18	8%	28	10%	1	20%	9	12%	45	11%	43	10%	5	7%	14	8%	88	11%	5	8%	20	11%	27	12%	16	7%	34	11%
4	79	8%	8	e9%	38	e9%	15	e7%	18	e7%	0	0%	5	I7%	38	I9%	36	I8%	0	0%	16	9%	63	8%	6	10%	10	6%	18	8%	25	11%	20	6%
5	74	7%	5	5%	31	8%	13	6%	24	9%	1	20%	8	11%	23	5%	37	9%	6	8%	12	7%	62	8%	5	8%	11	6%	16	7%	11	5%	31	O10%
6	62	6%	7	e7%	25	e6%	15	e7%	15	e6%	0	0%	6	8%	22	5%	27	6%	7	9%	10	5%	52	6%	7	N12%	11	6%	7	3%	18	N8%	19	6%
7	51	5%	5	e5%	17	e4%	15	e7%	14	e5%	0	0%	5	7%	24	6%	17	4%	5	7%	10	5%	41	5%	2	3%	14	8%	9	4%	12	5%	14	4%
8	68	7%	6	e6%	29	e7%	19	e9%	14	e5%	0	0%	4	5%	28	7%	30	7%	6	8%	11	6%	57	7%	5	8%	12	7%	15	7%	14	6%	22	7%
Not selected as a barrier	334	33%	34	36%	128	31%	74	34%	97	36%	1	20%	17	23%	140	33%	144	F34%	33	F44%	73	K40%	261	32%	12	20%	56	32%	81	L37%	72	31%	113	L35%
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%
AVG	4	4	4	4	4	4	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 3
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

	Total	D2 - Practice Location					D1 - Overall practice size					D5 - Dispensing Practice		D7 - Number of patients on practice list																				
		Rural area	Urban area	Semi-rural area	Suburban area	Other	1-2	3-5	6-10	11 or more	Yes	No	1-2500	2501-5000	5001-7500	7501-10000	10001+																	
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P																	
Lack of awareness of the symptoms																																		
NET: Top 3	317	32%	25	e27%	134	e33%	74	e34%	84	e31%	0	0%	22	29%	138	33%	129	30%	28	37%	51	28%	266	32%	22	37%	56	32%	81	P37%	67	29%	91	29%
1	147	15%	14	e15%	55	e13%	37	e17%	41	e15%	0	0%	12	16%	59	14%	60	14%	16	21%	29	16%	118	14%	8	14%	26	15%	43	O20%	25	11%	45	14%
2	98	10%	7	e7%	48	e12%	18	e8%	25	e9%	0	0%	6	8%	46	11%	39	9%	7	9%	12	7%	86	10%	8	14%	19	11%	21	10%	24	10%	26	8%
3	72	7%	4	e4%	31	e8%	19	e9%	18	e7%	0	0%	4	5%	33	8%	30	7%	5	7%	10	5%	62	8%	6	10%	11	6%	17	8%	18	8%	20	6%
4	61	6%	6	e6%	31	De8%	15	e7%	9	e3%	0	0%	4	5%	28	7%	26	6%	3	4%	13	7%	48	6%	3	5%	8	5%	17	8%	17	7%	16	5%
5	71	7%	7	7%	21	5%	19	9%	23	8%	1	20%	4	5%	32	8%	32	7%	3	4%	16	9%	55	7%	6	10%	13	7%	12	5%	19	8%	21	7%
6	68	7%	10	11%	21	5%	18	8%	17	6%	2	40%	7	I9%	27	I6%	34	I8%	0	0%	15	8%	53	6%	6	10%	13	7%	11	5%	11	5%	27	8%
7	62	6%	5	e5%	26	e6%	12	e5%	19	e7%	0	0%	4	5%	29	7%	25	6%	4	5%	12	7%	50	6%	2	3%	14	8%	15	7%	11	5%	20	6%
8	81	8%	7	e7%	33	e8%	14	e6%	27	e10%	0	0%	10	13%	30	7%	37	9%	4	5%	12	7%	69	8%	4	7%	13	7%	14	6%	22	10%	28	9%
Not selected as a barrier	342	34%	34	36%	146	35%	68	31%	92	34%	2	40%	24	32%	139	33%	146	34%	33	44%	63	35%	279	34%	16	27%	58	33%	70	32%	82	36%	116	36%
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%
AVG	4	4	4	4	4	4	4	4	4	4	6	I4	I4	I4	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	N4
Current NHS referral pathways for children and young people with cancer																																		
NET: Top 3	260	26%	24	26%	111	27%	46	21%	77	28%	2	40%	16	21%	110	26%	116	27%	18	24%	51	28%	209	25%	17	29%	42	24%	53	24%	55	24%	93	29%
1	99	10%	10	e11%	40	e10%	21	e10%	28	e10%	0	0%	6	8%	36	9%	49	11%	8	11%	21	12%	78	10%	4	7%	16	9%	16	7%	27	12%	36	11%
2	87	9%	7	e7%	40	e10%	15	e7%	25	e9%	0	0%	1	1%	36	F9%	44	F10%	6	F8%	16	9%	71	9%	3	5%	13	7%	18	8%	14	6%	39	LO12%
3	74	7%	7	7%	31	8%	10	5%	24	9%	2	40%	9	12%	38	H9%	23	5%	4	5%	14	8%	60	7%	10	OP17%	13	7%	19	9%	14	6%	18	6%
4	76	8%	5	e5%	36	e9%	16	e7%	19	e7%	0	0%	4	5%	28	7%	41	I10%	3	4%	10	5%	66	8%	1	2%	14	L8%	12	5%	23	L10%	26	L8%
5	77	8%	5	e5%	36	e9%	17	e8%	19	e7%	0	0%	4	5%	40	I9%	30	7%	3	4%	12	7%	65	8%	2	3%	17	10%	20	9%	21	9%	17	5%
6	60	6%	4	e4%	26	e6%	17	e8%	13	e5%	0	0%	9	12%	28	7%	19	4%	4	5%	7	4%	53	6%	8	14%	9	5%	16	7%	11	5%	16	5%
7	96	10%	13	14%	29	7%	23	10%	29	11%	2	40%	11	15%	38	9%	37	9%	10	13%	18	10%	78	10%	8	14%	16	9%	19	9%	19	8%	34	11%
8	78	8%	7	e7%	28	e7%	25	e11%	18	e7%	0	0%	8	11%	35	8%	32	7%	3	4%	15	8%	63	8%	7	12%	19	11%	13	6%	21	9%	18	6%
Not selected as a barrier	355	35%	36	38%	146	35%	76	35%	96	35%	1	20%	23	31%	144	34%	154	36%	34	45%	69	38%	286	35%	16	27%	58	33%	87	40%	79	34%	115	36%
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%
AVG	4	5	4	BD5	4	5	H5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	P5	5	4	4	4	4	4	4	4	4	4	

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 3
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

Total	D2 - Practice Location					D1 - Overall practice size					D5 - Dispensing Practice		D7 - Number of patients on practice list																							
	Rural area	Urban area	Semi-rural area	Suburban area	Other	1-2	3-5	6-10	11 or more	Yes	No	1-2500	2501-5000	5001-7500	7501-10000	10001+																				
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P																				
Not enough time to participate in training																																				
NET: Top 3	238	24%	20	21%	94	23%	53	24%	68	25%	3	60%	25	33%	94	22%	104	24%	15	20%	43	24%	195	24%	20	34%	40	23%	50	23%	52	23%	76	24%		
1	60	6%	5	5%	22	5%	14	6%	18	7%	1	20%	6	I8%	33	I8%	20	I5%	1	1%	12	7%	48	6%	4	7%	14	8%	12	5%	15	7%	15	7%	15	5%
2	81	8%	6	6%	30	7%	20	9%	24	9%	1	20%	7	9%	27	6%	39	9%	8	11%	14	8%	67	8%	6	10%	13	7%	15	7%	13	6%	34	O11%		
3	97	10%	9	10%	42	10%	19	9%	26	10%	1	20%	12	16%	34	8%	45	10%	6	8%	17	9%	80	10%	10	17%	13	7%	23	10%	24	10%	27	8%		
4	96	10%	3	3%	36	Ae9%	28	Ae13%	29	Ae11%	0	0%	7	9%	44	10%	35	8%	10	13%	12	7%	84	10%	5	8%	17	10%	24	11%	23	10%	27	8%		
5	79	8%	8	e9%	35	e8%	17	e8%	19	e7%	0	0%	3	4%	38	9%	32	7%	6	8%	13	7%	66	8%	5	8%	15	9%	16	7%	15	7%	28	9%		
6	85	8%	10	e11%	39	e9%	18	e8%	18	e7%	0	0%	6	8%	37	9%	39	9%	3	4%	20	11%	65	8%	6	10%	14	8%	18	8%	29	P13%	18	6%		
7	74	7%	7	e7%	29	e7%	18	e8%	20	e7%	0	0%	6	8%	31	7%	33	8%	4	5%	9	5%	65	8%	4	7%	17	10%	13	6%	16	7%	24	8%		
8	61	6%	6	6%	29	7%	8	4%	17	6%	1	20%	7	9%	29	7%	22	5%	3	4%	9	5%	52	6%	6	10%	11	6%	11	5%	14	6%	19	6%		
Not selected as a barrier	369	37%	40	43%	150	36%	78	35%	100	37%	1	20%	21	28%	150	35%	164	38%	34	F45%	76	42%	293	36%	13	22%	61	L35%	88	L40%	80	L35%	127	L40%		
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%		
AVG	4		5		5		4		4		4		4		4		4		4		4		4		4		5		4		5		4			
Inadequate information available																																				
NET: Top 3	230	23%	27	29%	93	23%	49	22%	60	22%	1	20%	17	23%	119	HI28%	85	20%	9	12%	41	23%	189	23%	10	17%	48	P27%	53	P24%	68	LP30%	51	16%		
1	52	5%	7	Ce7%	19	Ce5%	4	e2%	22	Ce8%	0	0%	6	8%	30	HI7%	14	3%	2	3%	8	4%	44	5%	6	10%	9	5%	14	6%	11	5%	12	4%		
2	87	9%	10	11%	36	9%	22	10%	18	7%	1	20%	4	5%	47	I11%	33	8%	3	4%	16	9%	71	9%	3	5%	18	10%	21	10%	28	LP12%	17	5%		
3	91	9%	10	e11%	38	e9%	23	e10%	20	e7%	0	0%	7	9%	42	10%	38	9%	4	5%	17	9%	74	9%	1	2%	21	L12%	18	L8%	29	LP13%	22	L7%		
4	82	8%	9	e10%	25	e6%	16	e7%	32	Be12%	0	0%	7	9%	26	6%	44	G10%	5	7%	12	7%	70	9%	8	14%	8	5%	14	6%	16	7%	36	MN11%		
5	76	8%	5	e5%	35	e8%	21	e10%	15	e6%	0	0%	10	13%	31	7%	31	7%	4	5%	13	7%	63	8%	9	15%	14	8%	14	6%	13	6%	26	8%		
6	94	9%	6	e6%	46	e11%	19	e9%	23	e8%	0	0%	5	7%	39	9%	42	10%	8	11%	11	6%	83	J10%	5	8%	17	10%	22	10%	17	7%	33	10%		
7	72	7%	4	e4%	26	e6%	23	Ae10%	19	e7%	0	0%	7	9%	28	7%	32	7%	5	7%	18	10%	54	7%	5	8%	12	7%	18	8%	14	6%	23	7%		
8	66	7%	4	4%	22	5%	15	7%	23	8%	2	40%	4	5%	29	7%	29	7%	4	5%	14	8%	52	6%	8	14%	11	6%	16	7%	13	6%	18	6%		
Not selected as a barrier	382	38%	39	41%	165	40%	77	35%	99	37%	2	40%	25	33%	151	36%	166	39%	40	FGH53%	73	40%	309	38%	14	24%	65	L37%	83	L38%	88	L38%	132	L41%		
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%		
AVG	5		4		A5		A5		5		6		4		4		G5		5		5		4		O5		4		5		4		O5			

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 3
Q1 In your opinion, what, if any, are the biggest barriers you face in identifying cancer in children and young people?

Base: All respondents

Total	D2 - Practice Location					D1 - Overall practice size					D5 - Dispensing Practice		D7 - Number of patients on practice list																						
	Rural area	Urban area	Semi-rural area	Suburban area	Other	1-2	3-5	6-10	11 or more	Yes	No	1-2500	2501-5000	5001-7500	7501-10000	10001+																			
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P																			
Lack of time to research the symptoms																																			
NET: Top 3	229	23%	18	19%	89	22%	54	25%	67	25%	1	20%	15	20%	95	22%	102	24%	17	23%	35	19%	194	24%	15	25%	39	22%	49	22%	53	23%	73	23%	
1	47	5%	6	e6%	17	e4%	12	e5%	12	e4%	0	0%	3	4%	20	5%	22	5%	2	3%	11	6%	36	4%	2	3%	8	5%	12	5%	7	3%	18	6%	
2	73	7%	8	9%	24	6%	18	8%	22	8%	1	20%	4	5%	28	7%	37	9%	4	5%	12	7%	61	7%	4	7%	9	5%	18	8%	23	10%	19	6%	
3	109	11%	4	e4%	48	Ae12%	24	Ae11%	33	Ae12%	0	0%	8	11%	47	11%	43	10%	11	15%	12	7%	97	J12%	9	15%	22	13%	19	9%	23	10%	36	11%	
4	96	10%	7	7%	40	10%	24	11%	22	8%	3	abcd60%	10	13%	39	9%	40	9%	7	9%	17	9%	79	10%	8	14%	21	12%	17	8%	20	9%	30	9%	
5	78	8%	10	e11%	30	e7%	17	e8%	21	e8%	0	0%	4	5%	33	8%	36	8%	5	7%	17	9%	61	7%	4	7%	13	7%	19	9%	19	8%	23	7%	
6	89	9%	5	e5%	38	e9%	23	e10%	23	e8%	0	0%	6	8%	41	10%	36	8%	6	8%	17	9%	72	9%	3	5%	15	9%	22	10%	20	9%	29	9%	
7	72	7%	8	e9%	33	e8%	12	e5%	19	e7%	0	0%	9	I12%	28	I7%	34	I8%	1	1%	11	6%	61	7%	8	14%	10	6%	17	8%	17	7%	20	6%	
8	64	6%	7	e7%	23	e6%	14	e6%	20	e7%	0	0%	7	9%	34	I8%	21	5%	2	3%	14	8%	50	6%	5	8%	15	9%	13	6%	16	7%	15	5%	
Not selected as a barrier	374	37%	39	41%	159	39%	76	35%	99	37%	1	20%	24	32%	153	36%	160	37%	37	FG49%	71	39%	303	37%	16	27%	62	35%	83	38%	84	37%	129	L40%	
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%	
AVG	5		5		5		4		5		4		5		5		4		4		5		5		5		5		5		5		5		4
Limited or no access to expert support (e.g. a paediatric specialist)																																			
NET: Top 3	207	21%	14	e15%	86	e21%	47	e21%	60	e22%	0	0%	16	21%	87	21%	94	22%	10	13%	32	18%	175	21%	19	NO32%	42	NO24%	35	16%	35	15%	76	NO24%	
1	67	7%	3	3%	31	e8%	14	e6%	19	e7%	0	0%	4	5%	33	8%	27	6%	3	4%	9	5%	58	7%	7	12%	13	7%	12	5%	8	3%	27	O8%	
2	77	8%	6	e6%	28	e7%	17	e8%	26	e10%	0	0%	10	13%	26	6%	36	8%	5	7%	15	8%	62	8%	10	NO17%	13	7%	11	5%	12	5%	31	NO10%	
3	63	6%	5	e5%	27	e7%	16	e7%	15	e6%	0	0%	2	3%	28	7%	31	FI7%	2	3%	8	4%	55	7%	2	3%	16	9%	12	5%	15	7%	18	6%	
4	68	7%	9	e10%	30	e7%	9	e4%	20	e7%	0	0%	9	12%	33	8%	22	5%	4	5%	11	6%	57	7%	7	12%	20	OP11%	13	6%	10	4%	18	6%	
5	77	8%	8	9%	31	8%	20	9%	17	6%	1	20%	11	15%	33	8%	28	7%	5	7%	14	8%	63	8%	4	7%	15	9%	18	8%	23	P10%	17	5%	
6	70	7%	8	9%	25	6%	12	5%	24	9%	1	20%	8	11%	28	7%	29	7%	5	7%	15	8%	55	7%	4	7%	14	8%	16	7%	17	7%	19	6%	
7	97	10%	5	5%	43	10%	25	11%	23	8%	1	20%	3	4%	52	F12%	37	9%	5	7%	16	9%	81	10%	7	12%	14	8%	21	10%	31	P14%	24	8%	
8	110	11%	12	e13%	46	e11%	29	e13%	23	e8%	0	0%	6	8%	38	9%	55	13%	11	15%	22	12%	88	11%	4	7%	14	8%	27	12%	23	10%	42	13%	
Not selected as a barrier	373	37%	38	40%	151	37%	78	35%	104	38%	2	40%	22	29%	152	36%	164	38%	35	F47%	72	40%	301	37%	14	24%	56	32%	90	L41%	90	L39%	123	L39%	
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%	
AVG	5		5		5		5		5		6		4		5		5		5		5		5		4		5		LM5		LMP5		5		
None – there are no barriers in identifying cancer in children and young people	201	20%	25	e27%	77	e19%	41	e19%	58	e21%	0	0%	13	17%	79	19%	87	20%	22	29%	43	24%	158	19%	6	10%	35	L20%	43	L20%	51	L22%	66	L21%	
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%	

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 4
Q2 To what extent do you agree or disagree with the following statements about children and young people with cancer?

Base: All respondents

Total	S3 - Region													S3 - England		S3 - England NHS Networks																						
	London	South East Coastal	South Central	South West	West Midlands	East Midlands	East of England	Yorkshire & Humber	North East	North West	Scotland	Wales	Northern Ireland	England	NHS London	NHS South of England	NHS Midlands and East SHA	NHS North of England																				
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R																				
I feel confident that I would understand the possible symptoms of cancer if they were described to me by a child or a young person																																						
NET: Agree	687	69%	74	61%	46	71%	51	AF 75%	63	68%	58	68%	39	57%	71	AF 77%	59	67%	30	67%	80	F 72%	65	71%	35	71%	16	64%	571	68%	74	61%	160	71%	168	68%	169	69%
Strongly agree	73	7%	11	9%	6	9%	4	6%	3	3%	4	5%	4	6%	10	D 11%	5	6%	5	11%	7	6%	9	10%	2	4%	3	12%	59	7%	11	9%	13	6%	18	7%	17	7%
Tend to agree	614	61%	63	52%	40	62%	47	AF 69%	60	65%	54	64%	35	51%	61	AF 66%	54	61%	25	56%	73	AF 66%	56	62%	33	67%	13	52%	512	61%	63	52%	147	O 65%	150	61%	152	62%
Tend to disagree	202	20%	29	I 24%	13	20%	9	13%	24	CI 26%	15	18%	16	I 23%	16	17%	18	20%	4	9%	24	I 22%	19	I 21%	9	18%	6	24%	168	20%	29	24%	46	20%	47	19%	46	19%
Strongly disagree	32	3%	7	JKL 6%	4	JL 6%	1	1%	3	3%	6	JKL 7%	2	3%	2	2%	3	3%	2	4%	0	0%	1	1%	0	0%	1	4%	30	4%	7	6%	8	4%	10	4%	5	2%
NET: Disagree	234	23%	36	CI 30%	17	26%	10	15%	27	CI 29%	21	25%	18	26%	18	20%	21	24%	6	13%	24	22%	20	22%	9	18%	7	28%	198	24%	36	30%	54	24%	57	23%	51	21%
Don't know	81	8%	11	9%	2	3%	7	10%	3	3%	6	7%	12	BDGJK 17%	3	3%	8	9%	9	BDEGJK 20%	7	6%	6	7%	5	10%	2	8%	68	8%	11	9%	12	5%	21	9%	24	10%
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%
If a child or a young person were to describe the possible symptoms of cancer to me directly, I would feel confident communicating with them to understand these symptoms further																																						
NET: Agree	762	76%	84	69%	47	72%	58	AHI 85%	72	77%	63	74%	52	75%	74	80%	61	69%	31	69%	86	77%	76	AH 84%	37	76%	21	84%	628	75%	84	69%	177	78%	189	77%	178	73%
Strongly agree	165	16%	20	17%	14	22%	14	21%	13	14%	9	11%	12	17%	18	20%	12	14%	6	13%	20	18%	13	14%	9	18%	5	20%	138	16%	20	17%	41	18%	39	16%	38	16%
Tend to agree	597	60%	64	53%	33	51%	44	65%	59	63%	54	64%	40	58%	56	61%	49	56%	25	56%	66	59%	63	AB 69%	28	57%	16	64%	490	59%	64	53%	136	60%	150	61%	140	57%
Tend to disagree	171	17%	24	C 20%	13	20%	6	9%	16	17%	14	16%	11	16%	13	14%	20	C 23%	7	16%	21	C 19%	12	13%	11	C 22%	3	12%	145	17%	24	20%	35	15%	38	15%	48	20%
Strongly disagree	17	2%	3	2%	3	5%	1	1%	2	2%	2	2%	1	1%	3	3%	0	0%	0	0%	0	0%	1	1%	0	0%	1	4%	15	2%	3	2%	6	R 3%	6	R 2%	0	0%
NET: Disagree	188	19%	27	C 22%	16	C 25%	7	10%	18	19%	16	19%	12	17%	16	17%	20	C 23%	7	16%	21	19%	13	14%	11	22%	4	16%	160	19%	27	22%	41	18%	44	18%	48	20%
Don't know	52	5%	10	GK m8%	2	3%	3	4%	3	3%	6	m 7%	5	m 7%	2	2%	7	m 8%	7	BDGJKLm 16%	4	m 4%	2	2%	1	2%	0	0%	49	6%	10	8%	8	4%	13	5%	18	7%
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 4
Q2 To what extent do you agree or disagree with the following statements about children and young people with cancer?

Base: All respondents

Total	S3 - Region													S3 - England		S3 - England NHS Networks																						
	London	South East Coastal	South Central	South West	West Midlands	East Midlands	East of England	Yorkshire & Humber	North East	North West	Scotland	Wales	Northern Ireland	England	NHS London	NHS South of England	NHS Midlands and East SHA	NHS North of England																				
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R																				
Referral targets under the current health system are a disincentive to referring children suspected of having cancer to specialist paediatricians																																						
NET: Agree	259	26%	41	DFGK34%	21	G32%	17	25%	19	20%	28	GK33%	14	20%	14	15%	27	G31%	9	20%	31	G28%	17	19%	11	22%	10	gk40%	221	26%	41	Q34%	57	25%	56	23%	67	27%
Strongly agree	69	7%	8	7%	4	6%	5	7%	2	2%	8	D9%	6	9%	5	5%	6	7%	5	11%	7	6%	5	5%	5	10%	3	12%	56	7%	8	7%	11	5%	19	8%	18	7%
Tend to agree	190	19%	33	FGIKL27%	17	FGIK26%	12	18%	17	18%	20	FGI24%	8	12%	9	10%	21	FGI24%	4	9%	24	GI22%	12	13%	6	12%	7	28%	165	20%	33	Q27%	46	20%	37	15%	49	20%
Tend to disagree	371	37%	42	35%	24	37%	29	43%	28	30%	33	39%	31	L45%	38	41%	27	31%	17	38%	39	35%	41	DHL45%	13	27%	9	36%	308	37%	42	35%	81	36%	102	41%	83	34%
Strongly disagree	200	20%	19	16%	12	18%	8	12%	26	ACm28%	17	20%	11	16%	27	ACFm29%	22	C25%	8	18%	20	18%	16	18%	11	22%	3	12%	170	20%	19	16%	46	20%	55	22%	50	20%
NET: Disagree	571	57%	61	50%	36	55%	37	54%	54	58%	50	59%	42	61%	65	ABCHJLm71%	49	56%	25	56%	59	53%	57	63%	24	49%	12	48%	478	57%	61	50%	127	56%	157	OR64%	133	55%
Don't know	172	17%	19	16%	8	12%	14	E21%	20	E22%	7	8%	13	19%	13	14%	12	14%	11	E24%	21	E19%	17	E19%	14	BEH29%	3	12%	138	16%	19	16%	42	19%	33	13%	44	18%
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%

Prepared by ComRes



Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 5
Q2 To what extent do you agree or disagree with the following statements about children and young people with cancer?

Base: All respondents

Total	S2 - GP type				D3 - Gender		D4 - Year of qualification					D6 - Age					D8 - CCG Involvement																					
	GP Principal	Salaried GP	GP Registrar	Locum GP	Male	Female	1979 or earlier	1980-1989	1990-1999	2000-2010	Under 30	30 - 39	40 - 49	50 - 59	60 or over	I am, or plan to be, an active member of my CCG governing board	I am, or plan to be, a GP representative	I do not take an active part in my CCG																				
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O																							
I feel confident that I would understand the possible symptoms of cancer if they were described to me by a child or a young person																																						
NET: Agree	687	69%	440	70%	157	66%	2	abd100%	88	68%	387	69%	300	68%	60	61%	160	70%	225	71%	242	67%	0	0%	238	k68%	231	k71%	162	k69%	56	k64%	53	60%	99	67%	419	69%
Strongly agree	73	7%	49	8%	15	6%	1	50%	8	6%	55	F10%	18	4%	5	5%	21	9%	22	7%	25	7%	0	0%	24	k7%	24	k7%	19	k8%	6	k7%	6	7%	16	11%	37	6%
Tend to agree	614	61%	391	62%	142	59%	1	50%	80	62%	332	59%	282	64%	55	56%	139	61%	203	64%	217	60%	0	0%	214	k61%	207	k63%	143	k61%	50	k57%	47	53%	83	56%	382	63%
Tend to disagree	202	20%	125	c20%	49	c21%	0	0%	28	c22%	111	20%	91	21%	24	24%	53	23%	58	18%	67	19%	1	Imno100%	65	19%	59	18%	58	25%	19	22%	23	26%	28	19%	119	20%
Strongly disagree	32	3%	21	c3%	7	c3%	0	0%	4	c3%	22	4%	10	2%	8	H8%	4	2%	10	3%	10	3%	0	0%	9	k3%	11	k3%	6	k3%	6	k7%	5	6%	5	3%	20	3%
NET: Disagree	234	23%	146	c23%	56	c23%	0	0%	32	c25%	133	24%	101	23%	32	IJ32%	57	25%	68	22%	77	21%	1	Imno100%	74	21%	70	21%	64	27%	25	29%	28	32%	33	22%	139	23%
Don't know	81	8%	46	c7%	26	c11%	0	0%	9	c7%	42	7%	39	9%	7	7%	10	4%	22	7%	42	HI12%	0	0%	39	kN11%	26	k8%	10	k4%	6	k7%	7	8%	16	11%	45	7%
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%
If a child or a young person were to describe the possible symptoms of cancer to me directly, I would feel confident communicating with them to understand these symptoms further																																						
NET: Agree	762	76%	495	B78%	171	72%	2	abd100%	94	73%	430	77%	332	75%	71	72%	190	GIJ84%	239	76%	262	73%	0	0%	258	k74%	242	k74%	196	kLM83%	66	k76%	64	73%	120	81%	446	74%
Strongly agree	165	16%	114	Bc18%	29	c12%	0	0%	22	c17%	109	F19%	56	13%	14	14%	42	19%	55	17%	54	15%	0	0%	48	k14%	63	kL19%	39	k17%	15	k17%	16	18%	31	21%	91	15%
Tend to agree	597	60%	381	60%	142	59%	2	abd100%	72	56%	321	57%	276	63%	57	58%	148	65%	184	58%	208	58%	0	0%	210	k60%	179	k55%	157	kM67%	51	k59%	48	55%	89	60%	355	59%
Tend to disagree	171	17%	100	c16%	43	c18%	0	0%	28	c22%	94	17%	77	18%	15	15%	30	13%	57	18%	69	19%	1	Imno100%	64	18%	62	19%	33	14%	11	13%	20	23%	18	12%	107	18%
Strongly disagree	17	2%	8	c1%	6	c3%	0	0%	3	2%	12	2%	5	1%	3	3%	2	1%	4	1%	8	2%	0	0%	9	k3%	4	k1%	2	1%	2	2%	2	2%	1	1%	12	2%
NET: Disagree	188	19%	108	c17%	49	c21%	0	0%	31	c24%	106	19%	82	19%	18	18%	32	14%	61	19%	77	H21%	1	Imno100%	73	21%	66	20%	35	15%	13	15%	22	25%	19	13%	119	20%
Don't know	52	5%	29	c5%	19	cD8%	0	0%	4	c3%	26	5%	26	6%	10	H10%	5	2%	15	5%	22	H6%	0	0%	20	kN6%	19	kN6%	5	k2%	8	kN9%	2	2%	9	6%	38	6%
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 5
Q2 To what extent do you agree or disagree with the following statements about children and young people with cancer?

Base: All respondents

Total	S2 - GP type				D3 - Gender		D4 - Year of qualification				D6 - Age					D8 - CCG Involvement																							
	GP Principal	Salaried GP	GP Registrar	Locum GP	Male	Female	1979 or earlier	1980-1989	1990-1999	2000-2010	Under 30	30 - 39	40 - 49	50 - 59	60 or over	I am, or plan to be, an active member of my CCG governing board	I am, or plan to be, a GP representative	I do not take an active part in my CCG																					
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O																								
Referral targets under the current health system are a disincentive to referring children suspected of having cancer to specialist paediatricians																																							
NET: Agree	259	26%	165	c26%	57	c24%	0	0%	37	c29%	148	26%	111	25%	27	27%	52	23%	80	25%	100	28%	1	Imno	100%	89	25%	89	27%	60	25%	20	23%	29	33%	46	31%	147	24%
Strongly agree	69	7%	38	c6%	15	c6%	0	0%	16	Ac12%	44	8%	25	6%	7	7%	13	6%	17	5%	32	9%	1	Imno	100%	28	8%	20	6%	15	6%	5	6%	12	14%	11	7%	33	5%
Tend to agree	190	19%	127	c20%	42	c18%	0	0%	21	c16%	104	19%	86	20%	20	20%	39	17%	63	20%	68	19%	0	0%	61	k17%	69	k21%	45	k19%	15	k17%	17	19%	35	24%	114	19%	
Tend to disagree	371	37%	243	c38%	89	c37%	0	0%	39	c30%	202	36%	169	38%	34	34%	94	41%	117	37%	126	35%	0	0%	131	k37%	119	k36%	89	k38%	32	k37%	31	35%	52	35%	226	37%	
Strongly disagree	200	20%	131	21%	42	18%	1	50%	26	20%	126	F22%	74	17%	29	J29%	58	J26%	62	20%	51	14%	0	0%	51	k15%	58	k18%	64	kLM27%	27	kLM31%	24	27%	26	18%	120	20%	
NET: Disagree	571	57%	374	59%	131	55%	1	50%	65	50%	328	58%	243	55%	63	J64%	152	IJ67%	179	J57%	177	49%	0	0%	182	k52%	177	k54%	153	kLM65%	59	kLM68%	55	63%	78	53%	346	57%	
Don't know	172	17%	93	15%	51	A21%	1	50%	27	21%	86	15%	86	20%	9	9%	23	10%	56	GH18%	84	GH23%	0	0%	80	kNO23%	61	kNO19%	23	k10%	8	k9%	4	5%	24	16%	110	18%	
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%	

Prepared by ComRes



Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 6
Q2 To what extent do you agree or disagree with the following statements about children and young people with cancer?

Base: All respondents

Total	D2 - Practice Location					D1 - Overall practice size					D5 - Dispensing Practice				D7 - Number of patients on practice list																			
	Rural area	Urban area	Semi-rural area	Suburban area	Other	1-2	3-5	6-10	11 or more	Yes	No	1-2500	2501-5000	5001-7500	7501-10000	10001+																		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P																		
I feel confident that I would understand the possible symptoms of cancer if they were described to me by a child or a young person																																		
NET: Agree	687	69%	64	68%	283	69%	154	70%	183	68%	3	60%	48	64%	281	66%	302	70%	56	75%	126	69%	561	68%	36	61%	120	69%	147	67%	150	66%	234	73%
Strongly agree	73	7%	9	10%	32	8%	17	8%	15	6%	0	0%	8	11%	37	9%	23	5%	5	7%	17	9%	56	7%	3	5%	18	10%	17	8%	11	5%	24	8%
Tend to agree	614	61%	55	59%	251	61%	137	62%	168	62%	3	60%	40	53%	244	58%	279	65%	51	68%	109	60%	505	62%	33	56%	102	58%	130	59%	139	61%	210	66%
Tend to disagree	202	20%	22	23%	80	19%	42	19%	57	21%	1	20%	17	23%	88	21%	89	21%	8	11%	40	22%	162	20%	15	25%	35	20%	48	22%	49	21%	55	17%
Strongly disagree	32	3%	0	0%	11	3%	7	3%	14	5%	0	0%	3	4%	16	4%	11	3%	2	3%	3	2%	29	4%	3	5%	4	2%	9	4%	8	3%	8	3%
NET: Disagree	234	23%	22	23%	91	22%	49	22%	71	26%	1	20%	20	27%	104	25%	100	23%	10	13%	43	24%	191	23%	18	31%	39	22%	57	26%	57	25%	63	20%
Don't know	81	8%	8	9%	38	9%	17	8%	17	6%	1	20%	7	9%	38	9%	27	6%	9	12%	13	7%	68	8%	5	8%	16	9%	16	7%	22	10%	22	7%
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%
If a child or a young person were to describe the possible symptoms of cancer to me directly, I would feel confident communicating with them to understand these symptoms further																																		
NET: Agree	762	76%	75	80%	305	74%	170	77%	209	77%	3	60%	47	63%	312	74%	339	79%	64	85%	140	77%	622	76%	34	58%	132	75%	161	73%	174	76%	261	82%
Strongly agree	165	16%	14	15%	59	14%	47	21%	45	17%	0	0%	13	17%	67	16%	73	17%	12	16%	31	17%	134	16%	6	10%	35	20%	33	15%	29	13%	62	19%
Tend to agree	597	60%	61	65%	246	60%	123	56%	164	61%	3	60%	34	45%	245	58%	266	62%	52	69%	109	60%	488	60%	28	47%	97	55%	128	58%	145	63%	199	62%
Tend to disagree	171	17%	14	15%	71	17%	38	17%	47	17%	1	20%	20	27%	82	19%	63	15%	6	8%	31	17%	140	17%	15	25%	35	20%	40	18%	43	19%	38	12%
Strongly disagree	17	2%	2	2%	8	2%	5	2%	2	1%	0	0%	1	1%	9	2%	7	2%	0	0%	4	2%	13	2%	2	3%	3	2%	7	3%	2	1%	3	1%
NET: Disagree	188	19%	16	17%	79	19%	43	20%	49	18%	1	20%	21	28%	91	22%	70	16%	6	8%	35	19%	153	19%	17	29%	38	22%	47	21%	45	20%	41	13%
Don't know	52	5%	3	3%	28	7%	7	3%	13	5%	1	20%	7	9%	20	5%	20	5%	5	7%	7	4%	45	5%	8	14%	5	3%	12	5%	10	4%	17	5%
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%
Referral targets under the current health system are a disincentive to referring children suspected of having cancer to specialist paediatricians																																		
NET: Agree	259	26%	23	24%	110	27%	54	25%	71	26%	1	20%	22	29%	107	25%	116	27%	14	19%	40	22%	219	27%	19	32%	49	28%	66	30%	48	21%	77	24%
Strongly agree	69	7%	7	7%	31	8%	19	9%	12	4%	0	0%	4	5%	35	8%	25	6%	5	7%	12	7%	57	7%	3	5%	16	9%	17	8%	13	6%	20	6%
Tend to agree	190	19%	16	17%	79	19%	35	16%	59	22%	1	20%	18	24%	72	17%	91	21%	9	12%	28	15%	162	20%	16	27%	33	19%	49	22%	35	15%	57	18%
Tend to disagree	371	37%	39	41%	154	37%	84	38%	93	34%	1	20%	27	36%	153	36%	159	37%	32	43%	67	37%	304	37%	24	41%	60	34%	69	31%	86	38%	132	41%
Strongly disagree	200	20%	23	24%	70	17%	41	19%	66	24%	0	0%	14	19%	80	19%	92	21%	14	19%	44	24%	156	19%	9	15%	32	18%	50	23%	47	21%	62	19%
NET: Disagree	571	57%	62	66%	224	54%	125	57%	159	59%	1	20%	41	55%	233	55%	251	59%	46	61%	111	61%	460	56%	33	56%	92	53%	119	54%	133	58%	194	61%
Don't know	172	17%	9	10%	78	19%	41	19%	41	15%	3	60%	12	16%	83	20%	62	14%	15	20%	31	17%	141	17%	7	12%	34	19%	35	16%	48	21%	48	15%
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%

Prepared by ComRes



Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 7

Q3 Which of the following, if any, do you feel would be beneficial in providing GPs with additional support or advice when identifying the possible symptoms of cancer in children and young people?

Base: All respondents

	Total	S3 - Region																			S3 - England		S3 - England NHS Networks																				
		London		South East Coastal		South Central		South West		West Midlands		East Midlands		East of England		Yorkshire & Humber		North East		North West		Scotland	Wales	Northern Ireland	England	NHS London	NHS South of England	NHS Midlands and East SHA	NHS North of England														
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R																								
Discussions with experts (e.g. paediatric specialists) about specific cases	567	57%	74	61%	35	54%	41	60%	50	54%	54	64%	34	49%	55	60%	46	52%	24	53%	64	58%	51	56%	27	55%	12	48%	477	57%	74	61%	126	56%	143	58%	134	55%					
CPD (Continuous Professional Development) schemes on the subject	535	53%	59	49%	31	48%	32	47%	51	55%	45	53%	41	59%	43	47%	43	49%	26	58%	59	53%	63	ABCDEGHJ	69%	28	57%	14	56%	430	51%	59	49%	114	50%	129	52%	128	52%				
Time allocated for training sessions to further understand the symptoms	510	51%	61	50%	33	51%	29	43%	40	43%	41	48%	41	CD	59%	47	51%	51	D	58%	21	47%	61	55%	45	49%	25	51%	15	60%	425	51%	61	50%	102	45%	129	52%	133	P	55%		
More consultation time with patients to be able to identify cancer in children and young people	497	50%	64	53%	29	45%	43	BEFGJK	63%	51	55%	36	42%	32	46%	43	47%	44	50%	21	47%	50	45%	42	46%	29	59%	13	52%	413	49%	64	53%	123	Q	54%	111	45%	115	47%			
More accessible information (e.g. online, leaflets)	244	24%	27	22%	13	20%	13	19%	22	24%	29	BCGLm	34%	19	28%	19	21%	28	m	32%	11	24%	29	26%	22	24%	9	18%	3	12%	210	25%	27	22%	48	21%	67	27%	68	28%			
Forums to discuss the challenges and issues faced in identifying cancer in children and young people	132	13%	20	m	17%	9	14%	6	9%	9	10%	14	m	16%	12	m	17%	16	m	17%	9	10%	4	9%	15	14%	12	13%	5	10%	1	4%	114	14%	20	17%	24	11%	42	P	17%	28	11%
Total	1002	100%	121	100%	65	100%	68	100%	93	100%	85	100%	69	100%	92	100%	88	100%	45	100%	111	100%	91	100%	49	100%	25	100%	837	100%	121	100%	226	100%	246	100%	244	100%					

Prepared by ComRes



Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 8

Q3 Which of the following, if any, do you feel would be beneficial in providing GPs with additional support or advice when identifying the possible symptoms of cancer in children and young people?

Base: All respondents

	S2 - GP type				D3 - Gender		D4 - Year of qualification					D6 - Age					D8 - CCG Involvement																					
	GP Principal	Salaried GP	GP Registrar	Locum GP	Male	Female	1979 or earlier	1980-1989	1990-1999	2000-2010	Under 30	30 - 39	40 - 49	50 - 59	60 or over	I am, or plan to be, an active member of my CCG governing board	I am, or plan to be, a GP representative	I do not take an active part in my CCG																				
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O																							
Total	567	57%	348	55%	150	AD63%	2	abd100%	67	52%	294	52%	273	E62%	48	48%	121	53%	176	56%	222	G61%	0	0%	213	kN61%	186	k57%	121	k51%	47	k54%	53	60%	75	51%	350	58%
Discussions with experts (e.g. paediatric specialists) about specific cases	567	57%	348	55%	150	AD63%	2	abd100%	67	52%	294	52%	273	E62%	48	48%	121	53%	176	56%	222	G61%	0	0%	213	kN61%	186	k57%	121	k51%	47	k54%	53	60%	75	51%	350	58%
CPD (Continuous Professional Development) schemes on the subject	535	53%	344	54%	116	49%	2	abd100%	73	57%	307	55%	228	52%	62	IJ63%	135	IJ59%	157	50%	181	50%	0	0%	172	k49%	166	k51%	143	kLM61%	54	kL62%	36	41%	80	54%	314	52%
Time allocated for training sessions to further understand the symptoms	510	51%	310	49%	136	A57%	2	abd100%	62	48%	284	51%	226	51%	52	53%	110	48%	152	48%	196	54%	1	Imno100%	188	54%	162	50%	115	49%	44	51%	44	50%	77	52%	306	51%
More consultation time with patients to be able to identify cancer in children and young people	497	50%	308	c49%	118	c49%	0	0%	71	c55%	271	48%	226	51%	44	44%	107	47%	174	J55%	172	48%	1	Imno100%	174	50%	172	53%	112	47%	38	44%	42	48%	68	46%	305	51%
More accessible information (e.g. online, leaflets)	244	24%	143	c23%	67	c28%	0	0%	34	c26%	136	24%	108	25%	24	24%	63	28%	67	21%	90	25%	1	Imno100%	83	24%	79	24%	60	25%	21	24%	22	25%	45	30%	143	24%
Forums to discuss the challenges and issues faced in identifying cancer in children and young people	132	13%	83	c13%	24	c10%	0	0%	25	Bc19%	68	12%	64	15%	21	J21%	29	13%	39	12%	43	12%	0	0%	40	k11%	39	k12%	34	k14%	19	kLM22%	13	15%	18	12%	83	14%
Total	1002	100%	632	100%	239	100%	2	100%	129	100%	562	100%	440	100%	99	100%	227	100%	315	100%	361	100%	1	100%	351	100%	327	100%	236	100%	87	100%	88	100%	148	100%	603	100%

Cancer in children and young people
ONLINE Fieldwork Dates: 16th-24th July 2015

Absolutes/col percents

Table 9

Q3 Which of the following, if any, do you feel would be beneficial in providing GPs with additional support or advice when identifying the possible symptoms of cancer in children and young people?

Base: All respondents

	Total	D2 - Practice Location					D1 - Overall practice size					D5 - Dispensing Practice		D7 - Number of patients on practice list																				
		Rural area		Urban area		Semi-rural area	Suburban area	Other	1-2	3-5	6-10	11 or more	Yes	No	1-2500	2501-5000	5001-7500	7501-10000	10001+															
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P																	
Discussions with experts (e.g. paediatric specialists) about specific cases	567	57%	49	52%	240	e58%	117	53%	160	e59%	1	20%	40	53%	243	57%	240	56%	44	59%	96	53%	471	57%	35	59%	103	59%	122	55%	122	53%	185	58%
CPD (Continuous Professional Development) schemes on the subject	535	53%	57	61%	212	51%	124	56%	138	51%	4	80%	50	H67%	234	55%	210	49%	41	55%	105	58%	430	52%	34	58%	104	P59%	119	54%	126	55%	152	48%
Time allocated for training sessions to further understand the symptoms	510	51%	42	45%	213	52%	119	54%	132	49%	4	80%	41	55%	221	52%	213	50%	35	47%	90	49%	420	51%	30	51%	88	50%	121	55%	114	50%	157	49%
More consultation time with patients to be able to identify cancer in children and young people	497	50%	29	31%	199	A48%	123	A56%	144	A53%	2	40%	34	45%	187	44%	244	GI57%	32	43%	78	43%	419	J51%	24	41%	78	45%	111	50%	113	49%	171	54%
More accessible information (e.g. online, leaflets)	244	24%	28	30%	102	25%	43	20%	68	25%	3	60%	19	25%	107	25%	102	24%	16	21%	39	21%	205	25%	16	27%	47	27%	48	22%	53	23%	80	25%
Forums to discuss the challenges and issues faced in identifying cancer in children and young people	132	13%	11	e12%	62	e15%	23	e10%	36	e13%	0	0%	8	11%	68	H16%	49	11%	7	9%	18	10%	114	14%	7	12%	25	14%	35	P16%	34	15%	31	10%
Total	1002	100%	94	100%	412	100%	220	100%	271	100%	5	100%	75	100%	423	100%	429	100%	75	100%	182	100%	820	100%	59	100%	175	100%	220	100%	229	100%	319	100%

Prepared by ComRes

