

IVFyes – GB public opinion on IVF provision

METHODOLOGY NOTE

ComRes interviewed 2,051 GB adults online between the 6th and 8th March 2015. Data were weighted to be representative of all GB adults aged 18+. ComRes is a member of the British Polling Council and abides by its rules.

All press releases or other publications must be checked with ComRes before use. ComRes requires 48 hours to check a press release unless otherwise agreed.

To commission a voting intention poll or a public opinion survey please contact Katharine Peacock: katharine.peacock@comres.co.uk

To register for Pollwatch, a monthly newsletter update on the polls, please email: pollwatch@comres.co.uk

Table 1

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF? Summary

Base: All respondents

				State	ments		
		Local decision makers are better placed to make decisions about provision of IVF in their area than national policy makers	It is unfair that IVF provision currently varies depending on where you live, rather than on medical need	It is right that IVF services are less of a priority in some areas of the country than others	Couples who want to receive IVF treatment should pay for it themselves, rather than the treatment being funded by the NHS	It is unacceptable for local commissioners to ignore NICE guidance on IVF	There should be universal criteria for who is eligible for IVF through the NHS
Unweighted base		2051	2051	2051	2051	2051	2051
Weighted base		2051	2051	2051	2051	2051	2051
NET: Agree		736 36%	1509 74%	525 26%	820 40%	1122 55%	1457 71%
Strongly agree	(4)	203 10%	800 39%	174 8%	324 16%	405 20%	642 31%
Tend to agree	(3)	533 26%	709 35%	352 17%	496 24%	717 35%	815 40%
Tend to disagree	(2)	479 23%	140 7%	555 27%	562 27%	216 11%	164 8%
Strongly disagree	(1)	229 11%	68 3%	452 22%	287 14%	87 4%	82 4%
NET: Disagree		708 35%	208 10%	1007 49%	850 41%	303 15%	245 12%
Don't know		607 30%	335 16%	518 25%	381 19%	626 31%	349 17%
Mean		2.49	3.31	2.16	2.51	3.01	3.19
Standard deviation Standard error		0.92 0.02	0.78 0.02	0.98 0.02	0.99 0.02	0.83 0.02	0.79 0.02

COMRES

Absolutes/col percents

Table 2

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF?

Local decision makers are better placed to make decisions about provision of IVF in their area than national policy makers Base: All respondents

		Gender			-		Age					Social G	rade		Employme	
		Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (I)	Public (m)	Pri- vate (n)
Unweighted base		2051	975	1076	212	318	371	375	319	456	588	604	345	514	277	830
Weighted base		2051	1005	1046	244	345	345	365	305	447	548	569	447	488	302	847
NET: Agree		736 36%	369 37%	368 35%	77 32%	129 38%	117 34%	127 35%	114 37%	172 39%	186 34%	192 34%	176 40%	182 37%	90 30%	326 39%M
Strongly agree	(4)	203 10%	96 10%	108 10%	20 8%	52 15%CEFG	30 i 9%	24 7%	27 9%	50 11%F	55 10%j	38 7%	52 12%J	58 12%J	27 9%	85 10%
Tend to agree	(3)	533 26%	273 27%	260 25%	58 24%	77 22%	87 25%	103 28%	87 28%	122 27%	131 24%	154 27%	125 28%	124 25%	63 21%	241 28%M
Tend to disagree	(2)	479 23%	243 24%	236 23%	70 29%DE	67 19%	69 20%	87 24%	78 25%	108 24%	149 27%KL	143 25%kl	88 20%	99 20%	78 26%	180 21%
Strongly disagree	(1)	229 11%	102 10%	126 12%	26 11%	31 9%	40 12%	35 10%	45 15%df	51 11%	71 13%K	71 12%K	34 8%	53 11%	32 11%	86 10%
NET: Disagree		708 35%	345 34%	363 35%	96 39%D	99 29%	109 32%	122 33%	122 40%DE	159 36%d	221 40%KL	214 38%KL	122 27%	152 31%	110 36%	265 31%
Don't know		607 30%	291 29%	316 30%	70 29%	117 34%GH	119 34%GH	117 32%Gh	68 22%	116 26%	142 26%	163 29%	148 33%l	154 32%i	101 34%	255 30%
Mean		2.49	2.51	2.48	2.41	2.66CeFG	2.47	2.46	2.41	2.52	2.42	2.39	2.65IJ	2.56iJ	2.42	2.55
Standard deviation Standard error		0.92 0.02	0.90 0.03	0.94 0.03	0.88 0.07	0.98 0.07	0.93 0.06	0.85 0.05	0.92 0.06	0.93 0.05	0.93 0.04	0.88 0.04	0.90 0.06	0.96 0.05	0.92 0.07	0.91 0.04

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n



Absolutes/col percents

Page 2

Table 2

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF?

Local decision makers are better placed to make decisions about provision of IVF in their area than national policy makers Base: All respondents

									gion					
		Total	Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (I)	South West (m)
Unweighted base		2051	179	87	1785	88	229	183	198	137	198	257	295	200
Weighted base		2051	185	103*	1764	82*	226	185	185	144	205	267	287	185
NET: Agree		736 36%	66 36%	37 36%	633 36%	29 36%	83 37%	64 35%	76 41%	47 33%	73 35%	98 37%	100 35%	62 34%
Strongly agree	(4)	203 10%	25 14%Gi	11 11%	167 9%	11 14%gi	30 13%Gi	12 6%	15 8%	9 6%	20 10%	24 9%	30 10%	17 9%
Tend to agree	(3)	533 26%	41 22%	26 26%	465 26%	18 22%	52 23%	52 28%	61 33%Ael	38 Flm 27%	53 26%	74 28%	71 25%	45 25%
Tend to disagree	(2)	479 23%	45 24%	25 24%	410 23%	17 21%	55 25%	38 21%	34 18%	38 27%	50 24%	60 23%	68 24%	48 26%
Strongly disagree	(1)	229 11%	23 12%	8 8%	198 11%	6 7%	20 9%	19 10%	15 8%	20 14%	32 15%fh	30 11%	33 11%	23 12%
NET: Disagree		708 35%	67 36%h	33 32%	607 34%	23 28%	76 34%	57 31%	49 27%	58 40%H	81 40%H	91 34%	101 35%h	71 38%H
Don't know		607 30%	51 28%	32 31%	524 30%	29 36%	67 30%	63 34%j	59 32%	39 27%	51 25%	78 29%	86 30%	52 28%
Mean		2.49	2.52	2.57	2.49	2.66i	2.58i	2.47	2.61lj	2.35	2.39	2.48	2.48	2.42
Standard deviation Standard error		0.92 0.02	0.99 0.09	0.90 0.12	0.92 0.03	0.95 0.12	0.94 0.07	0.87 0.08	0.85 0.07	0.88 0.09	0.95 0.08	0.91 0.07	0.94 0.07	0.92 0.08

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m * small base; ** very small base (under 30) ineligible for sig testing



Absolutes/col percents

Page 3

Table 3

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF?

It is unfair that IVF provision currently varies depending on where you live, rather than on medical need Base: All respondents

		-	Gender				Age					Social G	Grade		Employmer	
		Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (I)	Public (m)	Pri- vate (n)
Unweighted base		2051	975	1076	212	318	371	375	319	456	588	604	345	514	277	830
Weighted base		2051	1005	1046	244	345	345	365	305	447	548	569	447	488	302	847
NET: Agree		1509 74%	685 68%	824 79%A	173 71%	239 69%	244 71%	276 75%	237 78%De	340 76%d	418 76%	412 72%	326 73%	353 72%	219 73%	610 72%
Strongly agree	(4)	800 39%	346 34%	455 43%A	88 36%	134 39%	163 47%CdFH	117 32%	136 45%cFH	162 36%	220 40%	213 37%	168 38%	200 41%	121 40%	317 37%
Tend to agree	(3)	709 35%	340 34%	369 35%	86 35%E	105 30%e	80 23%	159 44%cDEG	101 33%E	178 40%DEg	198 36%	199 35%	157 35%	154 32%	98 33%	293 35%
Tend to disagree	(2)	140 7%	88 9%B	51 5%	21 9%	20 6%	28 8%	21 6%	16 5%	34 8%	32 6%	44 8%	32 7%	32 7%	19 6%	68 8%
Strongly disagree	(1)	68 3%	29 3%	38 4%	10 4%	12 4%	6 2%	11 3%	12 4%	16 3%	23 4%l	21 4%	14 3%	10 2%	8 3%	28 3%
NET: Disagree		208 10%	118 12%B	90 9%	31 13%	33 9%	34 10%	32 9%	28 9%	49 11%	55 10%	64 11%	46 10%	42 9%	27 9%	96 11%
Don't know		335 16%	202 20%B	133 13%	39 16%	73 21%GH	67 19%GH	58 16%	40 13%	58 13%	75 14%	92 16%	75 17%	92 19%l	55 18%	141 17%
Mean		3.31	3.25	3.36A	3.23	3.33	3.44CFH	3.24	3.36f	3.25	3.30	3.27	3.29	3.37j	3.35	3.27
Standard deviation Standard error		0.78 0.02	0.79 0.03	0.77 0.03	0.82 0.06	0.80 0.05	0.77 0.04	0.73 0.04	0.80 0.05	0.78 0.04	0.80 0.04	0.80 0.04	0.78 0.05	0.74 0.04	0.77 0.05	0.79 0.03

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n



Absolutes/col percents

Table 3

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF?

It is unfair that IVF provision currently varies depending on where you live, rather than on medical need Base: All respondents

									gion					
		Total	Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East	South West (m)
Unweighted base		2051	179	87	1785	88	229	183	198	137	198	257	295	200
Weighted base		2051	185	103*	1764	82*	226	185	185	144	205	267	287	185
NET: Agree		1509 74%	141 77%K	76 74%	1291 73%	57 69%	165 73%	129 70%	141 77%K	113 78%K	167 82%EfGKL	178 . 67%	203 71%	137 74%
Strongly agree	(4)	800 39%	76 41%G	39 38%	685 39%	28 35%	86 38%g	53 28%	68 37%	70 49%efGhK	95 46%GhK	88 33%	124 43%GK	74 40%G
Tend to agree	(3)	709 35%	65 35%	37 36%	607 34%	28 35%	80 35%l	77 42%iL	73 40%iL	43 30%	73 35%	90 34%	79 28%	64 34%
Tend to disagree	(2)	140 7%	11 6%	6 6%	123 7%	8 10%	17 7%	13 7%	11 6%	6 4%	11 6%	24 9%	23 8%	11 6%
Strongly disagree	(1)	68 3%	8 4%	4 4%	56 3%	2 3%	6 3%	5 3%	9 5%j	2 2%	3 2%	8 3%	14 5%j	6 4%
NET: Disagree		208 10%	18 10%	10 10%	180 10%	10 13%i	22 10%	17 9%	20 11%	8 6%	15 7%	32 12%i	37 13%lj	17 9%
Don't know		335 16%	25 14%	16 16%	293 17%	15 18%	38 17%	38 20%hJ	23 13%	23 16%	23 11%	56 21%aHJ	46 16%	30 16%
Mean		3.31	3.32	3.29	3.31	3.24	3.31	3.21	3.24	3.49aEfGHKli	n 3.42GhK	3.22	3.30	3.32
Standard deviation Standard error		0.78 0.02	0.80 0.06	0.80 0.10	0.78 0.02	0.79 0.09	0.76 0.05	0.73 0.06	0.81 0.06	0.68 0.06	0.69 0.05	0.80 0.06	0.87 0.06	0.78 0.06

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m * small base; ** very small base (under 30) ineligible for sig testing



Absolutes/col percents

Prepared by ComRes

Page 5

Table 4

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF?

It is right that IVF services are less of a priority in some areas of the country than others Base: All respondents

		Ger	Ider			Age					Social G	Grade		Employme	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Pri- vate (n)
Unweighted base	2051	975	1076	212	318	371	375	319	456	588	604	345	514	277	830
Weighted base	2051	1005	1046	244	345	345	365	305	447	548	569	447	488	302	847
NET: Agree	525	272	253	58	82	79	113	72	121	137	157	117	115	81	238
	26%	5 27%	24%	24%	24%	23%	31%dEg	24%	27%	25%	28%	26%	24%	27%	28%
Strongly agree	(4) 174	84	90	20	27	28	32	24	42	53	52	34	35	30	79
	8%	6 8%	9%	8%	8%	8%	9%	8%	9%	10%	9%	8%	7%	10%	9%
Tend to agree	(3) 352	189	163	38	55	51	80	47	79	84	105	82	80	51	159
	17%	5 19%b	16%	16%	16%	15%	22%dEg	16%	18%	15%	19%	18%	16%	17%	19%
Tend to disagree	(2) 555	273	282	70	91	77	102	82	133	173	154	118	110	75	223
	27%	% 27%	27%	29%	26%	22%	28%	27%	30%E	31%L	27%	26%	23%	25%	26%
Strongly disagree	(1) 452	188	264	56	65	93	68	76	95	129	115	88	121	56	182
	22%	5 19%	25%A	23%	19%	27%DFh	19%	25%f	21%	24%	20%	20%	25%	19%	21%
NET: Disagree	1007	461	546	126	155	171	170	158	227	302	269	206	231	132	405
	49%	5 46%	52%A	52%	45%	49%	47%	52%	51%	55%JKL	47%	46%	47%	44%	48%
Don't know	518	272	247	59	108	95	82	75	99	109	143	124	142	89	205
	25%	5 27%	24%	24%	31%FH	28%	23%	25%	22%	20%	25%i	28%l	29%l	30%	24%
Mean	2.16	2.23B	2.10	2.12	2.19	2.06	2.27Eg	2.09	2.19	2.14	2.221	2.19	2.08	2.26	2.21
Standard deviation	0.98	0.96	0.99	0.96	0.96	1.01	0.96	0.98	0.97	0.98	0.98	0.96	0.99	1.00	0.99
Standard error	0.02	0.04	0.03	0.08	0.07	0.06	0.06	0.06	0.05	0.04	0.05	0.06	0.05	0.07	0.04

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n



Absolutes/col percents

Page 6

Table 4

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF?

It is right that IVF services are less of a priority in some areas of the country than others Base: All respondents

								Reg	ion					
		Total	Scotland (a)	Wales (b)	NET: England (d)	North East (e)		Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (I)	South West (m)
Unweighted base		2051	179	87	1785	88	229	183	198	137	198	257	295	200
Weighted base		2051	185	103*	1764	82*	226	185	185	144	205	267	287	185
NET: Agree		525 26%	46 25%	28 27%	451 26%	15 19%	66 29%e	41 22%	65 35%aEG	32 GIJKLM 22%	51 25%	72 27%	70 24%	40 22%
Strongly agree	(4)	174 8%	16 9%	8 8%	150 8%	7 8%	10 4%	10 6%	24 13%FG	15 10%f	20 10%f	25 10%f	24 8%	15 8%
Tend to agree	(3)	352 17%	30 17%	19 19%	302 17%	9 11%	56 25%aEgl	30 JkLM 16%	41 22%EIm	17 12%	31 15%	47 17%	46 16%	26 14%
Tend to disagree	(2)	555 27%	55 30%	27 26%	473 27%	18 22%	61 27%	56 30%k	48 26%	41 29%	52 25%	59 22%	80 28%	58 32%K
Strongly disagree	(1)	452 22%	43 23%bg	14 13%	396 22%b	21 26%bG	40 18%	26 14%	36 20%	40 28%BFG	62 30%BFGHn	62 n 23%bG	68 24%bG	40 22%
NET: Disagree		1007 49%	98 53%b	40 39%	869 49%	39 48%	101 45%	82 45%	85 46%	81 57%Bfghl	113 55%Bfghk	121 45%	148 52%b	98 53%b
Don't know		518 25%	41 22%	35 34%aHiJ	443 25%	27 33%aHiJ	58 26%	62 33%AHI	35 IJI 19%	30 21%	41 20%	74 28%hj	69 24%	46 25%
Mean		2.16	2.13	2.33j	2.16	2.01	2.21	2.20	2.35aelJL	m 2.06	2.05	2.18	2.12	2.11
Standard deviation Standard error		0.98 0.02	0.97 0.08	0.94 0.12	0.98 0.03	1.02 0.13	0.88 0.07	0.88 0.08	1.02 0.08	1.01 0.10	1.02 0.08	1.03 0.08	0.98 0.07	0.94 0.08

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m * small base; ** very small base (under 30) ineligible for sig testing



Absolutes/col percents

Prepared by ComRes

Page 7

Table 5

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF?

Couples who want to receive IVF treatment should pay for it themselves, rather than the treatment being funded by the NHS Base: All respondents

		-	Geno	ler			Age					Social G	rade		Employmer	nt <u>Sector</u> Pri-
		Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	vate (n)
Unweighted base		2051	975	1076	212	318	371	375	319	456	588	604	345	514	277	830
Weighted base		2051	1005	1046	244	345	345	365	305	447	548	569	447	488	302	847
NET: Agree		820 40%	441 44%B	379 36%	86 35%	112 33%	109 32%	145 40%dE	149 49%CDEF	219 49%CDEF	240 44%kL	241 42%L	166 37%	172 35%	112 37%	350 41%
Strongly agree	(4)	324 16%	180 18%B	144 14%	25 10%	41 12%	54 16%c	49 14%	64 21%CDF	91 20%CDF	94 17%	88 16%	66 15%	75 15%	50 17%	128 15%
Tend to agree	(3)	496 24%	261 26%	235 23%	61 25%E	71 21%	55 16%	95 26%E	85 28%dE	128 29%DE	146 27%L	153 27%L	100 22%	97 20%	62 21%	222 26%
Tend to disagree	(2)	562 27%	245 24%	317 30%A	68 28%	84 24%	98 28%	106 29%	81 27%	126 28%	155 28%	153 27%	117 26%	137 28%	83 27%	213 25%
Strongly disagree	(1)	287 14%	97 10%	190 18%A	55 23%EFGH	59 17%H	48 14%h	46 13%	37 12%	43 10%	72 13%	75 13%	69 16%	71 15%	42 14%	115 14%
NET: Disagree		850 41%	343 34%	507 48%A	123 50%dfGH	142 41%	146 42%	152 42%	118 39%	169 38%	226 41%	229 40%	187 42%	208 43%	125 41%	328 39%
Don't know		381 19%	221 22%B	160 15%	35 14%	91 26%CFGH	90 26%CFGH	68 19%Gh	37 12%	60 13%	82 15%	98 17%	93 21%l	107 22%lj	65 21%	169 20%
Mean		2.51	2.67B	2.38	2.26	2.37	2.45c	2.50C	2.66CDEf	2.69CDEF	2.56	2.54	2.46	2.46	2.51	2.54
Standard deviation Standard error		0.99 0.02	0.97 0.03	0.99 0.03	0.98 0.07	1.01 0.07	1.03 0.06	0.95 0.05	0.99 0.06	0.95 0.05	0.98 0.04	0.97 0.04	1.01 0.06	1.01 0.05	1.02 0.07	0.98 0.04

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n



Page 8

Absolutes/col percents

Table 5

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF?

Couples who want to receive IVF treatment should pay for it themselves, rather than the treatment being funded by the NHS Base: All respondents

									gion					
		Total	Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East	South West (m)
Unweighted base		2051	179	87	1785	88	229	183	198	137	198	257	295	200
Weighted base		2051	185	103*	1764	82*	226	185	185	144	205	267	287	185
NET: Agree		820 40%	63 34%e	34 33%	724 41%	18 22%	100 44%aE	67 36%E	85 46%Ab	54 Eg 37%E	80 39%E	120 45%AbE	131 46%AbEg	70 38%E
Strongly agree	(4)	324 16%	22 12%	12 12%	290 16%	6 8%	30 13%	30 16%e	35 19%aE	23 16%	37 18%E	48 18%E	47 16%e	33 18%E
Tend to agree	(3)	496 24%	40 22%	22 21%	434 25%	12 15%	70 31%aEG	37 iJM 20%	50 27%E	31 22%	43 21%	71 27%E	84 29%EGj№	36 1 20%
Tend to disagree	(2)	562 27%	50 27%	34 33%f	478 27%	24 29%	51 23%	50 27%	45 24%	40 28%	66 32%f	70 26%	75 26%	57 31%f
Strongly disagree	(1)	287 14%	31 17%	16 16%	241 14%	18 22%hKlm	31 14%	26 14%	22 12%	22 15%	32 16%	31 12%	38 13%	22 12%
NET: Disagree		850 41%	80 44%	50 49%fh	719 41%	42 51%FHkl	82 36%	76 41%	67 36%	62 43%	98 48%FHkl	101 38%	112 39%	79 43%
Don't know		381 19%	41 22%JI	19 18%	321 18%	22 26%JL	44 20%	42 23%JI	33 18%	27 19%	27 13%	46 17%	44 15%	36 19%
Mean		2.51	2.38e	2.36	2.54	2.11	2.55E	2.50E	2.64AbE	2.47E	2.48E	2.62AbE	2.57aE	2.55E
Standard deviation Standard error		0.99 0.02	0.99 0.08	0.95 0.11	0.99 0.03	0.96 0.12	0.96 0.07	1.02 0.08	0.99 0.08	1.01 0.10	1.02 0.08	0.98 0.07	0.97 0.06	1.00 0.08

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m * small base; ** very small base (under 30) ineligible for sig testing



Absolutes/col percents

Page 9

Table 6

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm

outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment

should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the

following statements about access to IVF?

It is unacceptable for local commissioners to ignore NICE guidance on IVF

Base: All respondents

	Gender						Age					Social G	rade		Employme	
		Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Pri- vate (n)
Unweighted base		2051	975	1076	212	318	371	375	319	456	588	604	345	514	277	830
Weighted base		2051	1005	1046	244	345	345	365	305	447	548	569	447	488	302	847
NET: Agree		1122 55%	521 52%	601 57%A	128 53%	190 55%	179 52%	193 53%	166 54%	267 60%Ef	331 60%KL	319 56%l	229 51%	242 50%	148 49%	458 54%
Strongly agree	(4)	405 20%	174 17%	231 22%A	54 22%	82 24%F	63 18%	58 16%	56 18%	92 21%	137 25%JKL	102 18%	80 18%	87 18%	55 18%	159 19%
Tend to agree	(3)	717 35%	347 35%	370 35%	74 30%	108 31%	116 34%	135 37%	110 36%	175 39%cD	194 35%	218 38%L	149 33%	156 32%	92 31%	299 35%
Tend to disagree	(2)	216 11%	113 11%	103 10%	37 15%DE	25 7%	28 8%	38 10%	42 14%DE	47 10%	60 11%	56 10%	42 9%	58 12%	35 12%	90 11%
Strongly disagree	(1)	87 4%	51 5%	37 3%	6 3%	10 3%	19 5%	17 5%	15 5%	20 4%	20 4%	30 5%	18 4%	20 4%	10 3%	34 4%
NET: Disagree		303 15%	164 16%	140 13%	44 18%D	36 10%	46 13%	55 15%	57 19%De	66 15%	80 15%	86 15%	60 13%	77 16%	45 15%	125 15%
Don't know		626 31%	320 32%	305 29%	72 30%	120 35%gH	120 35%GH	118 32%h	82 27%	114 26%	137 25%	163 29%	157 35%lj	168 34%lj	109 36%	264 31%
Mean		3.01	2.94	3.07A	3.02	3.16eFGh	2.99	2.94	2.93	3.02	3.09JI	2.97	3.01	2.97	3.00	3.00
Standard deviation Standard error		0.83 0.02	0.84 0.03	0.80 0.03	0.83 0.07	0.80 0.06	0.86 0.05	0.81 0.05	0.84 0.06	0.81 0.04	0.82 0.04	0.83 0.04	0.82 0.05	0.84 0.05	0.82 0.06	0.82 0.03

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n



Absolutes/col percents

Page 10

Table 6

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the following statements about access to IVF?

It is unacceptable for local commissioners to ignore NICE guidance on IVF Base: All respondents

		_							gion					
	-	Total	Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (I)	South West (m)
Unweighted base	:	2051	179	87	1785	88	229	183	198	137	198	257	295	200
Weighted base	:	2051	185	103*	1764	82*	226	185	185	144	205	267	287	185
NET: Agree		1122 55%	98 53%	47 46%	977 55%	37 45%	128 57%	99 53%	102 55%	94 66%ABEghł	119 (I 58%be	131 49%	159 55%	108 59%bek
Strongly agree	(4)	405 20%	40 21%	21 20%	345 20%	17 20%	40 18%	29 16%	33 18%	34 24%	44 22%	54 20%	59 21%	34 19%
Tend to agree	(3)	717 35%	58 32%	26 26%	632 36%b	20 25%	88 39%bEK	70 38%beł	69 x 37%be	60 k 42%BEK	75 36%e	77 29%	100 35%	74 40%BEK
Tend to disagree	(2)	216 11%	19 10%	12 12%	185 10%	14 17%hijL	22 10%	16 9%	15 8%	11 7%	17 9%	43 16%fgHIJ	23 L 8%	23 13%
Strongly disagree	(1)	87 4%	6 3%	6 6%	75 4%	3 4%	9 4%	4 2%	12 7%g	9 6%g	11 5%	8 3%	13 4%	6 3%
NET: Disagree		303 15%	25 13%	19 18%	260 15%	17 21%gl	31 14%	20 11%	28 15%	20 14%	29 14%	51 19%GI	36 12%	29 16%
Don't know		626 31%	62 33%l	37 36%l	527 30%	28 34%l	67 30%	66 36%lm	55 30%	30 21%	58 28%	84 32%l	92 32%l	48 26%
Mean		3.01	3.07	2.93	3.01	2.93	3.00	3.04	2.95	3.05	3.03	2.97	3.06	3.00
Standard deviation Standard error		0.83 0.02	0.81 0.07	0.95 0.12	0.82 0.02	0.91 0.12	0.79 0.06	0.72 0.07	0.87 0.07	0.84 0.08	0.85 0.07	0.85 0.06	0.82 0.06	0.77 0.06

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m * small base; ** very small base (under 30) ineligible for sig testing



Absolutes/col percents

Page 11

Table 7

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment

should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the

following statements about access to IVF?

There should be universal criteria for who is eligible for IVF through the NHS

Base: All respondents

		_	Geno	der			Age					Social G	rade		Employme	
		Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (I)	Public (m)	Pri- vate (n)
Unweighted base		2051	975	1076	212	318	371	375	319	456	588	604	345	514	277	830
Weighted base		2051	1005	1046	244	345	345	365	305	447	548	569	447	488	302	847
NET: Agree		1457 71%	676 67%	781 75%A	156 64%	222 64%	245 71%d	260 71%d	227 75%CD	346 77%CDef	406 74%L	418 74%L	307 69%	325 67%	210 70%	585 69%
Strongly agree	(4)	642 31%	286 28%	356 34%A	70 29%	104 30%	119 35%F	92 25%	109 36%F	148 33%F	183 33%	182 32%	134 30%	143 29%	104 34%	245 29%
Tend to agree	(3)	815 40%	390 39%	425 41%	86 35%	118 34%	126 36%	168 46%CDEg	118 J 39%	198 44%cDE	223 41%	237 42%	173 39%	182 37%	106 35%	340 40%
Tend to disagree	(2)	164 8%	92 9%	72 7%	32 13%dEGH	26 7%	25 7%	35 10%h	20 7%	26 6%	44 8%	40 7%	38 9%	41 8%	29 10%	77 9%
Strongly disagree	(1)	82 4%	42 4%	40 4%	10 4%	18 5%e	8 2%	16 4%	14 5%	17 4%	18 3%	22 4%	20 4%	22 5%	13 4%	29 3%
NET: Disagree		245 12%	133 13%	112 11%	42 17%EH	44 13%	32 9%	51 14%eh	34 11%	42 9%	62 11%	62 11%	58 13%	63 13%	42 14%	106 13%
Don't know		349 17%	196 19%B	153 15%	46 19%h	79 23%FGH	67 20%gH	54 15%	43 14%	59 13%	80 15%	88 15%	82 18%	99 20%lj	50 17%	155 18%
Mean		3.19	3.14	3.23A	3.10	3.16	3.29CF	3.08	3.23F	3.23F	3.22	3.20	3.16	3.15	3.20	3.16
Standard deviation Standard error		0.79 0.02	0.81 0.03	0.78 0.03	0.84 0.06	0.86 0.06	0.74 0.04	0.78 0.04	0.81 0.05	0.75 0.04	0.77 0.03	0.78 0.03	0.81 0.05	0.83 0.04	0.83 0.05	0.78 0.03

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n



Absolutes/col percents

Page 12

Table 7

Q.1 IVF, or in-vitro fertilisation, is a widely recognised treatment for infertility, during which an egg is fertilised by sperm outside the body: in vitro. In 2004, the National Institute for Clinical Excellence (NICE) recommended that three rounds of treatment should be made available on the NHS for people matching the criteria. To what extent do you agree or disagree with each of the

following statements about access to IVF?

There should be universal criteria for who is eligible for IVF through the NHS Base: All respondents

			Region											
		Total	Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside V (g)	Vest Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (I)	South West (m)
Unweighted base		2051	179	87	1785	88	229	183	198	137	198	257	295	200
Weighted base		2051	185	103*	1764	82*	226	185	185	144	205	267	287	185
NET: Agree		1457 71%	143 77%dGK	78 76%g	1237 70%	55 67%	165 73%G	115 62%	137 74%Gk	105 73%g	154 75%Gk	176 66%	202 70%	129 70%
Strongly agree	(4)	642 31%	62 33%	41 40%dghł	539 (31%	28 34%	66 29%	51 27%	53 29%	52 36%k	73 36%k	71 27%	89 31%	56 30%
Tend to agree	(3)	815 40%	81 44%	36 35%	698 40%	27 33%	99 44%	64 35%	84 45%eg	53 37%	80 39%	104 39%	113 39%	73 40%
Tend to disagree	(2)	164 8%	12 6%	6 6%	146 8%	4 5%	14 6%	16 9%h	7 4%	16 11%H	11 5%	38 14%AbEF	20 HJL 7%	20 11%Hj
Strongly disagree	(1)	82 4%	5 3%	5 4%	72 4%	4 5%	7 3%	8 5%	11 6%l	1 1%	5 3%	12 4%	13 5%i	9 5%i
NET: Disagree		245 12%	17 9%	11 10%	218 12%	8 9%	22 10%	24 13%	18 10%	17 12%	16 8%	50 19%AeFH	34 JI 12%	29 16%afJ
Don't know		349 17%	25 14%	14 14%	309 18%	20 24%am	39 17%	46 25%Abhil	30 KM 16%	21 15%	35 17%	41 15%	51 18%	26 14%
Mean		3.19	3.25K	3.30k	3.17	3.26	3.20k	3.13	3.15	3.27K	3.31gKM	3.04	3.18	3.11
Standard deviation Standard error		0.79 0.02	0.73 0.06	0.81 0.10	0.80 0.02	0.83 0.10	0.74 0.05	0.84 0.07	0.81 0.06	0.73 0.07	0.73 0.06	0.84 0.06	0.81 0.05	0.84 0.06

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m * small base; ** very small base (under 30) ineligible for sig testing



Absolutes/col percents

Page 13