

BBC RADIO SHEFFIELD - MENOPAUSE RESEARCH

ComRes interviewed 1,009 women aged 50-60, between 8th December and 18th December 2017. Data were weighted to be nationally representative of UK women aged 50-60 by region. ComRes is a member of the British Polling Council and abides by its rules.

All press releases or other publications must be checked with ComRes before use. ComRes requires 48 hours to check a press release unless otherwise agreed.

For information about commissioning research please contact <u>info@comresglobal.com</u> or call +44 (0)20 7871 8660.

REPUTATION | COMMUNICATIONS | PUBLIC POLICY

Four Millbank | London | SW1P 3JA | T. +44 (0)20 7871 8660 Rond-Point Schuman / Schumanplein 6 | Box 5 | 1040 Bruxelles | T. +32 (0)2 234 63 82 51/F Raffles City | No.268 Xi Zang Middle Road | HuangPu District Shanghai | 200001 China | T. +86 (0)21 2312 7674

Q1. To what extent did you have an understanding of the menopause prior to experiencing it?	1
Q2. How useful is/was your GP in helping you with the symptoms of the menopause? Base: All who have experienced the menopause	4
Q3. Which of the following symptoms of the menopause have had the most impact on your life? Please select up to three symptoms that have had the most impact. Base: All who experienced the menopause and had symptoms of it	7
Q4. To what extent, if at all, is/was your mental health or mood affected by the menopause?	12
Q5. To what extent, if at all, is/was your ability to do your job affected by the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it	15
Q6. How supportive is/was your employer in helping you cope with the symptoms of the menopause?	18
Q7. Have you tried any of the below treatments to help you alleviate the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it	21
Q8_SUM. How effective have the below been at treating your symptoms of the menopause, if at all? SUMMARY TABLE	27
Q8_1. How effective have the below been at treating your symptoms of the menopause, if at all? Hormone Replacement Therapy (HRT)	28
Q8_2. How effective have the below been at treating your symptoms of the menopause, if at all? Prescribed medication (e.g. certain medication for high blood pressure or anti-depressants that can help with menopausal symptoms)	31
Q8_3. How effective have the below been at treating your symptoms of the menopause, if at all? Cognitive Behavioural Therapy (CBT) Base: All who experienced the menopause and experienced symptoms of it and tried cognitive Behavioural Therapy (CBT)	34
Q8_4. How effective have the below been at treating your symptoms of the menopause, if at all? A testosterone supplement	37
Q8_5. How effective have the below been at treating your symptoms of the menopause, if at all? A vaginal pessary, cream or vaginal ring or over the counter vaginal moisturisers and lubricants in addition to or instead of vaginal oestrogen to counter dryness	40
Q8_6. How effective have the below been at treating your symptoms of the menopause, if at all? Lifestyle changes (e.g. diet, exercise) Base: All who experienced the menopause and experienced symptoms of it and tried lifestyle changes (e.g. diet, exercise)	43
Q8_7. How effective have the below been at treating your symptoms of the menopause, if at all? Practical changes (e.g. different working pattern, layering clothing, changing temperature of environment, sleeping with open window, using fans)	46
Q8_8. How effective have the below been at treating your symptoms of the menopause, if at all? Alternative and complementary treatments such as herbal remedies and-'natural'-hormones	49
Q8_9. How effective have the below been at treating your symptoms of the menopause, if at all? Another treatment	52
Q9. Have you experienced any of the following as a result of the menopause? Base: All who have experienced the menopause	55
S1. Are you	60
How old are you?	63
S3. Which, if any, of the following regions best describes where you live? Base: All respondents	67



S4. What is the employment status of the the Chief Income Earner	. 73
S5. Does the Chief Income Earner have a private pension or allowance? Base: All who are retired	76
S6. What is the profession of the Chief Income Earner in your household?	. 79
S7. SEG	85



Q1. To what extent did you have an understanding of the menopause prior to experiencing it? Base: All respondents

		AGE GROUP SOCIAL GRADE		UNDERSTANDING OF THE MENOPAUSE			SYMPTOMS OF T	HE MENOPAUSE				
		50-55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
	Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected
Significance Level: 95%		а	b	а	b	а	b	С	а	b	а	b
Unweighted Total	1009	545	464	515	494	925	282	382	845	117	430	197
Weighted Total	1009	543	466	513	496	924	281	378	844	116	426	199
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
I had a strong understanding of it	281	141	140	139	143	281	281	-	251	30	132	67
	28%	26%	30%	27%	29%	30%	100%	-	30%	26%	31%	34%
						С	ac					
I had a moderate understanding of it	378	204	174	207	171	378	-	378	334	44	161	73
	37%	38%	37%	40%	34%	41%	-	100%	40%	38%	38%	37%
						b		ab				
I had some understanding of it	265	143	122	120	145	265	-	-	225	40	113	55
	26%	26%	26%	23%	29%	29%	-	-	27%	34%	26%	28%
					а	bc						
I had no understanding of it	36	16	20	18	18	-	-	-	35	2	20	3
	4%	3%	4%	4%	4%	-	-	-	4%	2%	5%	2%
I have not experienced the menopause	49	39	10	30	19	-	-	-	-	-	-	-
	5%	7%	2%	6%	4%	-	-	-	-	-	-	-
		b										
NETS												
Net: At least some understanding	924	488	436	466	459	924	281	378	810	115	406	195
-	92%	90%	93%	91%	93%	100%	100%	100%	96%	98%	95%	98%
			а									
Net: Experienced the menopause	960	504	456	484	477	924	281	378	844	116	426	199
	95%	93%	98%	94%	96%	100%	100%	100%	100%	100%	100%	100%
			a									



Q1. To what extent did you have an understanding of the menopause prior to experiencing it? Base: All respondents

		REGION Vorlabira											
		North	North	Yorkshire and the	East	West			South	South			Northern
	Total	East	West	Humber	Midlands	Midlands	East	London	East	West	Wales	Scotland	Ireland
Significance Level: 95%		а	b	С	d	е	f	g	h	i	j	k	*1
Unweighted Total	1009	48	118	98	83	93	100	118	97	97	50	93	14
Weighted Total	1009 100%	45 100%	114 100%	85 100%	74 100%	88 100%	95 100%	107 100%	140 100%	90 100%	51 100%	93 100%	28 100%
I had a strong understanding of it	281	14	28	30	14	21	23	37	37	23	17	28	8
	28%	31%	25%	36% d	19%	24%	24%	35% d	27%	26%	34%	30%	29%
I had a moderate understanding of it	378	18	45	29	25	33	51	42	50	29	22	29	4
	37%	40%	40%	35%	34%	38%	54% bcdeghik	40%	36%	32%	42%	31%	14%
I had some understanding of it	265	11	31	17	26	24	17	19	39	29	10	29	12
	26%	25%	27%	20%	35% cfg	28%	18%	18%	28%	32% fg	20%	31% fg	43%
I had no understanding of it	36	1	5	3	6	4	1	6	3	3	1	2	2
	4%	2%	4%	3%	8% f	4%	1%	6%	2%	3%	2%	2%	7%
I have not experienced the menopause	49	1	5	5	3	6	3	2	10	7	1	5	2
	5%	2%	4%	6%	4%	6%	3%	2%	7%	7%	2%	5%	7%
									g	g			
NETS													
Net: At least some understanding	924	43	104	77	65	78	91	98	127	81	49	86	24
	92%	96%	92%	91%	88%	89%	96% d	92%	91%	90%	96%	92%	86%
Net: Experienced the menopause	960	44	109	80	71	82	92	105	130	84	50	88	26
	95%	98%	96%	94%	96%	94%	97%	98% hi	93%	93%	98%	95%	93%



Q1. To what extent did you have an understanding of the menopause prior to experiencing it? Base: All respondents

				REGION GROUPS		
						Net: Devolved
	Total	Net: North	Net: Midlands	Net: South	Net: England	regions
Significance Level: 95%		а	b	С	d	е
Unweighted Total	1009	264	276	312	852	157
Weighted Total	1009	244	256	337	837	172
	100%	100%	100%	100%	100%	100%
I had a strong understanding of it	281	72	58	98	228	53
	28%	30%	23%	29%	27%	31%
I had a moderate understanding of it	378	93	109	122	324	55
	37%	38%	43%	36%	39%	32%
			е			
I had some understanding of it	265	60	67	87	214	51
	26%	24%	26%	26%	26%	30%
I had no understanding of it	36	8	11	12	31	5
	4%	3%	4%	4%	4%	3%
I have not experienced the menopause	49	11	11	18	41	8
	5%	4%	4%	5%	5%	5%
NETS						
Net: At least some understanding	924	225	234	306	765	159
	92%	92%	91%	91%	91%	92%
Net: Experienced the menopause	960	233	245	318	796	164
	95%	96%	96%	95%	95%	95%



Q2. How useful is/was your GP in helping you with the symptoms of the menopause? Base: All who have experienced the menopause

			AGE GR	OUP	SOCIAL	GRADE	UNDERSTA	ANDING OF THE ME	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M MOOD/MENT/	
	Ī	Total	50–55	56–60	ABC1	C2DE	At least some	Strong	Moderate	Experienced	No ourrente me	Severely/fairly	Not at all
Significance Level: 95%	+	Total	years a	years b	a	b	understanding a	understanding b	understanding c	symptoms	No symptoms b	affected a	affected b
Unweighted Total		962	507	455	486	476	925	282	382	845	117	430	197
•													
Weighted Total		960	504	456	484	477	924	281	378	844	116	426	199 100%
		100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Very helpful	(4)	113	58	54	50	62	110	51	38	113	-	68	19
		12%	12%	12%	10%	13%	12%		10%	13%	-	16%	109
								ac		b		b	
Fairly helpful	(3)	189	108	81	89	99	185	49	81	189	-	91	24
		20%	21%	18%	18%	21%	20%	18%	22%	22%	-	21%	129
										b		b	
Not very helpful	(2)	130	72	58	61	69	121	27	55	130	-	88	6
	()	14%	14%	13%	13%	15%	13%		15%	15%	-	21%	39
										b		b	
Not at all helpful	(1)	64	32	32	30	34	56	18	20	64	_	44	6
Test at all Holpia	(1)	7%	6%	7%	6%	7%	6%		5%	8%	-	10%	39
										b		b	
I do/ did not have symptoms of the menopause		116	57	59	69	47	115	30	44	_	116	7	60
Tuo, did not have symptoms of the menopause		12%	11%	13%	14%	10%	12%		12%	_	100%	2%	30%
					b						а		а
I had symptoms of the menopause, but I did not		348	176	172	184	164	337	106	139	348	_	128	84
consult my GP		36%	35%	38%	38%	34%	36%			41%	-	30%	42%
, ,		3373	30,0	30,70	33,0	0.70	0070	3370	0.70	b		0070	a
NETS													
Net: Helpful		301	167	135	140	162	295	101	120	301	_	159	43
Net. Helpful		31%	33%	30%	29%	34%	32%		32%	36%	-	37%	229
										b		b	
Net: Not helpful		195	104	90	91	103	178	45	75	195	_	132	11
Net. Not helpful		20%	21%	20%	19%	22%	19%		20%	23%	-	31%	69
										b		b	
Net: Have/had symptoms of the menopause		844	447	397	415	430	810	251	334	844	-	419	138
		88%	89%	87%	86%	90%	88%		88%	100%	-	98%	709
						а				b		b	
Mean score		2.7	2.7	2.7	2.7	2.7	2.7	2.9	2.7	2.7	-	2.6	3.0
					,			ac		2.7			a
Standard deviation		.96	.94	.99	.96	.97	.95	1.02	.90	.96	-	1.00	.94
Standard error		.04	.06	.07	.06	.06	.04	.08	.06	.04	-	.06	.13



Q2. How useful is/was your GP in helping you with the symptoms of the menopause? Base: All who have experienced the menopause

	F				V - al - la la -			REG	ION					
		Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%			а	b	С	d	е	f	g	h	i	j	k	*1
Unweighted Total		962	47	113	92	80	87	97	116	90	90	49	88	13
Weighted Total		960 100%	44 100%	109 100%	80 100%	71 100%	82 100%	92 100%	105 100%	130 100%	84 100%	50 100%	88 100%	26 100%
Very helpful	(4)	113 12%	4 9%	16 15% i	11 14% i	5 8%	9 11%	14 15% i	13 12%	16 12%	4 4%	4 8%	10 11%	6 23%
Fairly helpful	(3)	189 20%	15 34% bcdfik	16 15%	12 15%	8 11%	18 22%	15 16%	23 22%	33 26% di	11 13%	11 22%	16 18%	10 38%
Not very helpful	(2)	130 14%	8 17%	15 13%	15 18% i	14 20% i	12 15%	16 18% i	14 13%	16 12%	7 8%	6 12%	9 10%	-
Not at all helpful	(1)	64 7%	4 9%	8 7%	5 7%	4 5%	11 14% ghk	6 6%	5 5%	3 2%	7 8%	5 10% h	3 3%	4 15%
I do/ did not have symptoms of the menopause		116 12%	2 4%	17 16% a	9 11%	8 11%	6 7%	9 9%	9 9%	14 11%	19 22% acefgh	5 10%	17 19% aeg	2 8%
I had symptoms of the menopause, but I did not consult my GP		348 36%	12 28%	37 34%	28 35%	32 45%	25 31%	32 35%	42 40%	48 37%	37 44%	18 37%	33 38%	4 15%
NETS														
Net: Helpful		301 31%	19 43% di	33 30% i	23 29%	13 19%	27 33% di	29 32% di	35 34% di	49 38% di	15 18%	15 31%	26 30%	16 62%
Net: Not helpful		195 20%	11 26%	22 20%	20 25%	18 25%	24 29% hik	22 24%	19 18%	19 14%	13 16%	11 22%	12 14%	4 15%
Net: Have/had symptoms of the menopause		844 88%	42 96% bik	92 84%	71 89% i	63 89%	76 93% ik	84 91% i	96 91% ik	115 89% i	65 78%	45 90%	71 81%	24 92%
Mean score		2.7	2.6	2.8	2.7	2.5	2.5	2.7	2.8	2.9	2.4	2.5	2.9	2.9
Standard deviation Standard error		.96 .04	.87 .15	1.04 .14	1.00 .14	.92 .16	1.04 .14	.99 .14	.92 .12	dei .80 .12	1.01 .18	.99 .19	.91 .15	1.07 .34



Q2. How useful is/was your GP in helping you with the symptoms of the menopause? Base: All who have experienced the menopause

	Γ				REGION GROUPS		
		Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
Significance Level: 95%			а	b	С	d	е
Unweighted Total		962	252	264	296	812	150
Weighted Total		960 100%	233 100%	245 100%	318 100%	796 100%	164 100%
Very helpful	(4)	113 12%	31 13%	29 12%	32 10%	93 12%	20 12%
Fairly helpful	(3)	189 20%	44 19%	41 17%	67 21%	152 19%	37 23%
Not very helpful	(2)	130 14%	37 16%	43 17% ce	36 11%	115 14%	15 9%
Not at all helpful	(1)	64 7%	17 7%	21 8%	15 5%	52 7%	12 7%
I do/ did not have symptoms of the menopause		116 12%	28 12%	22 9%	42 13%	92 12%	24 15%
I had symptoms of the menopause, but I did not consult my GP		348 36%	77 33%	90 37%	126 40%	293 37%	55 34%
NETS							
Net: Helpful		301 31%	75 32%	70 29%	99 31%	244 31%	57 35%
Net: Not helpful		195 20%	53 23% c	63 26% ce	51 16%	167 21%	27 17%
Net: Have/had symptoms of the menopause		844 88%	205 88%	223 91%	276 87%	704 88%	140 85%
Mean score Standard deviation Standard error		2.7 .96 .04	2.7 .98 .08	2.6 1.00 .08	2.8 .90 .08	2.7 .96 .05	2.8 .97 .11



Q3. Which of the following symptoms of the menopause have had the most impact on your life? Please select up to three symptoms that have had the most impact.

Base: All who experienced the menopause and had symptoms of it

		AGE GROUP		SOCIAL O	GRADE	UNDERSTA	NDING OF THE ME	NOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M	
	Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%		а	b	а	b	а	b	С	а	*b	а	b
Unweighted Total	845	449	396	416	429	810	252	338	845	-	423	136
Weighted Total	844 100%	447 100%	397 100%	415 100%	430 100%	810 100%	251 100%	334 100%	844 100%	-	419 100%	138 100%
Hot flushes	515 61%	250 56%	265 67% a	250 60%	265 62%	496 61%	154 61%	213 64%	515 61%	-	237 56%	93 67% a
Night sweats	328 39%	168 38%	159 40%	152 37%	175 41%	317 39%	107 43%	130 39%	328 39%		157 37%	57 41%
Difficulty sleeping	292 35%	154 34%	138 35%	161 39% b	131 30%	277 34%	79 31%	120 36%	292 35%	-	156 37% b	36 26%
Mood changes	166 20%	98 22%	67 17%	73 18%	93 22%	156 19%	54 21%	60 18%	166 20%	-	118 28% b	4 3%
Problems with memory and concentration	153 18%	86 19%	67 17%	75 18%	78 18%	148 18%	42 17%	57 17%	153 18%	-	101 24% b	11 8%
Joint stiffness, aches and pains	143 17%	81 18%	62 16%	72 17%	71 17%	137 17%	35 14%	58 17%	143 17%	-	73 17%	16 12%
Anxiety	132 16%	85 19% b	47 12%	55 13%	77 18%	123 15%	35 14%	44 13%	132 16%	-	97 23% b	4 3%
A reduced sex drive	130 15%	65 15%	64 16%	63 15%	67 16%	124 15%	34 14%	57 17%	130 15%	-	76 18% b	15 11%
Vaginal dryness and pain, itching or discomfort during sex	112 13%	52 12%	61 15%	58 14%	54 13%	111 14%	34 14%	46 14%	112 13%		58 14%	16 11%
Headaches	57 7%	38 8% b	20 5%	36 9% b	21 5%	54 7%	18 7%	17 5%	57 7%	-	27 6%	9 6%
Palpitations	50 6%	26 6%	24 6%	25 6%	26 6%	48 6%	18 7%	19 6%	50 6%	-	23 6%	11 8%
Recurrent urinary tract infections (UTIs) such as cystitis	40 5%	18 4%	22 6%	16 4%	24 6%	38 5%	9 4%	18 5%	40 5%	-	20 5%	3 2%



Q3. Which of the following symptoms of the menopause have had the most impact on your life? Please select up to three symptoms that have had the most impact.

Base: All who experienced the menopause and had symptoms of it

Significance Level: 95% Unweighted Total Weighted Total Reduced muscle mass Other

	AGE G	ROUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE MI	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE I	
	50-55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected
	а	b	а	b	а	b	С	а	*b	а	b
845	449	396	416	429	810	252	338	845	-	423	136
844	447	397	415	430	810	251	334	844	-	419	138
100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
21	10	11	10	11	20	8	10	21	-	11	7
2%	2%	3%	3%	2%	2%	3%	3%	2%	-	3%	5%
46	28	18	21	25	43	13	16	46	-	20	12
5%	6%	4%	5%	6%	5%	5%	5%	5%	-	5%	9%



Q3. Which of the following symptoms of the menopause have had the most impact on your life? Please select up to three symptoms that have had the most impact.

Base: All who experienced the menopause and had symptoms of it

							REGI	ON					
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		а	b	С	d	е	f	g	h	i	j	k	*1
Unweighted Total	845	45	95	82	71	81	88	106	80	70	44	71	12
Weighted Total	844 100%	42 100%	92 100%	71 100%	63 100%	76 100%	84 100%	96 100%	115 100%	65 100%	45 100%	71 100%	24 100%
Hot flushes	515 61%	22 51%	63 68% a	39 55%	47 75% acfgjk	49 64%	47 56%	56 58%	69 60%	39 60%	26 57%	41 58%	18 75%
Night sweats	328 39%	19 44%	42 45%	31 44%	24 38%	34 44%	27 32%	32 33%	37 33%	26 40%	18 41%	30 42%	8 33%
Difficulty sleeping	292 35%	15 36%	27 29%	29 40%	23 37%	25 33%	26 31%	31 32%	37 33%	26 40%	21 45%	22 31%	10 42%
Mood changes	166 20%	8 18%	21 23%	10 15%	12 20%	14 19%	17 20%	22 23%	14 13%	16 24%	7 16%	18 25% h	6 25%
Problems with memory and concentration	153 18%	12 29% ch	17 19%	10 13%	11 17%	12 16%	18 22%	18 19%	16 14%	9 14%	10 23%	13 18%	6 25%
Joint stiffness, aches and pains	143 17%	7 16%	14 15%	13 18%	13 21%	10 14%	14 17%	14 15%	13 11%	20 30% begh	7 16%	14 20%	4 17%
Anxiety	132 16%	8 18%	14 15%	13 18%	6 10%	11 15%	12 15%	17 18%	20 18%	11 17%	6 14%	11 15%	2 8%
A reduced sex drive	130 15%	7 16%	13 14%	8 11%	10 15%	17 22% g	15 18% g	8 8%	20 18%	9 14%	5 11%	16 23% g	2 8%
Vaginal dryness and pain, itching or discomfort during sex	112 13%	9 22% i	10 11%	9 12%	8 13%	10 14%	17 20% i	12 12%	19 16%	5 7%	5 11%	7 10%	2 8%
Headaches	57 7%	3 7%	3 3%	7 10%	3 4%	5 6%	7 8%	7 8%	9 8%	4 6%	4 9%	5 7%	2 8%
Palpitations	50 6%	1 2%	9 9% k	8 11% ek	3 4%	2 2%	8 9% k	7 8%	6 5%	4 6%	1 2%	1 1%	2 8%
Recurrent urinary tract infections (UTIs) such as cystitis	40 5%	1 2%	6 6% i	7 10% di	1 1%	2 2%	5 6% i	4 4%	7 6% i	-	3 7% i	3 4%	2 8%
Reduced muscle mass	21 2%	-	4 4%	3 4%	1 1%	2 2%	2 2%	2 2%	- -	1 1%	4 9% agh	3 4%	-

Columns Tested: a,b,c,d,e,f,g,h,i,j,k,l

Fieldwork: 8th - 18th December 2017

Prepared by ComRes



Q3. Which of the following symptoms of the menopause have had the most impact on your life? Please select up to three symptoms that have had the most impact.

Base: All who experienced the menopause and had symptoms of it

Significance Level: 95% Unweighted Total Weighted Total Other

						REG	SION					
Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
	а	b	С	d	е	f	g	h	i	j	k	*1
845	45	95	82	71	81	88	106	80	70	44	71	12
844 100%	42 100%	92 100%	71 100%	63 100%	76 100%	84 100%	96 100%	115 100%	65 100%	45 100%	71 100%	24 100%
46 5%	3 7%	3 3%	2 2%	3 4%	3 4%	4 5%	11 11% bcij	10 9% ij	1 1%	-	5 7%	2 8%



Q3. Which of the following symptoms of the menopause have had the most impact on your life? Please select up to three symptoms that have had the most impact.

Base: All who experienced the menopause and had symptoms of it

				REGION GROUPS		
	Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
Significance Level: 95%		а	b	С	d	е
Unweighted Total	845	222	240	256	718	127
Weighted Total	844 100%	205 100%	223 100%	276 100%	704 100%	140 100%
Hot flushes	515 61%	123 60%	143 64%	164 59%	430 61%	84 60%
Night sweats	328	92	85	95	271	56
Night Should	39%	45% c	38%	34%	39%	40%
Difficulty sleeping	292 35%	71 34%	74 33%	94 34%	239 34%	52 37%
Mood changes	166 20%	39 19%	44 20%	52 19%	135 19%	31 22%
Problems with memory and concentration	153 18%	39 19%	41 18%	43 16%	123 18%	29 21%
Joint stiffness, aches and pains	143	33	38	47	118	25
	17%	16%	17%	17%	17%	18%
Anxiety	132 16%	34 17%	30 13%	48 18%	112 16%	19 14%
A reduced sex drive	130 15%	27 13%	42 19%	38 14%	106 15%	23 17%
Vaginal dryness and pain, itching or discomfort during sex	112 13%	28 14%	35 16%	35 13%	98 14%	14 10%
Headaches	57 7%	13 6%	14 6%	20 7%	46 7%	11 8%
Palpitations	50 6%	17 8%	12 5%	17 6%	46 7%	4 3%
Recurrent urinary tract infections (UTIs) such as cystitis	40	e 14	8	11	32	8
	5%	7%	3%	4%	5%	6%
Reduced muscle mass	21 2%	6 3%	5 2%	3 1%	14 2%	7 5% cd
Other	46 5%	7 4%	9 4%	22 8% a	39 5%	7 5%



Q4. To what extent, if at all, is/was your mental health or mood affected by the menopause? Base: All who have experienced the menopause

			AGE GR	OUP	SOCIAL (GRADE	UNDERSTA	NDING OF THE M	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M MOOD/MENTA	
		Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%	-	Total	a	years b	a	b	a	b	C	a	b	anected	b
Unweighted Total		962	507	455	486	476	925	282	382	845	117	430	197
Weighted Total		960 100%	504 100%	456 100%	484 100%	477 100%	924 100%	281 100%	378 100%	844 100%	116 100%	426 100%	199 100%
Severely affected	(4)	84 9%	48 10%	35 8%	33 7%	51 11% a	74 8%	29 10% c	22 6%	81 10% b	3 2%	84 20% b	-
Fairly affected	(3)	342 36%	194 38%	149 33%	171 35%	171 36%	332 36%	103 37%	139 37%	339 40% b	4 3%	342 80% b	-
Not very affected	(2)	255 27%	123 24%	132 29%	125 26%	131 27%	251 27%	72 26%	112 30%	232 27%	23 20%	- -	-
Not at all affected	(1)	199 21%	98 19%	101 22%	111 23%	87 18%	195 21%	67 24%	73 19%	138 16%	60 52% a		199 100% a
I don't know		77 8%	41 8%	36 8%	42 9%	35 7%	70 8% b	9 3%	31 8% b	53 6%	24 21% a	- -	-
Prefer not to say		4	-	4 1% a	1	3 1%	3	1	1 *	2 *	2 2% a		-
NETS													
Net: Severely/ fairly affected		426 44%	242 48% b	184 40%	204 42%	222 47%	406 44%	132 47%	161 43%	419 50% b	7 6%	426 100% b	-
Net: At least slightly affected		681 71%	365 72%	316 69%	329 68%	353 74% a	656 71%	204 73%	273 72%	651 77% b	30 26%	426 100% b	-
Mean score		2.4	2.4 b	2.3	2.3	2.4	2.3	2.3	2.3	2.5 b	1.4	3.2	1.0
Standard deviation Standard error		.93 .03	.94 .04	.93 .05	.93 .04	a .93 .04	.92 .03	.97 .06	.88 .05	.90 .03	.73 .08	.40 .02	-



Q4. To what extent, if at all, is/was your mental health or mood affected by the menopause? Base: All who have experienced the menopause

		REGION												
		Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%			а	b	С	d	е	f	g	h	i	j	k	*I
Unweighted Total		962	47	113	92	80	87	97	116	90	90	49	88	13
Weighted Total		960 100%	44 100%	109 100%	80 100%	71 100%	82 100%	92 100%	105 100%	130 100%	84 100%	50 100%	88 100%	26 100%
Severely affected	(4)	84 9%	8 17% dfhi	12 11% d	8 10%	2 3%	10 13% d	5 5%	16 16% dfhi	6 4%	5 6%	4 8%	7 8%	2 8%
Fairly affected	(3)	342 36%	19 43%	38 35%	22 27%	29 41%	37 45% cg	37 40%	32 30%	45 34%	32 38%	15 31%	30 34%	8 31%
Not very affected	(2)	255 27%	8 19%	35 32%	20 25%	18 25%	18 22%	25 27%	26 25%	45 34%	19 22%	13 27%	23 26%	6 23%
Not at all affected	(1)	199 21%	8 17%	19 18%	17 22%	15 21%	13 16%	20 22%	21 20%	25 19%	19 22%	14 29%	18 20%	10 38%
I don't know		77 8%	2 4%	6 5%	12 15% bef	7 10%	4 5%	6 6%	9 9%	10 8%	9 11%	3 6%	9 10%	- -
Prefer not to say		4	-	-	1 1%	-	-		1 1%	-	1 1%	-	1 1%	- -
NETS														
Net: Severely/ fairly affected		426 44%	26 60% chj	49 45%	29 37%	31 44%	47 57% chjk	42 45%	48 46%	50 39%	36 43%	20 39%	37 42%	10 38%
Net: At least slightly affected		681 71%	35 79% c	84 77% c	49 62%	49 69%	65 79% ci	67 72%	74 71%	95 73%	55 66%	33 65%	60 68%	16 62%
Mean score		2.4	2.6 dhj	2.4	2.3	2.3	2.6 dhj	2.3	2.5	2.3	2.3	2.2	2.3	2.1
Standard deviation Standard error		.93 .03	.98 .15	.92 .09	.99 .11	.86 .10	.93 .10	.89 .09	1.02 .10	.84 .09	.93 .10	.98 .14	.94 .11	1.02 .28



Q4. To what extent, if at all, is/was your mental health or mood affected by the menopause? Base: All who have experienced the menopause

				REGION GROUPS		
	Tatal	Nata Nastla	Niete Midlem de	New Court	Note England	Net: Devolved
Significance Level: 95%	Total	Net: North	Net: Midlands b	Net: South	Net: England d	regions
Significance Level: 95%		а	D	С	a	е
Unweighted Total	962	252	264	296	812	150
Weighted Total	960	233	245	318	796	164
	100%	100%	100%	100%	100%	100%
Severely affected (4)	84	27	17	27	70	13
	9%	12%	7%	8%	9%	8%
Fairly affected (3)	342	78	103	108	289	53
	36%	34%	42%	34%	36%	33%
			ac			
Not very affected (2)	255	63	60	89	213	42
	27%	27%	25%	28%	27%	26%
Not at all affected (1)	199	44	48	64	156	42
	21%	19%	20%	20%	20%	26%
I don't know	77	20	17	28	65	12
	8%	8%	7%	9%	8%	7%
Prefer not to say	4	1	-	2	3	1
	*	*	-	1%	*	1%
NETS						
Net: Severely/ fairly affected	426	105	120	135	360	66
	44%	45%	49%	42%	45%	40%
Net: At least slightly affected	681	168	180	224	573	109
	71%	72%	74%	70%	72%	66%
Mean score	2.4	2.4	2.4	2.3	2.4	2.2
Standard deviation	.93	.96	.90	.93	.93	.96
Standard error	.03	.06	.06	.06	.03	.08



Q5. To what extent, if at all, is/was your ability to do your job affected by the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it

		AGE GR	OUP	SOCIAL (GRADE	UNDERSTA	NDING OF THE ME	NOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE MOOD/MENT	
	Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%	Total	a	b	a	b	a	b	C	а	*b	а	b
Unweighted Total	845	449	396	416	429	810	252	338	845	-	423	136
Weighted Total	844 100%	447 100%	397 100%	415 100%	430 100%	810 100%	251 100%	334 100%	844 100%		419 100%	138 100%
I have been severely affected to the extent I have had to leave my job	17 2%	12 3%	5 1%	8 2%	9 2%	15 2%	2 1%	7 2%	17 2%	-	17 4% b	-
I have been severely affected in my job	27 3%	14 3%	12 3%	15 4%	11 3%	25 3%	8 3%	8 2%	27 3%	-	23 5% b	-
I have been moderately affected in my job	100 12%	49 11%	52 13%	58 14%	42 10%	93 12%	29 11%	45 14%	100 12%	-	70 17% b	4 3%
I have been slightly affected in my job	158 19%	89 20%	70 17%	92 22% b	67 16%	155 19%	44 17%	62 18%	158 19%	- -	87 21% b	12 9%
I have not been affected in my job	283 34%	147 33%	136 34%	183 44% b	101 23%	276 34%	92 37%	122 36%	283 34%		89 21%	80 58% a
I do not/ did not work when I experienced the menopause	258 31%	136 30%	123 31%	58 14%	200 47% a	246 30%	76 30%	90 27%	258 31%	-	133 32%	42 30%
NETS												
Net: Severely affected	43 5%	27 6%	17 4%	24 6%	20 5%	40 5%	10 4%	15 5%	43 5%	-	40 9% b	-
Net: At least slightly affected	302 36%	164 37%	138 35%	174 42% b	129 30%	288 36%	83 33%	122 37%	302 36%	-	197 47% b	16 12%



Q5. To what extent, if at all, is/was your ability to do your job affected by the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it

ſ							REG	ION					
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		а	b	С	d	е	f	g	h	i	j	k	*1
Unweighted Total	845	45	95	82	71	81	88	106	80	70	44	71	12
Weighted Total	844 100%	42 100%	92 100%	71 100%	63 100%	76 100%	84 100%	96 100%	115 100%	65 100%	45 100%	71 100%	24 100%
I have been severely affected to the extent I have had to leave my job	17 2%	- -	2 2%	3 4%	1 1%	2 2%	4 5%	3 3%	-	1 1%	1 2%	1 1%	-
I have been severely affected in my job	27 3%	2 4% f	3 3%	3 5% f	1 1%	3 4%	-	6 7% f	1 1%	1 1%	2 5% f	4 6% f	
I have been moderately affected in my job	100 12%	5 11%	9 9%	13 18% fi	8 13%	8 11%	7 8%	9 9%	16 14% i	3 4%	10 23% bfgi	7 10%	6 25%
I have been slightly affected in my job	158 19%	9 22% c	15 17% c	3 5%	12 20% c	10 14%	22 26% ce	21 22% c	17 15% c	22 34% bcehjk	6 14%	13 18% c	6 25%
I have not been affected in my job	283 34%	9 22%	25 27%	29 41% abk	19 30%	28 37%	23 27%	38 40% a	53 46% abdfk	25 39%	13 30%	18 25%	2 8%
I do not/ did not work when I experienced the menopause	258 31%	17 40% gi	38 41% cghi	19 27%	22 35% gi	24 32%	29 34% g	19 20%	27 24%	13 20%	12 27%	28 39% ghi	10 42%
NETS													
Net: Severely affected	43 5%	2 4%	5 5%	6 9% h	2 3%	5 6%	4 5%	9 9% h	1 1%	2 3%	3 7%	5 7%	-
Net: At least slightly affected	302 36%	16 38%	29 32%	23 32%	22 35%	24 31%	32 39%	39 41%	35 30%	27 41%	20 43%	25 35%	12 50%



Q5. To what extent, if at all, is/was your ability to do your job affected by the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it

				REGION GROUPS		
	Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
Significance Level: 95%		а	b	С	d	е
Unweighted Total	845	222	240	256	718	127
Weighted Total	844 100%	205 100%	223 100%	276 100%	704 100%	140 100%
I have been severely affected to the extent I have had to leave my job	17 2%	5 2%	7 3%	4 1%	15 2%	2 1%
I have been severely affected in my job	27 3%	8 4%	4 2%	9 3%	21 3%	6 4%
I have been moderately affected in my job	100 12%	26 13%	23 10%	28 10%	77 11%	23 17%
I have been slightly affected in my job	158 19%	28 14%	45 20%	60 22% a	133 19%	25 18%
I have not been affected in my job	283 34%	64 31%	70 31%	116 42% abe	250 36% e	33 24%
I do not/ did not work when I experienced the menopause	258 31%	74 36% c	75 34% c	59 22%	208 30% c	50 36% c
NETS						
Net: Severely affected	43 5%	13 6%	10 5%	12 4%	35 5%	8 6%
Net: At least slightly affected	302 36%	68 33%	78 35%	100 36%	246 35%	56 40%



Q6. How supportive is/was your employer in helping you cope with the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it and and worked during experiencing the menopause

			AGE GR	OUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE MI	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M	
		Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%		. Otal	a	b	a	b	а	b	C	а	*b	а	b
Unweighted Total		586	313	273	356	230	563	175	246	586	-	289	96
Weighted Total		586 100%	311 100%	274 100%	356 100%	229 100%	563 100%	175 100%	244 100%	586 100%	-	286 100%	96 100%
Very supportive	(4)	43 7%	27 9%	16 6%	33 9% b	10 4%	43 8%	19 11%	18 7%	43 7%	-	26 9%	8 8%
Fairly supportive	(3)	43 7%	26 9%	16 6%	21 6%	22 9%	42 7%	11 6%	24 10%	43 7%	-	27 9%	4 4%
Not very supportive	(2)	46 8%	27 9%	19 7%	24 7%	23 10%	45 8%	19 11%	17 7%	46 8%	-	32 11% b	4 4%
Not at all supportive	(1)	47 8%	20 6%	27 10%	21 6%	26 11% a	41 7%	10 6%	20 8%	47 8%	-	31 11% b	-
I did not make my employer aware that I was experiencing the symptoms of the menopause		407 70%	211 68%	197 72%	258 73% b	149 65%	392 70%	115 66%	166 68%	407 70%	-	171 60%	81 84% a
NETS													
Net: Supportive		85 15%	54 17%	32 12%	54 15%	32 14%	85 15%	30 17%	42 17%	85 15%	-	53 18%	12 12%
Net: Not supportive		93 16%	47 15%	46 17%	44 12%	49 21% a	87 15%	30 17%	37 15%	93 16%	-	62 22% b	4 4%
Mean score		2.5	2.6 b	2.3	2.7 b	2.2	2.5	2.6	2.5	2.5	-	2.4	3.3
Standard deviation Standard error		1.12 .08	1.09 .11	1.15 .13	1.15 .12	1.04 .12	1.11 .09	1.11 .15	1.11 .12	1.12 .08	-	1.11 .10	.86 .21



Q6. How supportive is/was your employer in helping you cope with the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it and and worked during experiencing the menopause

	ſ							REG	ION					
	Ī				Yorkshire									
		Total	North East	North West	and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%	ŀ	Total	*a	b	C	d	е	f	g	h	i	j	k	*
Harrishta d Tatal		500	07	50	00	40		50	0.5	04	50		40	7
Unweighted Total		586	27	56	60	46	55	58	85	61	56	32	43	′
Weighted Total		586	25	54	52	41	52	55	77	88	52	33	43	14
		100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Very supportive	(4)	43	1	3	3	1	3	6	7	4	6	2	5	2
		7%	4%	5%	7%	2%	5%	10%	9%	5%	11%	6%	12%	14%
Fairly supportive	(3)	43	2	4	7	4	3	2	5	7	1	2	4	2
,	ì,	7%	7%	7%	13%	11%	5%	3%	6%	8%	2%	6%	9%	14%
					i									
Not very supportive	(2)	46	3	6	4	4	6	3	4	9	2	4	3	-
	ì,	8%	11%	11%	8%	9%	11%	5%	5%	10%	4%	13%	7%	-
Not at all supportive	(1)	47	1	7	2	4	6	4	5	1	7	6	3	2
Trot at all supportive	(',	8%	4%	13%	3%	9%		7%	7%	2%	13%	19%	7%	14%
				h			h				h	ch		
I did not make my employer aware that I		407	19	35	36	28	35	41	56	66	37	18	28	8
was experiencing the symptoms of the		70%	74%	64%	68%	70%		74%	73%	75%	71%	56%	65%	57%
menopause														
NETS														
Net: Supportive		85	3	7	10	5	6	8	12	12	7	4	9	4
		15%	11%	13%	20%	13%	11%	14%	15%	13%	13%	13%	21%	29%
Net: Not supportive		93	4	13	6	7	11	7	9	10	8	10	6	2
Tion Not Supposition		16%	15%	23%	12%	17%	22%	12%	12%	11%	16%	31%	14%	14%
												cfgh		
Mean score		2.5	2.4	2.2	2.7	2.2	2.2	2.7	2.7	2.7	2.4	2.0	2.7	2.7
Standard deviation		1.12	.98	1.09	.94	.98	1.10	1.29	1.23	.89	1.41	1.11	1.16	1.37
Standard error	Į	.08	.37	.24	.22	.26	.26	.33	.26	.23	.35	.30	.30	.79



Q6. How supportive is/was your employer in helping you cope with the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it and and worked during experiencing the menopause

		1		REGION GROUPS		
				REGION GROUPS		Net: Devolved
	Total	Net: North	Net: Midlands	Net: South	Net: England	regions
Significance Level: 95%	rotai	а	b	C	d d	e
Unweighted Total	586	143	159	202	504	82
Weighted Total	586	131	148	217	496	90
	100%	100%	100%	100%	100%	100%
Very supportive (4)		7	9	17	34	9
	7%	6%	6%	8%	7%	10%
Fairly supportive (3)	43	13	9	13	35	8
	7%	10%	6%	6%	7%	9%
Not very supportive (2)	46	13	12	14	39	7
	8%	10%	8%	7%	8%	8%
Not at all supportive (1)	47	9	13	13	36	11
	8%	7%	9%	6%	7%	12%
I did not make my employer aware that I was	407	89	104	159	353	54
experiencing the symptoms of the menopause	70%	68%	70%		71%	61%
				е		
NETS						
Net: Supportive	85	20	19	30	68	17
	15%	15%	13%	14%	14%	19%
Net: Not supportive	93	22	25	27	75	18
	16%	17%	17%	13%	15%	20%
Mean score	2.5	2.4	2.3	2.6	2.5	2.4
Standard deviation	1.12	1.03	1.13	1.15	1.11	1.19
Standard error	.08	.15	.17	.16	.09	.21



Q7. Have you tried any of the below treatments to help you alleviate the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it

		AGE GR	OUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE M	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M	
		50–55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
0: 15	Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected
Significance Level: 95%		а	b	а	b	a	b	С	а	*b	a	b
Unweighted Total	845	449	396	416	429	810	252	338	845	-	423	136
Weighted Total	844	447	397	415	430	810	251	334	844	-	419	138
	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
Practical changes (e.g. different working pattern, layering	208	111	97	115	94	201	53	87	208	-	128	17
clothing, changing temperature of environment, sleeping	25%	25%	25%	28%	22%	25%	21%	26%	25%	-	30%	12%
with open window, using fans)											b	
Lifestyle changes (e.g. diet, exercise)	178	105	73	102	76	172	56	73	178	-	111	13
	21%	24%	18%	25%	18%	21%	22%	22%	21%	-	27%	10%
				b							b	
Alternative and complementary treatments such as herbal	167	89	78	89	78	160	49	66	167	-	112	12
remedies and-'natural'-hormones	20%	20%	20%	21%	18%	20%	19%	20%	20%	-	27%	9%
											b	
Hormone Replacement Therapy (HRT)	162	82	80	76	87	152	48	68	162	-	107	19
	19%	18%	20%	18%	20%	19%	19%	20%	19%	-	26%	14%
											b	
Prescribed medication (e.g. certain medication for high	96	56	41	40	56	93	25	46	96	-	76	4
blood pressure or anti-depressants that can help with	11%	12%	10%	10%	13%	11%	10%	14%	11%	-	18%	3%
menopausal symptoms)											b	
A vaginal pessary, cream or vaginal ring or over the	69	35	34	40	29	68	20	29	69	-	46	6
counter vaginal moisturisers and lubricants in addition to	8%	8%	8%	10%	7%	8%	8%	9%	8%	-	11%	5%
or instead of vaginal oestrogen to counter dryness											b	



Q7. Have you tried any of the below treatments to help you alleviate the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it

				SOCIAL (RADE	UNDERSTA	NDING OF THE ME	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE		
			56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
Cignificance Levels OF9/	Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms *b	affected	affected b
Significance Level: 95%		a	b	а	b	а	b	С	а	D	a	d
Unweighted Total	845	449	396	416	429	810	252	338	845	-	423	136
Weighted Total	844	447	397	415	430	810	251	334	844	-	419	138
	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
Cognitive Behavioural Therapy (CBT)	17	10	7	6	11	15	5	6	17	-	16	-
	2%	2%	2%	1%	3%	2%	2%	2%	2%	-	4% b	-
A testosterone supplement	7	3	4	5	2	5	-	3	7	-	5	-
	1%	1%	1%	1%	*	1%	-	1%	1%	-	1%	-
Another treatment	15	7	8	4	10	13	4	7	15	-	8	2
	2%	1%	2%	1%	2%	2%	1%	2%	2%	-	2%	1%
I have not tried any treatments to help alleviate the	308	161	147	150	158	297	94	118	308	-	93	86
symptoms of menopause	37%	36%	37%	36%	37%	37%	38%	36%	37%	-	22%	62% a
NETS												
Net: Any treatment	536	286	250	265	271	513	157	215	536	-	326	52
	63%	64%	63%	64%	63%	63%	62%	64%	63%	-	78% b	38%
Net: Medical changes	273	142	130	129	143	258	76	117	273	-	188	25
	32%	32%	33%	31%	33%	32%	30%	35%	32%	-	45% b	18%
Net: Non-medical changes	307	173	135	169	138	298	85	127	307	-	186	25
	36%	39%	34%	41% b	32%	37%	34%	38%	36%	-	44% b	18%



Q7. Have you tried any of the below treatments to help you alleviate the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it

ſ							REG	ION					
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%	I Otal	a	b b	C	d	e	f	q	Last	i	i	k	*I
								· ·			,		
Unweighted Total	845	45	95	82	71	81	88	106	80	70	44	71	12
Weighted Total	844	42	92	71	63	76	84	96	115	65	45	71	24
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Practical changes (e.g. different working pattern,	208	15	16	18	17	16	21	22	22	21	15	21	4
layering clothing, changing temperature of	25%	36%	18%	26%	27%	21%	25%	23%	19%	33%	34%	30%	17%
environment, sleeping with open window, using fans)		bh								bh	b		
Lifestyle changes (e.g. diet, exercise)	178	8	18	15	10	21	19	23	20	15	7	19	4
	21%	18%	20%	21%	15%	27%	23%	24%	18%	23%	16%	27%	17%
Alternative and complementary treatments such	167	11	21	10	12	15	16	23	20	15	10	11	2
as herbal remedies and-'natural'-hormones	20%	27%	23%	13%	20%	20%	19%	24%	18%	23%	23%	15%	8%
Hormone Replacement Therapy (HRT)	162	8	22	11	10	14	19	14	23	14	8	14	4
	19%	20%	24%	16%	15%	19%	23%	15%	20%	21%	18%	20%	17%
Prescribed medication (e.g. certain medication	96	6	12	9	4	7	15	7	7	6	9	10	6
for high blood pressure or anti-depressants that	11%	13%	13%	12%	6%	9%	18%	8%	6%	9%	20%	14%	25%
can help with menopausal symptoms)							dgh				dgh		
A vaginal pessary, cream or vaginal ring or over	69	8	6	8	4	10	10	10	12	1	-	2	-
the counter vaginal moisturisers and lubricants in	8%	18%	6%	11%	6%	14%	11%	10%	10%	1%	-	3%	-
addition to or instead of vaginal oestrogen to counter dryness		bdijk		ij		ijk	ijk	ij	ij				
Cognitive Behavioural Therapy (CBT)	17	1	2	2	-	1	2	5	3	-	1	1	-
	2%	2%	2%	2%	-	1%	2%	5%	3%	-	2%	1%	-
A testosterone supplement	7	1	1	-	1	-	_	-	-	-	2	2	-
	1%	2%	1%	-	1%	-	-	-	-	-	5%	3%	-
											fg		



Q7. Have you tried any of the below treatments to help you alleviate the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it

							REG	SION					
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		а	b	С	d	е	f	g	h	i	j	k	*
Unweighted Total	845	45	95	82	71	81	88	106	80	70	44	71	12
Weighted Total	844 100%	42 100%	92 100%	71 100%	63 100%	76 100%	84 100%	96 100%	115 100%	65 100%	45 100%	71 100%	24 100%
Another treatment	15 2%		1 1%	2 2%	2 3%	2 2%	3 3%	2 2%		1 1%		1 1%	2 8%
I have not tried any treatments to help alleviate the symptoms of menopause	308 37%	13 31%	27 29%	30 43%	22 35%	24 32%	25 30%	36 38%	50 44%	23 36%	20 43%	27 38%	10 42%
NETS													
Net: Any treatment	536 63%	29 69%	65 71%	41 57%	41 65%	52 68%	59 70%	60 62%	65 56%	42 64%	26 57%	44 62%	14 58%
Net: Medical changes	273 32%	20 47% dgik	31 34%	23 33%	14 23%	23 30%	36 43% dgi	28 29%	37 33%	17 26%	15 34%	20 28%	8 33%
Net: Non-medical changes	307 36%	20 47% h	29 32%	25 35%	23 37%	29 38%	32 39%	34 36%	30 26%	29 44% h	17 39%	32 45% h	6 25%



Q7. Have you tried any of the below treatments to help you alleviate the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it

		REGION GROUPS								
						Net: Devolved				
a	Total	Net: North	Net: Midlands	Net: South	Net: England	regions				
Significance Level: 95%		а	b	С	d	е				
Unweighted Total	845	222	240	256	718	127				
Weighted Total	844	205	223	276	704	140				
	100%	100%	100%	100%	100%	100%				
Practical changes (e.g. different working pattern, layering	208	50	54	65	168	40				
clothing, changing temperature of environment, sleeping with open window, using fans)	25%	24%	24%	23%	24%	29%				
Lifestyle changes (e.g. diet, exercise)	178	41	49	58	148	30				
	21%	20%	22%	21%	21%	22%				
Alternative and complementary treatments such as herbal	167	42	44	58	143	23				
remedies and-'natural'-hormones	20%	21%	20%	21%	20%	17%				
Hormone Replacement Therapy (HRT)	162	42	43	51	136	26				
	19%	20%	19%	19%	19%	19%				
Prescribed medication (e.g. certain medication for high	96	26	25	20	71	25				
blood pressure or anti-depressants that can help with	11%	13%	11%	7%	10%	18%				
menopausal symptoms)		С				cd				
A vaginal pessary, cream or vaginal ring or over the	69	21	23	22	67	2				
counter vaginal moisturisers and lubricants in addition to or	8%	10%	10%	8%	10%	1%				
instead of vaginal oestrogen to counter dryness		е	е	е	е					
Cognitive Behavioural Therapy (CBT)	17	5	3	7	15	2				
	2%	2%	1%	3%	2%	1%				
A testosterone supplement	7	2	1	-	3	4				
	1%	1%	*	-	*	3%				
						bcd				



Q7. Have you tried any of the below treatments to help you alleviate the symptoms of the menopause? Base: All who experienced the menopause and had symptoms of it

Significance Level: 95%
Unweighted Total
Weighted Total
Another treatment
I have not tried any treatments to help alleviate the symptoms of menopause
NETS
Net: Any treatment
Net: Medical changes
Net: Non-medical changes

			REGION GROUPS		
Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
	а	b	С	d	е
845	222	240	256	718	127
844	205	223	276	704	140
100%	100%	100%	100%	100%	100%
15	3	7	3	12	3
2%	1%	3%	1%	2%	2%
308	71	71	110	252	56
37%	34%	32%	40%	36%	40%
536	135	152	166	453	84
63%	66%	68%	60%	64%	60%
273	74	73	82	229	43
32%	36%	33%	30%	33%	31%
307	74	85	93	252	55
36%	36%	38%	34%	36%	40%



Q8_SUM. How effective have the below been at treating your symptoms of the menopause, if at all?

SUMMARY TABLE

Base: All who experienced the menopause and experienced symptoms of it and tried the respective treatment listed

								NETS	
	Total	Very effective	Fairly effective	Not very effective	Not at all effective	I Don't know	Effective	Not effective	Mean
Practical changes (e.g. different working pattern, layering clothing, changing temperature of environment, sleeping with open window, using fans)	208 100%	19 9%	103 49%	77 37%	8 4%	3 1%	121 58%	84 40%	2.6
Hormone Replacement Therapy (HRT)	162 100%	56 34%	61 38%	25 15%	18 11%	3 2%	117 72%	42 26%	3.0
Lifestyle changes (e.g. diet, exercise)	178 100%	29 17%	86 49%	44 25%	10 5%	9 5%	116 65%	54 30%	2.8
Alternative and complementary treatments such as herbal remedies and-'natural'-hormones	167 100%	25 15%	73 44%	37 22%	23 14%	9 5%	98 59%	60 36%	2.6
Prescribed medication (e.g. certain medication for high blood pressure or anti-depressants that can help with menopausal symptoms)	96 100%	21 21%	34 35%	26 27%	11 11%	5 5%	55 57%	37 38%	2.7
A vaginal pessary, cream or vaginal ring or over the counter vaginal moisturisers and lubricants in addition to or instead of vaginal oestrogen to counter dryness	69 100%	19 27%	25 36%	17 25%	4 6%	4 6%	44 63%	21 30%	2.9
Cognitive Behavioural Therapy (CBT)	17 100%	2 11%	6 38%	6 36%	-	2 14%	8 49%	6 36%	2.7
A testosterone supplement	7 100%	-	3 42%	1 14%	2 30%	1 15%	3 42%	3 44%	2.1
Another treatment	15 100%	2 12%	8 51%	1 6%	4 25%	1 6%	9 63%	5 31%	2.5



Q8_1. How effective have the below been at treating your symptoms of the menopause, if at all?

Hormone Replacement Therapy (HRT)
Base: All who experienced the menopause and experienced symptoms of it and tried hormone Replacement Therapy (HRT)

		AGE G	ROUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE MI	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M	
		50-55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
	Tota	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected
Significance Level: 95%		а	b	а	b	а	b	С	а	*b	а	*b
Unweighted Total	162	80	82	74	88	151	48	66	162	-	108	19
Weighted Total	162	82	80	76	87	152	48	68	162	-	107	19
	100	% 100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
Very effective	(4) 56		25	20	36	54	17	26	56	-	34	9
	34	% 37%	32%	26%	41%	35%	36%	38%	34%	-	31%	48%
					а							
Fairly effective	(3) 6	28	33	34	28	57	18	26	61	-	43	5
	38	% 34%	41%	44%	32%	38%	38%	38%	38%	-	40%	25%
Not very effective	(2) 25	15	9	14	10	22	8	9	25	-	16	3
	15	% 18%	12%	19%	12%	14%	16%	14%	15%	-	15%	15%
Not at all effective	(1) 18	7	11	6	11	17	5	6	18	-	11	2
	11	% 8%	14%	8%	13%	11%	10%	9%	11%	-	11%	12%
I don't know		2	1	2	1	2	-	1	3	-	3	-
		2%	2%	2%	2%	1%	-	1%	2%	-	3%	-
NETS												
Net: Effective	117	59	58	54	63	111	36	51	117	-	77	14
	72		73%	70%	73%	73%	74%		72%	-	72%	73%
Net: Not effective	42	. 22	20	21	22	39	12	15	42	-	27	5
	26	% 27%	25%	27%	25%	25%	26%	23%	26%	-	25%	27%
Mean score	3.0	3.0	2.9	2.9	3.0	3.0	3.0	3.1	3.0	-	3.0	3.1
Standard deviation	.98		1.00	.90	1.04	.98	.97	.95	.98	-	.96	1.08
Standard error	30.	.11	.11	.11	.11	.08	.14	.12	.08	-	.09	.25



Q8_1. How effective have the below been at treating your symptoms of the menopause, if at all?

Hormone Replacement Therapy (HRT)
Base: All who experienced the menopause and experienced symptoms of it and tried hormone Replacement Therapy (HRT)

			REGION											
		Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		10141	*a	*b	*c	*d	*e	*f	*g	*h	*i	*j	*k	*1
Unweighted Total		162	9	23	13	11	15	20	16	16	15	8	14	2
Weighted Total		162 100%	8 100%	22 100%	11 100%	10 100%	14 100%	19 100%	14 100%	23 100%	14 100%	8 100%	14 100%	4 100%
Very effective	(4)	56 34%	3 33%	15 65%	3 31%	2 18%	5 33%	10 55%	5 38%	6 25%	3 20%	1 13%	3 21%	
Fairly effective	(3)	61 38%	1 11%	4 17%	7 62%	4 36%	7 47%	6 30%	5 38%	12 50%	6 40%	3 38%	6 43%	2 50%
Not very effective	(2)	25 15%	3 33%	3 13%	1 8%	3 27%	2 13%	1 5%	2 13%	3 13%	2 13%	1 13%	3 21%	2 50%
Not at all effective	(1)	18 11%	1 11%	1 4%	-	2 18%	1 7%	2 10%	2 13%	1 6%	3 20%	3 38%	2 14%	-
I don't know		3 2%	1 11%	-	-	-	- -	-	-	1 6%	1 7%	-	-	-
NETS														
Net: Effective		117 72%	4 44%	18 83%	10 92%	5 55%	11 80%	16 85%	11 75%	17 75%	8 60%	4 50%	9 64%	2 50%
Net: Not effective		42 26%	4 44%	4 17%	1 8%	4 45%	3 20%	3 15%	4 25%	4 19%	5 33%	4 50%	5 36%	2 50%
Mean score Standard deviation Standard error		3.0 .98 .08	2.8 1.17 .41	3.4 .90 .19	3.2 .60 .17	2.5 1.04 .31	3.1 .89 .23	3.3 .98 .22	3.0 1.04 .26	3.0 .84 .22	2.6 1.09 .29	2.3 1.16 .41	2.7 .99 .27	2.5 .58 .41



Q8_1. How effective have the below been at treating your symptoms of the menopause, if at all?

Hormone Replacement Therapy (HRT)
Base: All who experienced the menopause and experienced symptoms of it and tried hormone Replacement Therapy (HRT)

		REGION GROUPS								
	Tatal	Note North	Nati Midles de	Nati Cauth	Net France	Net: Devolved				
Significance Levels 050/	Total	Net: North	Net: Midlands b	Net: South	Net: England d	regions *e				
Significance Level: 95%		а	D	С	a	-e				
Unweighted Total	162	45	46	47	138	24				
Weighted Total	162	42	43	51	136	26				
	100%	100%	100%	100%	100%	100%				
Very effective (4		21	17	14	52	4				
	34%	50%	39%	27%	38%	15%				
		С								
Fairly effective (3) 61	12	16	23	50	11				
	38%	28%	37%	44%	37%	42%				
Not very effective (2) 25	7	6	7	19	6				
	15%	16%	13%	13%	14%	23%				
Not at all effective (2	5	6	13	5				
	11%	5%	11%	12%	9%	19%				
I don't know	3	1	-	2	3	-				
	2%	2%	-	5%	2%	-				
NETS										
Net: Effective	117	33	33	37	102	15				
	72%	78%	76%	71%	75%	58%				
Net: Not effective	42	8	10	13	31	11				
	26%	20%	24%	24%	23%	42%				
Mean score	3.0	3.3	3.1	2.9	3.1	2.5				
Standard deviation	.98	.90	.99	.96	.95	.99				
Standard error	.08	.14	.15	.14	.08	.20				



Q8_2. How effective have the below been at treating your symptoms of the menopause, if at all?

Prescribed medication (e.g. certain medication for high blood pressure or anti-depressants that can help with menopausal symptoms)

Base: All who experienced the menopause and experienced symptoms of it and tried prescribed medication (e.g. certain medication for high blood pressure or anti-depressants that can help with menopausal symptoms)

		AGE GR	OUP	SOCIAL GRADE		UNDERSTANDING OF THE MENOPAUSE			SYMPTOMS OF THE MENOPAUSE		AFFECT OF THE M MOOD/MENT/	
	Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%		а	b	а	b	а	*b	С	а	*b	а	*b
Unweighted Total	96	55	41	41	55	93	25	45	96	-	75	4
Weighted Total	96	56	41	40	56	93	25	46	96	-	76	4
	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
Very effective (4)	21 21%	12 22%	8 21%	12 29%	9 16%	21 22%	4 14%	13 29%	21 21%	-	16 22%	1 23%
										-		
Fairly effective (3)	34 35%	20 36%	14 34%	13 32%	21 37%	32 35%	9 36%	14 30%	34 35%	-	25 32%	2 53%
												3370
Not very effective (2)	26 27%	16 28%	11 26%	10 24%	17 30%	26 28%	8 30%	11 24%	26 27%	-	24 32%	-
Not at all affective												
Not at all effective (1)	11 11%	5 9%	6 14%	5 12%	6 10%	9 9%	3 12%	6 13%	11 11%	-	8 10%	-
I don't know	5	3	2	1	4	5	2	2	5	-	3	1
T don't know	5%	5%	5%	2%	7%	5%			5%	-	4%	25%
NETS												
Net: Effective	55	32	22	25	30	53	13	27	55	-	41	3
	57%	58%	55%	62%	53%	57%	50%		57%	-	54%	75%
Net: Not effective	37	20	17	14	23	35	11	17	37	-	32	-
	38%	37%	41%	36%	40%	38%	42%	37%	38%	-	42%	-
Mean score	2.7	2.8	2.6	2.8	2.6	2.7	2.6	2.8	2.7	-	2.7	3.3
Standard deviation	.95	.92	1.00	1.01	.90	.93	.92	1.03	.95	-	.94	.57
Standard error	.10	.13	.16	.16	.13	.10	.19	.16	.10	-	.11	.33



Q8_2. How effective have the below been at treating your symptoms of the menopause, if at all?

Prescribed medication (e.g. certain medication for high blood pressure or anti-depressants that can help with menopausal symptoms)

Base: All who experienced the menopause and experienced symptoms of it and tried prescribed medication (e.g. certain medication for high blood pressure or anti-depressants that can help with menopausal symptoms)

		REGION											
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		*a	*b	*c	*d	*e	*f	*g	*h	*i	*j	*k	*1
Unweighted Total	96	6	12	10	4	7	16	8	5	6	9	10	3
Weighted Total	96 100%	6 100%	12 100%	9 100%	4 100%	7 100%	15 100%	7 100%	7 100%	6 100%	9 100%	10 100%	6 100%
			100 /6			100 /6					100 /6	100 /6	100%
Very effective (4)	21 21%	2 33%	4 33%	3 30%	2 50%	1 14%	2 13%	2 25%	3 40%	1 17%	1 11%	1 10%	-
Fairly effective (3)	34 35%	2 33%	1 8%	3 40%	1 25%	4 57%	9 56%	3 38%	3 40%	2 33%	2 22%	3 30%	2 33%
Not very effective (2)	26 27%	2 33%	3 25%	2 20%	1 25%	1 14%	1 6%	3 38%	1 20%	2 33%	4 44%	5 50%	2 33%
Not at all effective (1)	11 11%	-	2 17%	1 10%	-	1 14%	1 6%	-	-	1 17%	2 22%	1 10%	2 33%
I don't know	5 5%	-	2 17%	-	-	-	3 19%	-	-	-	-	-	-
NETS													
Net: Effective	55 57%	4 67%	5 42%	6 70%	3 75%	5 71%	10 69%	5 63%	6 80%	3 50%	3 33%	4 40%	2 33%
Net: Not effective	37 38%	2 33%	5 42%	3 30%	1 25%	2 29%	2 13%	3 38%	1 20%	3 50%	6 67%	6 60%	4 67%
Mean score Standard deviation Standard error	2.7 .95 .10	3.0 .90 .37	2.7 1.25 .40	2.9 1.00 .32	3.3 .98 .49	2.7 .96 .36	2.9 .76 .21	2.9 .84 .30	3.2 .81 .36	2.5 1.06 .43	2.2 .97 .32	2.4 .84 .27	2.0 .90 .52



Q8_2. How effective have the below been at treating your symptoms of the menopause, if at all?

Prescribed medication (e.g. certain medication for high blood pressure or anti-depressants that can help with menopausal symptoms) Base: All who experienced the menopause and experienced symptoms of it and tried prescribed medication (e.g. certain medication for high blood pressure or anti-depressants that can help with menopausal symptoms)

			REGION GROUPS							
		Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions			
Significance Level: 95%			*a	*b	*c	d	*e			
Unweighted Total		96	28	27	19	74	22			
Weighted Total		96	26	25	20	71	25			
		100%	100%	100%	100%	100%	100%			
Very effective	(4)	21	8	5	6	19	2			
		21%	32%	18%	28%	26%	8%			
Fairly effective	(3)	34	6	13	7	27	7			
		35%	24%	52%	37%	38%	28%			
Not very effective	(2)	26	7	3	6	15	11			
		27%	25%	11%	30%	21%	44%			
Not at all effective	(1)	11	3	2	1	6	5			
		11%	11%	7%	5%	8%	20%			
I don't know		5	2	3	-	5	-			
		5%	7%	11%	-	7%	-			
NETS										
Net: Effective		55	15	18	13	46	9			
		57%	57%	70%	65%	64%	36%			
Net: Not effective		37	9	5	7	21	16			
		38%	36%	18%	35%	29%	64%			
Mean score		2.7	2.8	2.9	2.9	2.9	2.2			
Standard deviation		.95	1.05	.83	.89	.92	.88			
Standard error		.10	.21	.17	.20	.11	.19			



Q8_3. How effective have the below been at treating your symptoms of the menopause, if at all?

Cognitive Behavioural Therapy (CBT)
Base: All who experienced the menopause and experienced symptoms of it and tried cognitive Behavioural Therapy (CBT)

			AGE GR	OUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE ME	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M MOOD/MENTA	
		Total	50–55 years	56–60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%		Total	years *a	years *b	*a	*b	*a	*b	*C	*a	*b	*a	*b
Unweighted Total		17	10	7	6	11	16	5	6	17	-	16	-
				_									
Weighted Total		17 100%	10 100%	7 100%	6 100%	11 100%	15 100%	5 100%	6 100%	17 100%	-	16 100%	-
				10070	10078			10070	10076			10070	
Very effective	(4)	2	2	-	-	2	2	1	1	2	-	1	-
		11%	19%	-	-	17%	12%	18%	17%	11%	-	6%	-
Fairly effective	(3)	6	3	4	4	3	6	1	2	6	-	6	-
		38%	29%	52%	66%	24%	42%	17%	33%	38%	-	41%	-
Not very effective	(2)	6	4	2	1	5	6	3	2	6	-	6	_
	` '	36%	43%	28%	17%	46%	40%	65%		36%	-	38%	-
Not at all effective	(1)	_		_	_	_		_	_	_	_	_	_
Not at all effective	(1)	-	-	-	- -	-	-	-	-	-	- -	-	-
I don't know		2	1	1	1	1	1	-	1	2	-	2	-
		14%	10%	20%	17%	13%	6%	-	17%	14%	-	15%	-
NETS													
Net: Effective		8	5	4	4	5	8	2	3	8	-	7	-
		49%	48%	52%	66%	41%	54%	35%	50%	49%	-	47%	-
Net: Not effective		6	4	2	1	5	6	3	2	6	_	6	_
The state of the s		36%	43%	28%	17%	46%	40%	65%		36%	-	38%	-
Mean score		2.7	2.7	2.7	2.8	2.7	2.7	2.5	2.8	2.7	-	2.6	-
Standard deviation		.71	.83	.52	.46	.82	.71	.87	.85	.71	-	.64	-
Standard error	l	.18	.28	.21	.20	.26	.18	.39	.38	.18	-	.17	-



Q8_3. How effective have the below been at treating your symptoms of the menopause, if at all?

Cognitive Behavioural Therapy (CBT)
Base: All who experienced the menopause and experienced symptoms of it and tried cognitive Behavioural Therapy (CBT)

	Γ		REGION											
			Newth	NI	Yorkshire	E	West			0	Oth-			No atheres
		Total	North East	North West	and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%	İ	10141	*a	*b	*c	*d	*e	*f	*g	*h	*i	*j	*k	*1
Unweighted Total		17	1	2	2	-	1	2	5	2	-	1	1	-
Weighted Total		17	1	2	2	-	1	2	5	3	-	1	1	-
		100%	100%	100%	100%	-	100%	100%	100%	100%	-	100%	100%	-
Very effective	(4)	2	-	1	-	-	-	-	1	-	-	-	-	-
		11%	-	50%	-	-	-	-	20%	-	-	-	-	-
Fairly effective	(3)	6	1	1	2	-	-	-	2	-	-	1	-	-
		38%	100%	50%	100%	-	-	-	40%	-	-	100%	-	-
Not very effective	(2)	6	-	-	-	-	1	1	2	1	-	-	1	-
		36%	-	-	-	-	100%	50%	40%	50%	-	-	100%	-
Not at all effective	(1)	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-
I don't know		2	-	-	-	-	-	1	-	1	-	-	-	-
		14%	-	-	-	-	-	50%	-	50%	-	-	-	-
NETS														
Net: Effective		8	1	2	2	-	-	-	3	-	-	1	-	-
		49%	100%	100%	100%	-	-	-	60%	-	-	100%	-	-
Net: Not effective		6	-	-	-	-	1	1	2	1	-	-	1	-
		36%	-	-	-	-	100%	50%	40%	50%	-	-	100%	-
Mean score		2.7	3.0	3.5	3.0	-	2.0	2.0	2.8	2.0	-	3.0	2.0	-
Standard deviation		.71	-	.72	-	-	-	-	.85	-	-	*	-	-
Standard error	L	.18	-	.51	-	-	-	-	.38	-	-	*	-	-



Q8_3. How effective have the below been at treating your symptoms of the menopause, if at all?

Cognitive Behavioural Therapy (CBT)
Base: All who experienced the menopause and experienced symptoms of it and tried cognitive Behavioural Therapy (CBT)

				REGION GROUPS		
	T-4-1	Note North	National and a	Nati Cauth	Note England	Net: Devolved
0: " 1 1050/	Total	Net: North	Net: Midlands	Net: South	Net: England	regions
Significance Level: 95%		*a	*b	*c	*d	*e
Unweighted Total	17	5	3	7	15	2
Weighted Total	17	5	3	7	15	2
	100%	100%	100%	100%	100%	100%
Very effective (4	2	1	-	1	2	-
	11%	21%	-	12%	13%	-
Fairly effective (3	6	4	-	2	5	1
	38%	79%	-	24%	37%	51%
Not very effective (2	6	-	2	3	5	1
	36%	-	67%	44%	35%	49%
Not at all effective (1	-	-	-	-	-	-
	-	-	-	-	-	-
I don't know	2	-	1	1	2	-
	14%	-	33%	19%	16%	-
NETS						
Net: Effective	8	5	-	3	7	1
	49%	100%	-	37%	49%	51%
Net: Not effective	6	-	2	3	5	1
	36%	-	67%	44%	35%	49%
Mean score	2.7	3.2	2.0	2.6	2.7	2.5
Standard deviation	.71	.46	-	.81	.73	.70
Standard error	.18	.21	-	.33	.20	.50



Q8_4. How effective have the below been at treating your symptoms of the menopause, if at all?

A testosterone supplement
Base: All who experienced the menopause and experienced symptoms of it and tried a testosterone supplement

			AGE GRO	OUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE M	IENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M MOOD/MENTA	
		Total	50–55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%			*a	*b	*a	*b	*a	*b	*c	*a	*b	*a	*b
Unweighted Total		7	3	4	5	2	5	-	3	7	-	5	-
Weighted Total		7	3	4	5	2	5	-	3	7	-	5	-
		100%	100%	100%	100%	100%	100%	-	100%	100%	-	100%	-
Very effective	(4)	-	-	-	-	-	-	-	-	-	-	- -	-
	(0)												
Fairly effective	(3)	3 42%	1 32%	2 49%	2 39%	1 49%	3 59%	-	1 34%	3 42%	-	2 39%	-
Not very effective	(2)	1 14%	-	1 25%	-	1 51%	1 19%	-	1 32%	1 14%	-	1 19%	-
Not at all effective	(1)	2 30%	2 68%	-	2 41%	-	1 21%	-	1 35%	2 30%	-	2 42%	-
		30%	00%	-		-	2176	-	33%	30%	-	4276	-
I don't know		1 15%	-	1 26%	1 20%	-	-	-	-	1 15%	-	-	-
NETS													
Net: Effective		3	1	2	2	1	3	-	1	3	-	2	-
		42%	32%	49%	39%	49%	59%	-	34%	42%	-	39%	-
Net: Not effective		3 44%	2 68%	1 25%	2 41%	1 51%	2 41%	-	2 66%	3 44%	-	3 61%	-
Mean score		2.1	1.6	2.7	2.0	2.5	2.4	-	2.0	2.1	-	2.0	-
Standard deviation		.99	1.14	.59	1.15	.74	.91	-	1.02	.99	-	1.01	-
Standard error	L	.41	.66	.34	.58	.52	.41	-	.59	.41	-	.45	-



Q8_4. How effective have the below been at treating your symptoms of the menopause, if at all?

A testosterone supplement
Base: All who experienced the menopause and experienced symptoms of it and tried a testosterone supplement

	[REGION											
		Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		. otal	*a	*b	*c	*d	*e	*f	*g	*h	*i	*j	*k	*1
Unweighted Total		7	1	1	-	1	-	-	-	-	-	2	2	-
Weighted Total		7 100%	1 100%	1 100%	-	1 100%	-	-	-	-	-	2 100%	2 100%	
Very effective	(4)	-	-	-	-		-	-		-	-	-	-	
Fairly effective	(3)	3 42%	-	1 100%	-	1 100%	-	-		-	-	-	1 50%	
Not very effective	(2)	1 14%	1 100%	-	-		-	-		-	-			
Not at all effective	(1)	2 30%	- -	-	-		-	-	- -	-	-	2 100%		
I don't know		1 15%	- -	-	-	- -	- -	-	- -				1 50%	
NETS														
Net: Effective		3 42%	- -	1 100%	-	1 100%	-	-	-	-	-	-	1 50%	
Net: Not effective		3 44%	1 100%	-	-	-	-	-	-	-	-	2 100%	-	
Mean score Standard deviation Standard error		2.1 .99 .41	2.0 - -	3.0 - -	- - -	3.0	- - -	- - -	- - -	- - -	- - -	1.0 - -	3.0 - -	- - -



Q8_4. How effective have the below been at treating your symptoms of the menopause, if at all?

A testosterone supplement
Base: All who experienced the menopause and experienced symptoms of it and tried a testosterone supplement

				REGION GROUPS		
	-	N a N a	N . N			Net: Devolved
	Total	Net: North	Net: Midlands	Net: South	Net: England	regions
Significance Level: 95%		*a	*b	*c	*d	*e
Unweighted Total	7	2	1	-	3	4
Weighted Total	7	2	1	-	3	4
	100%	100%	100%	-	100%	100%
Very effective (4	-	-	-	-	-	-
	-	-	-	-	-	-
Fairly effective (3) 3	1	1	-	2	1
	42%	51%	100%	-	66%	25%
Not very effective (2) 1	1	_	-	1	-
	14%	49%	-	-	34%	-
Not at all effective () 2	-	_	_	-	2
	30%	-	-	-	-	51%
I don't know	1	-	-	-	-	1
	15%	-	-	-	-	25%
NETS						
Net: Effective	3	1	1	-	2	1
	42%	51%	100%	-	66%	25%
Net: Not effective	3	1	-	-	1	2
	44%	49%	-	-	34%	51%
Mean score	2.1	2.5	3.0	-	2.7	1.7
Standard deviation	.99	.72	-	-	.59	1.14
Standard error	.41	.51	-		.34	.66



Q8_5. How effective have the below been at treating your symptoms of the menopause, if at all?

A vaginal pessary, cream or vaginal ring or over the counter vaginal moisturisers and lubricants in addition to or instead of vaginal oestrogen to counter dryness

Base: All who experienced the menopause and experienced symptoms of it and tried a vaginal pessary, cream or vaginal ring or over the counter vaginal moisturisers and lubricants in addition to or instead of vaginal oestrogen to counter dryness

		AGE GR	OUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE ME	NOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M MOOD/MENTA	
	Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%		а	b	а	*b	а	*b	С	а	*b	а	*b
Unweighted Total	70	36	34	41	29	69	21	30	70	-	47	7
Weighted Total	69	35	34	40	29	68	20	29	69	-	46	6
	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
Very effective (4)	19	11	8	12	7	19	9	8	19	-	14	3
	27%	30%	24%	30%	23%	27%	45%	26%	27%	-	30%	43%
Fairly effective (3)	25	12	13	14	11	24	6	12	25	-	16	2
	36%	34%	39%	36%	38%	36%	27%	41%	36%	-	34%	28%
Not very effective (2)	17	8	9	10	7	17	5	7	17	-	13	1
	25%	24%	26%	25%	25%	25%	23%	23%	25%	-	27%	15%
Not at all effective (1)	4	1	3 8%	3 7%	1	4 6%	-	2	4	-	3	-
	6%	3%	8%	1%	3%	0%	-	7%	6%	-	6%	-
I don't know	4	3	1	1	3	4	1	1	4	-	1	1
	6%	9%	3%	2%	12%	6%	5%	3%	6%	-	2%	15%
NETS												
Net: Effective	44	23	21	26	17	43	15	19	44	-	30	5
	63%	64%	63%	65%	60%	63%	72%	67%	63%	-	65%	70%
Net: Not effective	21	9	12	13	8	21	5	8	21	-	15	1
	30%	27%	35%	32%	28%	31%	23%	30%	30%	-	33%	15%
Mean score	2.9	3.0	2.8	2.9	2.9	2.9	3.2	2.9	2.9	-	2.9	3.3
Standard deviation	.89	.86	.92	.93	.84	.90	.84	.90	.89	-	.92	.83
Standard error	.11	.15	.16	.15	.16	.11	.19	.17	.11	-	.14	.34



Q8_5. How effective have the below been at treating your symptoms of the menopause, if at all?

A vaginal pessary, cream or vaginal ring or over the counter vaginal moisturisers and lubricants in addition to or instead of vaginal oestrogen to counter dryness Base: All who experienced the menopause and experienced symptoms of it and tried a vaginal pessary, cream or vaginal ring or over the counter vaginal moisturisers and lubricants in addition to or instead of vaginal oestrogen to counter dryness

	ĺ	REGION												
					Yorkshire									
		Tatal	North	North	and the	East	West	F	Landan	South	South	10/-1	O tl d	Northern
Significance Level: 95%	-	Total	East *a	West *b	Humber *c	Midlands *d	Midlands *e	East *f	London	East *h	West *i	Wales *:	Scotland *k	Ireland *I
Significance Level. 95%			a	Ь	C	u	е	'	*g	"	'	J	K	'
Unweighted Total		70	8	6	9	4	11	10	11	8	1	-	2	-
Weighted Total		69	8	6	8	4	10	10	10	12	1	-	2	-
		100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	-
Very effective	(4)	19	2	2	3	1	3	1	4	3	-	-	1	-
		27%	25%	33%	33%	25%	27%	10%	36%	25%	-	-	50%	-
Fairly effective	(3)	25	4	1	3	2	4	3	2	6	1	_	-	-
	` /	36%	50%	17%	44%	50%	36%	30%	18%	50%	100%	-	-	-
Not very effective	(2)	17	2	1	2	-	3	3	5	1	-	-	1	-
		25%	25%	17%	22%	-	27%	30%	45%	13%	-	-	50%	-
Not at all effective	(1)	4	-	1	-	-	1	2	-	-	-	-	-	-
		6%	-	17%	-	-	9%	20%	-	-	-	-	-	-
I don't know		4	-	1	-	1	-	1	-	1	-	-	-	-
		6%	-	17%	-	25%	-	10%	-	13%	-	-	-	-
NETS														
Net: Effective		44	6	3	6	3	7	4	5	9	1	-	1	-
		63%	75%	50%	78%	75%	64%	40%	55%	75%	100%	-	50%	-
Net: Not effective		21	2	2	2	-	4	5	5	1	-	-	1	-
		30%	25%	33%	22%	-	36%	50%	45%	13%	-	-	50%	-
Mean score		2.9	3.0	2.8	3.1	3.3	2.8	2.3	2.9	3.1	3.0	-	3.0	-
Standard deviation		.89	.76	1.31	.79	.60	.98	1.00	.95	.67	-	-	1.41	-
Standard error		.11	.27	.59	.26	.34	.30	.33	.29	.25	-	-	1.00	-



Q8_5. How effective have the below been at treating your symptoms of the menopause, if at all?

A vaginal pessary, cream or vaginal ring or over the counter vaginal moisturisers and lubricants in addition to or instead of vaginal oestrogen to counter dryness

Base: All who experienced the menopause and experienced symptoms of it and tried a vaginal pessary, cream or vaginal ring or over the counter vaginal moisturisers and lubricants in addition to or instead of vaginal oestrogen to counter dryness

	Γ				REGION GROUPS		
		Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
Significance Level: 95%			*a	*b	*c	d	*e
Unweighted Total		70	23	25	20	68	2
Weighted Total		69	21	23	22	67	2
		100%	100%	100%	100%	100%	100%
Very effective	(4)	19	6	5	6	18	1
		27%	30%	20%	29%	26%	50%
Fairly effective	(3)	25	8	8	9	25	-
		36%	39%	36%	38%	37%	-
Not very effective	(2)	17	5	6	6	16	1
		25%	22%	24%	27%	24%	50%
Not at all effective	(1)	4	1	3	-	4	-
		6%	5%	12%	-	6%	-
I don't know		4	1	2	1	4	-
		6%	5%	8%	6%	6%	-
NETS							
Net: Effective		44	15	13	15	43	1
		63%	69%	56%	67%	64%	50%
Net: Not effective		21	6	9	6	20	1
		30%	26%	36%	27%	30%	50%
Mean score		2.9	3.0	2.7	3.0	2.9	3.0
Standard deviation		.89	.88	.98	.79	.89	1.41
Standard error	L	.11	.19	.20	.18	.11	1.00



Q8_6. How effective have the below been at treating your symptoms of the menopause, if at all?

Lifestyle changes (e.g. diet, exercise)
Base: All who experienced the menopause and experienced symptoms of it and tried lifestyle changes (e.g. diet, exercise)

		AGE GR	ROUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE M	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M	
	Tatal	50–55	56–60	AD04	0005	At least some	Strong	Moderate	Experienced	No	Severely/fairly	Not at all
Significance Level: 95%	Total	years a	years b	ABC1 a	C2DE b	understanding a	understanding b	understanding c	symptoms a	No symptoms *b	affected a	affected *b
										_		
Unweighted Total	180	105	75	102	78	174	58	74	180	-	113	13
Weighted Total	178	105	73	102	76	172	56	73	178	-	111	13
	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
Very effective (4)	29	17	13	16	13	29	13	13	29	-	13	3
	17%	16%	17%	16%	17%	17%	24%	17%	17%	-	12%	21%
Fairly effective (3)	86	56	31	52	34	84	27	39	86	-	55	7
, ,	49%	53%	42%	51%	45%	49%	49%	53%	49%	-	49%	50%
Not very effective (2)	44	25	19	25	19	43	10	18	44	_	30	4
(,	25%	24%	26%	25%	25%	25%	18%		25%	-	27%	29%
Not at all effective (1)	10	5	5	5	5	9	4	3	10	_	9	_
(1)	5%	5%	7%	5%	6%	5%	7%		5%	-	8%	-
I don't know	9	2	6	4	5	8	1	1	9	_	5	_
1 don't know	5%	2%	8%	4%	6%	4%	2%	1%	5%	_	4%	-
NETS												
NEIS												
Net: Effective	116	73	43	68	48	113	41	51	116	-	68	9
	65%	69%	59%	67%	63%	66%	73%	71%	65%	-	61%	71%
Net: Not effective	54	30	23	30	23	52	14	20	54	-	38	4
	30%	29%	32%	30%	31%	30%	25%	28%	30%	-	34%	29%
Mean score	2.8	2.8	2.8	2.8	2.8	2.8	2.9	2.9	2.8	-	2.7	2.9
Standard deviation	.79	.76	.84	.77	.82	.79	.84	.75	.79	-	.80	.73
Standard error	.06	.07	.10	.08	.10	.06	.11	.09	.06	-	.08	.20



Q8_6. How effective have the below been at treating your symptoms of the menopause, if at all?

Lifestyle changes (e.g. diet, exercise)
Base: All who experienced the menopause and experienced symptoms of it and tried lifestyle changes (e.g. diet, exercise)

		REGION											
				Yorkshire									
	Total	North East	North West	and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%	Total	*a	*b	*c	*d	*e	*f	*g	*h	*i	*j	*k	*1
Unweighted Total	180	8	19	17	11	22	20	25	14	16	7	19	2
Weighted Total	178 100%	8 100%	18 100%	15 100%	10 100%	21 100%	19 100%	23 100%	20 100%	15 100%	7 100%	19 100%	4 100%
Very effective	4) 29 17%	1 13%	5 26%	3 18%	3 27%	1 5%	4 20%	5 24%	4 21%	1 6%	-	3 16%	-
Fairly effective	3) 86 49%	4 50%	11 58%	9 59%	5 55%	8 36%	7 35%	13 56%	9 43%	8 56%	6 86%	6 32%	2 50%
Not very effective	2) 44 25%	2 25%	1 5%	3 24%	-	9 45%	7 35%	4 16%	4 21%	4 25%	1 14%	7 37%	2 50%
Not at all effective	1) 10 5%	1 13%	1 5%	-	1 9%	2 9%	2 10%	-	-	1 6%	-	2 11%	-
I don't know	9 5%		1 5%	-	1 9%	1 5%		1 4%	3 14%	1 6%	-	1 5%	-
NETS													
Net: Effective	116 65%	5 63%	15 84%	11 76%	8 82%	8 41%	10 55%	18 80%	13 64%	9 63%	6 86%	9 47%	2 50%
Net: Not effective	54 30%	3 38%	2 11%	3 24%	1 9%	11 55%	9 45%	4 16%	4 21%	5 31%	1 14%	9 47%	2 50%
Mean score Standard deviation Standard error	2.8 .79 .06	2.6 .92 .33	3.1 .76 .18	2.9 .66 .16	3.1 .88 .28	2.4 .74 .16	2.7 .93 .21	3.1 .66 .13	3.0 .73 .21	2.7 .73 .19	2.9 .38 .14	2.6 .92 .22	2.5 .58 .41



Q8_6. How effective have the below been at treating your symptoms of the menopause, if at all?

Lifestyle changes (e.g. diet, exercise)
Base: All who experienced the menopause and experienced symptoms of it and tried lifestyle changes (e.g. diet, exercise)

					REGION GROUPS		
		Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
Significance Level: 95%			а	b	С	d	*e
Unweighted Total		180	44	53	55	152	28
Weighted Total		178 100%	41 100%	49 100%	58 100%	148 100%	30 100%
Very effective	(4)	29 17%	8 21%	7 15%	11 19%	26 18%	3 10%
Fairly effective	(3)	86 49%	23 57%	20 39%	30 51%	72 49%	14 47%
Not very effective	(2)	44 25%	6 16%	16 32%	12 20%	34 23%	10 33%
Not at all effective	(1)	10 5%	2 5%	5 9%	1 2%	8 5%	2 7%
I don't know		9 5%	1 2%	2 4%	5 8%	8 5%	1 3%
NETS							
Net: Effective		116 65%	31 77% b	27 54%	40 70%	99 67%	17 57%
Net: Not effective		54 30%	8 20%	21 42% ac	13 22%	42 28%	12 40%
Mean score		2.8	3.0	2.6	2.9 b	2.8	2.6
Standard deviation Standard error		.79 .06	.76 .12	.87 .12	.71 .10	.79 .07	.77 .15



Q8_7. How effective have the below been at treating your symptoms of the menopause, if at all?

Practical changes (e.g. different working pattern, layering clothing, changing temperature of environment, sleeping with open window, using fans)

Base: All who experienced the menopause and experienced symptoms of it and tried practical changes (e.g. different working pattern, layering clothing, changing temperature of environment, sleeping with open window, using fans)

		AGE GR	OUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE M	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE N MOOD/MENTA	
	Total	50–55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%		а	b	а	b	а	b	С	а	*b	а	*b
Unweighted Total	212	112	100	116	96	204	53	91	212	-	130	17
Weighted Total	208 100%	111 100%	97 100%	115 100%	94 100%	201 100%	53 100%	87 100%	208 100%	-	128 100%	17 100%
Very effective (4)	19	9	9 9%	12 11%	7 7%	19 9%	10 19%	5 6%	19 9%	-	10 8%	3 17%
				,.			C					
Fairly effective (3)	103 49%	57 51%	46 47%	55 48%	47 50%	100 50%	26 49%	48 55%	103 49%		59 46%	7 44%
Not very effective (2)	77 37%	41 37%	36 37%	41 35%	36 39%	73 36%	14 27%	31 36%	77 37%	-	51 40%	6 34%
Not at all effective (1)	8 4%	4 3%	4 4%	5 4%	3 3%	8 4%	3 6%	2 2%	8 4%	-	7 5%	-
I don't know	3 1%		3 3%	2 2%	1 1%	2 1%	-	1 1%	3 1%	-	1 1%	1 6%
NETS												
Net: Effective	121 58%	66 60%	55 56%	68 59%	54 57%	119 59%	36 67%	53 61%	121 58%	-	69 54%	10 60%
Net: Not effective	84 40%	45 40%	40 41%	45 39%	39 42%	81 40%	17 33%	33 38%	84 40%	-	58 45%	6 34%
Mean score	2.6	2.6	2.6	2.7	2.6	2.7	2.8	2.7	2.6	-	2.6	2.8
Standard deviation Standard error	.70 .05	.69 .06	.72 .07	.73 .07	.67 .07	.70 .05	.81 .11	.63 .07	.70 .05	-	.72 .06	.73 .18
Columna Tastadi ah ah ah ah ah												



Q8_7. How effective have the below been at treating your symptoms of the menopause, if at all?

Practical changes (e.g. different working pattern, layering clothing, changing temperature of environment, sleeping with open window, using fans)

Base: All who experienced the menopause and experienced symptoms of it and tried practical changes (e.g. different working pattern, layering clothing, changing temperature of environment, sleeping with open window, using fans)

	ſ		REGION Vorkehiro											
					Yorkshire									
			North	North	and the	East	West			South	South	147		Northern
0::6		Total	East	West	Humber	Midlands	Midlands	East *f	London	East	West	Wales	Scotland	Ireland *I
Significance Level: 95%			*a	*b	*c	*d	*e	î	*g	*h	*i	^J	*k	î
Unweighted Total		212	16	17	21	19	17	22	24	15	23	15	21	2
Weighted Total		208	15	16	18	17	16	21	22	22	21	15	21	4
		100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Very effective	(4)	19	-	2	3	2	1	1	2	6	1	-	-	2
		9%	-	12%	14%	11%	6%	5%	8%	27%	4%	-	-	50%
Fairly effective	(3)	103	4	7	9	6	8	13	14	9	12	9	10	2
		49%	25%	41%	48%	37%	47%	64%	67%	40%	57%	60%	48%	50%
Not very effective	(2)	77	11	8	6	8	7	7	4	7	7	5	8	-
		37%	75%	47%	33%	47%	41%	32%	17%	33%	30%	33%	38%	-
Not at all effective	(1)	8	-	-	1	-	1	-	1	-	2	1	2	-
		4%	-	-	5%	-	6%	-	4%	-	9%	7%	10%	-
I don't know		3	-	-	-	1	-	-	1	-	-	-	1	-
		1%	-	-	-	5%	-	-	4%	-	-	-	5%	-
NETS														
Net: Effective		121	4	9	11	8	8	14	16	14	13	9	10	4
		58%	25%	53%	62%	47%	53%	68%	75%	67%	61%	60%	48%	100%
Net: Not effective		84	11	8	7	8	8	7	5	7	8	6	10	-
		40%	75%	47%	38%	47%	47%	32%	21%	33%	39%	40%	48%	-
Mean score		2.6	2.3	2.6	2.7	2.6	2.5	2.7	2.8	2.9	2.6	2.5	2.4	3.5
Standard deviation		.70	.45	.70	.79	.70	.72	.55	.65	.79	.73	.64	.68	.58
Standard error		.05	.11	.17	.17	.17	.17	.12	.14	.20	.15	.17	.15	.41
0.1	,													



Q8_7. How effective have the below been at treating your symptoms of the menopause, if at all?

Practical changes (e.g. different working pattern, layering clothing, changing temperature of environment, sleeping with open window, using fans)

Base: All who experienced the menopause and experienced symptoms of it and tried practical changes (e.g. different working pattern, layering clothing, changing temperature of environment, sleeping with open window, using fans)

			REGION GROUPS		
					Net: Devolved
Total					regions
	а	b	С	d	е
212	54	58	62	174	38
208	50	54	65	168	40
100%	100%	100%	100%	100%	100%
19	5	4	9	17	2
9%	9%	7%	13%	10%	5%
103	19	27	35	81	21
49%	39%	50%	54%	48%	53%
77	25	21	17	64	13
37%	50%	39%	27%	38%	33%
	С				
8	1	1	3	5	3
4%	2%	2%	4%	3%	7%
3	-	1	1	2	1
1%	-	2%	1%	1%	2%
121	24	31	44	98	23
58%	48%	57%	68%	58%	57%
			а		
84	26	22	20	68	16
40%		41%	31%	41%	40%
	С				
2.6	2.6	2.6	2.8	2.7	2.6
					.72
.05	.09	.09	.09	.05	.12
	208 100% 19 9% 103 49% 77 37% 8 4% 3 1%	a 212 54 208 50 100% 100% 19 5 9% 9% 103 19 49% 39% 77 25 37% 50% c 8 1 4% 2% 3 - 11% - 121 24 58% 48% 84 26 40% 52% c 2.6 2.6 .70 69	a b 212 54 58 208 50 54 100% 100% 100% 19 5 4 9% 9% 7% 103 19 27 49% 39% 50% 77 25 21 37% 50% 39% c 8 1 1 1 4% 2% 2% 2% 3 - 1 1% - 2% 121 24 31 58% 48% 57% 84 26 22 40% 52% 41% c 2.6 2.6 2.6 2.6 .70 6.69 .64	212 54 58 62 208 50 54 65 100% 100% 100% 100% 19 5 4 9 9% 9% 7% 13% 103 19 27 35 49% 39% 50% 54% 77 25 21 17 37% 50% 39% 27% c c 2% 4% 3 - 1 1 3 4% 2% 2% 4% 3 - 1 1 1 121 24 31 44 58% 48% 57% 68% a 68% a a 26 22 20 40% 52% 41% 31% c 2.6 2.6 2.8 .70 .69 .64 .73	Total Net: North Net: Midlands Net: South Net: England 212 54 58 62 174 208 50 54 65 168 100% 100% 100% 100% 100% 19 5 4 9 17 9% 9% 7% 13% 10% 103 19 27 35 81 49% 39% 50% 54% 48% 77 25 21 17 64 37% 50% 39% 27% 38% c 2% 4% 3% 5 4% 2% 4% 3% 6 2% 4% 3% 1% 1 1 1 2 1% 1% 1 1 1 2 1% 1% 1 1 1 2 1% 1% 1 1



Q8_8. How effective have the below been at treating your symptoms of the menopause, if at all?

Alternative and complementary treatments such as herbal remedies and-'natural'-hormones

Base: All who experienced the menopause and experienced symptoms of it and tried alternative and complementary treatments such as herbal remedies and-'natural'-hormones

			AGE GRO	DUP	SOCIAL G	RADE	UNDERSTA	NDING OF THE ME	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M MOOD/MENTA	
		Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%	-	Total	a	b	a	b	a	b	C	a	*b	anecieu	*b
Unweighted Total		169	91	78	90	79	162	49	68	169	-	114	12
Weighted Total		167	89	78	89	78	160	49	66	167	-	112	12
		100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
Very effective	(4)	25	16	9	10	15	24	14	6	25	-	15	3
		15%	18%	11%	12%	19%	15%	29% ac	9%	15%	-	13%	24%
Fairly effective	(3)	73	42	31	42	31	72	26	27	73	-	47	5
		44%	47%	39%	47%	39%	45%	53%	41%	44%	-	42%	45%
Not very effective	(2)	37	17	20	17	20	34	5	20	37	-	25	2
		22%	20%	25%	20%	25%	22%	10%	30%	22%	-	22%	15%
									b				
Not at all effective	(1)	23	11	12	13	10	21	1	12	23	-	18	2
		14%	12%	16%	15%	12%	13%	2%	19%	14%	-	16%	16%
							b		b				
I don't know		9	3	6	6	3	9	3	1	9	-	7	-
		5%	3%	8%	6%	4%	6%	7%	1%	5%	-	6%	-
NETS													
Net: Effective		98	58	40	52	45	96	40	33	98	-	62	8
		59%	65%	51%	59%	58%	60%	82%	50%	59%	-	56%	69%
								ac					
Net: Not effective		60	28	32	31	29	55	6	32	60	-	43	4
		36%	32%	41%	35%	38%	35%	12%	49%	36%	-	38%	31%
							b		ab				
Mean score		2.6	2.7	2.5	2.6	2.7	2.7	3.2	2.4	2.6	-	2.6	2.8
								ac					
Standard deviation		.92	.91	.92	.91	.94	.91	.69	.90	.92	-	.94	1.03
Standard error	Į	.07	.10	.11	.10	.11	.07	.10	.11	.07	-	.09	.30



Q8_8. How effective have the below been at treating your symptoms of the menopause, if at all?

Alternative and complementary treatments such as herbal remedies and-'natural'-hormones

Base: All who experienced the menopause and experienced symptoms of it and tried alternative and complementary treatments such as herbal remedies and-'natural'-hormones

			REGION Yorkshire											
			N. a	N. 4	Yorkshire	- .	144			0 11	0 11			N. a
		Total	North East	North West	and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		Total	*a	*b	*c	*d	*e	*f	*g	*h	*i	*j	*k	*
Unweighted Total		169	12	22	11	14	16	17	25	14	16	10	11	1
Weighted Total		167 100%	11 100%	21 100%	10 100%	12 100%	15 100%	16 100%	23 100%	20 100%	15 100%	10 100%	11 100%	2 100%
Very effective	(4)	25 15%	1 8%	3 14%	3 36%	1 7%	3 19%	3 18%	6 28%	3 14%	-	-	2 18%	-
Fairly effective	(3)	73 44%	6 50%	9 41%	3 27%	7 57%	2	6 35%	11 48%	12 57%	7 50%	5 50%	4 36%	2 100%
Not very effective	(2)	37 22%	2 17%	5 23%	3 36%	3 21%	6 38%	6 35%	3 12%	1 7%	4 25%	3 30%	2 18%	-
Not at all effective	(1)	23 14%	3 25%	5 23%	-	-	5 31%	1 6%	2 8%	-	4 25%	2 20%	2 18%	-
I don't know		9 5%	-	-	-	2 14%	-	1 6%	1 4%	4 21%	-	-	1 9%	-
NETS														
Net: Effective		98 59%	7 58%	12 55%	6 64%	8 64%	5 31%	9 53%	17 76%	14 71%	7 50%	5 50%	6 55%	2 100%
Net: Not effective		60 36%	5 42%	10 45%	3 36%	3 21%	10 69%	7 41%	5 20%	1 7%	7 50%	5 50%	4 36%	-
Mean score Standard deviation Standard error		2.6 .92 .07	2.4 1.00 .29	2.5 1.01 .22	3.0 .90 .27	2.8 .58 .17	2.2 1.11 .28	2.7 .87 .22	3.0 .89 .18	3.1 .53 .16	2.3 .86 .21	2.3 .82 .26	2.6 1.08 .34	3.0



Q8_8. How effective have the below been at treating your symptoms of the menopause, if at all?

Alternative and complementary treatments such as herbal remedies and-'natural'-hormones

Base: All who experienced the menopause and experienced symptoms of it and tried alternative and complementary treatments such as herbal remedies and-'natural'-hormones

				REGION GROUPS		
	Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
Significance Level: 95%		а	b	С	d	*e
Unweighted Total	169	45	47	55	147	22
Weighted Total	167 100%	42 100%	44 100%	58 100%	143 100%	23 100%
Very effective (4)	25 15%	7 17%	7 15%	9 16%	23 16%	2 9%
Fairly effective (3)	73 44%	17 40%	15 34%	30 52%	61 43%	11 48%
Not very effective (2)	37 22%	10 24%	14 32% c	8 14%	32 22%	5 22%
Not at all effective (1)	23 14%	8 18%	6 13%	6 10%	19 13%	4 17%
I don't know	9 5%		3 6%	5 9% a	8 6%	1 4%
NETS						
Net: Effective	98 59%	24 58%	21 49%	39 68%	85 59%	13 56%
Net: Not effective	60 36%	18 42% c	20 45% c	13 23%	51 35%	9 39%
Mean score Standard deviation Standard error	2.6 .92 .07	2.6 .99 .15	2.5 .93 .14	2.8 .85 .12	2.7 .92 .08	2.5 .91 .20

Fieldwork: 8th - 18th December 2017



Q8_9. How effective have the below been at treating your symptoms of the menopause, if at all?

Another treatment

Base: All who experienced the menopause and experienced symptoms of it and tried another treatment

			AGE GROUP 50–55 56–60		SOCIAL GRADE		UNDERSTA	NDING OF THE M	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M	
	ľ		50-55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
		Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected
Significance Level: 95%			*a	*b	*a	*b	*a	*b	*c	*a	*b	*a	*b
Unweighted Total		15	7	8	5	10	13	3	8	15	-	8	2
Weighted Total		15	7	8	4	10	13	4	7	15	-	8	2
		100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
Very effective	(4)	2	1	1	1	1	2	1	1	2	-	-	1
		12%	14%	11%	20%	9%	14%	24%	13%	12%	-	-	48%
Fairly effective	(3)	8	4	4	2	6	8	3	3	8	-	4	-
		51%	58%	45%	39%	55%	58%	76%	38%	51%	-	45%	-
Not very effective	(2)	1	1	-	-	1	1	-	1	1	-	1	-
		6%	14%	-	-	9%	7%	-	13%	6%	-	11%	-
Not at all effective	(1)	4	-	4	2	2	2	-	2	4	-	3	1
		25%	-	44%	41%	18%	14%	-	24%	25%	-	33%	52%
I don't know		1	1	-	-	1	1	-	1	1	-	1	-
		6%	14%	-	-	9%	7%	-	12%	6%	-	11%	-
NETS													
Net: Effective		9	5	5	3	7	9	4	4	9	-	4	1
		63%	72%	56%	59%	65%	72%	100%	51%	63%	-	45%	48%
Net: Not effective		5	1	4	2	3	3	-	3	5	-	4	1
		31%	14%	44%	41%	27%	21%	-	37%	31%	-	44%	52%
Mean score		2.5	3.0	2.2	2.4	2.6	2.8	3.2	2.4	2.5	-	2.1	2.5
Standard deviation		1.06	.63	1.20	1.37	.96	.92	.50	1.14	1.06	-	.99	2.22
Standard error	L	.28	.26	.43	.61	.32	.27	.29	.43	.28	-	.38	1.57



Q8_9. How effective have the below been at treating your symptoms of the menopause, if at all?

Another treatment

Base: All who experienced the menopause and experienced symptoms of it and tried another treatment

		REGION Yorkshire												
		Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		Total	*a	*b	*c	*d	*e	*f	*g	*h	*i	*j	*k	*
Unweighted Total		15	-	1	2	2	2	3	2	-	1	-	1	1
Weighted Total		15 100%	-	1 100%	2 100%	2 100%	2 100%	3 100%	2 100%	-	1 100%	-	1 100%	2 100%
Very effective	(4)	2 12%	- -	-	-	1 50%	-	1 33%	-	-	-	-	-	-
Fairly effective	(3)	8 51%	- -	1 100%	1 50%	1 50%		1 33%	1 50%	-	-	-	1 100%	2 100%
Not very effective	(2)	1 6%	-	-		-	1 50%	-		-		-	-	-
Not at all effective	(1)	4 25%	-	-	1 50%	-	1 50%	1 33%		-	1 100%	-	-	-
I don't know		1 6%	-	-		-	-	-	1 50%	-	-	-	-	-
NETS														
Net: Effective		9 63%	-	1 100%	1 50%	2 100%	-	2 67%	1 50%	-		-	1 100%	2 100%
Net: Not effective		5 31%	-	-	1 50%	-	2 100%	1 33%	-	-	1 100%	-		
Mean score Standard deviation Standard error		2.5 1.06 .28	- - -	3.0 - -	2.0 1.54 1.09	3.5 .76 .53	1.5 .73 .52	2.7 1.55 .89	3.0	- - -	1.0 - -	- - -	3.0 - -	3.0



Q8_9. How effective have the below been at treating your symptoms of the menopause, if at all?

Another treatment

Base: All who experienced the menopause and experienced symptoms of it and tried another treatment

				REGION GROUPS		
	Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
Significance Level: 95%	Total	*a	*b	*c	*d	*e
			_			
Unweighted Total	15	3	7	3	13	2
Weighted Total	15	3	7	3	12	3
	100%	100%	100%	100%	100%	100%
Very effective (4)	2	-	2	-	2	-
	12%	-	28%	-	15%	-
Fairly effective (3)	8	2	2	1	5	3
,	51%	68%	28%	33%	38%	100%
Not very effective (2)	1	_	1	-	1	_
, ,	6%	-	14%	-	8%	-
Not at all effective (1)	4	1	2	1	4	-
	25%	32%	29%	34%	31%	-
I don't know	1	-	_	1	1	-
	6%	-	-	33%	8%	-
NETS						
Net: Effective	9	2	4	1	6	3
	63%	68%	57%	33%	54%	100%
Net: Not effective	5	1	3	1	5	-
	31%	32%	43%	34%	39%	-
Mean score	2.5	2.4	2.6	2.0	2.4	3.0
Standard deviation	1.06	1.18	1.28	1.48	1.17	*
Standard error	.28	.68	.48	1.05	.34	*



Q9. Have you experienced any of the following as a result of the menopause? Base: All who have experienced the menopause

		AGE GRO	DUP	SOCIAL G	RADE	UNDERSTAN	NDING OF THE ME	NOPAUSE	SYMPTOMS OF TH	HE MENOPAUSE	AFFECT OF THE M MOOD/MENTA	
	Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%	Total	a	b	а	b	a	b	C	а	b	а	b
Unweighted Total	962	507	455	486	476	925	282	382	845	117	430	197
Weighted Total	960 100%	504 100%	456 100%	484 100%	477 100%	924 100%	281 100%	378 100%	844 100%	116 100%	426 100%	199 100%
Made/ making me want to stay at home	242 25%	138 27%	103 23%	108 22%	134 28% a	228 25%	64 23%	99 26%	235 28% b	7 6%	190 45% b	9 4%
Reduced enjoyment of life	225 23%	115 23%	110 24%	99 20%	126 26% a	213 23%	60 21%	90 24%	221 26% b	4 3%	192 45% b	2 1%
Difficulty coping	181 19%	100 20%	81 18%	79 16%	102 21%	167 18%	45 16%	71 19%	178 21% b	3 2%	157 37% b	2 1%
Poor mental health	145 15%	80 16%	65 14%	60 12%	85 18% a	136 15%	32 11%	56 15%	139 17% b	6 5%	133 31% b	2 1%
Considered/ considering leaving my job	50 5%	24 5%	26 6%	28 6%	22 5%	46 5%	12 4%	21 6%	49 6% b	1 1%	34 8% b	1 *
Problems with my family	50 5%	25 5%	25 5%	20 4%	30 6%	44 5%	12 4%	14 4%	48 6%	2 2%	38 9% b	1 *
Stopped/ stopping me from exercising	50 5%	30 6%	20 4%	25 5%	25 5%	49 5%	13 5%	22 6%	48 6%	2 2%	39 9% b	1 1%
Left/ leaving my job	48 5%	26 5%	22 5%	25 5%	23 5%	43 5%	12 4%	21 6%	47 6% b	1 1%	40 9% b	1 1%
Became/ becoming closer to my partner	30 3%	20 4%	10 2%	8 2%	22 5% a	28 3%	15 5% c	6 2%	29 3%	1 1%	20 5% b	3 1%
Became/ becoming close to my family	17 2%	13 2%	5 1%	9 2%	8 2%	17 2%	6 2%	8 2%	15 2%	2 2%	10 2%	1
None of the above	533 55%	259 51%	274 60% a	286 59% b	246 52%	520 56%	161 57%	210 56%	431 51%	101 87% a	105 25%	187 94% a



Q9. Have you experienced any of the following as a result of the menopause? Base: All who have experienced the menopause

Significance Level: 95%
Unweighted Total
Weighted Total
NETS
Net: Job difficulties
Net: Closer to family/ partner
Net: Experiencing difficulty

	AGE G	ROUP	SOCIAL GRADE					SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE MENOPAUSE ON MOOD/MENTAL HEALTH		
	50-55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all	
Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected	
	а	b	а	b	а	b	С	а	b	а	b	
962	507	455	486	476	925	282	382	845	117	430	197	
960	504	456	484	477	924	281	378	844	116	426	199	
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
90	44	46	49	41	81	24	38	88	2	66	2	
9%	9%	10%	10%	9%	9%	9%	10%	10%		15%	1%	
9%	9%	10%	10%	9%	9%	9%	10%		2%		1%	
								b		b		
41	29	12	13	27	39	20	9	39	2	26	3	
4%	6%	3%	3%	6%	4%	7%	2%	5%	2%	6%	1%	
	b			а		С				b		
412	235	177	192	220	388	110	166	399	13	314	11	
43%	47%	39%	40%	46%	42%	39%	44%	47%	11%	74%	6%	
	b			а				b		ь		



Q9. Have you experienced any of the following as a result of the menopause? Base: All who have experienced the menopause

							REGI	ON					
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		а	b	С	d	е	f	g	h	i	j	k	*1
Unweighted Total	962	47	113	92	80	87	97	116	90	90	49	88	13
Weighted Total	960 100%	44 100%	109 100%	80 100%	71 100%	82 100%	92 100%	105 100%	130 100%	84 100%	50 100%	88 100%	26 100%
Made/ making me want to stay at home	242 25%	18 40% cdghk	30 27%	19 24%	12 18%	24 29%	29 31% dh	25 24%	22 17%	24 29%	11 22%	20 23%	8 31%
Reduced enjoyment of life	225 23%	17 38% bcdhi	23 21%	16 20%	9 13%	26 32% dhi	27 29% di	29 28% di	23 18%	12 14%	13 27% d	24 27% di	6 23%
Difficulty coping	181 19%	11 26%	21 19%	13 16%	11 15%	16 20%	22 24%	20 19%	19 14%	14 17%	13 27%	15 17%	6 23%
Poor mental health	145 15%	13 30% bcdfghi	16 15%	10 12%	9 13%	13 16%	14 15%	14 14%	13 10%	12 14%	7 14%	19 22% h	4 15%
Considered/ considering leaving my job	50 5%	5 11% b	3 3%	3 4%	6 9%	5 6%	7 7%	7 7%	4 3%	4 4%	3 6%	3 3%	-
Problems with my family	50 5%	2 4%	2 2%	3 4%	4 5%	7 8% b	5 5%	7 7%	6 4%	5 6%	2 4%	4 5%	4 15%
Stopped/ stopping me from exercising	50 5%	3 6%	7 6%	3 4%	3 4%	4 5%	5 5%	5 5%	7 6%	5 6%	4 8%	4 5%	-
Left/ leaving my job	48 5%	-	3 3%	6 8%	3 4%	7 8% a	7 7%	6 6%	3 2%	4 4%	7 14% abdhik	3 3%	-
Became/ becoming closer to my partner	30 3%	2 4%	4 4%	2 2%	-	4 5%	2 2%	5 5% d	3 2%	1 1%	-	4 5%	4 15%
Became/ becoming close to my family	17 2%	1 2%	1 1%	2 2%	1 1%	-	2 2%	5 4%	1 1%	1 1%	-	2 2%	2 8%
None of the above	533 55%	21 47%	65 59%	45 57%	43 60%	42 52%	49 54%	53 51%	76 59%	48 58%	29 57%	47 53%	14 54%
NETS													
Net: Job difficulties	90 9%	5 11%	6 5%	8 10%	8 11%	9 11%	11 12%	13 12%	7 6%	7 9%	9 18% bhk	6 7%	-

Q9. Have you experienced any of the following as a result of the menopause? Base: All who have experienced the menopause

Significance Level: 95% Unweighted Total Weighted Total Net: Closer to family/ partner Net: Experiencing difficulty

						REG	ION					
Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
						£ 4		h	11001	; ;	b cooliana	*1
962	a 47	D 442	00	a	е	07	9	00	00	J 40	, K	42
	47	113	92	80	87	97	116	90	90	49	88	13
960	44	109	80	71	82	92	105	130	84	50	88	26
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
41	2	4	3	1	4	4	8	4	2	-	5	4
4%	4%	4%	4%	1%	5%	4%	8%	3%	2%	-	6%	15%
							dj					
412	24	44	33	28	40	43	49	49	35	22	38	10
43%	53%	40%	41%	39%	48%	46%	47%	38%	42%	43%	43%	38%



Q9. Have you experienced any of the following as a result of the menopause? Base: All who have experienced the menopause

				REGION GROUPS		
	Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
Significance Level: 95%		а	b	С	d	е
Unweighted Total	962	252	264	296	812	150
Weighted Total	960	233	245	318	796	164
	100%	100%	100%	100%	100%	100%
Made/ making me want to stay at home	242	67	64	71	202	39
	25%	29%	26%	22%	25%	24%
Reduced enjoyment of life	225	56	62	64	182	43
	23%	24%	25%	20%	23%	26%
Difficulty coping	181	46	49	53	147	34
	19%	20%	20%	17%	18%	21%
Poor mental health	145	39	36	40	115	30
	15%	17%	15%	12%	14%	18%
Considered/ considering leaving my job	50	11	18	15	44	6
	5%	5%	7%	5%	6%	4%
Problems with my family	50	7	15	18	40	10
	5%	3%	6%	6%	5%	6%
Stopped/ stopping me from exercising	50	13	11	17	42	8
	5%	6%	5%	5%	5%	5%
Left/ leaving my job	48	9	16	13	38	10
	5%	4%	6%	4%	5%	6%
Became/ becoming closer to my partner	30	7	6	9	22	8
	3%	3%	2%	3%	3%	5%
Became/ becoming close to my family	17	4	3	7	13	4
	2%	2%	1%	2%	2%	2%
None of the above	533	131	134	178	443	90
	55%	56%	55%	56%	56%	55%
NETS						
Net: Job difficulties	90	18	29	27	74	15
	9%	8%	12%	9%	9%	9%
Net: Closer to family/ partner	41	9	8	14	32	9
	4%	4%	3%	4%	4%	5%
Net: Experiencing difficulty	412	100	110	133	343	69
	43%	43%	45%	42%	43%	42%



S1. Are you ... Base: All respondents

Significance Level: 95%
Unweighted Total
Weighted Total
Male
Female
Prefer not to say

	AGE G	ROUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE ME	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M MOOD/MENT/	
	50-55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected
	а	b	а	b	а	b	С	а	b	а	b
1009	545	464	515	494	925	282	382	845	117	430	197
1009	543	466	513	496	924	281	378	844	116	426	199
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
1009	543	466	513	496	924	281	378	844	116	426	199
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-



S1. Are you ... Base: All respondents

Significance Level: 95%
Unweighted Total
Weighted Total
Male
Female
Prefer not to say

						REG	ION					
Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
	а	b	С	d	е	f	g	h	i	j	k	*
1009	48	118	98	83	93	100	118	97	97	50	93	14
1009 100%	45 100%	114 100%	85 100%	74 100%	88 100%	95 100%	107 100%	140 100%	90 100%	51 100%	93 100%	28 100%
-	-	-	-	-	-	-	-	-	-	-	-	
1009 100%	45 100%	114 100%	85 100%	74 100%	88 100%	95 100%	107 100%	140 100%	90 100%	51 100%	93 100%	28 100%
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-



S1. Are you ... Base: All respondents

Significance Level: 95%

Unweighted Total

Weighted Total

Male

Female

Prefer not to say

			REGION GROUPS		
Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
	а	b	С	d	е
1009	264	276	312	852	157
1009	244	256	337	837	172
100%	100%	100%	100%	100%	100%
-	-	-	-	-	-
-	-	-	-	-	-
1009	244	256	337	837	172
100%	100%	100%	100%	100%	100%
-	-	-	-	-	-
-	-	-	-	-	-



How old are you? Base: All respondents

Significance Level: 95%
Unweighted Total
Weighted Total
50
51
52
53
54
55
56
57
58
59
60
NETS
Net: 50 - 55
Columns Tested: a h - a h - a h c - a h - a h

Columns Tested: a,b - a,b - a,b,c - a,b - a,b

Fieldwork: 8th - 18th December 2017

	AGE GR	OUP	SOCIAL G	RADE		ANDING OF THE M	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M MOOD/MENTA	
Total	50–55	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced	No ou mantoma	Severely/fairly affected	Not at all affected
TOTAL	years a	years b	a	b	a	b understanding	C	symptoms a	No symptoms b	allected	b
1009	545	464	515	494	925	282	382	845	117	430	197
1009	543	466	513	496	924	281	378	844	116	426	199
100%	100%	100%	100%	100%	100%			100%	100%	100%	100%
00	00		50	00	7.4	40	20		40	0.4	40
89 9%	89 16%	-	50 10%	39 8%	74 8%	18 6%	32 9%	63 7%	13 11%	34 8%	13 6%
370	b		1070	070	070	070	370	170	1170	070	070
84	84	-	41	43	69	24	24	62	9	31	16
8%	15% b	-	8%	9%	8%	8%	6%	7%	8%	7%	8%
	Б										
83	83	-	40	43	77	22	28	68	10	39	17
8%	15%	-	8%	9%	8%	8%	7%	8%	8%	9%	8%
	b										
93	93	-	54	39	83	26	34	75	12	37	24
9%	17%	-	10%	8%	9%	9%	9%	9%	10%	9%	12%
	b										
100	100	-	53	47	95	28	45	93	6	52	13
10%	18%	-	10%	9%	10%			11%	5%	12%	7%
	b							b		b	
94	94	_	46	48	90	24	41	85	8	48	16
9%	17%	-	9%	10%	10%			10%	7%	11%	8%
370	b		070	1070	1070	070	1170	1070	7,0	1170	07.
101 10%		101 22%	40 8%	61 12%	96 10%	26 9%	37 10%	92 11%	9 8%	45 11%	20 10%
10%	-	22% a	6%	12% a	10%	9%	10%	11%	8%	11%	10%
103	-	103	58	44	92	31	39	85	14	35	25
10%	-	22%	11%	9%	10%	11%	10%	10%	12%	8%	12%
		a									
102	-	102	51	51	94	30	39	87	12	44	17
10%	-	22%	10%	10%	10%	11%	10%	10%	11%	10%	89
		а									
68	-	68	29	39	66	24	22	57	9	29	16
7%	-	15%	6%	8%	7%	9%	6%	7%	8%	7%	89
		а									
92	-	92	52	40	87	29	36	77	14	30	23
9%	_	20%	10%	8%	9%			9%	12%	7%	129
		a									
543	543	-	283	260	488	141	204	447	57	242	98
54%	100%	-	55%	52%	53%	50%	54%	53%	49%	57%	49%
	b										



How old are you? Base: All respondents

Significance Level: 95%

Unweighted Total

Weighted Total

Net: 56 - 60

	AGE G	AGE GROUP SOCIAL GRADE		GRADE	UNDERSTA	NDING OF THE ME	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE MENOPAUSE ON MOOD/MENTAL HEALTH		
	50-55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all	
Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected	
	а	b	а	b	а	b	С	а	b	а	b	
1009	545	464	515	494	925	282	382	845	117	430	197	
1009	543	466	513	496	924	281	378	844	116	426	199	
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
466	-	466	230	236	436	140	174	397	59	184	101	
46%	-	100%	45%	48%	47%	50%	46%	47%	51%	43%	51%	
i		а										



How old are you?
Base: All respondents

Significance Level: 95% Unweighted Total Weighted Total 50 51 52 53 54 55 56 57 58 59 60 NETS Net: 50 - 55 Net: 56 - 60

Columns Tested: a,b,c,d,e,f,g,h,i,j,k,l

						REGI	ON					
Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
	а	b	С	d	е	f	g	h	i	j	k	*1
1009	48	118	98	83	93	100	118	97	97	50	93	14
1009	45	114	85	74	88	95	107	140	90	51	93	28
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
89	4	10	10	5	7	9	16	10	9	4	6	-
9%	8%	8%	11%	7%	8%	9%	15% k	7%	10%	8%	6%	-
84	8	7	13	3	9	6	5	10	8	3	8	4
8%	19% bdfgh	6%	15% bdfg	4%	11%	6%	4%	7%	9%	6%	9%	14%
83	5	10	5	5	7	10	11	13	9	2	6	-
8%	10%	8%	6%	7%	8%	11%	10%	9%	10%	4%	6%	-
93	2	8	11	10	8	8	12	12	6	2	10	6
9%	4%	7%	13%	13%	9%	8%	11%	8%	6%	4%	11%	21%
100	4	9	6	7	13	8	8	16	12	7	8	2
10%	8%	8%	7%	10%	15%	8%	8%	11%	13%	14%	9%	7%
94	2	14	7	5	5	8	8	16	11	6	13	-
9%	4%	12%	8%	7%	5%	8%	8%	11%	12%	12%	14% e	-
101	6	15	8	13	7	6	6	16	7	4	10	4
10%	13%	14% g	9%	18% efgi	8%	6%	6%	11%	7%	8%	11%	14%
103	4	13	5	8	16	12	13	9	7	6	6	4
10%	8%	11%	6%	11%	18% chik	13%	12%	6%	8%	12%	6%	14%
102	4	11	10	5	8	7	15	19	7	6	8	2
10%	8%	9%	11%	7%	10%	7%	14%	13%	8%	12%	9%	7%
68	4	12	4	4	6	9	3	7	5	4	11	-
7%	8%	10%	5%	6%	6%	9%	3%	5%	5%	8%	12%	-
		g				g					g	
92	4 8%	8	6 7%	7	3	14	10	13	8	6	7	6
9%	8%	7%	7%	10%	3%	15% e	9%	9%	9%	12% e	8%	21%
543	24	56	52	36	48	48	60	76	56	25	51	12
54%	54%	49%	61%	48%	55%	50%	56%	55%	62%	48%	55%	43%
466	21	58	33	38	40	48	47	63	34	27	42	16
46%	46%	51%	39%	52%	45%	50%	44%	45%	38%	52%	45%	57%

Fieldwork: 8th - 18th December 2017

Page 65





How old are you? Base: All respondents

Significance Level: 95%
Unweighted Total
Weighted Total
50
51
52

55 56

54

57 58

59 60

NETSNet: 50 - 55

Net: 56 - 60

			REGION GROUPS		
Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
	а	b	С	d	е
1009	264	276	312	852	157
1009	244	256	337	837	172
100%	100%	100%	100%	100%	100%
89	23	20	36	79	10
9%	9%	8%	11%	9%	6%
84	28	18	23	69	15
8%	12%	7%	7%	8%	9%
	С				
83	20	22	33	75	8
8%	8%	9%	10%	9%	5%
93	21	25	29	75	18
9%	9%	10%	9%	9%	10%
100	19	28	36	82	17
10%	8%	11%	11%	10%	10%
94	22	18	35	75	19
9%	9%	7%	10%	9%	11%
101	29	26	29	83	18
10%	12%	10%	9%	10%	11%
103	22	36	29	87	16
10%	9%	14%	9%	10%	9%
		С			
102	24	20	42	86	16
10%	10%	8%	12%	10%	9%
68	20	19	15	53	15
7%	8%	7%	4%	6%	9%
92	18	24	31	73	19
9%	7%	9%	9%	9%	11%
543	132	131	192	455	87
54%	54%	51%	57%	54%	51%
466	112	125	145	382	85
46%	46%	49%	43%	46%	49%



$\ensuremath{\mathbf{S3}}.$ Which, if any, of the following regions best describes where you live? $\ensuremath{\mathsf{Base}}.$ All respondents

		AGE GR	OUR	SOCIAL G	PADE	LINDEDSTAN	NDING OF THE ME	NODALISE	SYMPTOMS OF TH	HE MENODALISE	AFFECT OF THE M MOOD/MENTA	
	Total	50-55	56-60	ABC1	C2DE	At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
Significance Level: 95%	Total	years a	years b	a	b b	understanding a	understanding b	understanding c	symptoms a	No symptoms b	affected a	affected b
Unweighted Total	1009	545	464	515	494	925	282	382	845	117	430	197
Weighted Total	1009	543	466	513	496	924	281	378	844	116	426	199
Tolginou Tolai	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
North East	45	24	21	19	26	43	14	18	42	2	26	8
	4%	5%	4%	4%	5%	5%	5%	5%	5%	2%	6%	4%
North West	114 11%	56 10%	58 12%	40 8%	74 15%	104 11%	28 10%	45 12%	92 11%	17 15%	49 12%	19 10%
	1176	10%	1270	076	a	1170	10%	1270	1176	13%	1276	107
Yorkshire and The Humber	85	52	33	51	34	77	30	29	71	9	29	17
	8%	10%	7%	10%	7%	8%	11%	8%	8%	7%	7%	9%
East Midlands	74 7%	36 7%	38 8%	44 8%	30 6%	65 7%	14 5%	25 7%	63 7%	8 7%	31 7%	15 8%
West Midlands	88 9%	48 9%	40 8%	34 7%	54 11%	78 8%	21 7%	33 9%	76 9%	6 5%	47 11%	13 7%
					а							
East	95	48	48	49	46	91	23	51	84	9	42	20
	9%	9%	10%	10%	9%	10%	8%	14% b	10%	7%	10%	10%
London	107	60	47	71	35	98	37	42	96	9	48	21
	11%	11%	10%	14% b	7%	11%	13%	11%	11%	8%	11%	10%
South East	140	76	63	81	59	127	37	50	115	14	50	25
	14%	14%	14%	16%	12%	14%	13%	13%	14%	12%	12%	12%
South West	90	56	34	47	43	81	23	29	65	19	36	19
	9%	10%	7%	9%	9%	9%	8%	8%	8%	16% a	9%	9%
Wales	51	25	27	27	25	49	17	22	45	5	20	14
	5%	5%	6%	5%	5%	5%	6%	6%	5%	4%	5%	7%
Scotland	93	51	42	41	52	86	28	29	71	17	37	18
	9%	9%	9%	8%	10%	9%	10%	8%	8%	15% a	9%	9%
Northern Ireland	28	12	16	10	18	24	8	4	24	2	10	10
	3%	2%	3%	2%	4%	3%	3%	1%	3%	2%	2%	5%
None of the above	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
NETS												
Net: England	837 83%	455 84%	382 82%	436 85%	401 81%	765 83%	228 81%	324 86%	704 83%	92 79%	360 84%	156 79%

Columns Tested: a,b - a,b - a,b,c - a,b - a,b

Fieldwork: 8th - 18th December 2017

Prepared by ComRes



S3. Which, if any, of the following regions best describes where you live? $\mbox{\sc Base}$: All respondents

Significance Level: 95%
Unweighted Total
Weighted Total
Net: North
Net: Midlands
Net: South
Net: Devolved regions

										AFFECT OF THE N		
	AGE G		SOCIAL GRADE		UNDERSTA	NDING OF THE ME		SYMPTOMS OF T	HE MENOPAUSE	MOOD/MENTAL HEALTH		
	50–55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all	
Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected	
	а	b	а	b	a	b	С	а	b	а	b	
1009	545	464	515	494	925	282	382	845	117	430	197	
1009	543	466	513	496	924	281	378	844	116	426	199	
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
244	132	112	110	135	225	72	93	205	28	105	44	
24%	24%	24%	21%	27%	24%	26%	25%	24%	24%	25%	22%	
				а								
256	131	125	127	129	234	58	109	223	22	120	48	
25%	24%	27%	25%	26%	25%	21%	29%	26%	19%	28%	24%	
							b					
337	192	145	199	137	306	98	122	276	42	135	64	
33%	35%	31%	39%	28%	33%	35%	32%	33%	36%	32%	32%	
			b									
172	87	85	78	94	159	53	55	140	24	66	42	
17%	16%	18%	15%	19%	17%	19%	14%	17%	21%	16%	21%	



S3. Which, if any, of the following regions best describes where you live? $\mbox{\sc Base}$: All respondents

		REGION											
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		а	b	С	d	е	f	g	h	i	j	k	*
Unweighted Total	1009	48	118	98	83	93	100	118	97	97	50	93	14
Weighted Total	1009 100%	45 100%	114 100%	85 100%	74 100%	88 100%	95 100%	107 100%	140 100%	90 100%	51 100%	93 100%	28 100%
North East	45 4%	45 100% bcdefghijk	-	-	-	-	-				-	-	-
North West	114 11%	-	114 100% acdefghijk		-		-		-		-	-	-
Yorkshire and The Humber	85 8%	-	-	85 100% abdefghijk	-	-		-	-	-		-	-
East Midlands	74 7%	- -	-	- -	74 100% abcefghijk	- -	-	-	-	-	-	- -	-
West Midlands	88 9%	-	-	-	-	88 100% abcdfghijk	-	-	-	-	-	-	-
East	95 9%	-	-	-	-	-	95 100% abcdeghijk	-	-	-	-	-	-
London	107 11%	-	-	-	-	-	-	107 100% abcdefhijk	-		-	-	-
South East	140 14%	-	-	- -	- -	- -		- -	140 100% abcdefgijk	- -	- -	- -	-
South West	90 9%	-	-	-	-	-	-	-	-	90 100% abcdefghjk	-	-	-
Wales	51 5%		-	-	-	-	-				51 100% abcdefghik	-	-
Scotland	93 9%		-	-	-	-	-	-			-	93 100% abcdefghij	-



Northern

Ireland

14

28

100% 28 100%

28

100%

South

West

97

90

100%

90 100%

90 100% abcdefjk

Wales

50

51

100%

51

100% abcdefghi

Scotland

93

93

100%

93

100%

abcdefghi

JN303687 Menopause Poll 2017

S3. Which, if any, of the following regions best describes where you live? $\mbox{\sc Base}$: All respondents

							REGIO	ON	
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East
Significance Level: 95%		а	b	С	d	е	f	g	h
Inweighted Total	1009	48	118	98	83	93	100	118	97
Veighted Total	1009 100%	45 100%	114 100%	85 100%	74 100%	88 100%	95 100%	107 100%	140 100%
Northern Ireland	28	-	-	-	-	-	-	-	-
	3%	-	-	-	-	-	-	-	-
None of the above		-	-	-	-	-	-	-	-
NETS									
Net: England	837 83%	45 100% jk	114 100% jk	85 100% jk	74 100% jk	88 100% jk	95 100% jk	107 100% jk	140 100% jk
let: North	244 24%	45 100% defghijk	114 100% defghijk	85 100% defghijk	-	- -		- -	-
let: Midlands	256 25%	-	-	-	74 100% abcghijk	88 100% abcghijk	95 100% abcghijk	-	-
let: South	337 33%	-	-	-	-	-		107 100% abcdefjk	140 100% abcdefjk
Net: Devolved regions	172 17%	-	-	-	-	-	-	-	-



S3. Which, if any, of the following regions best describes where you live? Base: All respondents

				REGION GROUPS		
	Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
Significance Level: 95%		а	b	С	d	е
Unweighted Total	1009	264	276	312	852	157
Weighted Total	1009 100%	244 100%	256 100%	337 100%	837 100%	172 100%
North East	45 4%	45 18% bcde	-	-	45 5% bce	-
North West	114 11%	114 47% bcde	-	-	114 14% bce	-
Yorkshire and The Humber	85 8%	85 35% bcde	-	-	85 10% bce	-
East Midlands	74 7%	-	74 29% acde	-	74 9% ace	-
West Midlands	88 9%	-	88 34% acde	-	88 10% ace	- -
East	95 9%	-	95 37% acde	-	95 11% ace	-
London	107 11%	-	-	107 32% abde	107 13% abe	-
South East	140 14%	-	-	140 42% abde	140 17% abe	-
South West	90 9%	-	-	90 27% abde	90 11% abe	-
Wales	51 5%	-	-	-	-	51 30% abcd
Scotland	93 9%	-	-	-	-	93 54% abcd
Northern Ireland	28 3%	-	-	-	-	28 16% abcd
None of the above	-	-	-	-	-	-
Columna Testadi: a b a d a	-	-	-	-	-	-

Columns Tested: a,b,c,d,e

Fieldwork: 8th - 18th December 2017

Page 71



S3. Which, if any, of the following regions best describes where you live? $\mbox{\sc Base}$: All respondents

Significance Level: 95% Unweighted Total Weighted Total NETS Net: England Net: North Net: Midlands Net: South Net: Devolved regions

			REGION GROUPS		
Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
	а	b	С	d	е
1009	264	276	312	852	157
1009	244	256	337	837	172
100%	100%	100%	100%	100%	100%
837 83%	244 100% e	256 100% e	337 100% e	837 100% e	- -
244	244	-	-	244	-
24%	100%	-	-	29%	-
	bcde			bce	
256	-	256	-	256	-
25%	-	100%	-	31%	-
		acde		ace	
337	-	-	337	337	-
33%	-	-	100%		-
			abde	abe	
172	-	-	-	-	172
17%	-	-	-	-	100%
					abcd



S4. What is the employment status of the the Chief Income Earner Base: All respondents

		AGE GR	OUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE MI	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE N	
	Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%		а	b	а	b	а	b	С	а	b	а	b
Unweighted Total	1009	545	464	515	494	925	282	382	845	117	430	197
Weighted Total	1009 100%	543 100%	466 100%	513 100%	496 100%	924 100%	281 100%	378 100%	844 100%	116 100%	426 100%	199 100%
Full-time employment (more than 29 hours a week)	556 55%	325 60% b	231 50%	350 68% b	205 41%	512 55%	162 58%	209 55%	472 56%	58 49%	244 57%	110 56%
Part-time employment (8-29 hours per week)	150 15%	83 15%	68 14%	82 16%	68 14%	135 15%	40 14%	61 16%	122 14%	20 17%	57 13%	31 16%
Retired	126 13%	37 7%	89 19% a	80 15% b	47 9%	114 12%	28 10%	51 13%	105 12%	16 14%	42 10%	27 14%
Student	1	-	1 *	1	-	1 *	-		1 *	-	1 *	
Not working / Sick / Disabled / Working less than 8 hours per week	175 17%	98 18%	77 17%	-	175 35% a	161 17%	51 18%	57 15%	144 17%	23 20%	81 19%	30 15%
NETS												
Net: Employment	706 70%	407 75% b	298 64%	432 84% b	273 55%	648 70%	202 72%	270 71%	594 70%	77 66%	301 71%	141 71%



S4. What is the employment status of the the Chief Income Earner Base: All respondents

	REGION												
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		а	b	С	d	е	f	g	h	i	j	k	*1
Unweighted Total	1009	48	118	98	83	93	100	118	97	97	50	93	14
Weighted Total	1009 100%	45 100%	114 100%	85 100%	74 100%	88 100%	95 100%	107 100%	140 100%	90 100%	51 100%	93 100%	28 100%
Full-time employment (more than 29 hours a week)	556 55%	24 54%	55 48%	48 56%	37 51%	44 51%	58 61%	67 63% b	85 61%	46 52%	29 56%	50 54%	12 43%
Part-time employment (8-29 hours per week)	150 15%	5 10%	14 12%	11 13%	13 18%	15 17%	14 15%	14 13%	22 15%	18 20%	8 16%	13 14%	4 14%
Retired	126 13%	5 10%	15 14%	14 16%	11 14%	11 13%	11 12%	14 13%	13 9%	9 10%	7 14%	10 11%	6 21%
Student	1	-		-	-	-	-	-	1 1%	-	-	-	-
Not working / Sick / Disabled / Working less than 8 hours per week	175 17%	11 25% fg	30 26% cfgh	12 14%	12 17%	17 19%	11 12%	13 12%	19 13%	17 19%	7 14%	20 22%	6 21%
NETS													
Net: Employment	706 70%	29 65%	69 60%	59 69%	51 69%	59 68%	72 76% b	80 75% b	107 76% b	64 71%	37 72%	63 68%	16 57%



S4. What is the employment status of the the Chief Income Earner Base: All respondents

				REGION GROUPS		
						Net: Devolved
	Total	Net: North	Net: Midlands	Net: South	Net: England	regions
Significance Level: 95%		а	b	С	d	е
Unweighted Total	1009	264	276	312	852	157
Weighted Total	1009	244	256	337	837	172
	100%	100%	100%	100%	100%	100%
Full-time employment (more than 29 hours a week)	556	127	140	198	465	91
	55%	52%	54%	59%	56%	53%
Part-time employment (8-29 hours per week)	150	29	43	53	125	25
	15%	12%	17%	16%	15%	15%
Retired	126	34	33	36	103	23
	13%	14%	13%	11%	12%	13%
Student	1	-	-	1	1	-
	*	-	-	*	*	-
Not working / Sick / Disabled / Working less than 8 hours	175	53	41	48	142	33
per week	17%	22%	16%	14%	17%	19%
		С				
NETS						
Net: Employment	706	157	182	251	590	116
	70%	64%	71%		70%	67%
				а		



S5. Does the Chief Income Earner have a private pension or allowance? Base: All who are retired

Significance Level: 95% Unweighted Total Weighted Total Yes No

	AGE GR	OUP	SOCIAL GRADE		UNDERSTA	NDING OF THE ME	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE I	
	50-55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected
	а	b	а	b	а	*b	С	а	*b	а	*b
127	39	88	80	47	114	28	52	106	15	43	27
126	37	89	80	47	114	28	51	105	16	42	27
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
100	26	74	80	21	89	23	41	81	14	36	20
80%	70%	84%	100%	45%	78%	83%	80%	78%	88%	84%	72%
			b								
26	11	15	-	26	25	5	10	23	2	7	8
20%	30%	16%	-	55%	22%	17%	20%	22%	12%	16%	28%
				а							



S5. Does the Chief Income Earner have a private pension or allowance? Base: All who are retired

Significance Level: 95% Unweighted Total Weighted Total Yes No

						REC	SION					
Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
	*a	*b	*c	*d	*e	*f	*g	*h	*i	*j	*k	*1
127	5	16	16	12	12	12	15	9	10	7	10	3
126	5	15	14	11	11	11	14	13	9	7	10	6
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
100	5	11	11	10	6	10	11	12	7	7	8	4
80%	100%	69%	81%	92%	50%	83%	80%	89%	80%	100%	80%	67%
26	-	5	3	1	6	2	3	1	2	-	2	2
20%	-	31%	19%	8%	50%	17%	20%	11%	20%	-	20%	33%



S5. Does the Chief Income Earner have a private pension or allowance? Base: All who are retired

Significance Level: 95% Unweighted Total Weighted Total Yes No

			REGION GROUPS		
Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions
	а	b	С	d	*e
127	37	36	34	107	20
126	34	33	36	103	23
100%	100%	100%	100%	100%	100%
100	27	25	30	81	19
80%	78%	75%	83%	79%	83%
26	7	8	6	22	4
20%	22%	25%	17%	21%	17%



S6. What is the profession of the Chief Income Earner in your household? Base: All who are in employment or receive a private pension

		AGE GROUP		SOCIAL GRADE		UNDERSTA	NDING OF THE MI	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE M	
	Total	50-55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
Significance Level: 95%	Total	а	b	а	b	a	b	C	а	b	а	b
Unweighted Total	832	448	384	514	318	763	230	323	698	95	346	170
Weighted Total	832 100%	445 100%	388 100%	512 100%	320 100%	762 100%	230 100%	321 100%	698 100%	93 100%	344 100%	169 100%
Higher managerial / professional / administrative	53 6%	32 7%	21 5%	53 10% b		49 6%	20 9%	20 6%	42 6%	7 8%	20 6%	14 8%
Intermediate managerial / professional / administrative	187 22%	94 21%	92 24%	187 36% b	- -	170 22%	51 22%	77 24%	147 21%	28 30%	67 19%	51 30% a
Supervisory or clerical / junior managerial / professional / administrative	273 33%	157 35%	115 30%	273 53% b	- -	245 32%	68 30%	110 34%	224 32%	34 36%	115 34%	46 27%
Skilled manual worker	165 20%	86 19%	79 20%	-	165 52% a	151 20%	43 19%	62 19%	148 21%	13 14%	82 24% b	26 15%
Semi or unskilled manual work	124 15%	59 13%	64 17%	-	124 39% a	116 15%	40 18%	39 12%	109 16%	9 9%	49 14%	21 13%
Casual worker - not in permanent employment	2	1 *	1 *	-	2 1%	2	1	1	1 *	1 1%	1 *	1 1%
Housewife / Homemaker	1	1 *	-	-	1	1	-	-	1 *	-		1 1%
Unemployed or not working due to long-term sickness	1	1	-	-	1	1 *	1	-	1 *		1 *	-
Full-time carer or other household member	2	2	-	-	2 1%	2	1	1	2		1 *	1 1%
No response	26 3%	11 3%	15 4%	-	26 8% a	25 3%	5 2%	10 3%	23 3%	2 2%	7 2%	8 5%



S6. What is the profession of the Chief Income Earner in your household? Base: All who are in employment or receive a private pension

Significance Level: 95% Unweighted Total Weighted Total NETS Net: Administrative Net: Manual Net: Not working

	AGE G	ROUP	SOCIAL	GRADE	UNDERSTA	NDING OF THE ME	NOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE MOOD/MENT	
	50-55	56-60			At least some	Strong	Moderate	Experienced		Severely/fairly	Not at all
Total	years	years	ABC1	C2DE	understanding	understanding	understanding	symptoms	No symptoms	affected	affected
	а	b	а	b	а	b	С	а	b	а	b
832	448	384	514	318	763	230	323	698	95	346	170
832	445	388	512	320	762	230	321	698	93	344	169
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
512 62%	283 64%	229 59%	512 100%	_	464 61%	139 60%	207 65%	413 59%	69 74%	203 59%	111 66%
0276	0478	3370	b	-	0170	00 /0	0070	3370	a	3376	0070
289	145	143	-	289	267	84	101	257	21	131	47
35%	33%	37%	-	90%	35%	36%	32%	37%	23%	38%	28%
				а				b		b	
6	5	1	-	6	6	3	2	5	1	3	3
1%	1%	*	-	2% a	1%	1%	1%	1%	1%	1%	2%



S6. What is the profession of the Chief Income Earner in your household? Base: All who are in employment or receive a private pension

							REGI	ION					
	Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
Significance Level: 95%		а	b	С	d	е	f	g	h	i	j	k	*1
Unweighted Total	832	36	87	84	69	75	88	104	83	79	43	73	11
Weighted Total	832 100%	34 100%	84 100%	73 100%	61 100%	71 100%	84 100%	94 100%	120 100%	73 100%	44 100%	73 100%	22 100%
Higher managerial / professional / administrative	53 6%	4 11% j	3 3%	5 7%	3 4%	3 4%	5 6%	7 8%	13 11% j	6 8%	-	3 4%	2 9%
Intermediate managerial / professional / administrative	187 22%	6 17%	13 15%	19 26%	13 22%	13 19%	18 22%	30 32% b	26 22%	17 23%	12 28%	18 25%	2 9%
Supervisory or clerical / junior managerial / professional / administrative	273 33%	9 28%	24 29%	27 37%	28 45% bek	18 25%	27 32%	34 37%	40 34%	25 34%	14 33%	20 27%	6 27%
Skilled manual worker	165 20%	8 25% g	23 28% g	12 17%	10 16%	16 23% g	19 23% g	10 11%	20 17%	13 18%	11 26% g	20 27% g	2 9%
Semi or unskilled manual work	124 15%	7 19%	15 18%	7 10%	6 10%	13 19%	12 15%	10 11%	19 16%	11 15%	6 14%	9 12%	8 36%
Casual worker - not in permanent employment	2	-	-	-	-	1 1%	-	-	-	-	-	1 1%	-
Housewife / Homemaker	1	-	-	-	1 1%	-	-	-	-	-	-	-	-
Unemployed or not working due to long-term sickness	1 *		-	-	-	1 1%	-	-	-	-	-	-	-
Full-time carer or other household member	2		1 1%		-		1 1%	- -	-	-	-	-	-
No response	26 3%	-	5 6%	3 4%	1 1%	6 8% h	2 2%	3 3%	1 1%	2 3%	-	2 3%	2 9%
NETS													
Net: Administrative	512 62%	19 56%	40 47%	51 70% be	44 71% be	34 48%	49 59%	71 76% abefk	79 66% be	47 65% be	27 60%	41 56%	10 45%



S6. What is the profession of the Chief Income Earner in your household? Base: All who are in employment or receive a private pension

Significance Level: 95% Unweighted Total Weighted Total Net: Manual Net: Not working

	REGION											
Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
	а	b	С	d	е	f	g	h	i	j	k	*
832	36	87	84	69	75	88	104	83	79	43	73	11
832 100%	34 100%	84 100%	73 100%	61 100%	71 100%	84 100%	94 100%	120 100%	73 100%	44 100%	73 100%	22 100%
289 35%	15 44% g	39 46% cdg	19 26%	16 26%	29 41% cg	31 38% g	20 21%	39 33%	24 33%	17 40% g	29 40% g	10 45%
6 1%		1 1%	-	1 1%	2 3%	1 1%	-		-	-	1 1%	-



S6. What is the profession of the Chief Income Earner in your household? Base: All who are in employment or receive a private pension

ſ		REGION GROUPS							
	Total	Net: North	Net: Midlands	Net: South	Net: England	Net: Devolved regions			
Significance Level: 95%		а	b	С	d	е			
Unweighted Total	832	207	232	266	705	127			
Weighted Total	832 100%	191 100%	216 100%	287 100%	693 100%	139 100%			
Higher managerial / professional / administrative	53 6%	12 6%	10 5%	26 9%	48 7%	5 4%			
Intermediate managerial / professional / administrative	187 22%	37 20%	45 21%	72 25%	154 22%	32 23%			
Supervisory or clerical / junior managerial / professional / administrative	273 33%	60 32%	72 33%	100 35%	232 34%	40 29%			
Skilled manual worker	165 20%	44 23% c	45 21%	43 15%	132 19%	33 24% c			
Semi or unskilled manual work	124 15%	29 15%	32 15%	40 14%	101 15%	23 17%			
Casual worker - not in permanent employment	2	- -	1		1	1 1%			
Housewife / Homemaker	1 *	-	1	-	1	-			
Unemployed or not working due to long-term sickness	1 *	-	1		1	-			
Full-time carer or other household member	2	1 1%	1	- -	2	- -			
No response	26 3%	7 4%	8 4%	6 2%	22 3%	4 3%			
NETS									
Net: Administrative	512 62%	110 57%	127 59%	198 69% abe	434 63%	78 56%			
Net: Manual	289 35%	73 38% c	77 36%	83 29%	232 34%	56 41% c			



S6. What is the profession of the Chief Income Earner in your household? Base: All who are in employment or receive a private pension

Significance Level: 95% Unweighted Total Weighted Total Net: Not working

		REGION GROUPS											
					Net: Devolved								
Total	Net: North	Net: Midlands	Net: South	Net: England	regions								
	а	b	С	d	е								
832	207	232	266	705	127								
832	191	216	287	693	139								
100%	100%	100%	100%	100%	100%								
6	1	4	-	5	1								
1%	1%	2%	-	1%	1%								
		С											



S7. SEG

Base: All respondents

Significance Level: 95% Unweighted Total Weighted Total Α В C1 C2 D Ε NETS Net: ABC1 Net: C2DE

	AGE GROUP				UNDERSTA	NDING OF THE MI	ENOPAUSE	SYMPTOMS OF T	HE MENOPAUSE	AFFECT OF THE MENOPAUSE ON MOOD/MENTAL HEALTH	
Total	50–55 years	56-60 years	ABC1	C2DE	At least some understanding	Strong understanding	Moderate understanding	Experienced symptoms	No symptoms	Severely/fairly affected	Not at all affected
	а	b	а	b	а	b	С	а	b	а	b
1009	545	464	515	494	925	282	382	845	117	430	197
1009	543	466	513	496	924	281	378	844	116	426	199
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
53	32	21	53	-	49	20	20	42	7	20	14
5%	6%	5%	10% b	-	5%	7%	5%	5%	6%	5%	7%
187	94	92	187	_	170	51	77	147	28	67	51
18%	17%	20%	36%	-	18%	18%	20%	17%	24%	16%	26%
			b								а
274	157	117	274	-	247	68	110	225	34	117	46
27%	29%	25%	53% b	-	27%	24%	29%	27%	29%	27%	23%
			Б								
165 16%	86 16%	79 17%	-	165 33%	151 16%	43	62 16%	148 18%	13	82 19%	26 13%
16%	16%	17%	-	33% a	16%	15%	16%	18%	11%	19%	13%
124	59	64	-	124	116	40	39	109	9	49	21
12%	11%	14%	-	25% a	13%	14%	10%	13%	7%	12%	11%
007	444	00			400	50	70	470	00	00	40
207 21%	114 21%	93 20%	- -	207 42%	192 21%	59 21%	70 18%	172 20%	26 22%	90 21%	40 20%
				а							
513	283	230	513	-	466	139	207	415	69	204	111
51%	52%	49%	100%	-	50%	49%	55%	49%	59%	48%	56%
			b						а		
496	260	236	-	496	459	143	171	430	47	222	87
49%	48%	51%	-	100% a	50%	51%	45%	51% b	41%	52%	44%



S7. SEG

Base: All respondents

Significance Level: 95% Unweighted Total Weighted Total Α В C1 C2 D Е NETS Net: ABC1 Net: C2DE

	REGION											
Total	North East	North West	Yorkshire and the Humber	East Midlands	West Midlands	East	London	South East	South West	Wales	Scotland	Northern Ireland
	а	b	С	d	е	f	g	h	i	j	k	*1
1009	48	118	98	83	93	100	118	97	97	50	93	14
1009 100%	45 100%	114 100%	85 100%	74 100%	88 100%	95 100%	107 100%	140 100%	90 100%	51 100%	93 100%	28 100%
53 5%	4 8% j	3 3%	5 6%	3 4%	3 3%	5 5%	7 7%	13 9% bj	6 6%	-	3 3%	2 7%
187 18%	6 13%	13 11%	19 22% b	13 18%	13 15%	18 19%	30 28% abe	26 19%	17 19%	12 24% b	18 19%	2 7%
274 27%	9 21%	24 21%	27 32%	28 37% bek	18 20%	27 28%	34 32%	42 30%	25 28%	14 28%	20 22%	6 21%
165 16%	8 19%	23 20% g	12 14%	10 13%	16 18%	19 20% g	10 9%	20 14%	13 14%	11 22% g	20 22% g	2 7%
124 12%	7 15%	15 14%	7 8%	6 8%	13 15%	12 13%	10 9%	19 13%	11 12%	6 12%	9 10%	8 29%
207 21%	11 25%	36 31% cfghj	15 17%	14 19%	24 28% fgh	14 15%	15 14%	20 14%	19 21%	7 14%	23 25%	8 29%
513 51%	19 42%	40 35%	51 60% abek	44 59% bek	34 39%	49 52% b	71 67% abefik	81 58% be	47 53% b	27 52% b	41 44%	10 36%
496 49%	26 58% cg	74 65% cdfghij	34 40%	30 41%	54 61% cdgh	46 48% g	35 33%	59 42%	43 47% g	25 48%	52 56% cdg	18 64%



S7. SEG

Base: All respondents

Significance Level: 95%
Unweighted Total
Weighted Total
A

C2

C1

E

D

NETS

Net: ABC1

Net: C2DE

	•	•	REGION GROUPS			
					Net: Devolved	
Total	Net: North	Net: Midlands	Net: South	Net: England	regions	
	а	b	С	d	е	
1009	264	276	312	852	157	
1009	244	256	337	837	172	
100%	100%	100%	100%	100%	100%	
53	12	10	26	48	5	
5%	5%	4%	8%	6%	3%	
			е			
187	37	45	72	154	32	
18%	15%	17%	22%	18%	19%	
274	60	72	101	234	40	
27%	25%	28%	30%	28%	23%	
165	44	45	43	132	33	
16%	18%	17%	13%	16%	19%	
124	29	32	40	101	23	
12%	12%	12%	12%	12%	13%	
207	62	53	54	169	38	
21%	25%	21%	16%	20%	22%	
	С					
513	110	127	199	436	78	
51%	45%	49%	59%	52%	45%	
			abde	a		
496	135	129	137	401	94	
49%	55%	51%	41%	48%	55%	
	cd	С		С	С	

