

## Leo Pharma and National Eczema Society, survey of child experiences of eczema, 28<sup>th</sup> July 2020

*Methodology:* Savanta ComRes surveyed 524 parents of children (aged 0-16) with eczema in the UK. Surveys were conducted online between 12<sup>th</sup> June and 11<sup>th</sup> July 2020. Participants were screened using a proxy for Eczema Severity Index Scores to gather a range of participants from almost clear, mild, moderate, severe and very severe eczema.

All press releases or other publications must be checked with Savanta ComRes before use. Savanta ComRes requires 48-hours to check a press release unless otherwise agreed.

For information about commissioning research please contact [info@comresglobal.com](mailto:info@comresglobal.com) or call +44 (0)20 7871 8660

To register for Pollwatch, featuring commentary and insight from the Savanta ComRes team, please email: [pollwatch@comresglobal.com](mailto:pollwatch@comresglobal.com)

**Page: i**  
**Table of Contents**

PA_D6. What type(s) of eczema does your child have? .....	1
BASE: All respondents .....	
PA_D7. At what age did your child first develop eczema symptoms? .....	4
BASE: All respondents .....	
A/B Self-reported EASI score summary .....	7
BASE: All respondents .....	
Head and neck Score (Area score) .....	10
BASE: All respondents .....	
Arms, shoulders and hands Score (Area score) .....	13
BASE: All respondents .....	
Chest, back and groin Score (Area score) .....	16
BASE: All respondents .....	
Legs, feet and bum Score (Area score) .....	19
BASE: All respondents .....	
PA_B1_1. Thinking about eczema that affects your child's Head and neck at the moment, please let us know... Approximately how red is the skin that's affected, if at all? .....	22
BASE: Those affected by eczema on their Head and neck .....	
PA_B2_1. Head and neck: Approximately how swollen is the skin that's affected, if at all? .....	25
BASE: Those affected by eczema on their Head and neck .....	
PA_B3_1. Head and neck: Approximately how scratched is the skin that's affected, if at all? .....	28
BASE: Those affected by eczema on their Head and neck .....	
PA_B4_1. Head and neck: Approximately how thickened/hardened is the skin that's affected, if at all? .....	31
BASE: Those affected by eczema on their Head and neck .....	
PA_B1_2. Thinking about eczema that affects your child's Arms, shoulders and hands at the moment, please let us know... Approximately how red is the skin that's affected, if at all? .....	34
BASE: Those affected by eczema on their Arms, shoulders and hands .....	
PA_B2_2. Arms, shoulders and hands: Approximately how swollen is the skin that's affected, if at all? .....	37
BASE: Those affected by eczema on their Arms, shoulders and hands .....	
PA_B3_2. Arms, shoulders and hands: Approximately how scratched is the skin that's affected, if at all? .....	40
BASE: Those affected by eczema on their Arms, shoulders and hands .....	
PA_B4_2. Arms, shoulders and hands: Approximately how thickened/hardened is the skin that's affected, if at all? .....	43
BASE: Those affected by eczema on their Arms, shoulders and hands .....	
PA_B1_3. Thinking about eczema that affects your child's Chest, back and groin at the moment, please let us know... Approximately how red is the skin that's affected, if at all? .....	46
BASE: Those affected by eczema on their Chest, back and groin .....	
PA_B2_3. Chest, back and groin: Approximately how swollen is the skin that's affected, if at all? .....	49
BASE: Those affected by eczema on their Chest, back and groin .....	
PA_B3_3. Chest, back and groin: Approximately how scratched is the skin that's affected, if at all? .....	52
BASE: Those affected by eczema on their Chest, back and groin .....	
PA_B4_3. Chest, back and groin: Approximately how thickened/hardened is the skin that's affected, if at all? .....	55
BASE: Those affected by eczema on their Chest, back and groin .....	
PA_B1_4. Thinking about eczema that affects your child's Legs, feet and bum at the moment, please let us know... Approximately how red is the skin that's affected, if at all? .....	58
BASE: Those affected by eczema on their Legs, feet and bum .....	
PA_B2_4. Legs, feet and bum: Approximately how swollen is the skin that's affected, if at all? .....	61
BASE: Those affected by eczema on their Legs, feet and bum .....	
PA_B3_4. Legs, feet and bum: Approximately how scratched is the skin that's affected, if at all? .....	64
BASE: Those affected by eczema on their Legs, feet and bum .....	

**Page: ii**  
**Table of Contents**

PA_B4_4. Legs, feet and bum: Approximately how thickened/hardened is the skin that's affected, if at all? .....	67
BASE: Those affected by eczema on their Legs, feet and bum	
Q1. Thinking about your child's eczema over the last four weeks, how would you rate the following symptoms: Net any summary .....	70
BASE: All respondents	
PAQ1. Thinking about your eczema over the last four weeks, how would you rate the following symptoms? Summary .....	73
BASE: All respondents	
PA_Q1_1. Itchy skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms? .....	74
BASE: All respondents	
PA_Q1_2. Bleeding skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms? .....	77
BASE: All respondents	
PA_Q1_3. Skin weeping or oozing clear fluid: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms? .....	80
BASE: All respondents	
PA_Q1_4. Cracked skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms? .....	83
BASE: All respondents	
PA_Q1_5. Flaking skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms? .....	86
BASE: All respondents	
PA_Q1_6. Dry or rough skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms? .....	89
BASE: All respondents	
PA_Q2. To the best of your knowledge, which, if any, of the following does your child experience as a result of their eczema, to the point it significantly reduces their quality of life? .....	92
BASE: All respondents	
PA_Q3. To the best of your knowledge, over a typical four week period, approximately how many nights, if any, does your child have trouble falling or staying asleep because of their eczema? .....	95
BASE: All respondents	
PA_Q4. Over a typical week, approximately how often does eczema interfere with your child's ability to do regular daily activities? By regular activities, we mean the usual activities they do, such as going to school, going out with friends, exercising, studying, etc. Think about the times your child has been limited in the amount or kind of these activities they could do. ....	98
BASE: All respondents excluding not applicable as child is too young	
PA_Q5. Which, if any, of these things, have you noticed trigger an eczema flare up in your child? .....	101
BASE: All respondents	
PA_Q6. How often, if ever, do you see your child visibly upset or crying because of their eczema? .....	107
BASE: All respondents	
PA_Q7. To the best of your knowledge , who, if anyone, does your child turn to for practical and emotional support to help them manage their eczema? .....	110
BASE: All respondents	
Q7. Summary: Approximately how often do they turn to them?: Summary .....	113
BASE: All respondents	
PA_Q7_1. Me: Approximately how often do they turn to them? .....	114
BASE: All who say their child turns to them	
PA_Q7_2. Their other parent: Approximately how often do they turn to them? .....	117
BASE: All who say their child turns to their other parent	
PA_Q7_3. Siblings: Approximately how often do they turn to them? .....	120
BASE: All who say their child turns to thier siblings	
PA_Q7_4. Other family members e.g. grandparents, aunts, uncles, cousins: Approximately how often do they turn to them? .....	123
BASE: All who say their child turns to thier other family members	
PA_Q7_5. Their friends: Approximately how often do they turn to them? .....	126
BASE: All who say their child turns to thier friends	
PA_Q7_6. Teachers: Approximately how often do they turn to them? .....	129
BASE: All who say their child turns to thier teachers	

**Page: iii**  
**Table of Contents**

PA_Q7_7. Patient support groups: Approximately how often do they turn to them? .....	132
BASE: All who say their child turns to thier patient support groups	
PA_Q7_8. Online community excluding patient support groups: Approximately how often do they turn to them? .....	135
BASE: All who say their child turns to thier Online community excluding patient support groups	
PA_Q8. To the best of your knowledge , who, if anyone, has your child ever tried to keep their eczema hidden from? .....	138
BASE: All respondents	
PAQ9. To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?: Net agree summary .....	144
BASE: All respondents	
PAQ9. To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life? Summary .....	147
BASE: All respondents	
PA_Q9_1. My own performance at work has been affected by my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life? .....	148
BASE: All respondents	
PA_Q9_2. My sleep or a family member's sleep is not normally disturbed because of my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life? .....	151
BASE: All respondents	
PA_Q9_3. As a family, we regularly have to cancel activities or trips because of my child's eczema (e.g. visits to restaurants, trip to the cinema, going to visit friends etc.): To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life? .....	154
BASE: All respondents	
PA_Q9_4. My child's eczema has negatively impacted my relationship with my other children: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life? .....	157
BASE: All respondents	
PA_Q9_5. My relationship with my partner has not been impacted by my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life? .....	160
BASE: All respondents	
PA_Q9_6. Maintaining a good skincare regime to manage and reduce my child's flare ups takes up a significant amount of my time (e.g. applying emollients, switching soaps and detergents, buying special linen, changing bedding etc.): To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life? .....	163
BASE: All respondents	
PAQ10. Net Negatively affected any area of life .....	166
BASE: All respondents	
PAQ10. To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life? Summary .....	169
BASE: All respondents	
PA_Q10_1 . Their existing friendships: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ? .....	170
BASE: All respondents	
PA_Q10_2 . Their ability to make new friends: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ? .....	173
BASE: All respondents	
PA_Q10_3 . Their social life (friends and activities): To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ? .....	176
BASE: All respondents	
PA_Q10_4 . The amount they can exercise: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ? .....	179
BASE: All respondents	
PA_Q10_5 . Their emotional and mental health: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ? .....	182
BASE: All respondents	
PA_Q10_6 . Their attendance at school: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ? .....	185
BASE: All respondents	
PA_Q10_7 . Their performance at school e.g. exam results: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ? .....	188
BASE: All respondents	
PAQ11. To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema: Net All .....	191
BASE: All respondents	
PAQ11. To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? Summary .....	94
BASE: All respondents	



## Page: iv

### Table of Contents

PA_Q11_1. Depressed or sad: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? .....	195
BASE: All respondents	
PA_Q11_2. Anxious or nervous: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? .....	198
BASE: All respondents	
PA_Q11_3. Envious of people with more typical skin: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? .....	201
BASE: All respondents	
PA_Q11_4. Like a stronger person: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? .....	204
BASE: All respondents	
PA_Q11_5. Less confident: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? .....	207
BASE: All respondents	
PA_Q11_6. Self-conscious/embarrassed: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? .....	210
BASE: All respondents	
PA_Q11_7. Lonely/socially isolated: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? .....	213
BASE: All respondents	
PA_Q11_8. Angry: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? .....	216
BASE: All respondents	
PA_Q11_9. Helpless: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? .....	219
BASE: All respondents	
PA_Q12. Over the last year, how many days off school has your child had to take because of eczema? This includes for pain, lack of sleep, doctors appointment etc. ....	222
BASE: All respondents	
PA_Q13. To the best of your knowledge, thinking about your child's eczema and school, which of the following apply to them? .....	225
BASE: All respondents	
PA_Q14. To the best of your knowledge, thinking about your child's eczema and experiences with other people, which of the following, if any, apply? .....	228
BASE: All respondents	
PA_Q15. In the last year, who out of the following list of healthcare professionals, have been consulted about your child's eczema? .....	231
BASE: All respondents	
PA_Q15_1. GP: To the best of your knowledge, how many times have they been consulted in the last year? .....	235
BASE: All who say their child has consulted GP	
PA_Q15_2. A nurse: To the best of your knowledge, how many times have they been consulted in the last year? .....	238
BASE: All who say their child has consulted A nurse	
PA_Q15_3. A pharmacist: To the best of your knowledge, how many times have they been consulted in the last year? .....	241
BASE: All who say their child has consulted A pharmacist	
PA_Q15_4. Telephone support worker (e.g. NHS 111/NHS 24): To the best of your knowledge, how many times have they been consulted in the last year? .....	244
BASE: All who say their child has consulted Telephone support worker (e.g. NHS 111/NHS 24)	
PA_Q15_5. An NHS dermatologist: To the best of your knowledge, how many times have they been consulted in the last year? .....	247
BASE: All who say their child has consulted An NHS dermatologist	
PA_Q15_6. A private dermatologist: To the best of your knowledge, how many times have they been consulted in the last year? .....	250
BASE: All who say their child has consulted A private dermatologist	
PA_Q15_7. An NHS paediatrician: To the best of your knowledge, how many times have they been consulted in the last year? .....	253
BASE: All who say their child has consulted An NHS paediatrician	
PA_Q15_8. A private paediatrician: To the best of your knowledge, how many times have they been consulted in the last year? .....	256
BASE: All who say their child has consulted A private paediatrician	
PA_Q15_9. An NHS A&E or out-of-hours service worker: To the best of your knowledge, how many times have they been consulted in the last year? .....	259
BASE: All who say their child has consulted An NHS A&E or out-of-hours service worker	

**Page: v**  
**Table of Contents**

PA_Q15_10. An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker: To the best of your knowledge, how many times have they been consulted in the last year? .....	262
BASE: All who say their child has consulted An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker	
PA_Q16. You mentioned a healthcare professional has not been consulted about your child's eczema in the last year. Which of the following statements, if any, are reasons for this? .....	265
BASE: All respondents	
PA_Q17. You mentioned a healthcare professional has only been consulted once about your child's eczema in the last year. Which of the following statements, if any, are reasons for this? .....	268
BASE: All respondents	
PA_Q18. To the best of your knowledge, on the last occasion your child was referred to a dermatologist or paediatrician by their GP, how long did they have to wait for the appointment with the dermatologist or paediatrician? .....	274
BASE: All respondents	
PA_Q19. Does your child have a written care plan for their eczema, explaining what to do if their eczema gets worse or flares? .....	277
BASE: All respondents	
PA_Q20. To the best of your knowledge, which of these medical treatments, if any, has your child used in the past three months? .....	280
BASE: All respondents	
PAQ21. To what extent do you agree or disagree with each of the following statements? Summary .....	283
BASE: All respondents	
PAQ21. To what extent do you agree or disagree with each of the following statements? Net agree .....	284
BASE: All respondents	
PA_Q21_1. Healthcare professionals take my child's eczema seriously enough: To what extent do you agree or disagree with each of the following statements? .....	290
BASE: All respondents	
PA_Q21_2. I do not have confidence in the abilities of healthcare professionals to treat my child's eczema: To what extent do you agree or disagree with each of the following statements? .....	293
BASE: All respondents	
PA_Q21_3. My child is normally unable to access the appropriate healthcare professional to treat their eczema (e.g. their GP where appropriate, a dermatologist where appropriate etc.): To what extent do you agree or disagree with each of the following statements? .....	296
BASE: All respondents	
PA_Q21_4. I think healthcare professionals provide me and my child with clear information about how to treat eczema: To what extent do you agree or disagree with each of the following statements? .....	299
BASE: All respondents	
PA_Q21_5. I think healthcare professionals fully understand the impact eczema has on my child's mental wellbeing: To what extent do you agree or disagree with each of the following statements? .....	302
BASE: All respondents	
PA_Q21_6. I think my child always follows the advice of healthcare professionals when it comes to their eczema: To what extent do you agree or disagree with each of the following statements? .....	305
BASE: All respondents	
PA_Q21_7. I am unsatisfied with the level of care my child has received from healthcare professionals for their eczema: To what extent do you agree or disagree with each of the following statements? .....	308
BASE: All respondents	
PA_Q21_8. I think my child has let down by healthcare professionals when it comes to their eczema: To what extent do you agree or disagree with each of the following statements? .....	311
BASE: All respondents	
PAQ22. How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema? Summary .....	314
BASE: All respondents	
PA_Q22_1. Emollients: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ? .....	315
BASE: All respondents	
PA_Q22_2. Topical corticosteroids (steroids creams or ointments): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ? .....	318
BASE: All respondents	
PA_Q22_3. Topical calcineurin inhibitors (non-steroid creams or ointments): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ? .....	321
BASE: All respondents	
PA_Q22_4. Bandages and wet wraps: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ? .....	324
BASE: All respondents	
PA_Q22_5. Phototherapy: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ? .....	327
BASE: All respondents	

**Page: vi**  
**Table of Contents**

PA_Q22_6. Immunosuppressive medicines (taken orally or by injection): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ? .....	330
BASE: All respondents	
PA_Q22_7. Biologic medicines: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ? .....	333
BASE: All respondents	
PA_Q23. To the best of your knowledge, has an NHS doctor ever talked to you or your child about accessing emotional and psychological services (e.g. counselling) to support your child in coping with the impact of their eczema. ....	336
BASE: All respondents	
PA_Q24. To the best of your knowledge, which emotional or psychological support services, if any, has your child ever been offered by an NHS doctor because of their eczema? .....	339
BASE: All respondents	

NES Eczema Parent Survey

PA\_D6. What type(s) of eczema does your child have?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Atopic eczema (atopic dermatitis)	239 46%	129 49%	110 44%	2 17%	92 50%	67 44%	78 45%	187 47% c	24 45%	16 32%	12 52%	6 67%	69 39%	141 49% b	22 46%	1 100%	151 47%	88 46%
Seborrhoeic eczema (seborrhoeic dermatitis)	58 11%	31 12%	26 10%	1 8%	18 10%	16 10%	23 13%	49 12%	5 9%	3 6%	1 4%	- -	9 5%	34 12% b	15 31% bc	- -	25 8%	33 17% a
Contact eczema (contact dermatitis)	127 24%	66 25%	60 24%	5 42%	41 22%	40 26%	41 24%	101 25%	10 19%	11 22%	5 22%	1 11%	40 22%	74 26%	12 25%	- -	72 22%	52 27%
Asteatotic eczema	53 10%	31 12%	21 8%	1 8%	17 9%	17 11%	18 10%	39 10%	6 11%	7 14%	1 4%	- -	9 5%	35 12% b	9 19% b	- -	22 7%	30 16% a
Discoïd eczema	38 7%	17 6%	19 8%	- -	16 9%	11 7%	11 6%	30 8%	4 8%	4 8%	- -	- -	8 4%	23 8%	7 15% b	- -	15 5%	22 11% a
Pompholyx (dyshidrotic) eczema	24 5%	11 4%	13 5%	- -	6 3%	10 6%	8 5%	15 4%	6 11% a	3 6%	- -	- -	7 4%	11 4%	6 13% bc	- -	7 2%	16 8% a
Don't know	91 17%	43 16%	46 18%	3 25%	32 17%	23 15%	33 19%	66 17%	7 13%	12 24%	6 26%	2 22%	47 26% cd	38 13%	4 8%	- -	67 21% b	22 11%

## NES Eczema Parent Survey

### PA\_D6. What type(s) of eczema does your child have?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
239 46%	239 100% bcde	15 26%	28 22%	19 36%	11 29%	9 38%	138 49%	210 47%	155 48%	181 46%	170 47%	79 47%	67 44%	116 46%	119 47%	161 46%
58 11%	15 6%	58 100% acde	17 13% a	16 30% ac	13 34% ac	10 42%	45 16%	53 12%	45 14%	45 12%	43 12%	35 21% af	34 23% af	38 15%	38 15%	41 12%
127 24%	28 12%	17 29% a	127 100% abde	16 30% a	14 37% a	10 42%	72 25%	115 26%	83 26%	97 25%	91 25%	51 30%	46 30%	70 28%	75 29%	90 26%
53 10%	19 8%	16 28% ac	16 13%	53 100% abce	13 34% ac	9 38%	39 14%	48 11%	41 13%	46 12%	40 11%	27 16% af	27 18% af	39 15%	37 15%	36 10%
38 7%	11 5%	13 22% ac	14 11% a	13 25% ac	38 100% abcd	8 33%	28 10%	30 7%	32 10%	31 8%	29 8%	21 13%	24 16% af	28 11%	27 11%	28 8%
24 5%	9 4%	10 17% a	10 8%	9 17% a	8 21% ac	24 100%	15 5%	21 5%	17 5%	19 5%	20 5%	12 7%	16 11% af	14 6%	17 7%	17 5%
91 17%	- -	- -	- -	- -	- -	- -	30 11%	73 16% a	41 13%	66 17% a	58 16% bce	14 8%	10 7%	31 12%	21 8%	52 15% bce

## NES Eczema Parent Survey

### PA\_D6. What type(s) of eczema does your child have?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Atopic eczema (atopic dermatitis)	239	76	105	24	-	19	227	12	187	45	232	7
	46%	48%	45%	40%	-	42%	46%	36%	48% b	37%	47%	25%
Seborrhoeic eczema (seborrhoeic dermatitis)	58	7	37	9	-	3	55	3	51	7	56	2
	11%	4%	16% a	15% a	-	7%	11%	9%	13% b	6%	11%	7%
Contact eczema (contact dermatitis)	127	26	67	17	-	9	120	7	104	21	122	5
	24%	16%	29% a	28%	-	20%	24%	21%	27% b	17%	25%	18%
Asteatotic eczema	53	4	32	14	-	-	52	1	48	4	52	1
	10%	3%	14% a	23% a	-	-	11%	3%	12% b	3%	10%	4%
Discoid eczema	38	6	19	11	-	1	36	2	34	4	36	2
	7%	4%	8%	18% ab	-	2%	7%	6%	9% b	3%	7%	7%
Pompholyx (dyshidrotic) eczema	24	1	11	10	-	-	23	1	20	4	24	-
	5%	1%	5% a	17% ab	-	-	5%	3%	5%	3%	5%	-
Don't know	91	51	19	4	-	14	78	13	42	47	80	11
	17%	32% bc	8%	7%	-	31%	16%	39% a	11% a	39% a	16%	39%

NES Eczema Parent Survey

PA\_D7. At what age did your child first develop eczema symptoms?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
324 62%	162 61%	161 64%	10 83%	153 83% cd	87 56% d	74 43%	239 60%	40 75% a	32 64%	13 57%	8 89%	119 66% d	173 60%	23 48%	1 100%	324 100% b	- -
193 37%	98 37%	90 36%	2 17%	27 15%	66 43% b	98 57% bc	153 38% b	12 23%	18 36%	10 43%	1 11%	59 33%	109 38%	24 50% b	- -	- -	193 100% a
7 1%	5 2%	1 *	- -	5 3%	1 1%	1 1%	6 2%	1 2%	- -	- -	- -	1 1%	5 2%	1 2%	- -	- -	- -

NES Eczema Parent Survey

PA\_D7. At what age did your child first develop eczema symptoms?

BASE: All respondents

Significance Level: 95%

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
324 62%	151 63% bde	25 43%	72 57%	22 42%	15 39%	7 29%	172 61%	277 62%	193 60%	248 64%	224 61% c	94 56%	78 52%	152 60%	146 57%	212 60%
193 37%	88 37%	33 57% ac	52 41%	30 57% a	22 58% a	16 67%	110 39%	166 37%	124 39%	135 35%	135 37%	70 42%	70 46% a	96 38%	106 42%	134 38%
7 1%	- -	- -	3 2% a	1 2% a	1 3% a	1 4%	2 1%	6 1%	4 1%	7 2%	6 2%	4 2%	3 2%	5 2%	3 1%	6 2%



## NES Eczema Parent Survey

### PA\_D7. At what age did your child first develop eczema symptoms?

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Preschool (0-4 years)	324	109	126	25	-	45	301	23	220	96	304	20
	62%	69%	54%	42%	-	100%	61%	70%	56%	79%	61%	71%
		bc								a		
School age (5-16 years)	193	49	103	33	-	-	183	10	164	25	186	7
	37%	31%	44%	55%	-	-	37%	30%	42%	21%	38%	25%
			a	a					b			
Don't know	7	-	5	2	-	-	7	-	7	-	6	1
	1%	-	2%	3%	-	-	1%	-	2%	-	1%	4%
				a								

# NES Eczema Parent Survey

## A/B Self-reported EASI score summary

BASE: All respondents

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Almost clear (0.1-1)	9 2%	4 2%	5 2%	- -	4 2%	1 1%	4 2%	8 2%	1 2%	- -	- -	9 100%	- -	- -	- -	- -	8 2%	1 1%
Mild (1.1-7)	179 34%	81 31%	96 38%	6 50%	63 34%	52 34%	58 34%	134 34%	15 28%	21 42%	9 39%	- -	179 100% cd	- -	- -	- -	119 37%	59 31%
Moderate (7.1-21)	287 55%	158 60% b	126 50%	4 33%	106 57%	89 58%	88 51%	216 54%	33 62%	24 48%	14 61%	- -	- -	287 100% bd	- -	- -	173 53%	109 56%
Severe (21.1-50)	48 9%	21 8%	25 10%	2 17%	12 6%	11 7%	23 13% b	40 10%	4 8%	4 8%	- -	- -	- -	- -	48 100% bc	- -	23 7%	24 12% a
Very severe (50.1-72)	1 *	1 *	- -	- -	- -	1 1%	- -	- -	- -	1 2% a	- -	- -	- -	- -	- -	1 100%	1 *	- -
Base for stats	524	265	252	12	185	154	173	398	53	50	23	9	179	287	48	1	324	193
Mean Score	11.08	11.38	10.62	11.72	10.77	11.34	11.13	11.19	11.27	11.09	8.76	.61	4.41	12.69 b	27.35 bc	54.80	10.33	12.15 a
Standard Deviation	7.619	7.627	7.494	9.198	6.892	7.491	8.378	7.670	6.731	9.176	4.222	.293	1.604	3.888	5.171	-	7.138	8.250
Standard Error	.333	.469	.472	2.655	.507	.604	.637	.384	.925	1.298	.880	.098	.120	.230	.746	-	.397	.594
Error variance	.11	.22	.22	7.05	.26	.36	.41	.15	.85	1.68	.77	.01	.01	.05	.56	-	.16	.35

# NES Eczema Parent Survey

## A/B Self-reported EASI score summary

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total											Itchy skin					
	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524	239	58	127	53	38	24	284	449	321	390	365	168	151	253	255	352
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
9	6	-	1	-	-	-	5	2	1	2	1	-	-	1	2	2
2%	3%	-	1%	-	-	-	2%	*	*	1%	*	-	-	*	1%	1%
179	69	9	40	9	8	7	71	138	68	95	107	19	27	50	53	99
34%	29%	16%	31%	17%	21%	29%	25%	31%	21%	24%	29%	11%	18%	20%	21%	28%
	b		bd					cd			bcd			b	b	bcd
287	141	34	74	35	23	11	168	262	205	244	214	113	96	169	170	212
55%	59%	59%	58%	66%	61%	46%	59%	58%	64%	63%	59%	67%	64%	67%	67%	60%
														a	a	
48	22	15	12	9	7	6	39	46	46	48	42	35	27	32	29	38
9%	9%	26%	9%	17%	18%	25%	14%	10%	14%	12%	12%	21%	18%	13%	11%	11%
		ac										adef	f			
1	1	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1
*	*	-	-	-	-	-	*	*	*	*	*	1%	1%	*	*	*
524	239	58	127	53	38	24	284	449	321	390	365	168	151	253	255	352
11.08	11.51	16.32	11.59	15.45	14.53	15.53	12.99	11.71	13.51	12.77	12.24	16.25	15.21	13.62	13.12	12.22
		ac		ac	ac		b		b	b		adef	aef	af		
7.619	8.229	9.109	7.251	8.685	8.654	10.488	8.516	7.696	8.045	7.838	7.745	8.461	8.817	7.608	7.673	7.621
.333	.532	1.196	.643	1.193	1.404	2.141	.505	.363	.449	.397	.405	.653	.717	.478	.481	.406
.11	.28	1.43	.41	1.42	1.97	4.58	.26	.13	.20	.16	.16	.43	.51	.23	.23	.17

## NES Eczema Parent Survey

### A/B Self-reported EASI score summary

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Almost clear (0.1-1)	9	7	1	-	-	2	7	2	1	8	9	-
	2%	4%	*	-	-	4%	1%	6%	*	7%	2%	-
		b						a		a		
Mild (1.1-7)	179	80	65	6	-	19	162	17	116	57	160	19
	34%	51%	28%	10%	-	42%	33%	52%	30%	47%	32%	68%
		bc	c					a		a		
Moderate (7.1-21)	287	64	145	40	-	22	276	11	229	52	280	7
	55%	41%	62%	67%	-	49%	56%	33%	59%	43%	56%	25%
			a	a			b		b			
Severe (21.1-50)	48	7	22	14	-	2	45	3	44	4	46	2
	9%	4%	9%	23%	-	4%	9%	9%	11%	3%	9%	7%
				ab					b			
Very severe (50.1-72)	1	-	1	-	-	-	1	-	1	-	1	-
	*	-	*	-	-	-	*	-	*	-	*	-
Base for stats	524	158	234	60	-	45	491	33	391	121	496	28
Mean Score	11.08	7.62	12.25	16.95	-	8.46	11.32	7.47	12.17	7.90	11.31	7.00
			a	ab			b		b			
Standard Deviation	7.619	5.942	7.538	8.269	-	5.629	7.572	7.515	7.794	6.152	7.650	5.771
Standard Error	.333	.473	.493	1.068	-	.839	.342	1.308	.394	.559	.343	1.091
Error variance	.11	.22	.24	1.14	-	.70	.12	1.71	.16	.31	.12	1.19

NES Eczema Parent Survey

Head and neck Score (Area score)

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
178 34%	90 34%	88 35%	2 17%	61 33%	49 32%	66 38%	138 35%	18 34%	13 26%	9 39%	3 33%	88 49% cd	84 29% d	3 6%	- -	109 34%	68 35%
62 12%	24 9%	37 15% a	2 17%	21 11%	21 14%	18 10%	42 11%	8 15%	9 18%	3 13%	1 11%	20 11%	35 12%	6 13%	- -	43 13%	15 8%
160 31%	91 34%	68 27%	5 42%	53 29%	53 34%	49 28%	118 30%	18 34%	15 30%	9 39%	3 33%	47 26%	93 32%	16 33%	1 100%	105 32%	54 28%
62 12%	31 12%	29 12%	2 17%	22 12%	18 12%	20 12%	51 13%	5 9%	5 10%	1 4%	1 11%	7 4%	41 14% b	13 27% bc	- -	30 9%	31 16% a
41 8%	17 6%	22 9%	- -	18 10%	9 6%	14 8%	33 8%	3 6%	5 10%	- -	- -	10 6%	25 9%	6 13%	- -	25 8%	16 8%
14 3%	8 3%	6 2%	- -	7 4%	3 2%	4 2%	11 3%	1 2%	1 2%	1 4%	- -	4 2%	7 2%	3 6%	- -	9 3%	5 3%
7 1%	4 2%	2 1%	1 8%	3 2%	1 1%	2 1%	5 1%	- -	2 4%	- -	1 11%	3 2%	2 1%	1 2%	- -	3 1%	4 2%
202 39%	101 38%	99 39%	7 58%	70 38%	71 46% d	54 31%	144 36%	26 49%	21 42%	11 48%	3 33%	62 35%	118 41%	19 40%	- -	139 43% b	59 31%
284 54%	146 55%	134 53%	9 75%	96 52%	92 60%	87 50%	211 53%	31 58%	29 58%	13 57%	5 56%	74 41%	169 59% b	35 73% b	1 100%	178 55%	100 52%
62 12%	29 11%	30 12%	1 8%	28 15%	13 8%	20 12%	49 12%	4 8%	8 16%	1 4%	1 11%	17 9%	34 12%	10 21% b	- -	37 11%	25 13%
6 1%	4 2%	1 *	1 8%	2 1%	1 1%	2 1%	4 1%	- -	2 4%	- -	- -	3 2%	2 1%	1 2%	- -	2 1%	4 2%
524 18.13	265 18.09	252 17.42	12 20.83	185 19.72	154 16.32	173 17.84	398 18.68	53 13.64	50 21.48	23 11.61	9 21.33	179 12.96	287 19.00 b	48 31.42 bc	1 27.00	324 16.44	193 21.17 a
22.104 .966 .93	21.876 1.344 1.81	21.609 1.361 1.85	27.934 8.064 65.03	23.669 1.740 3.03	19.612 1.580 2.50	22.091 1.680 2.82	22.280 1.117 1.25	17.252 2.370 5.62	26.332 3.724 13.87	16.895 3.523 12.41	30.643 10.214 104.33	21.417 1.601 2.56	21.060 1.243 1.55	23.457 3.386 11.46	- - -	20.790 1.155 1.33	24.095 1.734 3.01

NES Eczema Parent Survey

Head and neck Score (Area score)

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
178 34%	69 29% bd	9 16%	42 33% bd	8 15%	8 21%	6 25%	- -	158 35% ac	87 27% a	116 30% a	118 32% bc	33 20%	34 23%	70 28%	67 26%	111 32% bc
62 12%	32 13%	4 7%	13 10%	6 11%	2 5%	3 13%	- -	52 12% a	32 10% a	50 13% a	43 12%	19 11%	10 7%	25 10%	25 10%	41 12%
160 31%	92 38%	22 38%	37 29%	15 28%	14 37%	8 33%	160 56% bcd	138 31%	108 34%	130 33%	114 31%	60 36%	49 32%	77 30%	83 33%	109 31%
62 12%	22 9%	12 21% a	16 13%	13 25% ac	8 21% a	5 21%	62 22% bcd	55 12%	50 16%	52 13%	47 13%	30 18%	32 21% af	42 17%	43 17%	47 13%
41 8%	15 6%	6 10%	16 13% a	7 13%	5 13%	1 4%	41 14% bd	33 7%	35 11%	30 8%	33 9%	22 13%	20 13%	29 11%	28 11%	29 8%
14 3%	8 3%	3 5%	2 2%	3 6%	1 3%	1 4%	14 5%	11 2%	7 2%	9 2%	7 2%	4 2%	3 2%	6 2%	6 2%	11 3%
7 1%	1 *	2 3% a	1 1%	1 2%	- -	- -	7 2% b	2 *	2 1%	3 1%	3 1%	- -	3 2%	4 2%	3 1%	4 1%
202 39%	115 48% c	24 41%	43 34%	19 36%	15 39%	11 46%	140 49% bc	171 38%	124 39%	165 42%	142 39%	70 42%	50 33%	90 36%	100 39%	137 39%
284 54%	146 61%	38 66%	66 52%	34 64%	24 63%	16 67%	222 78% bcd	245 55%	190 59%	232 59%	204 56%	109 65%	91 60%	144 57%	151 59%	197 56%
62 12%	24 10%	11 19%	19 15%	11 21% a	6 16%	2 8%	62 22% bcd	46 10%	44 14%	42 11%	43 12%	26 15%	26 17%	39 15%	37 15%	44 13%
6 1%	1 *	2 3% ac	- -	1 2%	- -	- -	6 2% b	2 *	2 1%	3 1%	3 1%	- -	3 2%	4 2%	3 1%	4 1%
524 18.13	239 17.21	58 28.03 ac	127 19.83	53 29.25 ac	38 25.11 a	24 19.83	284 32.46 bcd	449 17.00	321 20.95 b	390 18.37	365 18.18	168 23.15 a	151 25.62 af	253 21.90 a	255 21.55	352 19.16
22.104 .966 .93	20.163 1.304 1.70	25.110 3.297 10.87	21.737 1.929 3.72	24.263 3.333 11.11	21.837 3.542 12.55	20.951 4.277 18.29	21.166 1.256 1.58	20.371 .961 .92	21.396 1.194 1.43	20.637 1.045 1.09	21.096 1.104 1.22	20.785 1.604 2.57	23.115 1.881 3.54	22.865 1.438 2.07	22.117 1.385 1.92	22.374 1.193 1.42

# NES Eczema Parent Survey

## Head and neck Score (Area score)

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
0%	178	68	66	9	-	19	164	14	121	55	165	13
	34%	43%	28%	15%	-	42%	33%	42%	31%	45%	33%	46%
		bc	c							a		
1-9%	62	23	21	7	-	10	57	5	42	17	59	3
	12%	15%	9%	12%	-	22%	12%	15%	11%	14%	12%	11%
10-29%	160	46	80	17	-	11	150	10	129	29	152	8
	31%	29%	34%	28%	-	24%	31%	30%	33%	24%	31%	29%
30-49%	62	6	41	13	-	2	62	-	54	8	61	1
	12%	4%	18%	22%	-	4%	13%	-	14%	7%	12%	4%
			a	a			b		b			
50-69%	41	7	19	11	-	1	38	3	33	5	39	2
	8%	4%	8%	18%	-	2%	8%	9%	8%	4%	8%	7%
				ab								
70-89%	14	4	6	1	-	1	13	1	8	4	13	1
	3%	3%	3%	2%	-	2%	3%	3%	2%	3%	3%	4%
90-100%	7	4	1	2	-	1	7	-	4	3	7	-
	1%	3%	*	3%	-	2%	1%	-	1%	2%	1%	-
				b								
Net Quarter (1-25%)	202	67	85	23	-	20	189	13	153	44	191	11
	39%	42%	36%	38%	-	44%	38%	39%	39%	36%	39%	39%
Net Less than half (1-49%)	284	75	142	37	-	23	269	15	225	54	272	12
	54%	47%	61%	62%	-	51%	55%	45%	58%	45%	55%	43%
			a						b			
Net Half or more (50-100%)	62	15	26	14	-	3	58	4	45	12	59	3
	12%	9%	11%	23%	-	7%	12%	12%	12%	10%	12%	11%
				ab								
Net Full (1-100%)	6	3	1	2	-	1	6	-	4	2	6	-
	1%	2%	*	3%	-	2%	1%	-	1%	2%	1%	-
				b								
Base for stats	524	158	234	60	-	45	491	33	391	121	496	28
Mean Score	18.13	13.44	20.45	29.07	-	11.82	18.47	12.97	18.96	14.40	18.38	13.57
			a	ab					b			
Standard Deviation	22.104	22.014	20.589	25.504	-	21.094	22.242	19.517	21.405	23.005	22.220	19.729
Standard Error	.966	1.751	1.346	3.293	-	3.145	1.004	3.397	1.082	2.091	.998	3.728
Error variance	.93	3.07	1.81	10.84	-	9.89	1.01	11.54	1.17	4.37	1.00	13.90

NES Eczema Parent Survey

Arms, shoulders and hands Score (Area score)

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
36 7%	19 7%	16 6%	- -	14 8%	11 7%	11 6%	25 6%	2 4%	6 12%	3 13%	1 11%	19 11% cd	16 6%	- -	- -	22 7%	13 7%
39 7%	18 7%	21 8%	- -	17 9%	8 5%	14 8%	28 7%	5 9%	5 10%	1 4%	6 67%	22 12% c	9 3%	2 4%	- -	25 8%	14 7%
183 35%	99 37%	81 32%	6 50%	70 38%	56 36%	51 29%	152 38% c	19 36% c	8 16%	4 17%	2 22%	72 40% d	100 35% d	9 19%	- -	119 37%	62 32%
131 25%	62 23%	68 27%	- -	46 25%	40 26%	45 26%	97 24%	16 30%	14 28%	4 17%	- -	31 17%	87 30% b	13 27%	- -	76 23%	52 27%
80 15%	38 14%	41 16%	2 17%	22 12%	22 14%	34 20% b	55 14%	9 17%	10 20%	6 26%	- -	19 11%	50 17% b	11 23% b	- -	54 17%	26 13%
27 5%	18 7%	9 4%	2 17%	10 5%	7 5%	8 5%	21 5%	1 2%	2 4%	3 13%	- -	7 4%	14 5%	6 13% bc	- -	13 4%	14 7%
28 5%	11 4%	16 6%	2 17%	6 3%	10 6%	10 6%	20 5%	1 2%	5 10%	2 9%	- -	9 5%	11 4%	7 15% bc	1 100%	15 5%	12 6%
198 38%	104 39%	93 37%	5 42%	78 42%	55 36%	60 35%	159 40% c	22 42%	12 24%	5 22%	8 89%	90 50% cd	91 32%	9 19%	- -	133 41%	64 33%
353 67%	179 68%	170 67%	6 50%	133 72%	104 68%	110 64%	277 70% c	40 75% c	27 54%	9 39%	8 89%	125 70% d	196 68% d	24 50%	- -	220 68%	128 66%
135 26%	67 25%	66 26%	6 50%	38 21%	39 25%	52 30% b	96 24%	11 21%	17 34%	11 48%	- -	35 20%	75 26%	24 50% bc	1 100%	82 25%	52 27%
16 3%	7 3%	8 3%	1 8%	4 2%	4 3%	7 4%	13 3%	- -	1 2%	2 9%	- -	4 2%	8 3%	4 8% b	- -	9 3%	7 4%
524 34.30	265 33.56	252 34.99	12 46.42	185 31.10	154 35.08	173 36.18	398 33.86	53 30.91	50 37.22	23 43.30	9 8.67	179 27.84	287 36.15 b	48 50.94 bc	1 92.00	324 32.96	193 36.46
25.006 1.092 1.19	24.427 1.501 2.25	25.453 1.603 2.57	33.315 9.617 92.49	23.497 1.728 2.98	25.280 2.037 4.15	25.414 1.932 3.73	24.647 1.235 1.53	20.497 2.815 7.93	28.545 4.037 16.30	30.985 6.461 41.74	8.426 2.809 7.89	25.004 1.869 3.49	22.649 1.337 1.79	28.243 4.077 16.62	- - -	24.296 1.350 1.82	26.013 1.872 3.51





# NES Eczema Parent Survey

## Arms, shoulders and hands Score (Area score)

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
36 7%	12 5%	4 7%	6 5%	3 6%	4 11%	- -	30 11% bd	- -	22 7% b	18 5% b	20 5%	9 5%	14 9%	18 7%	16 6%	23 7%
39 7%	17 7%	1 2%	6 5%	2 4%	4 11%	3 13%	15 5% b	- -	16 5% b	17 4% b	22 6%	6 4%	7 5%	13 5%	16 6%	21 6%
183 35%	83 35%	21 36%	44 35%	21 40%	18 47%	8 33%	92 32%	183 41% a	116 36%	152 39%	126 35%	50 30%	42 28%	79 31%	84 33%	122 35%
131 25%	63 26%	14 24%	36 28%	18 34%	7 18%	6 25%	83 29%	131 29%	90 28%	115 29%	100 27%	54 32%	47 31%	74 29%	70 27%	90 26%
80 15%	35 15%	10 17%	21 17%	6 11%	4 11%	5 21%	44 15%	80 18%	50 16%	61 16%	59 16%	27 16%	21 14%	40 16%	42 16%	56 16%
27 5%	14 6%	5 9%	9 7%	3 6%	1 3%	1 4%	14 5%	27 6%	19 6%	19 5%	16 4%	11 7%	11 7%	14 6%	11 4%	18 5%
28 5%	15 6%	3 5%	5 4%	- -	- -	1 4%	6 2%	28 6% acd	8 2%	8 2%	22 6%	11 7%	9 6%	15 6%	16 6%	22 6%
198 38%	95 40%	16 28%	43 34%	21 40%	19 50% b	11 46%	92 32%	159 35%	113 35%	146 37%	134 37% c	50 30%	40 26%	80 32%	88 35%	127 36% c
353 67%	163 68%	36 62%	86 68%	41 77%	29 76%	17 71%	190 67%	314 70%	222 69%	284 73%	248 68%	110 65%	96 64%	166 66%	170 67%	233 66%
135 26%	64 27%	18 31% e	35 28%	9 17%	5 13%	7 29%	64 23%	135 30% ad	77 24%	88 23%	97 27%	49 29%	41 27%	69 27%	69 27%	96 27%
16 3%	6 3%	2 3%	4 3%	- -	- -	- -	2 1%	16 4% acd	3 1%	4 1%	11 3%	5 3%	5 3%	8 3%	8 3%	11 3%
524 34.30	239 36.03 e	58 37.98 e	127 36.45 e	53 31.02	38 24.03	24 34.71	284 32.37	449 39.52 acd	321 33.91	390 33.58	365 35.79	168 38.67	151 37.17	253 36.67	255 35.78	352 35.62
25.006 1.092 1.19	25.843 1.672 2.79	24.834 3.261 10.63	23.481 2.084 4.34	19.610 2.694 7.26	19.341 3.138 9.84	24.172 4.934 24.35	22.609 1.342 1.80	23.180 1.094 1.20	22.694 1.267 1.60	21.018 1.064 1.13	24.509 1.283 1.65	24.881 1.920 3.68	25.957 2.112 4.46	24.779 1.558 2.43	24.676 1.545 2.39	25.218 1.344 1.81

## NES Eczema Parent Survey

### Arms, shoulders and hands Score (Area score)

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
0%	36	15	14	4	-	3	36	-	26	9	33	3
	7%	9%	6%	7%	-	7%	7%	-	7%	7%	7%	11%
1-9%	39	19	16	1	-	6	35	4	27	12	38	1
	7%	12%	7%	2%	-	13%	7%	12%	7%	10%	8%	4%
		c										
10-29%	183	61	72	24	-	18	168	15	132	46	168	15
	35%	39%	31%	40%	-	40%	34%	45%	34%	38%	34%	54%
30-49%	131	29	67	20	-	11	124	7	106	23	127	4
	25%	18%	29%	33%	-	24%	25%	21%	27%	19%	26%	14%
		a	a									
50-69%	80	19	43	6	-	3	77	3	61	19	77	3
	15%	12%	18%	10%	-	7%	16%	9%	16%	16%	16%	11%
70-89%	27	5	12	3	-	3	26	1	18	6	27	-
	5%	3%	5%	5%	-	7%	5%	3%	5%	5%	5%	-
90-100%	28	10	10	2	-	1	25	3	21	6	26	2
	5%	6%	4%	3%	-	2%	5%	9%	5%	5%	5%	7%
Net Quarter (1-25%)	198	75	76	22	-	23	181	17	139	55	185	13
	38%	47%	32%	37%	-	51%	37%	52%	36%	45%	37%	46%
		b										
Net Less than half (1-49%)	353	109	155	45	-	35	327	26	265	81	333	20
	67%	69%	66%	75%	-	78%	67%	79%	68%	67%	67%	71%
Net Half or more (50-100%)	135	34	65	11	-	7	128	7	100	31	130	5
	26%	22%	28%	18%	-	16%	26%	21%	26%	26%	26%	18%
Net Full (1-100%)	16	7	4	1	-	1	13	3	12	4	15	1
	3%	4%	2%	2%	-	2%	3%	9%	3%	3%	3%	4%
								a				
Base for stats	524	158	234	60	-	45	491	33	391	121	496	28
Mean Score	34.30	30.11	35.48	34.47	-	28.00	34.36	33.33	34.90	31.57	34.67	27.68
			a									
Standard Deviation	25.006	26.212	23.759	22.914	-	23.024	24.887	27.099	24.666	25.231	25.040	23.861
Standard Error	1.092	2.085	1.553	2.958	-	3.432	1.123	4.717	1.247	2.294	1.124	4.509
Error variance	1.19	4.35	2.41	8.75	-	11.78	1.26	22.25	1.56	5.26	1.26	20.33

NES Eczema Parent Survey

Chest, back and groin Score (Area score)

BASE: All respondents

Significance Level: 95%

	Gender of child			Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
0%	157 30%	73 28%	82 33%	4 33%	47 25%	47 31%	59 34%	117 29%	12 23%	18 36%	10 43%	7 78%	84 47% cd	65 23% d	1 2%	- -	97 30%	59 31%
1-9%	46 9%	22 8%	24 10%	- -	14 8%	16 10%	16 9%	33 8%	6 11%	4 8%	3 13%	1 11%	27 15% cd	17 6%	1 2%	- -	34 10% b	10 5%
10-29%	145 28%	76 29%	69 27%	3 25%	48 26%	45 29%	49 28%	115 29%	13 25%	10 20%	7 30%	1 11%	41 23%	94 33% b	9 19%	- -	89 27%	56 29%
30-49%	93 18%	44 17%	48 19%	3 25%	34 18%	28 18%	28 16%	72 18%	11 21%	8 16%	2 9%	- -	16 9%	58 20% b	19 40% bc	- -	60 19%	32 17%
50-69%	58 11%	35 13%	21 8%	1 8%	30 16% d	14 9%	13 8%	43 11%	7 13%	8 16%	- -	- -	6 3%	41 14% b	10 21% b	1 100%	32 10%	23 12%
70-89%	14 3%	8 3%	4 2%	1 8%	6 3%	3 2%	4 2%	8 2%	4 8% a	2 4%	- -	- -	4 2%	6 2%	4 8% bc	- -	8 2%	6 3%
90-100%	11 2%	7 3%	4 2%	- -	6 3%	1 1%	4 2%	10 3%	- -	- -	1 4%	- -	1 1%	6 2%	4 8% bc	- -	4 1%	7 4%
Net Quarter (1-25%)	168 32%	89 34%	79 31%	3 25%	51 28%	55 36%	59 34%	130 33%	19 36%	11 22%	8 35%	2 22%	58 32%	98 34%	10 21%	- -	108 33%	58 30%
Net Less than half (1-49%)	284 54%	142 54%	141 56%	6 50%	96 52%	89 58%	93 54%	220 55%	30 57%	22 44%	12 52%	2 22%	84 47%	169 59% b	29 60%	- -	183 56%	98 51%
Net Half or more (50-100%)	83 16%	50 19% b	29 12%	2 17%	42 23% cd	18 12%	21 12%	61 15%	11 21%	10 20%	1 4%	- -	11 6%	53 18% b	18 38% bc	1 100%	44 14%	36 19%
Net Full (1-100%)	5 1%	3 1%	2 1%	- -	3 2%	1 1%	1 1%	5 1%	- -	- -	- -	- -	1 1%	2 1%	2 4% c	- -	2 1%	3 2%
Base for stats	524	265	252	12	185	154	173	398	53	50	23	9	179	287	48	1	324	193
Mean Score	22.77	24.07	20.76	25.42	27.11 cd	20.17	20.27	22.85	26.60	22.58	12.96	3.22	12.87	25.69 b	45.10 bc	61.00	21.63	24.38
Standard Deviation	24.075	24.928	22.501	24.619	26.146	21.659	23.280	23.941	25.783	24.313	20.292	8.273	19.546	23.495	24.350	-	22.891	25.876
Standard Error	1.052	1.531	1.417	7.107	1.922	1.745	1.770	1.200	3.542	3.438	4.231	2.758	1.461	1.387	3.515	-	1.272	1.863
Error variance	1.11	2.34	2.01	50.51	3.70	3.05	3.13	1.44	12.54	11.82	17.90	7.60	2.13	1.92	12.35	-	1.62	3.47

# NES Eczema Parent Survey

## Chest, back and groin Score (Area score)

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin	
Total	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f	
Significance Level: 95%																	
Total	524	239	58	127	53	38	24	284	449	321	390	365	168	151	253	255	352
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
0%	157	64	11	38	8	4	3	62	128	-	95	101	27	32	63	68	101
	30%	27%	19%	30%	15%	11%	13%	22%	29%	-	24%	28%	16%	21%	25%	27%	29%
		e		de				c	ac		c	b			b	b	b
1-9%	46	20	2	6	4	2	4	20	38	-	31	31	12	10	18	19	25
	9%	8%	3%	5%	8%	5%	17%	7%	8%	-	8%	8%	7%	7%	7%	7%	7%
								c	c		c						
10-29%	145	78	17	38	19	15	8	88	133	145	125	104	51	40	67	74	100
	28%	33%	29%	30%	36%	39%	33%	31%	30%	45%	32%	28%	30%	26%	26%	29%	28%
									abd								
30-49%	93	45	12	22	10	7	4	63	79	93	76	73	43	33	61	51	68
	18%	19%	21%	17%	19%	18%	17%	22%	18%	29%	19%	20%	26%	22%	24%	20%	19%
									bd								
50-69%	58	19	11	20	8	8	2	36	50	58	49	39	25	26	33	29	42
	11%	8%	19%	16%	15%	21%	8%	13%	11%	18%	13%	11%	15%	17%	13%	11%	12%
			a	a		a			bd					a			
70-89%	14	5	3	2	2	1	2	8	13	14	8	8	5	5	7	8	11
	3%	2%	5%	2%	4%	3%	8%	3%	3%	4%	2%	2%	3%	3%	3%	3%	3%
90-100%	11	8	2	1	2	1	1	7	8	11	6	9	5	5	4	6	5
	2%	3%	3%	1%	4%	3%	4%	2%	2%	3%	2%	2%	3%	3%	2%	2%	1%
Net Quarter (1-25%)	168	93	16	35	21	13	9	94	151	122	136	120	55	43	73	79	112
	32%	39%	28%	28%	40%	34%	38%	33%	34%	38%	35%	33%	33%	28%	29%	31%	32%
		c															
Net Less than half (1-49%)	284	143	31	66	33	24	16	171	250	238	232	208	106	83	146	144	193
	54%	60%	53%	52%	62%	63%	67%	60%	56%	74%	59%	57%	63%	55%	58%	56%	55%
									abd								
Net Half or more (50-100%)	83	32	16	23	12	10	5	51	71	83	63	56	35	36	44	43	58
	16%	13%	28%	18%	23%	26%	21%	18%	16%	26%	16%	15%	21%	24%	17%	17%	16%
			a			a			abd					a			
Net Full (1-100%)	5	4	-	-	-	-	-	2	3	5	2	3	2	2	1	2	1
	1%	2%	-	-	-	-	-	1%	1%	2%	1%	1%	1%	1%	*	1%	*
Base for stats	524	239	58	127	53	38	24	284	449	321	390	365	168	151	253	255	352
Mean Score	22.77	22.36	32.60	23.43	29.40	32.71	30.17	26.65	22.85	36.42	24.03	23.38	29.91	30.40	25.81	24.76	23.38
			ac			ac		b		abd			aef	aef			
Standard Deviation	24.075	23.772	26.577	22.119	25.625	24.127	28.669	24.214	23.608	21.466	22.666	23.641	24.306	25.810	23.393	24.167	23.312
Standard Error	1.052	1.538	3.490	1.963	3.520	3.914	5.852	1.437	1.114	1.198	1.148	1.237	1.875	2.100	1.471	1.513	1.243
Error variance	1.11	2.36	12.18	3.85	12.39	15.32	34.25	2.06	1.24	1.44	1.32	1.53	3.52	4.41	2.16	2.29	1.54

# NES Eczema Parent Survey

## Chest, back and groin Score (Area score)

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
0%	157	66	60	9	-	12	146	11	99	55	146	11
	30%	42%	26%	15%	-	27%	30%	33%	25%	45%	29%	39%
		bc								a		
1-9%	46	20	19	3	-	2	40	6	32	12	42	4
	9%	13%	8%	5%	-	4%	8%	18%	8%	10%	8%	14%
								a				
10-29%	145	37	69	18	-	14	137	8	110	30	137	8
	28%	23%	29%	30%	-	31%	28%	24%	28%	25%	28%	29%
30-49%	93	19	48	15	-	8	91	2	80	11	91	2
	18%	12%	21%	25%	-	18%	19%	6%	20%	9%	18%	7%
			a	a					b			
50-69%	58	8	30	8	-	4	55	3	51	7	57	1
	11%	5%	13%	13%	-	9%	11%	9%	13%	6%	11%	4%
			a	a					b			
70-89%	14	6	4	3	-	4	11	3	9	5	13	1
	3%	4%	2%	5%	-	9%	2%	9%	2%	4%	3%	4%
								a				
90-100%	11	2	4	4	-	1	11	-	10	1	10	1
	2%	1%	2%	7%	-	2%	2%	-	3%	1%	2%	4%
				ab								
Net Quarter (1-25%)	168	51	78	16	-	15	155	13	126	36	157	11
	32%	32%	33%	27%	-	33%	32%	39%	32%	30%	32%	39%
Net Less than half (1-49%)	284	76	136	36	-	24	268	16	222	53	270	14
	54%	48%	58%	60%	-	53%	55%	48%	57%	44%	54%	50%
									b			
Net Half or more (50-100%)	83	16	38	15	-	9	77	6	70	13	80	3
	16%	10%	16%	25%	-	20%	16%	18%	18%	11%	16%	11%
				a								
Net Full (1-100%)	5	1	1	2	-	1	5	-	4	1	4	1
	1%	1%	*	3%	-	2%	1%	-	1%	1%	1%	4%
				b								
Base for stats	524	158	234	60	-	45	491	33	391	121	496	28
Mean Score	22.77	16.76	23.95	34.03	-	26.16	22.92	20.52	25.22	15.66	23.10	16.93
			a	ab					b			
Standard Deviation	24.075	22.879	22.766	27.880	-	27.373	23.867	27.295	24.371	22.417	23.980	25.441
Standard Error	1.052	1.820	1.488	3.599	-	4.080	1.077	4.751	1.233	2.038	1.077	4.808
Error variance	1.11	3.31	2.21	12.95	-	16.65	1.16	22.58	1.52	4.15	1.16	23.12

NES Eczema Parent Survey

Legs, feet and bum Score (Area score)

BASE: All respondents

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
96 18%	47 18%	48 19%	3 25%	36 19%	20 13%	37 21% c	64 16%	10 19%	14 28% a	8 35%	3 33%	59 33% cd	34 12% d	- -	- -	54 17%	42 22%
38 7%	15 6%	23 9%	1 8%	14 8%	11 7%	12 7%	32 8%	4 8%	1 2%	1 4%	4 44%	25 14% cd	9 3%	- -	- -	22 7%	16 8%
179 34%	93 35%	83 33%	5 42%	66 36%	59 38%	49 28%	146 37% b	12 23%	15 30%	6 26%	2 22%	68 38% d	104 36% d	5 10%	- -	120 37%	57 30%
108 21%	56 21%	50 20%	2 17%	32 17%	37 24%	37 21%	78 20%	16 30%	8 16%	6 26%	- -	19 11%	82 29% bd	7 15%	- -	68 21%	37 19%
60 11%	35 13%	25 10%	- -	26 14%	15 10%	19 11%	43 11%	7 13%	8 16%	2 9%	- -	7 4%	42 15% b	11 23% b	- -	35 11%	25 13%
31 6%	12 5%	18 7%	1 8%	9 5%	7 5%	14 8%	25 6%	4 8%	2 4%	- -	- -	- -	14 5% b	17 35% bc	- -	17 5%	13 7%
12 2%	7 3%	5 2%	- -	2 1%	5 3%	5 3%	10 3%	- -	2 4%	- -	- -	1 1%	2 1%	8 17% bc	1 100%	8 2%	3 2%
190 36%	94 35%	95 38%	5 42%	71 38%	60 39%	54 31%	160 40% b	13 25%	14 28%	3 13%	6 67%	81 45% cd	100 35% d	3 6%	- -	126 39%	63 33%
325 62%	164 62%	156 62%	8 67%	112 61%	107 69% d	98 57%	256 64% c	32 60%	24 48%	13 57%	6 67%	112 63% d	195 68% d	12 25%	- -	210 65%	110 57%
103 20%	54 20%	48 19%	1 8%	37 20%	27 18%	38 22%	78 20%	11 21%	12 24%	2 9%	- -	8 4%	58 20% b	36 75% bc	1 100%	60 19%	41 21%
7 1%	3 1%	4 2%	- -	1 1%	2 1%	4 2%	7 2%	- -	- -	- -	- -	1 1%	1 *	5 10% bc	- -	5 2%	1 1%
524 28.05	265 28.33	252 27.63	12 21.83	185 26.37	154 29.24	173 29.23	398 28.07	53 31.00	50 28.12	23 20.83	9 7.44	179 14.42	287 30.68 b	48 65.73 bc	1 91.00	324 28.15	193 26.96
24.488 1.070 1.14	23.911 1.469 2.16	25.189 1.587 2.52	22.238 6.419 41.21	23.034 1.694 2.87	23.727 1.912 3.66	26.740 2.033 4.13	24.506 1.228 1.51	24.964 3.429 11.76	26.111 3.693 13.64	18.763 3.912 15.31	9.002 3.001 9.00	16.271 1.216 1.48	20.993 1.239 1.54	24.696 3.565 12.71	- - -	24.083 1.338 1.79	24.591 1.770 3.13



# NES Eczema Parent Survey

## Legs, feet and bum Score (Area score)

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
96 18%	43 18%	8 14%	26 20%	7 13%	4 11%	3 13%	41 14% d	74 16% d	44 14% d	- -	62 17%	24 14%	28 19%	41 16%	42 16%	59 17%
38 7%	15 6%	5 9% d	4 3%	- -	3 8% d	2 8%	19 7% d	20 4% d	13 4% d	- -	24 7%	10 6%	8 5%	16 6%	18 7%	22 6%
179 34%	83 35%	18 31%	46 36%	22 42%	15 39%	9 38%	103 36%	159 35%	123 38%	179 46% abc	117 32%	48 29%	40 26%	80 32%	88 35%	124 35%
108 21%	48 20%	11 19%	27 21%	10 19%	6 16%	2 8%	62 22%	101 22%	68 21%	108 28% c	83 23%	45 27%	38 25%	61 24%	57 22%	77 22%
60 11%	33 14%	5 9%	13 10%	7 13%	7 18%	4 17%	30 11%	55 12%	39 12%	60 15%	48 13%	17 10%	18 12%	33 13%	28 11%	39 11%
31 6%	10 4%	9 16% ae	10 8%	4 8%	1 3%	3 13%	20 7%	29 6%	25 8%	31 8%	20 5%	15 9%	13 9%	14 6%	16 6%	20 6%
12 2%	7 3%	2 3%	1 1%	3 6% c	2 5%	1 4%	9 3%	11 2%	9 3%	12 3%	11 3%	9 5%	6 4%	8 3%	6 2%	11 3%
190 36%	88 37%	21 36%	44 35%	18 34%	14 37%	10 42%	106 37%	157 35%	118 37%	152 39%	121 33%	51 30%	40 26%	81 32%	91 36%	129 37% c
325 62%	146 61%	34 59%	77 61%	32 60%	24 63%	13 54%	184 65%	280 62%	204 64%	287 74% abc	224 61%	103 61%	86 57%	157 62%	163 64%	223 63%
103 20%	50 21%	16 28%	24 19%	14 26%	10 26%	8 33%	59 21%	95 21%	73 23%	103 26%	79 22%	41 24%	37 25%	55 22%	50 20%	70 20%
7 1%	2 1%	1 2%	- -	2 4% c	1 3%	- -	4 1%	7 2%	5 2%	7 2%	7 2%	5 3%	3 2%	5 2%	4 2%	6 2%
524 28.05	239 28.39	58 34.12	127 28.24	53 34.02	38 32.74	24 33.42	284 30.42	449 29.80	321 31.46	390 37.19 abc	365 30.12	168 34.19 f	151 32.72	253 30.52	255 29.16	352 29.02
24.488	24.532	27.723	24.314	26.693	25.228	28.953	25.027	24.540	24.871	21.837	24.981	27.728	26.938	25.067	24.616	24.716
1.070	1.587	3.640	2.158	3.667	4.093	5.910	1.485	1.158	1.388	1.106	1.308	2.139	2.192	1.576	1.542	1.317
1.14	2.52	13.25	4.66	13.44	16.75	34.93	2.21	1.34	1.93	1.22	1.71	4.58	4.81	2.48	2.38	1.74

# NES Eczema Parent Survey

## Legs, feet and bum Score (Area score)

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
0%	96	31	45	4	-	7	91	5	67	26	92	4
	18%	20%	19%	7%	-	16%	19%	15%	17%	21%	19%	14%
		c	c									
1-9%	38	22	13	1	-	2	35	3	24	13	34	4
	7%	14%	6%	2%	-	4%	7%	9%	6%	11%	7%	14%
		bc										
10-29%	179	52	85	17	-	20	168	11	141	35	169	10
	34%	33%	36%	28%	-	44%	34%	33%	36%	29%	34%	36%
30-49%	108	32	46	18	-	7	100	8	81	24	102	6
	21%	20%	20%	30%	-	16%	20%	24%	21%	20%	21%	21%
50-69%	60	11	27	11	-	6	58	2	43	15	58	2
	11%	7%	12%	18%	-	13%	12%	6%	11%	12%	12%	7%
				a								
70-89%	31	6	14	7	-	3	28	3	23	8	29	2
	6%	4%	6%	12%	-	7%	6%	9%	6%	7%	6%	7%
				a								
90-100%	12	4	4	2	-	-	11	1	12	-	12	-
	2%	3%	2%	3%	-	-	2%	3%	3%	-	2%	-
Net Quarter (1-25%)	190	68	82	15	-	21	177	13	143	45	179	11
	36%	43%	35%	25%	-	47%	36%	39%	37%	37%	36%	39%
		c										
Net Less than half (1-49%)	325	106	144	36	-	29	303	22	246	72	305	20
	62%	67%	62%	60%	-	64%	62%	67%	63%	60%	61%	71%
Net Half or more (50-100%)	103	21	45	20	-	9	97	6	78	23	99	4
	20%	13%	19%	33%	-	20%	20%	18%	20%	19%	20%	14%
				ab								
Net Full (1-100%)	7	2	2	1	-	-	6	1	7	-	7	-
	1%	1%	1%	2%	-	-	1%	3%	2%	-	1%	-
Base for stats	524	158	234	60	-	45	491	33	391	121	496	28
Mean Score	28.05	23.51	27.69	40.12	-	26.13	28.05	28.03	29.12	25.01	28.20	25.46
				ab								
Standard Deviation	24.488	23.185	23.564	25.595	-	22.060	24.412	25.990	25.025	22.963	24.642	21.817
Standard Error	1.070	1.844	1.540	3.304	-	3.289	1.102	4.524	1.266	2.088	1.106	4.123
Error variance	1.14	3.40	2.37	10.92	-	10.81	1.21	20.47	1.60	4.36	1.22	17.00



NES Eczema Parent Survey

PA\_B1\_1. Thinking about eczema that affects your child's Head and neck at the moment, please let us know... Approximately how red is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	346 100%	175 100%	164 100%	10 100%	124 100%	105 100%	107 100%	260 100%	35 100%	37 100%	14 100%	6 100%	91 100%	203 100%	45 100%	1 100%	215 100%	125 100%
Not red	35 10%	18 10%	17 10%	- -	15 12%	10 10%	10 9%	28 11%	2 6%	5 14%	- -	4 67%	11 12%	13 6%	7 16% c	- -	25 12%	9 7%
Light red	226 65%	113 65%	107 65%	7 70%	69 56%	77 73% b	73 68%	167 64%	24 69%	23 62%	12 86%	1 17%	68 75% d	136 67% d	21 47%	- -	134 62%	88 70%
Red, but not deep red	73 21%	36 21%	36 22%	3 30%	33 27%	17 16%	20 19%	55 21%	8 23%	8 22%	2 14%	1 17%	12 13%	47 23% b	12 27%	1 100%	47 22%	25 20%
Very red or extremely red	12 3%	8 5%	4 2%	- -	7 6%	1 1% 1%	4 4%	10 4%	1 3%	1 3%	- -	- -	- -	7 3%	5 11% bc	- -	9 4%	3 2%
Net: Affected	311 90%	157 90%	147 90%	10 100%	109 88%	95 90%	97 91%	232 89%	33 94%	32 86%	14 100%	2 33%	80 88%	190 94% d	38 84%	1 100%	190 88%	116 93%

NES Eczema Parent Survey

PA\_B1\_1. Thinking about eczema that affects your child's Head and neck at the moment, please let us know... Approximately how red is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

Significance Level: 95%		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
		Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	346 100%	170 100%	49 100%	85 100%	45 100%	30 100%	18 100%	284 100%	291 100%	234 100%	274 100%	247 100%	135 100%	117 100%	183 100%	188 100%	241 100%
Not red	35 10%	12 7%	5 10%	4 5%	2 4%	2 7%	2 11%	25 9%	28 10%	18 8%	28 10%	18 7%	10 7%	9 8%	11 6%	9 5%	11 5%
Light red	226 65%	107 63%	30 61%	63 74%	33 73%	23 77%	12 67%	184 65%	194 67%	156 67%	179 65%	165 67%	90 67%	77 66%	120 66%	124 66%	162 67%
Red, but not deep red	73 21%	43 25%	11 22%	15 18%	8 18%	5 17%	3 17%	63 22%	60 21%	49 21%	57 21%	55 22%	26 19%	22 19%	42 23%	46 24%	56 23%
Very red or extremely red	12 3%	8 5%	3 6%	3 4%	2 4%	- -	1 6%	12 4%	9 3%	11 5%	10 4%	9 4%	9 7%	9 8%	10 5%	9 5%	12 5%
Net: Affected	311 90%	158 93%	44 90%	81 95%	43 96%	28 93%	16 89%	259 91%	263 90%	216 92%	246 90%	229 93%	125 93%	108 92%	172 94%	179 95%	230 95%

## NES Eczema Parent Survey

### PA\_B1\_1. Thinking about eczema that affects your child's Head and neck at the moment, please let us know... Approximately how red is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	*b	a	*b	a	b	a	*b
Total	346	90	168	51	-	26	327	19	270	66	331	15
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not red	35	17	9	5	-	6	27	8	20	12	27	8
	10%	19%	5%	10%	-	23%	8%	42%	7%	18%	8%	53%
		b								a		
Light red	226	58	111	32	-	15	216	10	179	41	220	6
	65%	64%	66%	63%	-	58%	66%	53%	66%	62%	66%	40%
Red, but not deep red	73	14	43	10	-	5	72	1	60	12	72	1
	21%	16%	26%	20%	-	19%	22%	5%	22%	18%	22%	7%
Very red or extremely red	12	1	5	4	-	-	12	-	11	1	12	-
	3%	1%	3%	8%	-	-	4%	-	4%	2%	4%	-
				a								
Net: Affected	311	73	159	46	-	20	300	11	250	54	304	7
	90%	81%	95%	90%	-	77%	92%	58%	93%	82%	92%	47%
			a						b			

## NES Eczema Parent Survey

### PA\_B2\_1. Head and neck: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	346 100%	175 100%	164 100%	10 100%	124 100%	105 100%	107 100%	260 100%	35 100%	37 100%	14 100%	6 100%	91 100%	203 100%	45 100%	1 100%	215 100%	125 100%
Not swollen	81 23%	30 17%	50 30% a	2 20%	29 23%	25 24%	25 23%	58 22%	8 23%	9 24%	6 43%	5 83%	31 34% cd	39 19%	6 13%	- -	54 25%	25 20%
Barely noticeable	119 34%	63 36%	53 32%	3 30%	36 29%	44 42% b	36 34%	86 33%	13 37%	16 43%	4 29%	1 17%	35 38%	70 34%	13 29%	- -	67 31%	48 38%
Noticeable but not prominent	123 36%	68 39%	52 32%	5 50%	46 37%	30 29%	42 39%	96 37%	13 37%	10 27%	4 29%	- -	24 26%	80 39% b	19 42%	- -	77 36%	46 37%
Clearly noticeable and very prominent	23 7%	14 8%	9 5%	- -	13 10%	6 6%	4 4%	20 8%	1 3%	2 5%	- -	- -	1 1%	14 7% b	7 16% b	1 100%	17 8%	6 5%
Net: Affected	265 77%	145 83% b	114 70%	8 80%	95 77%	80 76%	82 77%	202 78%	27 77%	28 76%	8 57%	1 17%	60 66%	164 81% b	39 87% b	1 100%	161 75%	100 80%

NES Eczema Parent Survey

PA\_B2\_1. Head and neck: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	346 100%	170 100%	49 100%	85 100%	45 100%	30 100%	18 100%	284 100%	291 100%	234 100%	274 100%	247 100%	135 100%	117 100%	183 100%	188 100%	241 100%
Not swollen	81 23%	34 20%	7 14%	18 21%	7 16%	3 10%	1 6%	58 20%	70 24%	51 22%	64 23%	50 20%	21 16%	17 15%	32 17%	33 18%	51 21%
Barely noticeable	119 34%	57 34%	16 33%	31 36%	21 47%	16 53%	9 50%	97 34%	100 34%	81 35%	96 35%	85 34%	46 34%	41 35%	61 33%	64 34%	79 33%
Noticeable but not prominent	123 36%	67 39%	21 43%	33 39%	14 31%	8 27%	7 39%	108 38%	104 36%	84 36%	97 35%	94 38%	52 39%	44 38%	72 39%	77 41%	91 38%
Clearly noticeable and very prominent	23 7%	12 7%	5 10%	3 4%	3 7%	3 10%	1 6%	21 7%	17 6%	18 8%	17 6%	18 7%	16 12%	15 13%	18 10%	14 7%	20 8%
Net: Affected	265 77%	136 80%	42 86%	67 79%	38 84%	27 90%	17 94%	226 80%	221 76%	183 78%	210 77%	197 80%	114 84%	100 85%	151 83%	155 82%	190 79%

## NES Eczema Parent Survey

### PA\_B2\_1. Head and neck: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	*b	a	*b	a	b	a	*b
Total	346	90	168	51	-	26	327	19	270	66	331	15
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not swollen	81	28	33	5	-	12	71	10	49	26	75	6
	23%	31%	20%	10%	-	46%	22%	53%	18%	39%	23%	40%
		bc								a		
Barely noticeable	119	29	57	21	-	7	111	8	99	19	115	4
	34%	32%	34%	41%	-	27%	34%	42%	37%	29%	35%	27%
Noticeable but not prominent	123	29	67	19	-	6	122	1	103	18	119	4
	36%	32%	40%	37%	-	23%	37%	5%	38%	27%	36%	27%
Clearly noticeable and very prominent	23	4	11	6	-	1	23	-	19	3	22	1
	7%	4%	7%	12%	-	4%	7%	-	7%	5%	7%	7%
Net: Affected	265	62	135	46	-	14	256	9	221	40	256	9
	77%	69%	80%	90%	-	54%	78%	47%	82%	61%	77%	60%
			a	a					b			

NES Eczema Parent Survey

PA\_B3\_1. Head and neck: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

	Gender of child			Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	346 100%	175 100%	164 100%	10 100%	124 100%	105 100%	107 100%	260 100%	35 100%	37 100%	14 100%	6 100%	91 100%	203 100%	45 100%	1 100%	215 100%	125 100%
Not scratched	55 16%	26 15%	29 18%	3 30%	23 19%	14 13%	15 14%	38 15%	8 23%	7 19%	2 14%	5 83%	15 16%	31 15%	4 9%	- -	42 20% b	12 10%
Minor/superficial scratches on some of the area affected	172 50%	81 46%	88 54%	5 50%	55 44%	56 53%	56 52%	130 50%	14 40%	21 57%	7 50%	1 17%	59 65% cd	92 45%	20 44%	- -	102 47%	67 54%
Noticeable but not prominent scratches on most of the area affected	99 29%	56 32%	40 24%	2 20%	39 31%	30 29%	28 26%	77 30%	10 29%	7 19%	5 36%	- -	16 18%	70 34% b	13 29%	- -	58 27%	39 31%
Very prominent wide/deep scratches on most or all of the area affected	20 6%	12 7%	7 4%	- -	7 6%	5 5%	8 7%	15 6%	3 9%	2 5%	- -	- -	1 1%	10 5%	8 18% bc	1 100%	13 6%	7 6%
Net: Affected	291 84%	149 85%	135 82%	7 70%	101 81%	91 87%	92 86%	222 85%	27 77%	30 81%	12 86%	1 17%	76 84%	172 85%	41 91%	1 100%	173 80%	113 90% a

# NES Eczema Parent Survey

## PA\_B3\_1. Head and neck: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	346 100%	170 100%	49 100%	85 100%	45 100%	30 100%	18 100%		284 100%	291 100%	234 100%	274 100%	247 100%	135 100%	117 100%	183 100%	188 100%	241 100%
Not scratched	55 16%	25 15% b	2 4%	15 18% b	3 7%	1 3%	2 11%		41 14%	45 15%	30 13%	41 15%	33 13%	10 7%	10 9%	19 10%	20 11%	29 12%
Minor/superficial scratches on some of the area affected	172 50%	87 51%	21 43%	44 52%	20 44%	17 57%	8 44%		140 49%	145 50%	117 50%	138 50%	123 50%	60 44%	53 45%	78 43%	87 46%	119 49%
Noticeable but not prominent scratches on most of the area affected	99 29%	49 29%	20 41%	24 28%	17 38%	9 30%	7 39%		83 29%	85 29%	70 30%	78 28%	75 30%	52 39%	37 32%	70 38%	63 34%	76 32%
Very prominent wide/deep scratches on most or all of the area affected	20 6%	9 5%	6 12% c	2 2%	5 11% c	3 10%	1 6%		20 7%	16 5%	17 7%	17 6%	16 6%	13 10%	17 15% af	16 9%	18 10%	17 7%
Net: Affected	291 84%	145 85%	47 96% ac	70 82%	42 93%	29 97%	16 89%		243 86%	246 85%	204 87%	233 85%	214 87%	125 93%	107 91%	164 90%	168 89%	212 88%



## NES Eczema Parent Survey

### PA\_B3\_1. Head and neck: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	*b	a	*b	a	b	a	*b
Total	346 100%	90 100%	168 100%	51 100%	- -	26 100%	327 100%	19 100%	270 100%	66 100%	331 100%	15 100%
Not scratched	55 16%	22 24% bc	18 11%	3 6%	- -	11 42%	48 15%	7 37%	33 12%	19 29% a	50 15%	5 33%
Minor/superficial scratches on some of the area affected	172 50%	52 58%	82 49%	22 43%	- -	11 42%	162 50%	10 53%	136 50%	31 47%	163 49%	9 60%
Noticeable but not prominent scratches on most of the area affected	99 29%	15 17%	57 34% a	20 39% a	- -	4 15%	97 30%	2 11%	81 30%	16 24%	98 30%	1 7%
Very prominent wide/deep scratches on most or all of the area affected	20 6%	1 1%	11 7% a	6 12% a	- -	- -	20 6%	- -	20 7% b	- -	20 6%	- -
Net: Affected	291 84%	68 76%	150 89% a	48 94% a	- -	15 58%	279 85%	12 63%	237 88% b	47 71%	281 85%	10 67%

## NES Eczema Parent Survey

### PA\_B4\_1. Head and neck: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	346 100%	175 100%	164 100%	10 100%	124 100%	105 100%	107 100%	260 100%	35 100%	37 100%	14 100%	6 100%	91 100%	203 100%	45 100%	1 100%	215 100%	125 100%
Not hardened	102 29%	45 26%	56 34%	5 50%	35 28%	27 26%	35 33%	68 26%	18 51% ac	10 27%	6 43%	6 100%	47 52% cd	43 21%	6 13%	- -	72 33%	30 24%
Some hardening or furrowing on some of the area affected	148 43%	76 43%	69 42%	3 30%	53 43%	48 46%	44 41%	116 45%	10 29%	16 43%	6 43%	- -	36 40%	92 45%	20 44%	- -	96 45%	50 40%
Some hardening or furrowing on most of the area affected	80 23%	46 26%	32 20%	2 20%	30 24%	25 24%	23 21%	63 24%	7 20%	9 24%	1 7%	- -	8 9%	57 28% b	14 31% b	1 100%	42 20%	34 27%
Severe hardening or furrowing on most or all of the area affected	16 5%	8 5%	7 4%	- -	6 5%	5 5%	5 5%	13 5%	- -	2 5%	1 7%	- -	- -	11 5% b	5 11% b	- -	5 2%	11 9% a
Net: Affected	244 71%	130 74%	108 66%	5 50%	89 72%	78 74%	72 67%	192 74% b	17 49%	27 73% b	8 57%	- -	44 48%	160 79% b	39 87% b	1 100%	143 67%	95 76%

NES Eczema Parent Survey

PA\_B4\_1. Head and neck: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
346 100%	170 100%	49 100%	85 100%	45 100%	30 100%	18 100%	284 100%	291 100%	234 100%	274 100%	247 100%	135 100%	117 100%	183 100%	188 100%	241 100%
102 29%	50 29% d	8 16%	18 21%	6 13%	4 13%	1 6%	75 26%	82 28%	61 26%	73 27%	65 26% bce	20 15%	18 15%	34 19%	32 17%	56 23%
148 43%	77 45%	18 37%	38 45%	17 38%	14 47%	6 33%	122 43%	128 44%	101 43%	121 44%	114 46% c	58 43%	40 34%	84 46% c	88 47% c	114 47% c
80 23%	38 22%	18 37% a	25 29%	18 40% a	10 33%	11 61%	71 25%	69 24%	57 24%	66 24%	56 23%	43 32%	49 42% adef	54 30%	57 30%	58 24%
16 5%	5 3%	5 10% a	4 5%	4 9%	2 7%	- -	16 6%	12 4%	15 6%	14 5%	12 5%	14 10% a	10 9%	11 6%	11 6%	13 5%
244 71%	120 71%	41 84%	67 79%	39 87% a	26 87%	17 94%	209 74%	209 72%	173 74%	201 73%	182 74%	115 85% a	99 85% a	149 81%	156 83% a	185 77%

## NES Eczema Parent Survey

### PA\_B4\_1. Head and neck: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Head and neck

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	*b	a	*b	a	b	a	*b
Total	346	90	168	51	-	26	327	19	270	66	331	15
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not hardened	102	40	38	8	-	11	90	12	63	34	96	6
	29%	44%	23%	16%	-	42%	28%	63%	23%	52%	29%	40%
		bc								a		
Some hardening or furrowing on some of the area affected	148	44	77	14	-	13	142	6	121	24	140	8
	43%	49%	46%	27%	-	50%	43%	32%	45%	36%	42%	53%
		c	c									
Some hardening or furrowing on most of the area affected	80	6	43	24	-	2	79	1	70	8	79	1
	23%	7%	26%	47%	-	8%	24%	5%	26%	12%	24%	7%
			a	ab						b		
Severe hardening or furrowing on most or all of the area affected	16	-	10	5	-	-	16	-	16	-	16	-
	5%	-	6%	10%	-	-	5%	-	6%	-	5%	-
			a	a					b			
Net: Affected	244	50	130	43	-	15	237	7	207	32	235	9
	71%	56%	77%	84%	-	58%	72%	37%	77%	48%	71%	60%
			a	a					b			

# NES Eczema Parent Survey

## PA\_B1\_2. Thinking about eczema that affects your child's Arms, shoulders and hands at the moment, please let us know... Approximately how red is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	488 100%	246 100%	236 100%	12 100%	171 100%	143 100%	162 100%	373 100%	51 100%	44 100%	20 100%	8 100%	160 100%	271 100%	48 100%	1 100%	302 100%	180 100%
Not red	34 7%	18 7%	16 7%	1 8%	14 8%	9 6%	10 6%	23 6%	5 10%	5 11%	1 5%	4 50%	23 14% cd	6 2%	1 2%	- -	30 10% b	3 2%
Light red	272 56%	145 59%	123 52%	5 42%	100 58%	70 49%	97 60%	222 60%	23 45%	21 48%	6 30%	4 50%	105 66% cd	148 55% d	15 31%	- -	156 52%	113 63% a
Red, but not deep red	156 32%	71 29%	83 35%	6 50%	49 29%	55 38%	46 28%	109 29%	21 41%	16 36%	10 50%	- -	31 19%	101 37% b	24 50% b	- -	102 34%	52 29%
Very red or extremely red	26 5%	12 5%	14 6%	- -	8 5%	9 6%	9 6%	19 5%	2 4%	2 5%	3 15%	- -	1 1%	16 6% b	8 17% bc	1 100%	14 5%	12 7%
Net: Affected	454 93%	228 93%	220 93%	11 92%	157 92%	134 94%	152 94%	350 94%	46 90%	39 89%	19 95%	4 50%	137 86%	265 98% b	47 98% b	1 100%	272 90%	177 98% a

NES Eczema Parent Survey

PA\_B1\_2. Thinking about eczema that affects your child's Arms, shoulders and hands at the moment, please let us know... Approximately how red is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	488 100%	227 100%	54 100%	121 100%	50 100%	34 100%	24 100%		254 100%	449 100%	299 100%	372 100%	345 100%	159 100%	137 100%	235 100%	239 100%	329 100%
Not red	34 7%	10 4%	2 4%	7 6%	2 4%	- -	2 8%		19 7%	29 6%	18 6%	24 6%	18 5%	4 3%	5 4%	7 3%	9 4%	14 4%
Light red	272 56%	124 55%	32 59%	69 57%	27 54%	22 65%	14 58%		139 55%	251 56%	168 56%	213 57%	178 52%	72 45%	67 49%	127 54%	127 53%	177 54%
Red, but not deep red	156 32%	80 35%	15 28%	40 33%	15 30%	7 21%	5 21%		79 31%	144 32%	95 32%	114 31%	125 36%	66 42%	52 38%	85 36%	88 37%	116 35%
Very red or extremely red	26 5%	13 6%	5 9%	5 4%	6 12%	5 15%	3 13%		17 7%	25 6%	18 6%	21 6%	24 7%	17 11%	13 9%	16 7%	15 6%	22 7%
Net: Affected	454 93%	217 96%	52 96%	114 94%	48 96%	34 100%	22 92%		235 93%	420 94%	281 94%	348 94%	327 95%	155 97%	132 96%	228 97%	230 96%	315 96%

## NES Eczema Parent Survey

**PA\_B1\_2. Thinking about eczema that affects your child's Arms, shoulders and hands at the moment, please let us know... Approximately how red is the skin that's affected, if at all?**

BASE: Those affected by eczema on their Arms, shoulders and hands

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	488 100%	143 100%	220 100%	56 100%	- -	42 100%	455 100%	33 100%	365 100%	112 100%	463 100%	25 100%
Not red	34 7%	15 10% b	8 4%	2 4%	- -	7 17%	25 5%	9 27% a	16 4%	16 14% a	26 6%	8 32%
Light red	272 56%	78 55%	135 61%	27 48%	- -	22 52%	256 56%	16 48%	207 57%	59 53%	259 56%	13 52%
Red, but not deep red	156 32%	45 31%	70 32%	22 39%	- -	12 29%	151 33% b	5 15%	126 35%	28 25%	153 33%	3 12%
Very red or extremely red	26 5%	5 3%	7 3%	5 9%	- -	1 2%	23 5%	3 9%	16 4%	9 8%	25 5%	1 4%
Net: Affected	454 93%	128 90%	212 96% a	54 96%	- -	35 83%	430 95% b	24 73%	349 96% b	96 86%	437 94%	17 68%

# NES Eczema Parent Survey

## PA\_B2\_2. Arms, shoulders and hands: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	488 100%	246 100%	236 100%	12 100%	171 100%	143 100%	162 100%	373 100%	51 100%	44 100%	20 100%	8 100%	160 100%	271 100%	48 100%	1 100%	302 100%	180 100%
Not swollen	99 20%	50 20%	46 19%	3 25%	33 19%	25 17%	38 23%	75 20%	13 25%	9 20%	2 10%	5 63%	62 39% cd	27 10%	5 10%	- -	65 22%	32 18%
Barely noticeable	177 36%	89 36%	87 37%	5 42%	76 44% d	52 36%	44 27%	132 35%	20 39%	14 32%	11 55%	3 38%	54 34%	109 40% d	11 23%	- -	112 37%	62 34%
Noticeable but not prominent	188 39%	95 39%	91 39%	3 25%	57 33%	60 42%	68 42%	147 39%	16 31%	18 41%	7 35%	- -	41 26%	122 45% b	25 52% b	- -	109 36%	78 43%
Clearly noticeable and very prominent	24 5%	12 5%	12 5%	1 8%	5 3%	6 4%	12 7%	19 5%	2 4%	3 7%	- -	- -	3 2%	13 5%	7 15% bc	1 100%	16 5%	8 4%
Net: Affected	389 80%	196 80%	190 81%	9 75%	138 81%	118 83%	124 77%	298 80%	38 75%	35 80%	18 90%	3 38%	98 61%	244 90% b	43 90% b	1 100%	237 78%	148 82%



NES Eczema Parent Survey

PA\_B2\_2. Arms, shoulders and hands: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
488 100%	227 100%	54 100%	121 100%	50 100%	34 100%	24 100%	254 100%	449 100%	299 100%	372 100%	345 100%	159 100%	137 100%	235 100%	239 100%	329 100%
99 20%	40 18%	10 19%	20 17%	6 12%	2 6%	1 4%	47 19%	89 20%	61 20%	73 20%	64 19% b	15 9%	18 13%	32 14%	36 15%	61 19% b
177 36%	75 33%	17 31%	54 45% a	17 34%	11 32%	9 38%	93 37%	161 36%	110 37%	134 36%	115 33%	49 31%	45 33%	80 34%	82 34%	108 33%
188 39%	99 44%	24 44%	41 34%	24 48%	17 50%	13 54%	99 39%	175 39%	113 38%	146 39%	143 41%	77 48%	64 47%	106 45%	105 44%	137 42%
24 5%	13 6%	3 6%	6 5%	3 6%	4 12%	1 4%	15 6%	24 5%	15 5%	19 5%	23 7%	18 11%	10 7%	17 7%	16 7%	23 7%
389 80%	187 82%	44 81%	101 83%	44 88%	32 94%	23 96%	207 81%	360 80%	238 80%	299 80%	281 81%	144 91% af	119 87%	203 86%	203 85%	268 81%

## NES Eczema Parent Survey

### PA\_B2\_2. Arms, shoulders and hands: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	488	143	220	56	-	42	455	33	365	112	463	25
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not swollen	99	41	35	7	-	17	83	16	59	35	88	11
	20%	29%	16%	13%	-	40%	18%	48%	16%	31%	19%	44%
		bc						a		a		
Barely noticeable	177	47	85	20	-	13	169	8	139	36	169	8
	36%	33%	39%	36%	-	31%	37%	24%	38%	32%	37%	32%
Noticeable but not prominent	188	47	91	28	-	10	181	7	151	34	183	5
	39%	33%	41%	50%	-	24%	40%	21%	41%	30%	40%	20%
				a			b		b			
Clearly noticeable and very prominent	24	8	9	1	-	2	22	2	16	7	23	1
	5%	6%	4%	2%	-	5%	5%	6%	4%	6%	5%	4%
Net: Affected	389	102	185	49	-	25	372	17	306	77	375	14
	80%	71%	84%	88%	-	60%	82%	52%	84%	69%	81%	56%
			a	a			b		b			

NES Eczema Parent Survey

PA\_B3\_2. Arms, shoulders and hands: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	488 100%	246 100%	236 100%	12 100%	171 100%	143 100%	162 100%	373 100%	51 100%	44 100%	20 100%	8 100%	160 100%	271 100%	48 100%	1 100%	302 100%	180 100%
Not scratched	54 11%	27 11%	26 11%	1 8%	24 14%	14 10%	15 9%	42 11%	4 8%	7 16%	1 5%	6 75%	28 18% cd	20 7%	- -	- -	40 13% b	13 7%
Minor/superficial scratches on some of the area affected	240 49%	116 47%	122 52%	8 67%	88 51%	68 48%	76 47%	177 47%	27 53%	25 57%	11 55%	2 25%	99 62% cd	121 45%	18 38%	- -	149 49%	90 50%
Noticeable but not prominent scratches on most of the area affected	154 32%	81 33%	71 30%	3 25%	46 27%	47 33%	58 36%	124 33% c	15 29%	8 18%	7 35%	- -	30 19%	105 39% b	19 40% b	- -	90 30%	61 34%
Very prominent wide/deep scratches on most or all of the area affected	40 8%	22 9%	17 7%	- -	13 8%	14 10%	13 8%	30 8%	5 10%	4 9%	1 5%	- -	3 2%	25 9% b	11 23% bc	1 100%	23 8%	16 9%
Net: Affected	434 89%	219 89%	210 89%	11 92%	147 86%	129 90%	147 91%	331 89%	47 92%	37 84%	19 95%	2 25%	132 83%	251 93% b	48 100% b	1 100%	262 87%	167 93% a

NES Eczema Parent Survey

PA\_B3\_2. Arms, shoulders and hands: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	488 100%	227 100%	54 100%	121 100%	50 100%	34 100%	24 100%		254 100%	449 100%	299 100%	372 100%	345 100%	159 100%	137 100%	235 100%	239 100%	329 100%
Not scratched	54 11%	21 9%	5 9%	10 8%	5 10%	4 12%	4 17%		33 13%	45 10%	30 10%	34 9%	26 8%	8 5%	11 8%	16 7%	19 8%	27 8%
Minor/superficial scratches on some of the area affected	240 49%	109 48% b	16 30%	69 57% be	22 44%	12 35%	7 29%		110 43%	221 49%	148 49%	185 50%	152 44%	56 35%	50 36%	92 39%	98 41%	149 45% b
Noticeable but not prominent scratches on most of the area affected	154 32%	80 35%	30 56% acd	34 28%	18 36%	15 44%	11 46%		88 35%	144 32%	97 32%	121 33%	129 37%	70 44%	59 43%	98 42%	91 38%	118 36%
Very prominent wide/deep scratches on most or all of the area affected	40 8%	17 7%	3 6%	8 7%	5 10%	3 9%	2 8%		23 9%	39 9%	24 8%	32 9%	38 11%	25 16%	17 12%	29 12%	31 13%	35 11%
Net: Affected	434 89%	206 91%	49 91%	111 92%	45 90%	30 88%	20 83%		221 87%	404 90%	269 90%	338 91%	319 92%	151 95%	126 92%	219 93%	220 92%	302 92%

## NES Eczema Parent Survey

### PA\_B3\_2. Arms, shoulders and hands: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	488	143	220	56	-	42	455	33	365	112	463	25
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not scratched	54	21	21	5	-	10	44	10	34	19	50	4
	11%	15%	10%	9%	-	24%	10%	30%	9%	17%	11%	16%
								a		a		
Minor/superficial scratches on some of the area affected	240	79	95	24	-	23	223	17	168	69	224	16
	49%	55%	43%	43%	-	55%	49%	52%	46%	62%	48%	64%
		b								a		
Noticeable but not prominent scratches on most of the area affected	154	36	86	18	-	8	149	5	127	21	149	5
	32%	25%	39%	32%	-	19%	33%	15%	35%	19%	32%	20%
			a				b		b			
Very prominent wide/deep scratches on most or all of the area affected	40	7	18	9	-	1	39	1	36	3	40	-
	8%	5%	8%	16%	-	2%	9%	3%	10%	3%	9%	-
			a						b			
Net: Affected	434	122	199	51	-	32	411	23	331	93	413	21
	89%	85%	90%	91%	-	76%	90%	70%	91%	83%	89%	84%
							b		b			

NES Eczema Parent Survey

PA\_B4\_2. Arms, shoulders and hands: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	488 100%	246 100%	236 100%	12 100%	171 100%	143 100%	162 100%	373 100%	51 100%	44 100%	20 100%	8 100%	160 100%	271 100%	48 100%	1 100%	302 100%	180 100%
Not hardened	135 28%	62 25%	72 31%	6 50%	51 30%	35 24%	43 27%	104 28%	17 33%	10 23%	4 20%	7 88%	81 51% cd	44 16%	3 6%	- -	96 32% b	39 22%
Some hardening or furrowing on some of the area affected	203 42%	112 46%	89 38%	1 8%	72 42%	60 42%	70 43%	149 40%	22 43%	22 50%	10 50%	1 13%	64 40% d	131 48% d	7 15%	- -	128 42%	72 40%
Some hardening or furrowing on most of the area affected	133 27%	63 26%	67 28%	5 42%	44 26%	40 28%	44 27%	106 28%	11 22%	11 25%	5 25%	- -	13 8%	87 32% b	33 69% bc	- -	71 24%	59 33% a
Severe hardening or furrowing on most or all of the area affected	17 3%	9 4%	8 3%	- -	4 2%	8 6%	5 3%	14 4%	1 2%	1 2%	1 5%	- -	2 1%	9 3%	5 10% bc	1 100%	7 2%	10 6%
Net: Affected	353 72%	184 75%	164 69%	6 50%	120 70%	108 76%	119 73%	269 72%	34 67%	34 77%	16 80%	1 13%	79 49%	227 84% b	45 94% b	1 100%	206 68%	141 78% a

## NES Eczema Parent Survey

### PA\_B4\_2. Arms, shoulders and hands: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
488 100%	227 100%	54 100%	121 100%	50 100%	34 100%	24 100%	254 100%	449 100%	299 100%	372 100%	345 100%	159 100%	137 100%	235 100%	239 100%	329 100%
135 28%	56 25% d	7 13%	33 27% bd	2 4%	7 21% d	3 13%	59 23%	115 26%	75 25%	100 27%	76 22% bcd	12 8%	14 10%	34 14% b	40 17% b	68 21% bc
203 42%	103 45% b	16 30%	44 36%	25 50% b	12 35%	8 33%	99 39%	187 42%	119 40%	150 40%	141 41%	55 35%	51 37%	94 40%	97 41%	144 44%
133 27%	60 26%	28 52% ac	38 31%	22 44% a	15 44% a	11 46%	83 33%	131 29%	93 31%	107 29%	111 32%	79 50% aef	63 46% af	94 40% f	89 37%	101 31%
17 3%	8 4%	3 6%	6 5%	1 2%	- -	2 8%	13 5%	16 4%	12 4%	15 4%	17 5%	13 8%	9 7%	13 6%	13 5%	16 5%
353 72%	171 75%	47 87% c	88 73%	48 96% ace	27 79%	21 88%	195 77%	334 74%	224 75%	272 73%	269 78%	147 92% ade	123 90% af	201 86% a	199 83%	261 79%

## NES Eczema Parent Survey

### PA\_B4\_2. Arms, shoulders and hands: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Arms, shoulders and hands

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	488	143	220	56	-	42	455	33	365	112	463	25
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not hardened	135	56	44	5	-	18	118	17	84	47	122	13
	28%	39%	20%	9%	-	43%	26%	52%	23%	42%	26%	52%
		bc						a		a		
Some hardening or furrowing on some of the area affected	203	64	98	19	-	17	191	12	148	50	195	8
	42%	45%	45%	34%	-	40%	42%	36%	41%	45%	42%	32%
Some hardening or furrowing on most of the area affected	133	22	68	26	-	7	131	2	117	14	129	4
	27%	15%	31%	46%	-	17%	29%	6%	32%	13%	28%	16%
			a	ab			b		b			
Severe hardening or furrowing on most or all of the area affected	17	1	10	6	-	-	15	2	16	1	17	-
	3%	1%	5%	11%	-	-	3%	6%	4%	1%	4%	-
			a	a								
Net: Affected	353	87	176	51	-	24	337	16	281	65	341	12
	72%	61%	80%	91%	-	57%	74%	48%	77%	58%	74%	48%
			a	a			b		b			



NES Eczema Parent Survey

PA\_B1\_3. Thinking about eczema that affects your child's Chest, back and groin at the moment, please let us know... Approximately how red is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	367 100%	192 100%	170 100%	8 100%	138 100%	107 100%	114 100%	281 100%	41 100%	32 100%	13 100%	2 100%	95 100%	222 100%	47 100%	1 100%	227 100%	134 100%
Not red	57 16%	27 14%	30 18%	1 13%	23 17%	15 14%	18 16%	39 14%	6 15%	10 31% a	2 15%	1 50%	31 33% cd	21 9%	4 9%	- -	44 19% b	13 10%
Light red	201 55%	110 57%	89 52%	5 63%	72 52%	61 57%	63 55%	161 57% c	20 49%	12 38%	8 62%	1 50%	58 61% d	127 57% d	15 32%	- -	122 54%	74 55%
Red, but not deep red	91 25%	46 24%	42 25%	2 25%	32 23%	29 27%	28 25%	68 24%	12 29%	9 28%	2 15%	- -	5 5%	62 28% b	23 49% bc	1 100%	50 22%	41 31%
Very red or extremely red	18 5%	9 5%	9 5%	- -	11 8% c	2 2%	5 4%	13 5%	3 7%	1 3%	1 8%	- -	1 1%	12 5%	5 11% b	- -	11 5%	6 4%
Net: Affected	310 84%	165 86%	140 82%	7 88%	115 83%	92 86%	96 84%	242 86% c	35 85%	22 69%	11 85%	1 50%	64 67%	201 91% b	43 91% b	1 100%	183 81%	121 90% a

NES Eczema Parent Survey

PA\_B1\_3. Thinking about eczema that affects your child's Chest, back and groin at the moment, please let us know... Approximately how red is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

Significance Level: 95%		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
		Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	367 100%	175 100%	47 100%	89 100%	45 100%	34 100%	21 100%	222 100%	321 100%	321 100%	295 100%	264 100%	141 100%	119 100%	190 100%	187 100%	251 100%
Not red	57 16%	30 17%	4 9%	9 10%	3 7%	3 9%	2 10%	39 18%	52 16%	38 12%	45 15%	36 14%	15 11%	14 12%	26 14%	27 14%	36 14%
Light red	201 55%	98 56%	26 55%	50 56%	23 51%	15 44%	13 62%	110 50%	177 55%	176 55%	159 54%	145 55%	65 46%	54 45%	95 50%	91 49%	132 53%
Red, but not deep red	91 25%	40 23%	16 34%	24 27%	17 38% a	15 44% a	5 24%	58 26%	77 24%	89 28%	78 26%	68 26%	49 35%	41 34%	57 30%	56 30%	69 27%
Very red or extremely red	18 5%	7 4%	1 2%	6 7%	2 4%	1 3%	1 5%	15 7%	15 5%	18 6%	13 4%	15 6%	12 9%	10 8%	12 6%	13 7%	14 6%
Net: Affected	310 84%	145 83%	43 91%	80 90%	42 93%	31 91%	19 90%	183 82%	269 84%	283 88%	250 85%	228 86%	126 89%	105 88%	164 86%	160 86%	215 86%

## NES Eczema Parent Survey

**PA\_B1\_3. Thinking about eczema that affects your child's Chest, back and groin at the moment, please let us know... Approximately how red is the skin that's affected, if at all?**

BASE: Those affected by eczema on their Chest, back and groin

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	*b	a	b	a	*b
Total	367 100%	92 100%	174 100%	51 100%	- -	33 100%	345 100%	22 100%	292 100%	66 100%	350 100%	17 100%
Not red	57 16%	25 27% b	17 10%	8 16%	- -	4 12%	50 14%	7 32%	37 13%	17 26% a	52 15%	5 29%
Light red	201 55%	52 57%	98 56%	22 43%	- -	19 58%	189 55%	12 55%	161 55%	35 53%	190 54%	11 65%
Red, but not deep red	91 25%	15 16%	50 29% a	15 29%	- -	9 27%	88 26%	3 14%	79 27%	12 18%	90 26%	1 6%
Very red or extremely red	18 5%	- -	9 5% a	6 12% a	- -	1 3%	18 5%	- -	15 5%	2 3%	18 5%	- -
Net: Affected	310 84%	67 73%	157 90% a	43 84%	- -	29 88%	295 86%	15 68%	255 87% b	49 74%	298 85%	12 71%

NES Eczema Parent Survey

PA\_B2\_3. Chest, back and groin: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	367 100%	192 100%	170 100%	8 100%	138 100%	107 100%	114 100%	281 100%	41 100%	32 100%	13 100%	2 100%	95 100%	222 100%	47 100%	1 100%	227 100%	134 100%
Not swollen	117 32%	58 30%	58 34%	2 25%	41 30%	34 32%	40 35%	85 30%	14 34%	13 41%	5 38%	2 100%	62 65% cd	46 21%	7 15%	- -	77 34%	39 29%
Barely noticeable	125 34%	66 34%	57 34%	2 25%	48 35%	36 34%	39 34%	102 36%	10 24%	9 28%	4 31%	- -	27 28%	84 38%	14 30%	- -	80 35%	44 33%
Noticeable but not prominent	102 28%	54 28%	46 27%	4 50%	36 26%	35 33%	27 24%	77 27%	15 37%	9 28%	1 8%	- -	6 6%	76 34% b	19 40% b	1 100%	57 25%	42 31%
Clearly noticeable and very prominent	23 6%	14 7%	9 5%	- -	13 9% c	2 2%	8 7%	17 6%	2 5%	1 3%	3 23%	- -	- -	16 7% b	7 15% b	- -	13 6%	9 7%
Net: Affected	250 68%	134 70%	112 66%	6 75%	97 70%	73 68%	74 65%	196 70%	27 66%	19 59%	8 62%	- -	33 35%	176 79% b	40 85% b	1 100%	150 66%	95 71%

NES Eczema Parent Survey

PA\_B2\_3. Chest, back and groin: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	367 100%	175 100%	47 100%	89 100%	45 100%	34 100%	21 100%		222 100%	321 100%	321 100%	295 100%	264 100%	141 100%	119 100%	190 100%	187 100%	251 100%
Not swollen	117 32%	64 37% bcde	5 11%	16 18%	4 9%	2 6%	3 14%		67 30%	102 32%	88 27%	85 29%	79 30% bce	22 16%	21 18%	43 23%	40 21%	71 28% bc
Barely noticeable	125 34%	54 31%	16 34%	38 43%	20 44%	15 44%	9 43%		70 32%	114 36%	116 36%	105 36%	85 32%	48 34%	40 34%	66 35%	68 36%	84 33%
Noticeable but not prominent	102 28%	44 25%	23 49% ac	28 31%	19 42% a	13 38%	7 33%		67 30%	86 27%	94 29%	85 29%	79 30%	55 39%	44 37%	65 34%	65 35%	80 32%
Clearly noticeable and very prominent	23 6%	13 7%	3 6%	7 8%	2 4%	4 12%	2 10%		18 8%	19 6%	23 7%	20 7%	21 8%	16 11%	14 12%	16 8%	14 7%	16 6%
Net: Affected	250 68%	111 63%	42 89% a	73 82% a	41 91% a	32 94% a	18 86%		155 70%	219 68%	233 73%	210 71%	185 70%	119 84% af	98 82% af	147 77%	147 79% a	180 72%

## NES Eczema Parent Survey

### PA\_B2\_3. Chest, back and groin: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	*b	a	b	a	*b
Total	367	92	174	51	-	33	345	22	292	66	350	17
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not swollen	117	46	46	7	-	12	105	12	81	31	110	7
	32%	50%	26%	14%	-	36%	30%	55%	28%	47%	31%	41%
		bc								a		
Barely noticeable	125	33	56	21	-	9	115	10	103	20	118	7
	34%	36%	32%	41%	-	27%	33%	45%	35%	30%	34%	41%
Noticeable but not prominent	102	12	64	13	-	11	102	-	88	13	99	3
	28%	13%	37%	25%	-	33%	30%	-	30%	20%	28%	18%
			a									
Clearly noticeable and very prominent	23	1	8	10	-	1	23	-	20	2	23	-
	6%	1%	5%	20%	-	3%	7%	-	7%	3%	7%	-
				ab								
Net: Affected	250	46	128	44	-	21	240	10	211	35	240	10
	68%	50%	74%	86%	-	64%	70%	45%	72%	53%	69%	59%
			a	a					b			

# NES Eczema Parent Survey

## PA\_B3\_3. Chest, back and groin: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	367 100%	192 100%	170 100%	8 100%	138 100%	107 100%	114 100%	281 100%	41 100%	32 100%	13 100%	2 100%	95 100%	222 100%	47 100%	1 100%	227 100%	134 100%
Not scratched	71 19%	31 16%	39 23%	1 13%	27 20%	20 19%	23 20%	49 17%	9 22%	9 28%	4 31%	2 100%	35 37% cd	30 14%	4 9%	- -	52 23% b	18 13%
Minor/superficial scratches on some of the area affected	172 47%	99 52%	73 43%	1 13%	67 49%	50 47%	54 47%	136 48%	18 44%	14 44%	4 31%	- -	53 56% d	108 49% d	11 23%	- -	110 48%	60 45%
Noticeable but not prominent scratches on most of the area affected	102 28%	50 26%	49 29%	5 63%	37 27%	32 30%	28 25%	78 28%	11 27%	8 25%	5 38%	- -	7 7%	71 32% b	23 49% bc	1 100%	54 24%	45 34% a
Very prominent wide/deep scratches on most or all of the area affected	22 6%	12 6%	9 5%	1 13%	7 5%	5 5%	9 8%	18 6%	3 7%	1 3%	- -	- -	- -	13 6% b	9 19% bc	- -	11 5%	11 8%
Net: Affected	296 81%	161 84%	131 77%	7 88%	111 80%	87 81%	91 80%	232 83%	32 78%	23 72%	9 69%	- -	60 63%	192 86% b	43 91% b	1 100%	175 77%	116 87% a

## NES Eczema Parent Survey

### PA\_B3\_3. Chest, back and groin: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	367 100%	175 100%	47 100%	89 100%	45 100%	34 100%	21 100%	222 100%	321 100%	321 100%	295 100%	264 100%	141 100%	119 100%	190 100%	187 100%	251 100%
Not scratched	71 19%	39 22% bd	1 2%	11 12% b	1 2%	8 24% bd	- -	40 18%	62 19%	49 15%	51 17%	38 14%	16 11%	15 13%	27 14%	24 13%	41 16%
Minor/superficial scratches on some of the area affected	172 47%	86 49% e	18 38%	39 44%	21 47%	9 26%	13 62%	89 40%	151 47%	152 47%	137 46%	124 47%	57 40%	46 39%	76 40%	87 47%	118 47%
Noticeable but not prominent scratches on most of the area affected	102 28%	43 25%	21 45% a	30 34%	18 40% a	14 41% a	7 33%	74 33%	91 28%	98 31%	90 31%	84 32%	51 36%	45 38%	67 35%	59 32%	75 30%
Very prominent wide/deep scratches on most or all of the area affected	22 6%	7 4%	7 15% a	9 10%	5 11%	3 9%	1 5%	19 9%	17 5%	22 7%	17 6%	18 7%	17 12%	13 11%	20 11%	17 9%	17 7%
Net: Affected	296 81%	136 78%	46 98% ace	78 88%	44 98% ae	26 76%	21 100%	182 82%	259 81%	272 85%	244 83%	226 86%	125 89%	104 87%	163 86%	163 87%	210 84%



## NES Eczema Parent Survey

### PA\_B3\_3. Chest, back and groin: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	*b	a	b	a	*b
Total	367 100%	92 100%	174 100%	51 100%	- -	33 100%	345 100%	22 100%	292 100%	66 100%	350 100%	17 100%
Not scratched	71 19%	32 35% bc	22 13%	6 12%	- -	7 21%	59 17%	12 55%	43 15%	23 35% a	65 19%	6 35%
Minor/superficial scratches on some of the area affected	172 47%	51 55% c	78 45%	19 37%	- -	17 52%	164 48%	8 36%	138 47%	31 47%	164 47%	8 47%
Noticeable but not prominent scratches on most of the area affected	102 28%	8 9%	61 35% a	19 37% a	- -	9 27%	100 29%	2 9%	89 30% b	12 18%	99 28%	3 18%
Very prominent wide/deep scratches on most or all of the area affected	22 6%	1 1%	13 7% a	7 14% a	- -	- -	22 6%	- -	22 8% b	- -	22 6%	- -
Net: Affected	296 81%	60 65%	152 87% a	45 88% a	- -	26 79%	286 83%	10 45%	249 85% b	43 65%	285 81%	11 65%

NES Eczema Parent Survey

PA\_B4\_3. Chest, back and groin: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	367 100%	192 100%	170 100%	8 100%	138 100%	107 100%	114 100%	281 100%	41 100%	32 100%	13 100%	2 100%	95 100%	222 100%	47 100%	1 100%	227 100%	134 100%
Not hardened	133 36%	57 30%	74 44% a	2 25%	45 33%	42 39%	44 39%	96 34%	17 41%	14 44%	6 46%	2 100%	67 71% cd	54 24%	10 21%	- -	92 41%	41 31%
Some hardening or furrowing on some of the area affected	139 38%	80 42%	57 34%	3 38%	60 43%	37 35%	39 34%	111 40%	13 32%	12 38%	3 23%	- -	26 27%	101 45% bd	12 26%	- -	91 40%	45 34%
Some hardening or furrowing on most of the area affected	79 22%	45 23%	33 19%	3 38%	26 19%	27 25%	23 20%	62 22%	8 20%	5 16%	4 31%	- -	1 1%	59 27% b	18 38% b	1 100%	38 17%	38 28% a
Severe hardening or furrowing on most or all of the area affected	16 4%	10 5%	6 4%	- -	7 5%	1 1%	8 7% c	12 4%	3 7%	1 3%	- -	- -	1 1%	8 4%	7 15% bc	- -	6 3%	10 7% a
Net: Affected	234 64%	135 70% b	96 56%	6 75%	93 67%	65 61%	70 61%	185 66%	24 59%	18 56%	7 54%	- -	28 29%	168 76% b	37 79% b	1 100%	135 59%	93 69%

NES Eczema Parent Survey

PA\_B4\_3. Chest, back and groin: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
367 100%	175 100%	47 100%	89 100%	45 100%	34 100%	21 100%	222 100%	321 100%	321 100%	295 100%	264 100%	141 100%	119 100%	190 100%	187 100%	251 100%
133 36%	68 39% bde	5 11%	25 28% bd	3 7%	5 15%	1 5%	67 30%	111 35%	106 33%	101 34%	88 33% bc	28 20%	25 21%	48 25%	49 26%	80 32% bc
139 38%	62 35%	14 30%	36 40%	17 38%	15 44%	10 48%	81 36%	126 39%	123 38%	113 38%	98 37%	49 35%	39 33%	73 38%	71 38%	98 39%
79 22%	38 22%	26 55% ace	23 26%	20 44% ac	10 29%	9 43%	60 27%	71 22%	76 24%	68 23%	66 25%	50 35% af	44 37% af	57 30%	54 29%	61 24%
16 4%	7 4%	2 4%	5 6%	5 11%	4 12%	1 5%	14 6%	13 4%	16 5%	13 4%	12 5%	14 10% a	11 9%	12 6%	13 7%	12 5%
234 64%	107 61%	42 89% ac	64 72%	42 93% ac	29 85% a	20 95%	155 70%	210 65%	215 67%	194 66%	176 67%	113 80% af	94 79% af	142 75%	138 74%	171 68%

## NES Eczema Parent Survey

### PA\_B4\_3. Chest, back and groin: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Chest, back and groin

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	*b	a	b	a	*b
Total	367	92	174	51	-	33	345	22	292	66	350	17
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not hardened	133	54	48	7	-	16	115	18	90	37	122	11
	36%	59%	28%	14%	-	48%	33%	82%	31%	56%	35%	65%
		bc	c							a		
Some hardening or furrowing on some of the area affected	139	35	65	17	-	17	136	3	114	23	133	6
	38%	38%	37%	33%	-	52%	39%	14%	39%	35%	38%	35%
Some hardening or furrowing on most of the area affected	79	3	53	19	-	-	78	1	72	6	79	-
	22%	3%	30%	37%	-	-	23%	5%	25%	9%	23%	-
			a	a					b			
Severe hardening or furrowing on most or all of the area affected	16	-	8	8	-	-	16	-	16	-	16	-
	4%	-	5%	16%	-	-	5%	-	5%	-	5%	-
			a	ab								
Net: Affected	234	38	126	44	-	17	230	4	202	29	228	6
	64%	41%	72%	86%	-	52%	67%	18%	69%	44%	65%	35%
			a	ab					b			

NES Eczema Parent Survey

PA\_B1\_4. Thinking about eczema that affects your child's Legs, feet and bum at the moment, please let us know... Approximately how red is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	428 100%	218 100%	204 100%	9 100%	149 100%	134 100%	136 100%	334 100%	43 100%	36 100%	15 100%	6 100%	120 100%	253 100%	48 100%	1 100%	270 100%	151 100%
Not red	55 13%	28 13%	27 13%	1 11%	19 13%	17 13%	18 13%	44 13%	3 7%	6 17%	2 13%	3 50%	33 28% cd	19 8%	- -	- -	38 14%	16 11%
Light red	209 49%	106 49%	100 49%	4 44%	75 50%	65 49%	65 48%	168 50%	21 49%	14 39%	6 40%	2 33%	76 63% cd	124 49% d	7 15%	- -	124 46%	81 54%
Red, but not deep red	137 32%	72 33%	63 31%	3 33%	45 30%	45 34%	44 32%	101 30%	15 35%	14 39%	7 47%	1 17%	11 9%	100 40% b	25 52% b	- -	91 34%	44 29%
Very red or extremely red	27 6%	12 6%	14 7%	1 11%	10 7%	7 5%	9 7%	21 6%	4 9%	2 6%	- -	- -	- -	10 4% b	16 33% bc	1 100%	17 6%	10 7%
Net: Affected	373 87%	190 87%	177 87%	8 89%	130 87%	117 87%	118 87%	290 87%	40 93%	30 83%	13 87%	3 50%	87 73%	234 92% b	48 100% b	1 100%	232 86%	135 89%

NES Eczema Parent Survey

PA\_B1\_4. Thinking about eczema that affects your child's Legs, feet and bum at the moment, please let us know... Approximately how red is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

Significance Level: 95%	Type of eczema																	Areas heavily affected (10%+)				Moderate or severe symptoms						
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin											
Total	428 100%	196 100%	50 100%	101 100%	46 100%	34 100%	21 100%	243 100%	375 100%	277 100%	390 100%	303 100%	144 100%	123 100%	212 100%	213 100%	293 100%											
Not red	55 13%	19 10%	4 8%	9 9%	4 9%	3 9%	3 14%	36 15%	48 13%	32 12%	45 12%	36 12%	10 7%	10 8%	24 11%	20 9%	31 11%											
Light red	209 49%	96 49%	24 48%	62 61% a	23 50%	19 56%	10 48%	112 46%	181 48%	132 48%	191 49%	134 44%	58 40%	57 46%	95 45%	100 47%	134 46%											
Red, but not deep red	137 32%	66 34%	14 28%	25 25%	15 33%	8 24%	6 29%	76 31%	121 32%	90 32%	127 33%	109 36%	58 40%	45 37%	74 35%	75 35%	105 36%											
Very red or extremely red	27 6%	15 8%	8 16% c	5 5%	4 9%	4 12%	2 10%	19 8%	25 7%	23 8%	27 7%	24 8%	18 13%	11 9%	19 9%	18 8%	23 8%											
Net: Affected	373 87%	177 90%	46 92%	92 91%	42 91%	31 91%	18 86%	207 85%	327 87%	245 88%	345 88%	267 88%	134 93%	113 92%	188 89%	193 91%	262 89%											

## NES Eczema Parent Survey

**PA\_B1\_4. Thinking about eczema that affects your child's Legs, feet and bum at the moment, please let us know... Approximately how red is the skin that's affected, if at all?**

BASE: Those affected by eczema on their Legs, feet and bum

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	*b	a	b	a	*b
Total	428 100%	127 100%	189 100%	56 100%	- -	38 100%	400 100%	28 100%	324 100%	95 100%	404 100%	24 100%
Not red	55 13%	21 17%	19 10%	9 16%	- -	4 11%	44 11%	11 39%	36 11%	15 16%	46 11%	9 38%
Light red	209 49%	72 57%	90 48%	19 34%	- -	21 55%	200 50%	9 32%	161 50%	44 46%	199 49%	10 42%
Red, but not deep red	137 32%	29 23%	69 37%	21 38%	- -	10 26%	131 33%	6 21%	103 32%	33 35%	133 33%	4 17%
Very red or extremely red	27 6%	5 4%	11 6%	7 13%	- -	3 8%	25 6%	2 7%	24 7%	3 3%	26 6%	1 4%
Net: Affected	373 87%	106 83%	170 90%	47 84%	- -	34 89%	356 89%	17 61%	288 89%	80 84%	358 89%	15 63%

NES Eczema Parent Survey

PA\_B2\_4. Legs, feet and bum: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	428 100%	218 100%	204 100%	9 100%	149 100%	134 100%	136 100%	334 100%	43 100%	36 100%	15 100%	6 100%	120 100%	253 100%	48 100%	1 100%	270 100%	151 100%
Not swollen	101 24%	50 23%	50 25%	1 11%	37 25%	25 19%	38 28%	80 24%	11 26%	8 22%	2 13%	5 83%	63 53% cd	30 12%	3 6%	- -	75 28% b	25 17%
Barely noticeable	145 34%	74 34%	70 34%	3 33%	54 36%	47 35%	41 30%	111 33%	13 30%	12 33%	9 60%	1 17%	42 35% d	94 37% d	8 17%	- -	91 34%	51 34%
Noticeable but not prominent	151 35%	82 38%	66 32%	5 56%	46 31%	53 40%	47 35%	120 36%	15 35%	13 36%	3 20%	- -	13 11%	116 46% b	22 46% b	- -	88 33%	60 40%
Clearly noticeable and very prominent	31 7%	12 6%	18 9%	- -	12 8%	9 7%	10 7%	23 7%	4 9%	3 8%	1 7%	- -	2 2%	13 5%	15 31% bc	1 100%	16 6%	15 10%
Net: Affected	327 76%	168 77%	154 75%	8 89%	112 75%	109 81%	98 72%	254 76%	32 74%	28 78%	13 87%	1 17%	57 48%	223 88% b	45 94% b	1 100%	195 72%	126 83% a



## NES Eczema Parent Survey

### PA\_B2\_4. Legs, feet and bum: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
428 100%	196 100%	50 100%	101 100%	46 100%	34 100%	21 100%	243 100%	375 100%	277 100%	390 100%	303 100%	144 100%	123 100%	212 100%	213 100%	293 100%
101 24%	46 23% bd	5 10%	17 17%	4 9%	3 9%	1 5%	53 22%	89 24%	55 20%	86 22%	63 21% bce	14 10%	14 11%	32 15%	29 14%	59 20% bc
145 34%	64 33%	12 24%	42 42% b	20 43% b	11 32%	8 38%	86 35%	120 32%	89 32%	131 34%	98 32%	42 29%	37 30%	65 31%	77 36%	97 33%
151 35%	67 34%	28 56% ac	38 38%	19 41%	14 41%	10 48%	84 35%	140 37%	109 39%	145 37%	113 37%	70 49% af	58 47%	97 46%	87 41%	111 38%
31 7%	19 10%	5 10%	4 4%	3 7%	6 18% c	2 10%	20 8%	26 7%	24 9%	28 7%	29 10%	18 13%	14 11%	18 8%	20 9%	26 9%
327 76%	150 77%	45 90% a	84 83%	42 91% a	31 91%	20 95%	190 78%	286 76%	222 80%	304 78%	240 79%	130 90% af	109 89% af	180 85%	184 86% a	234 80%

## NES Eczema Parent Survey

### PA\_B2\_4. Legs, feet and bum: Approximately how swollen is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	*b	a	b	a	*b
Total	428	127	189	56	-	38	400	28	324	95	404	24
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not swollen	101	49	29	7	-	14	88	13	60	36	93	8
	24%	39%	15%	13%	-	37%	22%	46%	19%	38%	23%	33%
		bc								a		
Barely noticeable	145	42	68	17	-	14	135	10	119	23	136	9
	34%	33%	36%	30%	-	37%	34%	36%	37%	24%	34%	38%
									b			
Noticeable but not prominent	151	28	80	25	-	7	150	1	121	29	147	4
	35%	22%	42%	45%	-	18%	38%	4%	37%	31%	36%	17%
			a	a								
Clearly noticeable and very prominent	31	8	12	7	-	3	27	4	24	7	28	3
	7%	6%	6%	13%	-	8%	7%	14%	7%	7%	7%	13%
Net: Affected	327	78	160	49	-	24	312	15	264	59	311	16
	76%	61%	85%	88%	-	63%	78%	54%	81%	62%	77%	67%
			a	a					b			

## NES Eczema Parent Survey

### PA\_B3\_4. Legs, feet and bum: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	428 100%	218 100%	204 100%	9 100%	149 100%	134 100%	136 100%	334 100%	43 100%	36 100%	15 100%	6 100%	120 100%	253 100%	48 100%	1 100%	270 100%	151 100%
Not scratched	72 17%	39 18%	33 16%	2 22%	31 21%	19 14%	20 15%	58 17%	5 12%	6 17%	3 20%	6 100%	41 34% cd	25 10% d	- -	- -	54 20% b	18 12%
Minor/superficial scratches on some of the area affected	167 39%	75 34%	90 44% a	1 11%	55 37%	50 37%	61 45%	127 38%	17 40%	16 44%	7 47%	- -	59 49% d	103 41% d	5 10%	- -	107 40%	59 39%
Noticeable but not prominent scratches on most of the area affected	140 33%	77 35%	60 29%	6 67%	49 33%	48 36%	37 27%	107 32%	16 37%	12 33%	5 33%	- -	19 16%	99 39% b	22 46% b	- -	83 31%	53 35%
Very prominent wide/deep scratches on most or all of the area affected	49 11%	27 12%	21 10%	- -	14 9%	17 13%	18 13%	42 13%	5 12%	2 6%	- -	- -	1 1%	26 10% b	21 44% bc	1 100%	26 10%	21 14%
Net: Affected	356 83%	179 82%	171 84%	7 78%	118 79%	115 86%	116 85%	276 83%	38 88%	30 83%	12 80%	- -	79 66%	228 90% b	48 100% bc	1 100%	216 80%	133 88% a

## NES Eczema Parent Survey

### PA\_B3\_4. Legs, feet and bum: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
428 100%	196 100%	50 100%	101 100%	46 100%	34 100%	21 100%	243 100%	375 100%	277 100%	390 100%	303 100%	144 100%	123 100%	212 100%	213 100%	293 100%
72 17%	33 17%	5 10%	14 14%	4 9%	5 15%	2 10%	40 16%	57 15%	38 14%	58 15%	38 13% b	9 6%	8 7%	18 8%	21 10%	42 14% bcd
167 39%	75 38%	15 30%	44 44% e	18 39%	8 24%	6 29%	88 36%	148 39%	106 38%	152 39%	114 38%	47 33%	41 33%	80 38%	80 38%	109 37%
140 33%	62 32%	20 40%	37 37%	17 37%	14 41%	10 48%	82 34%	126 34%	99 36%	133 34%	108 36%	53 37%	48 39%	79 37%	75 35%	102 35%
49 11%	26 13%	10 20% c	6 6%	7 15%	7 21% c	3 14%	33 14%	44 12%	34 12%	47 12%	43 14%	35 24% af	26 21%	35 17%	37 17%	40 14%
356 83%	163 83%	45 90%	87 86%	42 91%	29 85%	19 90%	203 84%	318 85%	239 86%	332 85%	265 87%	135 94% af	115 93% f	194 92% f	192 90%	251 86%

## NES Eczema Parent Survey

### PA\_B3\_4. Legs, feet and bum: Approximately how scratched is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	*b	a	b	a	*b
Total	428	127	189	56	-	38	400	28	324	95	404	24
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not scratched	72	31	23	5	-	14	64	8	41	30	68	4
	17%	24%	12%	9%	-	37%	16%	29%	13%	32%	17%	17%
		bc								a		
Minor/superficial scratches on some of the area affected	167	56	70	15	-	12	153	14	124	36	154	13
	39%	44%	37%	27%	-	32%	38%	50%	38%	38%	38%	54%
		c										
Noticeable but not prominent scratches on most of the area affected	140	32	74	22	-	10	136	4	113	27	133	7
	33%	25%	39%	39%	-	26%	34%	14%	35%	28%	33%	29%
			a									
Very prominent wide/deep scratches on most or all of the area affected	49	8	22	14	-	2	47	2	46	2	49	-
	11%	6%	12%	25%	-	5%	12%	7%	14%	2%	12%	-
			ab						b			
Net: Affected	356	96	166	51	-	24	336	20	283	65	336	20
	83%	76%	88%	91%	-	63%	84%	71%	87%	68%	83%	83%
			a	a					b			

NES Eczema Parent Survey

PA\_B4\_4. Legs, feet and bum: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	428 100%	218 100%	204 100%	9 100%	149 100%	134 100%	136 100%	334 100%	43 100%	36 100%	15 100%	6 100%	120 100%	253 100%	48 100%	1 100%	270 100%	151 100%
Not hardened	125 29%	57 26%	68 33%	3 33%	39 26%	37 28%	46 34%	100 30%	10 23%	9 25%	6 40%	6 100%	82 68% cd	37 15% d	- -	- -	86 32%	39 26%
Some hardening or furrowing on some of the area affected	172 40%	97 44%	72 35%	3 33%	64 43%	50 37%	55 40%	135 40%	18 42%	14 39%	5 33%	- -	32 27%	124 49% bd	16 33%	- -	115 43%	56 37%
Some hardening or furrowing on most of the area affected	108 25%	54 25%	51 25%	3 33%	36 24%	41 31%	28 21%	79 24%	14 33%	11 31%	4 27%	- -	6 5%	81 32% b	21 44% b	- -	59 22%	43 28%
Severe hardening or furrowing on most or all of the area affected	23 5%	10 5%	13 6%	- -	10 7%	6 4%	7 5%	20 6%	1 2%	2 6%	- -	- -	- -	11 4% b	11 23% bc	1 100%	10 4%	13 9% a
Net: Affected	303 71%	161 74%	136 67%	6 67%	110 74%	97 72%	90 66%	234 70%	33 77%	27 75%	9 60%	- -	38 32%	216 85% b	48 100% bc	1 100%	184 68%	112 74%

## NES Eczema Parent Survey

### PA\_B4\_4. Legs, feet and bum: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	428 100%	196 100%	50 100%	101 100%	46 100%	34 100%	21 100%	243 100%	375 100%	277 100%	390 100%	303 100%	144 100%	123 100%	212 100%	213 100%	293 100%
Not hardened	125 29%	54 28% bd	5 10%	27 27% bd	4 9%	5 15%	2 10%	63 26%	103 27%	67 24%	105 27%	71 23% bcd	16 11%	16 13%	32 15%	39 18%	62 21% b
Some hardening or furrowing on some of the area affected	172 40%	77 39%	20 40%	43 43%	21 46%	10 29%	9 43%	90 37%	156 42%	113 41%	160 41%	126 42%	57 40%	47 38%	86 41%	85 40%	126 43%
Some hardening or furrowing on most of the area affected	108 25%	51 26%	20 40%	27 27%	19 41% a	14 41%	9 43%	72 30%	95 25%	77 28%	103 26%	86 28%	56 39% af	46 37%	77 36%	71 33%	85 29%
Severe hardening or furrowing on most or all of the area affected	23 5%	14 7%	5 10%	4 4%	2 4%	5 15% c	1 5%	18 7%	21 6%	20 7%	22 6%	20 7%	15 10%	14 11%	17 8%	18 8%	20 7%
Net: Affected	303 71%	142 72%	45 90% ac	74 73%	42 91% ac	29 85%	19 90%	180 74%	272 73%	210 76%	285 73%	232 77%	128 89% af	107 87% a	180 85% a	174 82%	231 79%

## NES Eczema Parent Survey

### PA\_B4\_4. Legs, feet and bum: Approximately how thickened/hardened is the skin that's affected, if at all?

BASE: Those affected by eczema on their Legs, feet and bum

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	*b	a	b	a	*b
Total	428	127	189	56	-	38	400	28	324	95	404	24
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Not hardened	125	56	40	8	-	16	109	16	72	47	114	11
	29%	44%	21%	14%	-	42%	27%	57%	22%	49%	28%	46%
		bc								a		
Some hardening or furrowing on some of the area affected	172	55	76	18	-	16	165	7	137	33	163	9
	40%	43%	40%	32%	-	42%	41%	25%	42%	35%	40%	38%
Some hardening or furrowing on most of the area affected	108	12	65	21	-	5	105	3	94	13	105	3
	25%	9%	34%	38%	-	13%	26%	11%	29%	14%	26%	13%
			a	a					b			
Severe hardening or furrowing on most or all of the area affected	23	4	8	9	-	1	21	2	21	2	22	1
	5%	3%	4%	16%	-	3%	5%	7%	6%	2%	5%	4%
				ab								
Net: Affected	303	71	149	48	-	22	291	12	252	48	290	13
	71%	56%	79%	86%	-	58%	73%	43%	78%	51%	72%	54%
			a	a					b			



# NES Eczema Parent Survey

## Q1. Thinking about your child's eczema over the last four weeks, how would you rate the following symptoms: Net any summary

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
522 100%	263 100%	252 100%	12 100%	185 100%	153 100%	172 100%	396 100%	53 100%	50 100%	23 100%	9 100%	177 100%	287 100%	48 100%	1 100%	322 100%	193 100%
503 96%	256 97%	240 95%	12 100%	179 97%	145 95%	167 97%	380 96%	51 96%	49 98%	23 100%	9 100%	166 94%	281 98% b	46 96%	1 100%	310 96%	186 96%
497 95%	251 95%	239 95%	10 83%	171 92%	148 97%	168 98% b	376 95%	49 92%	49 98%	23 100%	7 78%	167 94%	275 96%	47 98%	1 100%	306 95%	185 96%
446 85%	221 84%	219 87%	10 83%	156 84%	126 82%	154 90%	343 87%	43 81%	42 84%	18 78%	7 78%	143 81%	253 88% b	42 88%	1 100%	264 82%	176 91% a
439 84%	222 84%	210 83%	9 75%	155 84%	129 84%	146 85%	331 84%	47 89%	42 84%	19 83%	4 44%	122 69%	266 93% b	46 96% b	1 100%	266 83%	166 86%
317 61%	167 63%	145 58%	5 42%	116 63%	97 63%	99 58%	250 63%	29 55%	25 50%	13 57%	2 22%	70 40%	200 70% b	44 92% bc	1 100%	184 57%	128 66% a
273 52%	141 54%	128 51%	4 33%	87 47%	87 57%	95 55%	209 53%	27 51%	27 54%	10 43%	1 11%	56 32%	178 62% b	37 77% bc	1 100%	149 46%	120 62% a

## NES Eczema Parent Survey

### Q1. Thinking about your child's eczema over the last four weeks, how would you rate the following symptoms: Net any summary

BASE: All respondents

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
Total	522 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	283 100%	447 100%	320 100%	389 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Dry or rough skin	503 96%	235 98% d	57 98%	123 97%	48 91%	37 97%	23 96%	275 97%	434 97%	310 97%	375 96%	356 98%	165 98%	148 98%	247 98%	248 97%	352 100% abcde
Itchy skin	497 95%	230 96%	55 95%	121 95%	51 96%	35 92%	22 92%	265 94%	428 96%	303 95%	374 96%	365 100% bcdef	157 93%	143 95%	245 97%	245 96%	338 96%
Flaking skin	446 85%	211 88%	54 93%	119 94%	51 96%	33 87%	21 88%	245 87%	390 87%	278 87%	330 85%	333 91%	155 92%	139 92%	234 92%	255 100% abcdf	316 90%
Cracked skin	439 84%	201 84%	54 93%	111 87%	51 96% a	35 92%	23 96%	245 87%	379 85%	277 87%	338 87%	332 91%	164 98% af	145 96% a	253 100% abcef	240 94%	327 93%
Bleeding skin	317 61%	148 62%	50 86% ac	86 68%	39 74%	30 79% a	20 83%	183 65%	283 63%	209 65%	241 62%	256 70%	168 100% acdef	138 91% adef	208 82% af	195 76%	247 70%
Skin weeping or oozing clear fluid	273 52%	124 52%	47 81% ac	81 64% a	42 79% ac	29 76% a	19 79%	175 62% bd	240 54%	186 58%	209 54%	222 61%	143 85% adef	151 100% abdef	181 72% af	184 72% af	212 60%

## NES Eczema Parent Survey

### Q1. Thinking about your child's eczema over the last four weeks, how would you rate the following symptoms: Net any summary

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	522 100%	156 100%	234 100%	60 100%	- -	45 100%	490 100%	32 100%	390 100%	120 100%	496 100%	26 100%
Dry or rough skin	503 96%	151 97%	227 97%	56 93%	- -	45 100%	471 96%	32 100%	378 97%	114 95%	482 97%	21 81%
Itchy skin	497 95%	150 96%	223 95%	56 93%	- -	41 91%	470 96%	27 84%	374 96%	111 93%	472 95%	25 96%
Flaking skin	446 85%	121 78%	218 93%	54 90%	- -	30 67%	423 86%	23 72%	352 90%	85 71%	426 86%	20 77%
Cracked skin	439 84%	114 73%	212 91%	58 97%	- -	32 71%	420 86%	19 59%	342 88%	88 73%	425 86%	14 54%
Bleeding skin	317 61%	56 36%	173 74%	51 85%	- -	14 31%	308 63%	9 28%	265 68%	47 39%	307 62%	10 38%
Skin weeping or oozing clear fluid	273 52%	43 28%	157 67%	47 78%	- -	10 22%	261 53%	12 38%	232 59%	35 29%	266 54%	7 27%

NES Eczema Parent Survey

PAQ1. Thinking about your eczema over the last four weeks, how would you rate the following symptoms? Summary

BASE: All respondents

		Options							
Total		Very severe	Severe	Moderate	Mild	None	Don't know	Net: Any	Net: Severe (severe / very severe)
		*a	*b	*c	*d	*e	*f	*g	*h
Itchy skin	524	35	125	205	132	25	2	497	160
	100%	7%	24%	39%	25%	5%	*	95%	31%
Bleeding skin	524	13	48	107	149	202	5	317	61
	100%	2%	9%	20%	28%	39%	1%	60%	12%
Skin weeping or oozing clear fluid	524	18	49	84	122	243	8	273	67
	100%	3%	9%	16%	23%	46%	2%	52%	13%
Cracked skin	524	15	82	156	186	82	3	439	97
	100%	3%	16%	30%	35%	16%	1%	84%	19%
Flaking skin	524	21	76	158	191	75	3	446	97
	100%	4%	15%	30%	36%	14%	1%	85%	19%
Dry or rough skin	524	28	127	197	151	18	3	503	155
	100%	5%	24%	38%	29%	3%	1%	96%	30%

## NES Eczema Parent Survey

### PA\_Q1\_1. Itchy skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
35 7%	18 7%	17 7%	- -	16 9%	12 8%	7 4%	22 6%	8 15% a	4 8%	1 4%	- -	4 2%	22 8% b	8 17% bc	1 100%	24 7%	9 5%
125 24%	58 22%	65 26%	2 17%	42 23%	43 28%	38 22%	97 24%	9 17%	13 26%	6 26%	- -	24 13%	82 29% b	19 40% b	- -	83 26%	42 22%
205 39%	106 40%	97 38%	5 42%	65 35%	51 33%	84 49% bc	158 40%	20 38%	19 38%	8 35%	1 11%	79 44%	110 38%	15 31%	- -	117 36%	84 44%
132 25%	69 26%	60 24%	3 25%	48 26%	42 27%	39 23%	99 25%	12 23%	13 26%	8 35%	6 67%	60 34% cd	61 21%	5 10%	- -	82 25%	50 26%
25 5%	14 5%	11 4%	2 17%	14 8% d	5 3%	4 2%	21 5%	3 6%	1 2%	- -	2 22%	12 7%	10 3%	1 2%	- -	16 5%	8 4%
2 *	- -	2 1%	- -	- -	1 1%	1 1%	1 *	1 2%	- -	- -	- -	- -	2 1%	- -	- -	2 1%	- -
497 95%	251 95%	239 95%	10 83%	171 92%	148 96%	168 97% b	376 94%	49 92%	49 98%	23 100%	7 78%	167 93%	275 96%	47 98%	1 100%	306 94%	185 96%
160 31%	76 29%	82 33%	2 17%	58 31%	55 36%	45 26%	119 30%	17 32%	17 34%	7 30%	- -	28 16%	104 36% b	27 56% bc	1 100%	107 33%	51 26%

## NES Eczema Parent Survey

### PA\_Q1\_1. Itchy skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
35 7%	17 7%	6 10%	8 6%	3 6%	1 3%	3 13%	23 8%	30 7%	22 7%	28 7%	35 10%	25 15%	21 14%	30 12%	30 12%	33 9%
125 24%	56 23%	19 33%	29 23%	17 32%	12 32%	13 54%	78 27%	113 25%	84 26%	105 27%	125 34%	62 37%	59 39%	86 34%	79 31%	110 31%
205 39%	97 41%	18 31%	54 43%	20 38%	16 42%	4 17%	103 36%	180 40%	127 40%	146 37%	205 56% bcdef	51 30%	49 32%	99 39%	104 41% b	144 41% b
132 25%	60 25%	12 21%	30 24%	11 21%	6 16%	2 8%	61 21%	105 23%	70 22%	95 24%	- -	19 11% a	14 9% a	30 12% a	32 13% a	51 14% a
25 5%	8 3%	3 5%	6 5%	2 4%	3 8%	2 8%	18 6%	19 4%	16 5%	14 4%	- -	9 5% a	8 5% a	8 3% a	9 4% a	12 3% a
2 *	1 *	- -	- -	- -	- -	- -	1 *	2 *	2 1%	2 1%	- -	2 1% a	- -	- -	1 *	2 1%
497 95%	230 96%	55 95%	121 95%	51 96%	35 92%	22 92%	265 93%	428 95%	303 94%	374 96%	365 100% bcdef	157 93%	143 95%	245 97%	245 96%	338 96%
160 31%	73 31%	25 43%	37 29%	20 38%	13 34%	16 67%	101 36%	143 32%	106 33%	133 34%	160 44%	87 52% f	80 53% ef	116 46%	109 43%	143 41%

## NES Eczema Parent Survey

### PA\_Q1\_1. Itchy skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Very severe	35	5	17	6	-	3	35	-	31	4	34	1
	7%	3%	7%	10%	-	7%	7%	-	8%	3%	7%	4%
				a								
Severe	125	20	66	27	-	6	123	2	106	19	124	1
	24%	13%	28%	45%	-	13%	25%	6%	27%	16%	25%	4%
			a	ab			b		b			
Moderate	205	68	98	13	-	14	189	16	158	40	194	11
	39%	43%	42%	22%	-	31%	38%	48%	40%	33%	39%	39%
		c	c									
Mild	132	57	42	10	-	18	123	9	79	48	120	12
	25%	36%	18%	17%	-	40%	25%	27%	20%	40%	24%	43%
		bc								a		
None	25	7	11	3	-	4	20	5	15	10	22	3
	5%	4%	5%	5%	-	9%	4%	15%	4%	8%	4%	11%
								a		a		
Don't know	2	1	-	1	-	-	1	1	2	-	2	-
	*	1%	-	2%	-	-	*	3%	1%	-	*	-
				b				a				
Net: Any	497	150	223	56	-	41	470	27	374	111	472	25
	95%	95%	95%	93%	-	91%	96%	82%	96%	92%	95%	89%
							b					
Net: Severe	160	25	83	33	-	9	158	2	137	23	158	2
	31%	16%	35%	55%	-	20%	32%	6%	35%	19%	32%	7%
			a	ab			b		b			

## NES Eczema Parent Survey

### PA\_Q1\_2. Bleeding skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
13 2%	9 3%	3 1%	- -	6 3%	1 1%	6 3%	10 3%	2 4%	1 2%	- -	- -	- -	10 3% b	3 6% b	- -	6 2%	6 3%
48 9%	23 9%	25 10%	- -	17 9%	14 9%	17 10%	36 9%	5 9%	5 10%	2 9%	- -	6 3%	33 11% b	8 17% b	1 100%	23 7%	23 12%
107 20%	55 21%	51 20%	3 25%	33 18%	37 24%	34 20%	85 21%	9 17%	10 20%	3 13%	- -	13 7%	70 24% b	24 50% bc	- -	65 20%	41 21%
149 28%	80 30%	66 26%	2 17%	60 32%	45 29%	42 24%	119 30%	13 25%	9 18%	8 35%	2 22%	51 28%	87 30%	9 19%	- -	90 28%	58 30%
202 39%	96 36%	104 41%	7 58%	68 37%	56 36%	71 41%	146 37%	22 42%	24 48%	10 43%	6 67%	108 60% cd	84 29% d	4 8%	- -	139 43% b	61 32%
5 1%	2 1%	3 1%	- -	1 1%	1 1%	3 2%	2 1%	2 4% a	1 2%	- -	1 11%	1 1%	3 1%	- -	- -	1 *	4 2% a
317 60%	167 63%	145 58%	5 42%	116 63%	97 63%	99 57%	250 63%	29 55%	25 50%	13 57%	2 22%	70 39%	200 70% b	44 92% bc	1 100%	184 57%	128 66% a
61 12%	32 12%	28 11%	- -	23 12%	15 10%	23 13%	46 12%	7 13%	6 12%	2 9%	- -	6 3%	43 15% b	11 23% b	1 100%	29 9%	29 15% a



## NES Eczema Parent Survey

### PA\_Q1\_2. Bleeding skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

	Type of eczema							Areas heavily affected (10%+)				Moderate or severe symptoms					
		Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	Total	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
Significance Level: 95%																	
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Very severe	13 2%	8 3%	4 7%	3 2%	5 9% c	2 5%	1 4%	11 4%	11 2%	13 4%	12 3%	11 3%	13 8% af	11 7% a	12 5%	13 5%	12 3%
Severe	48 9%	19 8%	16 28% ac	12 9%	11 21% ac	8 21% a	5 21%	37 13%	43 10%	37 12%	35 9%	41 11%	48 29% adef	36 24% aef	41 16%	34 13%	39 11%
Moderate	107 20%	52 22%	15 26%	36 28%	11 21%	11 29%	6 25%	68 24%	99 22%	79 25%	87 22%	86 24%	107 64% acdef	52 34% a	78 31% a	73 29%	91 26%
Mild	149 28%	69 29%	15 26%	35 28%	12 23%	9 24%	8 33%	67 24%	130 29%	80 25%	107 27%	118 32% b	- -	39 26% b	77 30% b	75 29% b	105 30% b
None	202 39%	89 37% b	7 12%	41 32% b	13 25%	8 21%	3 13%	97 34%	162 36%	108 34%	146 37%	106 29% bcd	- -	11 7% b	43 17% bc	59 23% bc	104 30% bcd
Don't know	5 1%	2 1%	1 2%	- -	1 2%	- -	1 4%	4 1%	4 1%	4 1%	3 1%	3 1%	- -	2 1%	2 1%	1 *	1 *
Net: Any	317 60%	148 62%	50 86% ac	86 68%	39 74%	30 79% a	20 83%	183 64%	283 63%	209 65%	241 62%	256 70%	168 100% acdef	138 91% adef	208 82% af	195 76%	247 70%
Net: Severe	61 12%	27 11%	20 34% ac	15 12%	16 30% ac	10 26% ac	6 25%	48 17%	54 12%	50 16%	47 12%	52 14%	61 36% adef	47 31% adef	53 21% af	47 18%	51 14%

## NES Eczema Parent Survey

### PA\_Q1\_2. Bleeding skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Very severe	13 2%	1 1%	7 3%	5 8% a	- -	- -	13 3%	- -	13 3% b	- -	13 3%	- -
Severe	48 9%	3 2%	29 12% a	14 23% ab	- -	1 2%	47 10%	1 3%	46 12% b	2 2%	48 10%	- -
Moderate	107 20%	11 7%	64 27% a	18 30% a	- -	4 9%	102 21%	5 15%	89 23% b	16 13%	104 21%	3 11%
Mild	149 28%	41 26%	73 31%	14 23%	- -	9 20%	146 30% b	3 9%	117 30%	29 24%	142 29%	7 25%
None	202 39%	101 64% bc	59 25%	8 13%	- -	31 69%	178 36%	24 73% a	124 32%	72 60% a	184 37%	18 64%
Don't know	5 1%	1 1%	2 1%	1 2%	- -	- -	5 1%	- -	2 1%	2 2%	5 1%	- -
Net: Any	317 60%	56 35%	173 74% a	51 85% a	- -	14 31%	308 63% b	9 27%	265 68% b	47 39%	307 62%	10 36%
Net: Severe	61 12%	4 3%	36 15% a	19 32% ab	- -	1 2%	60 12%	1 3%	59 15% b	2 2%	61 12%	- -

## NES Eczema Parent Survey

### PA\_Q1\_3. Skin weeping or oozing clear fluid: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
18 3%	13 5%	5 2%	- -	7 4%	5 3%	6 3%	13 3%	2 4%	2 4%	1 4%	- -	2 1%	12 4%	4 8% b	- -	3 1%	14 7% a
49 9%	27 10%	20 8%	1 8%	22 12%	12 8%	14 8%	39 10%	4 8%	6 12%	- -	- -	9 5%	34 12% b	5 10%	1 100%	26 8%	23 12%
84 16%	41 15%	42 17%	1 8%	28 15%	27 18%	28 16%	60 15%	10 19%	9 18%	5 22%	- -	16 9%	50 17% b	18 38% bc	- -	49 15%	33 17%
122 23%	60 23%	61 24%	2 17%	30 16%	43 28% b	47 27% b	97 24%	11 21%	10 20%	4 17%	1 11%	29 16%	82 29% b	10 21%	- -	71 22%	50 26%
243 46%	120 45%	120 48%	7 58%	94 51%	66 43%	76 44%	183 46%	25 47%	22 44%	13 57%	8 89%	120 67% cd	104 36%	11 23%	- -	171 53% b	69 36%
8 2%	4 2%	4 2%	1 8%	4 2%	1 1%	2 1%	6 2%	1 2%	1 2%	- -	- -	3 2%	5 2%	- -	- -	4 1%	4 2%
273 52%	141 53%	128 51%	4 33%	87 47%	87 56%	95 55%	209 53%	27 51%	27 54%	10 43%	1 11%	56 31%	178 62% b	37 77% bc	1 100%	149 46%	120 62% a
67 13%	40 15%	25 10%	1 8%	29 16%	17 11%	20 12%	52 13%	6 11%	8 16%	1 4%	- -	11 6%	46 16% b	9 19% b	1 100%	29 9%	37 19% a

## NES Eczema Parent Survey

### PA\_Q1\_3. Skin weeping or oozing clear fluid: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
18 3%	5 2%	6 10% a	9 7% a	5 9% a	2 5%	4 17%	16 6%	14 3%	15 5%	15 4%	15 4%	13 8%	18 12% ade	13 5%	13 5%	16 5%
49 9%	23 10%	16 28% ac	16 13%	11 21% a	11 29% ac	7 29%	41 14% bd	43 10%	39 12%	35 9%	44 12%	37 22% af	49 32% abde	45 18% af	41 16%	42 12%
84 16%	39 16%	12 21%	21 17%	11 21%	11 29%	5 21%	50 18%	73 16%	55 17%	65 17%	70 19%	49 29% af	84 56% abde	58 23%	56 22%	65 18%
122 23%	57 24%	13 22%	35 28%	15 28%	5 13%	3 13%	68 24%	110 24%	77 24%	94 24%	93 25% c	44 26% c	- - c	65 26% c	74 29% c	89 25% c
243 46%	112 47% bcde	11 19%	45 35% bd	10 19%	8 21%	5 21%	105 37%	202 45% a	129 40%	173 44%	136 37% bcde	22 13% c	- - c	69 27% bc	70 27% bc	135 38% bcde
8 2%	3 1%	- -	1 1%	1 2%	1 3%	- -	4 1%	7 2%	6 2%	8 2%	7 2%	3 2%	- - -	3 1%	1 *	5 1%
273 52%	124 52%	47 81% ac	81 64% a	42 79% ac	29 76% a	19 79%	175 62% bd	240 53%	186 58%	209 54%	222 61%	143 85% ade	151 100% abde	181 72% af	184 72% af	212 60%
67 13%	28 12%	22 38% ac	25 20% a	16 30% a	13 34% a	11 46%	57 20% bd	57 13%	54 17%	50 13%	59 16%	50 30% aef	67 44% abde	58 23% af	54 21%	58 16%

## NES Eczema Parent Survey

### PA\_Q1\_3. Skin weeping or oozing clear fluid: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Very severe	18 3%	- -	11 5% a	7 12% ab	- -	- -	18 4%	- -	17 4%	1 1%	18 4%	- -
Severe	49 9%	- -	37 16% a	10 17% a	- -	- -	49 10%	- -	45 12% b	3 2%	49 10%	- -
Moderate	84 16%	12 8%	47 20% a	15 25% a	- -	3 7%	81 16%	3 9%	71 18% b	11 9%	80 16%	4 14%
Mild	122 23%	31 20%	62 26%	15 25%	- -	7 16%	113 23%	9 27%	99 25% b	20 17%	119 24%	3 11%
None	243 46%	115 73% bc	73 31%	12 20%	- -	35 78%	223 45%	20 61%	151 39%	86 71% a	222 45%	21 75%
Don't know	8 2%	- -	4 2%	1 2%	- -	- -	7 1%	1 3%	8 2%	- -	8 2%	- -
Net: Any	273 52%	43 27%	157 67% a	47 78% a	- -	10 22%	261 53%	12 36%	232 59% b	35 29%	266 54%	7 25%
Net: Severe	67 13%	- -	48 21% a	17 28% a	- -	- -	67 14% b	- -	62 16% b	4 3%	67 14%	- -

## NES Eczema Parent Survey

### PA\_Q1\_4. Cracked skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
15 3%	10 4%	5 2%	- -	6 3%	4 3%	5 3%	12 3%	2 4%	- -	1 4%	- -	- -	12 4% b	3 6% b	- -	5 2%	8 4%
82 16%	35 13%	44 17%	3 25%	31 17%	26 17%	22 13%	55 14%	13 25% a	11 22%	3 13%	- -	12 7%	57 20% b	12 25% b	1 100%	46 14%	34 18%
156 30%	81 31%	73 29%	4 33%	57 31%	39 25%	56 32%	130 33%	11 21%	10 20%	5 22%	1 11%	38 21%	100 35% b	17 35% b	- -	101 31%	54 28%
186 35%	96 36%	88 35%	2 17%	61 33%	60 39%	63 36%	134 34%	21 40%	21 42%	10 43%	3 33%	72 40%	97 34%	14 29%	- -	114 35%	70 36%
82 16%	41 15%	41 16%	3 25%	30 16%	25 16%	24 14%	64 16%	6 11%	8 16%	4 17%	5 56%	57 32% cd	18 6%	2 4%	- -	57 18%	25 13%
3 1%	2 1%	1 *	- -	- -	- -	3 2%	3 1%	- -	- -	- -	- -	- -	3 1%	- -	- -	1 *	2 1%
439 84%	222 84%	210 83%	9 75%	155 84%	129 84%	146 84%	331 83%	47 89%	42 84%	19 83%	4 44%	122 68%	266 93% b	46 96% b	1 100%	266 82%	166 86%
97 19%	45 17%	49 19%	3 25%	37 20%	30 19%	27 16%	67 17%	15 28% a	11 22%	4 17%	- -	12 7%	69 24% b	15 31% b	1 100%	51 16%	42 22%

## NES Eczema Parent Survey

### PA\_Q1\_4. Cracked skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
15 3%	9 4%	5 9%	3 2%	4 8%	2 5%	1 4%	12 4%	14 3%	9 3%	13 3%	14 4%	12 7%	9 6%	15 6%	13 5%	15 4%
82 16%	38 16%	11 19%	21 17%	11 21%	8 21%	6 25%	59 21%	70 16%	63 20%	63 16%	71 19%	56 33% aef	48 32% af	82 32% aef	61 24%	68 19%
156 30%	69 29%	22 38%	46 36%	24 45% a	18 47% a	7 29%	87 31%	138 31%	100 31%	120 31%	130 36%	63 38%	59 39%	156 62% abcef	105 41%	128 36%
186 35%	85 36% e	16 28%	41 32%	12 23%	7 18%	9 38%	87 31%	157 35%	105 33%	142 36%	117 32% bcde	33 20% d	29 19% d	- - d	61 24% d	116 33% bcde
82 16%	35 15% d	4 7%	16 13%	2 4%	3 8%	1 4%	37 13%	67 15%	42 13%	51 13%	32 9% bcd	2 1%	5 3% d	- - d	13 5% bd	23 7% bd
3 1%	3 1%	- -	- -	- -	- -	- -	2 1%	3 1%	2 1%	1 *	1 *	2 1%	1 1%	- -	2 1%	2 1%
439 84%	201 84%	54 93%	111 87%	51 96% a	35 92%	23 96%	245 86%	379 84%	277 86%	338 87%	332 91%	164 98% af	145 96% a	253 100% abcef	240 94%	327 93%
97 19%	47 20%	16 28%	24 19%	15 28%	10 26%	7 29%	71 25% b	84 19%	72 22%	76 19%	85 23%	68 40% aef	57 38% af	97 38% aef	74 29%	83 24%

## NES Eczema Parent Survey

### PA\_Q1\_4. Cracked skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Very severe	15	-	9	3	-	1	14	1	14	1	15	-
	3%	-	4%	5%	-	2%	3%	3%	4%	1%	3%	-
			a	a								
Severe	82	6	54	18	-	1	81	1	75	6	80	2
	16%	4%	23%	30%	-	2%	16%	3%	19%	5%	16%	7%
			a	a			b		b			
Moderate	156	32	84	24	-	9	153	3	127	26	155	1
	30%	20%	36%	40%	-	20%	31%	9%	32%	21%	31%	4%
			a	a			b		b			
Mild	186	76	65	13	-	21	172	14	126	55	175	11
	35%	48%	28%	22%	-	47%	35%	42%	32%	45%	35%	39%
		bc								a		
None	82	44	22	1	-	13	69	13	47	33	69	13
	16%	28%	9%	2%	-	29%	14%	39%	12%	27%	14%	46%
		bc	c					a		a		
Don't know	3	-	-	1	-	-	2	1	2	-	2	1
	1%	-	-	2%	-	-	*	3%	1%	-	*	4%
				b								
Net: Any	439	114	212	58	-	32	420	19	342	88	425	14
	84%	72%	91%	97%	-	71%	86%	58%	87%	73%	86%	50%
			a	a			b		b			
Net: Severe	97	6	63	21	-	2	95	2	89	7	95	2
	19%	4%	27%	35%	-	4%	19%	6%	23%	6%	19%	7%
			a	a					b			



## NES Eczema Parent Survey

### PA\_Q1\_5. Flaking skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	Boy	Girl	a	b	c	d	a	b	c	d	a	b	c	d	e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
21 4%	13 5%	8 3%	1 8%	9 5%	3 2%	8 5%	17 4%	3 6%	1 2%	- -	- -	1 1%	14 5% b	6 13% bc	- -	12 4%	8 4%
76 15%	39 15%	36 14%	2 17%	26 14%	23 15%	25 14%	57 14%	9 17%	8 16%	2 9%	- -	13 7%	52 18% b	11 23% b	- -	42 13%	34 18%
158 30%	64 24%	91 36% a	3 25%	50 27%	48 31%	57 33%	123 31%	17 32%	15 30%	3 13%	2 22%	39 22%	104 36% b	12 25%	1 100%	92 28%	64 33%
191 36%	105 40%	84 33%	4 33%	71 38%	52 34%	64 37%	146 37%	14 26%	18 36%	13 57%	5 56%	90 50% cd	83 29%	13 27%	- -	118 36%	70 36%
75 14%	43 16%	31 12%	2 17%	29 16%	27 18% d	17 10%	53 13%	10 19%	7 14%	5 22%	2 22%	36 20% cd	34 12%	3 6%	- -	58 18% b	16 8%
3 1%	1 *	2 1%	- -	- -	1 1%	2 1%	2 1%	- -	1 2%	- -	- -	- -	- -	3 6% bc	- -	2 1%	1 1%
446 85%	221 83%	219 87%	10 83%	156 84%	126 82%	154 89%	343 86%	43 81%	42 84%	18 78%	7 78%	143 80%	253 88% b	42 88%	1 100%	264 81%	176 91% a
97 19%	52 20%	44 17%	3 25%	35 19%	26 17%	33 19%	74 19%	12 23%	9 18%	2 9%	- -	14 8%	66 23% b	17 35% b	- -	54 17%	42 22%

## NES Eczema Parent Survey

### PA\_Q1\_5. Flaking skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

	Type of eczema							Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Very severe	21 4%	10 4%	5 9%	4 3%	8 15% ac	3 8%	1 4%	18 6%	16 4%	18 6%	18 5%	17 5%	16 10% af	14 9% af	19 8%	21 8%	16 5%
Severe	76 15%	33 14%	16 28% a	32 25% a	11 21%	11 29% a	8 33%	55 19%	69 15%	52 16%	62 16%	67 18%	45 27% a	44 29% af	64 25% a	76 30% af	71 20%
Moderate	158 30%	76 32%	17 29%	39 31%	18 34%	13 34%	8 33%	90 32%	138 31%	98 31%	115 29%	129 35%	59 35%	52 34%	96 38%	158 62% abcdf	126 36%
Mild	191 36%	92 38% e	16 28%	44 35% e	14 26%	6 16%	4 17%	82 29%	167 37% a	110 34%	135 35%	120 33% bcde	35 21% e	29 19% e	55 22% e	- - e	103 29% bcde
None	75 14%	27 11%	4 7%	8 6%	2 4%	4 11%	2 8%	36 13%	56 12%	40 12%	57 15%	29 8% e	10 6% e	10 7% e	17 7% e	- - e	34 10% e
Don't know	3 1%	1 *	- -	- -	- -	1 3%	1 4%	3 1%	3 1%	3 1%	3 1%	3 1%	3 2% e	2 1%	2 1%	- -	2 1%
Net: Any	446 85%	211 88%	54 93%	119 94%	51 96%	33 87%	21 88%	245 86%	390 87%	278 87%	330 85%	333 91%	155 92%	139 92%	234 92%	255 100% abcdf	316 90%
Net: Severe	97 19%	43 18%	21 36% a	36 28% a	19 36% a	14 37% a	9 38%	73 26% b	85 19%	70 22%	80 21%	84 23%	61 36% af	58 38% af	83 33% af	97 38% af	87 25%

## NES Eczema Parent Survey

### PA\_Q1\_5. Flaking skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Very severe	21 4%	1 1%	14 6% a	5 8% a	- -	- -	20 4%	1 3%	21 5% b	- -	21 4%	- -
Severe	76 15%	8 5%	42 18% a	20 33% ab	- -	3 7%	76 15% b	- -	72 18% b	4 3%	75 15%	1 4%
Moderate	158 30%	37 23%	87 37% a	17 28%	- -	6 13%	152 31%	6 18%	126 32%	28 23%	151 30%	7 25%
Mild	191 36%	75 47% bc	75 32%	12 20%	- -	21 47%	175 36%	16 48%	133 34%	53 44%	179 36%	12 43%
None	75 14%	37 23% bc	15 6%	4 7%	- -	15 33%	65 13%	10 30% a	37 9%	35 29% a	67 14%	8 29%
Don't know	3 1%	- -	1 * ab	2 3% ab	- -	- -	3 1%	- -	2 1%	1 1%	3 1%	- -
Net: Any	446 85%	121 77%	218 93% a	54 90% a	- -	30 67%	423 86% b	23 70%	352 90% b	85 70%	426 86%	20 71%
Net: Severe	97 19%	9 6%	56 24% a	25 42% ab	- -	3 7%	96 20% b	1 3%	93 24% b	4 3%	96 19%	1 4%

## NES Eczema Parent Survey

### PA\_Q1\_6. Dry or rough skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	a	b	c	d	a	b	c	d	a	b	c	d	e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
28 5%	14 5%	14 6%	1 8%	10 5%	8 5%	9 5%	23 6%	2 4%	3 6%	- -	- -	3 2%	17 6% b	8 17% bc	- -	13 4%	14 7%
127 24%	67 25%	58 23%	3 25%	49 26%	42 27%	33 19%	94 24%	19 36%	11 22%	3 13%	1 11%	29 16%	83 29% b	14 29% b	- -	81 25%	45 23%
197 38%	102 38%	91 36%	4 33%	66 36%	56 36%	71 41%	152 38%	15 28%	21 42%	9 39%	1 11%	67 37%	112 39%	16 33%	1 100%	118 36%	75 39%
151 29%	73 28%	77 31%	4 33%	54 29%	39 25%	54 31%	111 28%	15 28%	14 28%	11 48%	7 78%	67 37% cd	69 24%	8 17%	- -	98 30%	52 27%
18 3%	9 3%	9 4%	- -	5 3%	8 5%	5 3%	16 4%	2 4%	- -	- -	- -	12 7% c	5 2%	1 2%	- -	12 4%	6 3%
3 1%	- -	3 1%	- -	1 1%	1 1%	1 1%	2 1%	- -	1 2%	- -	- -	1 1%	1 *	1 2%	- -	2 1%	1 1%
503 96%	256 97%	240 95%	12 100%	179 97%	145 94%	167 97%	380 95%	51 96%	49 98%	23 100%	9 100%	166 93%	281 98% b	46 96%	1 100%	310 96%	186 96%
155 30%	81 31%	72 29%	4 33%	59 32%	50 32%	42 24%	117 29%	21 40%	14 28%	3 13%	1 11%	32 18%	100 35% b	22 46% b	- -	94 29%	59 31%

## NES Eczema Parent Survey

### PA\_Q1\_6. Dry or rough skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
28 5%	9 4%	7 12% a	9 7%	2 4%	2 5%	1 4%	19 7%	24 5%	20 6%	19 5%	26 7%	22 13% a	13 9%	25 10%	21 8%	28 8%
127 24%	57 24%	18 31%	32 25%	20 38% a	13 34%	11 46%	74 26%	113 25%	87 27%	98 25%	111 30%	58 35%	59 39%	92 36%	92 36%	127 36%
197 38%	95 40%	16 28%	49 39%	14 26%	13 34%	5 21%	107 38%	171 38%	119 37%	154 39%	150 41%	62 37%	51 34%	94 37%	100 39%	197 56% abcde
151 29%	74 31%	16 28%	33 26%	12 23%	9 24%	6 25%	75 26%	126 28%	84 26%	104 27%	69 19% f	23 14% f	25 17% f	36 14% f	35 14% f	- - f
18 3%	4 2%	- -	3 2%	3 6%	1 3%	- -	7 2%	12 3%	9 3%	12 3%	8 2% f	2 1% f	2 1% f	3 1% f	4 2% f	- - f
3 1%	- -	1 2% a	1 1%	2 4% a	- -	1 4%	2 1%	3 1%	2 1%	3 1%	1 * f	1 1% f	1 1% f	3 1% f	3 1% f	- - f
503 96%	235 98% d	57 98%	123 97%	48 91%	37 97%	23 96%	275 97%	434 97%	310 97%	375 96%	356 98%	165 98%	148 98%	247 98%	248 97%	352 100% abcde
155 30%	66 28%	25 43% a	41 32%	22 42% a	15 39%	12 50%	93 33%	137 31%	107 33%	117 30%	137 38%	80 48% a	72 48% a	117 46% a	113 44%	155 44%

## NES Eczema Parent Survey

### PA\_Q1\_6. Dry or rough skin: Thinking about you child's eczema over the lastfour weeks, how would you rate the following symptoms?

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Very severe	28 5%	1 1%	15 6% a	6 10% a	- -	2 4%	26 5%	2 6%	25 6%	3 2%	28 6%	- -
Severe	127 24%	21 13%	64 27% a	29 48% ab	- -	6 13%	125 25% b	2 6%	106 27% b	21 17%	126 25%	1 4%
Moderate	197 38%	67 42% c	87 37% c	14 23%	- -	22 49%	188 38%	9 27%	151 39%	42 35%	189 38%	8 29%
Mild	151 29%	62 39% bc	61 26% c	7 12%	- -	15 33%	132 27%	19 58% a	96 25%	48 40% a	139 28%	12 43%
None	18 3%	7 4%	6 3%	2 3%	- -	- -	17 3%	1 3%	11 3%	6 5%	11 2%	7 25%
Don't know	3 1%	- -	1 * ab	2 3% ab	- -	- -	3 1%	- -	2 1%	1 1%	3 1%	- -
Net: Any	503 96%	151 96%	227 97%	56 93%	- -	45 100%	471 96%	32 97%	378 97%	114 94%	482 97%	21 75%
Net: Severe	155 30%	22 14%	79 34% a	35 58% ab	- -	8 18%	151 31% b	4 12%	131 34% b	24 20%	154 31%	1 4%

# NES Eczema Parent Survey

**PA\_Q2. To the best of your knowledge, which, if any, of the following does your child experience as a result of their eczema, to the point it significantly reduces their quality of life?**

BASE: All respondents

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
200 38%	94 35%	106 42%	1 8%	54 29%	66 43% b	79 46% b	157 39%	21 40%	13 26%	9 39%	- -	60 34%	120 42%	20 42%	- -	113 35%	86 45% a
195 37%	97 37%	96 38%	1 8%	44 24%	59 38% b	91 53% bc	150 38%	21 40%	15 30%	9 39%	1 11%	53 30%	121 42% b	20 42%	- -	110 34%	83 43% a
182 35%	87 33%	93 37%	2 17%	65 35%	47 31%	68 39%	136 34%	22 42%	13 26%	11 48%	2 22%	52 29%	105 37%	22 46% b	1 100%	115 35%	66 34%
158 30%	80 30%	77 31%	2 17%	46 25%	57 37% b	53 31%	124 31%	17 32%	13 26%	4 17%	- -	29 16%	105 37% b	23 48% b	1 100%	95 29%	61 32%
132 25%	72 27%	57 23%	2 17%	32 17%	34 22%	64 37% bc	111 28% b	8 15%	9 18%	4 17%	- -	33 18%	77 27% b	22 46% bc	- -	65 20%	64 33% a
121 23%	51 19%	67 27% a	1 8%	35 19%	35 23%	50 29% b	98 25%	11 21%	9 18%	3 13%	- -	17 9%	88 31% b	16 33% b	- -	59 18%	60 31% a
76 15%	44 17%	30 12%	- -	25 14%	20 13%	31 18%	66 17%	5 9%	5 10%	- -	- -	14 8%	50 17% b	12 25% b	- -	35 11%	39 20% a
64 12%	30 11%	34 13%	2 17%	19 10%	24 16%	19 11%	47 12%	7 13%	7 14%	3 13%	5 56%	41 23% cd	16 6%	2 4%	- -	48 15% b	15 8%
9 2%	4 2%	5 2%	- -	2 1%	5 3%	2 1%	6 2%	2 4%	1 2%	- -	- -	7 4% c	2 1%	- -	- -	6 2%	3 2%
52 10%	29 11%	23 9%	3 25%	41 22% cd	6 4%	2 1%	37 9%	5 9%	8 16%	2 9%	1 11%	24 13% d	27 9% d	- -	- -	51 16% b	1 1%
399 76%	202 76%	190 75%	7 58%	123 66%	119 77% b	150 87% bc	308 77%	39 74%	34 68%	18 78%	3 33%	107 60%	242 84% b	46 96% bc	1 100%	219 68%	174 90% a

## NES Eczema Parent Survey

**PA\_Q2. To the best of your knowledge, which, if any, of the following does your child experience as a result of their eczema, to the point it significantly reduces their quality of life?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Significance Level: 95%																
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	352 100%
Worrying about their eczema flaring or getting worse	200 38%	99 41%	25 43%	52 41%	21 40%	11 29%	11 46%	107 38%	168 37%	124 39%	144 37%	156 43%	75 45%	65 43%	117 46%	143 41%
Feeling self-conscious	195 37%	98 41%	29 50%	52 41%	16 30%	18 47%	9 38%	104 37%	170 38%	115 36%	149 38%	143 39%	71 42%	64 42%	114 45%	139 39%
Ongoing skincare regime	182 35%	101 42%	22 38%	43 34%	15 28%	15 39%	9 38%	93 33%	154 34%	122 38%	143 37%	141 39%	61 36%	49 32%	95 38%	134 38%
Difficulty sleeping/feeling tired	158 30%	74 31%	23 40%	37 29%	20 38%	10 26%	10 42%	92 32%	138 31%	103 32%	130 33%	133 36%	69 41%	59 39%	96 38%	127 36%
Low self esteem	132 25%	65 27%	21 36%	36 28%	20 38%	16 42%	4 17%	86 30%	113 25%	87 27%	102 26%	104 28%	63 38% af	49 32%	86 34%	99 38% af
Emotional wellbeing/mental health	121 23%	63 26%	23 40% a	35 28%	24 45% ac	14 37%	11 46%	79 28%	107 24%	90 28%	98 25%	99 27%	63 38% af	49 32%	84 33%	99 35% a
Worrying about drug treatments and possible side effects	76 15%	36 15%	21 36% ac	26 20%	15 28% a	13 34% a	8 33%	58 20%	69 15%	55 17%	60 15%	56 15%	44 26% aef	42 28% aef	53 21%	54 18%
Eczema does not significantly reduce their quality of life	64 12%	22 9%	4 7%	13 10%	1 2%	3 8%	3 13%	26 9%	50 11%	25 8%	35 9%	31 8% bce	5 3%	4 3%	14 6%	27 8% bc
None of the above	9 2%	3 1%	- -	1 1%	1 2%	- -	1 4%	3 1%	9 2%	2 1%	8 2%	4 1%	- -	1 1%	1 *	3 1%
Not applicable as my child is too young	52 10%	26 11% e	2 3%	11 9%	2 4%	- -	- -	18 6%	46 10%	33 10%	40 10%	31 8% bc	5 3%	4 3%	14 6%	36 10% bcd
Net: Any	399 76%	188 79%	52 90%	102 80%	49 92% ac	35 92%	20 83%	237 83% b	344 77%	261 81%	307 79%	299 82%	158 94% aef	142 94% af	224 89% af	286 88% af



## NES Eczema Parent Survey

**PA\_Q2. To the best of your knowledge, which, if any, of the following does your child experience as a result of their eczema, to the point it significantly reduces their quality of life?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Worrying about their eczema flaring or getting worse	200 38%	51 32%	117 50% ac	20 33%	- -	- -	195 40% b	5 15%	172 44% b	27 22%	197 40%	3 11%
Feeling self-conscious	195 37%	52 33%	110 47% a	23 38%	- -	- -	189 38% b	6 18%	162 41% b	30 25%	190 38%	5 18%
Ongoing skincare regime	182 35%	55 35%	91 39%	18 30%	- -	6 13%	173 35%	9 27%	145 37%	36 30%	179 36%	3 11%
Difficulty sleeping/feeling tired	158 30%	34 22%	91 39% a	23 38% a	- -	6 13%	153 31%	5 15%	133 34% b	23 19%	152 31%	6 21%
Low self esteem	132 25%	24 15%	74 32% a	27 45% a	- -	- -	129 26% b	3 9%	116 30% b	14 12%	127 26%	5 18%
Emotional wellbeing/mental health	121 23%	18 11%	66 28% a	29 48% ab	- -	- -	120 24% b	1 3%	110 28% b	10 8%	118 24%	3 11%
Worrying about drug treatments and possible side effects	76 15%	7 4%	48 21% a	16 27% a	- -	1 2%	75 15%	1 3%	68 17% b	5 4%	73 15%	3 11%
Eczema does not significantly reduce their quality of life	64 12%	42 27% bc	13 6%	1 2%	- -	2 4%	53 11%	11 33% a	30 8%	33 27% a	57 11%	7 25%
None of the above	9 2%	6 4% b	1 * b	1 2%	- -	1 2%	6 1%	3 9% a	4 1%	2 2%	6 1%	3 11%
Not applicable as my child is too young	52 10%	12 8% bc	2 1%	- -	- -	33 73%	48 10%	4 12%	26 7%	25 21% a	47 9%	5 18%
Net: Any	399 76%	98 62%	218 93% a	58 97% a	- -	9 20%	384 78% b	15 45%	331 85% b	61 50%	386 78%	13 46%

# NES Eczema Parent Survey

**PA\_Q3. To the best of your knowledge, over a typical four week period, approximately how many nights, if any, does your child have trouble falling or staying asleep because of their eczema?**

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Every night	26 5%	14 5%	12 5%	- -	12 6%	5 3%	9 5%	22 6%	2 4%	1 2%	1 4%	- -	- -	17 6% b	9 19% bc	- -	15 5%	11 6%
Most nights	81 15%	43 16%	38 15%	1 8%	22 12%	32 21% b	26 15%	66 17%	7 13%	7 14%	1 4%	- -	11 6%	61 21% b	8 17% b	1 100%	39 12%	39 20% a
Few nights a week	133 25%	65 25%	67 27%	3 25%	50 27%	39 25%	41 24%	107 27% c	14 26%	7 14%	5 22%	- -	36 20%	80 28%	17 35% b	- -	76 23%	55 28%
One night a week	59 11%	32 12%	23 9%	3 25%	17 9%	16 10%	23 13%	50 13% b	1 2%	7 14% b	1 4%	- -	17 9%	36 13%	6 13%	- -	30 9%	28 15%
A few isolated nights over the last four weeks	119 23%	62 23%	55 22%	1 8%	47 25%	34 22%	37 21%	77 19%	17 32% a	17 34% a	8 35%	1 11%	51 28% d	63 22% d	4 8%	- -	78 24%	40 21%
No nights	98 19%	47 18%	51 20%	4 33%	36 19%	25 16%	33 19%	71 18%	10 19%	11 22%	6 26%	8 89%	63 35% cd	25 9%	2 4%	- -	81 25% b	17 9%
Don't know	8 2%	2 1%	6 2%	- -	1 1%	3 2%	4 2%	5 1%	2 4%	- -	1 4%	- -	1 1%	5 2%	2 4%	- -	5 2%	3 2%
Net Any	418 80%	216 82%	195 77%	8 67%	148 80%	126 82%	136 79%	322 81%	41 77%	39 78%	16 70%	1 11%	115 64%	257 90% b	44 92% b	1 100%	238 73%	173 90% a
Net At least weekly	299 57%	154 58%	140 56%	7 58%	101 55%	92 60%	99 57%	245 62% bc	24 45%	22 44%	8 35%	- -	64 36%	194 68% b	40 83% bc	1 100%	160 49%	133 69% a
Net Every / most nights	107 20%	57 22%	50 20%	1 8%	34 18%	37 24%	35 20%	88 22%	9 17%	8 16%	2 9%	- -	11 6%	78 27% b	17 35% b	1 100%	54 17%	50 26% a

## NES Eczema Parent Survey

**PA\_Q3. To the best of your knowledge, over a typical four week period, approximately how many nights, if any, does your child have trouble falling or staying asleep because of their eczema?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
26 5%	21 9%	4 7%	7 6%	5 9%	2 5%	2 8%	21 7%	25 6%	22 7%	24 6%	23 6%	22 13% af	18 12% af	21 8%	21 8%	23 7%
81 15%	36 15%	17 29% a	22 17%	12 23%	14 37% ac	11 46%	60 21% b	66 15%	60 19%	66 17%	70 19%	40 24%	39 26%	60 24%	54 21%	65 18%
133 25%	59 25%	21 36% e	35 28%	19 36% e	5 13%	6 25%	75 26%	123 27%	90 28%	108 28%	107 29%	57 34%	52 34%	79 31%	83 33%	100 28%
59 11%	23 10%	6 10%	18 14%	7 13%	11 29% abc	- -	32 11%	51 11%	35 11%	44 11%	42 12%	18 11%	19 13%	31 12%	33 13%	44 13%
119 23%	53 22% bde	4 7%	28 22% bd	5 9%	3 8%	1 4%	49 17%	107 24% a	64 20%	84 22%	78 21% bc	22 13%	13 9%	40 16% c	44 17% c	76 22% bc
98 19%	43 18% e	5 9%	15 12%	4 8%	2 5%	2 8%	40 14%	69 15%	43 13%	58 15%	40 11% bce	7 4%	7 5%	18 7%	15 6%	39 11% bce
8 2%	4 2%	1 2%	2 2%	1 2%	1 3%	2 8%	7 2%	8 2%	7 2%	6 2%	5 1%	2 1%	3 2%	4 2%	5 2%	5 1%
418 80%	192 80%	52 90%	110 87%	48 91%	35 92%	20 83%	237 83%	372 83%	271 84%	326 84%	320 88%	159 95% af	141 93%	231 91%	235 92%	308 88%
299 57%	139 58%	48 83% ac	82 65%	43 81% ac	32 84% ac	19 79%	188 66%	265 59%	207 64%	242 62%	242 66%	137 82% af	128 85% adef	191 75% af	191 75% af	232 66%
107 20%	57 24%	21 36%	29 23%	17 32%	16 42% ac	13 54%	81 29% b	91 20%	82 26%	90 23%	93 25%	62 37% af	57 38% af	81 32%	75 29%	88 25%

## NES Eczema Parent Survey

**PA\_Q3. To the best of your knowledge, over a typical four week period, approximately how many nights, if any, does your child have trouble falling or staying asleep because of their eczema?**

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Every night	26 5%	2 1%	12 5% a	10 17% ab	- -	- -	26 5%	- -	25 6% b	- -	26 5%	- -
Most nights	81 15%	4 3%	57 24% a	16 27% a	- -	2 4%	79 16%	2 6%	76 19% b	5 4%	81 16%	- -
Few nights a week	133 25%	27 17%	84 36% ac	12 20%	- -	5 11%	128 26%	5 15%	113 29% b	19 16%	129 26%	4 14%
One night a week	59 11%	9 6%	39 17% a	9 15% a	- -	1 2%	58 12%	1 3%	52 13% b	4 3%	54 11%	5 18%
A few isolated nights over the last four weeks	119 23%	56 35% bc	29 12%	8 13%	- -	16 36%	112 23%	7 21%	83 21%	35 29%	113 23%	6 21%
No nights	98 19%	60 38% bc	12 5%	2 3%	- -	19 42%	82 17%	16 48% a	39 10%	56 46% a	87 18%	11 39%
Don't know	8 2%	- -	1 * ab	3 5% ab	- -	2 4%	6 1%	2 6% a	3 1%	2 2%	6 1%	2 7%
Net Any	418 80%	98 62%	221 94% a	55 92% a	- -	24 53%	403 82% b	15 45%	349 89% b	63 52%	403 81%	15 54%
Net At least weekly	299 57%	42 27%	192 82% a	47 78% a	- -	8 18%	291 59% b	8 24%	266 68% b	28 23%	290 58%	9 32%
Net Every / most nights	107 20%	6 4%	69 29% a	26 43% ab	- -	2 4%	105 21% b	2 6%	101 26% b	5 4%	107 22%	- -

# NES Eczema Parent Survey

**PA\_Q4. Over a typical week, approximately how often does eczema interfere with your child's ability to do regular daily activities? By regular activities, we mean the usual activities they do, such as going to school, going out with friends, exercising, studying, etc. Think about the times your child has been limited in the amount or kind of these activities they could do.**

BASE: All respondents excluding not applicable as child is too young

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
158 30%	81 31%	76 30%	1 8%	36 19%	55 36% b	66 38% b	120 30%	16 30%	14 28%	8 35%	7 78%	80 45% cd	64 22%	7 15%	- -	109 34% b	49 25%
134 26%	66 25%	67 27%	1 8%	39 21%	41 27%	53 31% b	105 26%	11 21%	13 26%	5 22%	1 11%	43 24%	78 27%	11 23%	1 100%	77 24%	54 28%
100 19%	51 19%	47 19%	4 33%	43 23% d	27 18%	26 15%	80 20%	9 17%	6 12%	5 22%	- -	22 12%	67 23% b	11 23%	- -	49 15%	49 25% a
40 8%	20 8%	18 7%	2 17%	10 5%	17 11%	11 6%	28 7%	4 8%	8 16% a	- -	- -	4 2%	30 10% b	6 13% b	- -	17 5%	21 11% a
20 4%	11 4%	8 3%	- -	6 3%	7 5%	7 4%	18 5%	1 2%	1 2%	- -	- -	2 1%	10 3%	8 17% bc	- -	8 2%	12 6% a
9 2%	5 2%	4 2%	- -	- -	2 1%	7 4% b	5 1%	3 6% a	- -	1 4%	- -	3 2%	4 1%	2 4%	- -	5 2%	4 2%
63 12%	31 12%	32 13%	4 33%	51 28% cd	5 3%	3 2%	42 11%	9 17%	8 16%	4 17%	1 11%	25 14%	34 12%	3 6%	- -	59 18% b	4 2%
294 56%	148 56%	140 56%	7 58%	98 53%	92 60%	97 56%	231 58%	25 47%	28 56%	10 43%	1 11%	71 40%	185 64% b	36 75% b	1 100%	151 47%	136 70% a
234 45%	117 44%	114 45%	5 42%	82 44%	68 44%	79 46%	185 46%	20 38%	19 38%	10 43%	1 11%	65 36%	145 51% b	22 46%	1 100%	126 39%	103 53% a
60 11%	31 12%	26 10%	2 17%	16 9%	24 16% b	18 10%	46 12%	5 9%	9 18%	- -	- -	6 3%	40 14% b	14 29% bc	- -	25 8%	33 17% a

## NES Eczema Parent Survey

**PA\_Q4. Over a typical week, approximately how often does eczema interfere with your child's ability to do regular daily activities? By regular activities, we mean the usual activities they do, such as going to school, going out with friends, exercising, studying, etc. Think about the times your child has been limited in the amount or kind of these activities they could do.**

BASE: All respondents excluding not applicable as child is too young

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
158 30%	76 32% bcde	7 12%	26 20% d	4 8%	6 16%	1 4%	67 24%	124 28%	72 22%	105 27%	93 25% bcde	15 9%	12 8%	38 15% c	46 18% bc	89 25% bcde
134 26%	61 26%	17 29%	34 27%	12 23%	11 29%	6 25%	71 25%	117 26%	85 26%	101 26%	105 29%	48 29%	45 30%	76 30%	79 31%	89 25%
100 19%	44 18%	20 34% a	33 26%	20 38% a	8 21%	5 21%	76 27% bd	87 19%	70 22%	75 19%	76 21%	52 31% af	50 33% af	71 28% a	64 25%	77 22%
40 8%	11 5%	6 10%	11 9%	12 23% ac	8 21% ac	8 33%	28 10%	36 8%	32 10%	36 9%	31 8%	23 14%	21 14%	31 12%	26 10%	31 9%
20 4%	13 5%	3 5%	6 5%	2 4%	3 8%	2 8%	16 6%	19 4%	16 5%	19 5%	15 4%	14 8% a	11 7%	14 6%	16 6%	18 5%
9 2%	4 2%	1 2%	4 3%	1 2%	1 3%	1 4%	3 1%	9 2%	6 2%	7 2%	5 1%	4 2%	6 4%	3 1%	5 2%	6 2%
63 12%	30 13%	4 7%	13 10%	2 4%	1 3%	1 4%	23 8%	57 13%	40 12%	47 12%	40 11% c	12 7%	6 4%	20 8%	19 7%	42 12% c
294 56%	129 54%	46 79% a	84 66% a	46 87% ac	30 79% a	21 88%	191 67% bd	259 58%	203 63%	231 59%	227 62%	137 82% aef	127 84% aef	192 76% af	185 73% af	215 61%
234 45%	105 44%	37 64% a	67 53%	32 60% a	19 50%	11 46%	147 52%	204 45%	155 48%	176 45%	181 50%	100 60% af	95 63% af	147 58% af	143 56% f	166 47%
60 11%	24 10%	9 16%	17 13%	14 26% ac	11 29% ac	10 42%	44 15%	55 12%	48 15%	55 14%	46 13%	37 22% af	32 21% af	45 18%	42 16%	49 14%

## NES Eczema Parent Survey

**PA\_Q4. Over a typical week, approximately how often does eczema interfere with your child's ability to do regular daily activities? By regular activities, we mean the usual activities they do, such as going to school, going out with friends, exercising, studying, etc. Think about the times your child has been limited in the amount or kind of these activities they could do.**

BASE: All respondents excluding not applicable as child is too young

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
No days	158 30%	158 100% bc	- -	- -	- -	14 31%	138 28%	20 61% a	88 23%	66 55% a	145 29%	13 46%
1 or 2 days	134 26%	- -	134 57% ac	- -	- -	1 2%	131 27% b	3 9%	113 29% b	17 14%	129 26%	5 18%
3 or 4 days	100 19%	- -	100 43% ac	- -	- -	- -	99 20% b	1 3%	99 25% b	1 1%	100 20%	- -
5 or 6 days	40 8%	- -	- -	40 67% ab	- -	- -	40 8%	- -	37 9% b	3 2%	40 8%	- -
Every day	20 4%	- -	- -	20 33% ab	- -	- -	19 4%	1 3%	19 5% b	- -	19 4%	1 4%
Don't know	9 2%	- -	- -	- -	- -	1 2%	7 1%	2 6% a	4 1%	3 2%	7 1%	2 7%
Not applicable as my child is too young	63 12%	- -	- -	- -	- -	29 64%	57 12%	6 18%	31 8%	31 26% a	56 11%	7 25%
Net Any	294 56%	- -	234 100% a	60 100% a	- -	1 2%	289 59% b	5 15%	268 69% b	21 17%	288 58%	6 21%
Net 1-4 days	234 45%	- -	234 100% ac	- -	- -	1 2%	230 47% b	4 12%	212 54% b	18 15%	229 46%	5 18%
Net 5-7 days	60 11%	- -	- -	60 100% ab	- -	- -	59 12%	1 3%	56 14% b	3 2%	59 12%	1 4%

## NES Eczema Parent Survey

### PA\_Q5. Which, if any, of these things, have you noticed trigger an eczema flare up in your child?

BASE: All respondents

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
254 48%	124 47%	130 52%	3 25%	77 42%	77 50%	97 56% b	191 48%	31 58%	23 46%	9 39%	5 56%	98 55% c	130 45%	21 44%	- -	160 49%	94 49%
234 45%	108 41%	125 50% a	2 17%	82 44%	69 45%	81 47%	180 45%	23 43%	21 42%	10 43%	3 33%	87 49%	124 43%	19 40%	1 100%	162 50% b	71 37%
195 37%	94 35%	98 39%	4 33%	64 35%	61 40%	66 38%	149 37%	19 36%	19 38%	8 35%	3 33%	60 34%	114 40%	18 38%	- -	118 36%	75 39%
151 29%	76 29%	73 29%	1 8%	37 20%	38 25%	75 43% bc	117 29%	18 34%	12 24%	4 17%	1 11%	38 21%	95 33% b	16 33%	1 100%	73 23%	77 40% a
137 26%	69 26%	65 26%	4 33%	44 24%	46 30%	43 25%	107 27%	18 34%	9 18%	3 13%	- -	41 23%	77 27%	19 40% b	- -	85 26%	49 25%
126 24%	65 25%	60 24%	1 8%	41 22%	43 28%	41 24%	92 23%	15 28%	12 24%	7 30%	3 33%	33 18%	71 25%	19 40% bc	- -	82 25%	43 22%
119 23%	55 21%	64 25%	3 25%	30 16%	38 25%	48 28% b	88 22%	13 25%	13 26%	5 22%	2 22%	25 14%	69 24% b	23 48% bc	- -	71 22%	48 25%
108 21%	58 22%	50 20%	2 17%	38 21%	30 19%	38 22%	85 21%	9 17%	10 20%	4 17%	1 11%	31 17%	65 23%	10 21%	1 100%	68 21%	39 20%
98 19%	52 20%	46 18%	- -	31 17%	32 21%	35 20%	75 19%	12 23%	7 14%	4 17%	3 33%	25 14%	55 19%	14 29% b	1 100%	59 18%	39 20%
81 15%	38 14%	42 17%	1 8%	22 12%	25 16%	33 19%	64 16%	8 15%	6 12%	3 13%	1 11%	18 10%	49 17% b	13 27% b	- -	41 13%	39 20% a
66 13%	36 14%	30 12%	- -	17 9%	25 16%	24 14%	54 14%	3 6%	6 12%	3 13%	- -	14 8%	45 16% b	7 15%	- -	29 9%	36 19% a
22 4%	13 5%	9 4%	- -	8 4%	6 4%	8 5%	19 5%	1 2%	2 4%	- -	- -	4 2%	15 5%	3 6%	- -	7 2%	15 8% a
22 4%	9 3%	12 5%	1 8%	9 5%	4 3%	8 5%	17 4%	- -	4 8% b	1 4%	- -	13 7% c	7 2%	2 4%	- -	15 5%	6 3%



NES Eczema Parent Survey

PA\_Q5. Which, if any, of these things, have you noticed trigger an eczema flare up in your child?

BASE: All respondents

Significance Level: 95%

Total

Net: Emotions

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524	265	252	12	185	154	173	398	53	50	23	9	179	287	48	1	324	193
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
186	94	89	2	45	52	87	145	22	13	6	2	46	115	22	1	93	91
35%	35%	35%	17%	24%	34%	50% bc	36%	42%	26%	26%	22%	26%	40% b	46% b	100%	29%	47% a

## NES Eczema Parent Survey

### PA\_Q5. Which, if any, of these things, have you noticed trigger an eczema flare up in your child?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
254 48%	123 51%	32 55%	70 55%	25 47%	16 42%	15 63%	120 42%	219 49%	156 49%	183 47%	181 50% c	77 46%	58 38%	118 47%	126 49% c	181 51% c
234 45%	120 50% cde	26 45% d	45 35%	14 26%	12 32%	10 42%	110 39%	206 46%	137 43%	178 46%	171 47% bc	57 34%	50 33%	103 41%	111 44% bc	164 47% bc
195 37%	97 41%	23 40%	60 47% d	15 28%	13 34%	9 38%	98 35%	168 37%	122 38%	146 37%	143 39%	62 37%	53 35%	100 40%	98 38%	143 41%
151 29%	78 33%	24 41%	47 37%	21 40%	20 53% a	12 50%	89 31%	131 29%	101 31%	110 28%	116 32%	67 40%	54 36%	97 38%	99 39%	116 33%
137 26%	74 31%	18 31%	45 35%	15 28%	12 32%	6 25%	73 26%	119 27%	92 29%	110 28%	97 27%	55 33%	39 26%	78 31%	77 30%	100 28%
126 24%	67 28%	28 48% acd	33 26%	14 26%	12 32%	9 38%	83 29%	108 24%	87 27%	100 26%	98 27%	51 30%	39 26%	70 28%	80 31%	95 27%
119 23%	63 26%	20 34%	38 30%	17 32%	10 26%	9 38%	77 27%	103 23%	80 25%	95 24%	89 24%	54 32%	40 26%	65 26%	75 29%	85 24%
108 21%	58 24%	16 28%	30 24%	16 30%	10 26%	7 29%	62 22%	90 20%	72 22%	80 21%	89 24%	45 27%	36 24%	66 26%	60 24%	69 20%
98 19%	45 19%	18 31% a	27 21%	12 23%	7 18%	6 25%	58 20%	84 19%	62 19%	84 22%	74 20%	34 20%	33 22%	48 19%	51 20%	70 20%
81 15%	40 17%	18 31% a	23 18%	17 32% ac	12 32% a	6 25%	50 18%	73 16%	50 16%	62 16%	63 17%	37 22%	33 22%	52 21%	53 21%	61 17%
66 13%	33 14%	16 28% a	21 17%	16 30% ac	11 29% a	7 29%	48 17%	57 13%	47 15%	52 13%	57 16%	35 21% f	31 21%	44 17%	42 16%	49 14%
22 4%	13 5%	9 16% a	13 10%	9 17% a	9 24% ac	7 29%	19 7%	17 4%	17 5%	17 4%	18 5%	11 7%	16 11% a	15 6%	17 7%	20 6%
22 4%	11 5%	- -	3 2%	1 2%	2 5%	- -	10 4%	19 4%	10 3%	14 4%	12 3%	6 4%	7 5%	8 3%	10 4%	11 3%

NES Eczema Parent Survey

PA\_Q5. Which, if any, of these things, have you noticed trigger an eczema flare up in your child?

BASE: All respondents

Significance Level: 95%

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524	239	58	127	53	38	24	284	449	321	390	365	168	151	253	255	352
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
186	92	32	55	32	24	13	113	163	122	139	141	86	70	118	120	141
35%	38%	55%	43%	60%	63%	54%	40%	36%	38%	36%	39%	51%	46%	47%	47%	40%
		a		ac	ac							af		a	a	

## NES Eczema Parent Survey

### PA\_Q5. Which, if any, of these things, have you noticed trigger an eczema flare up in your child?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Certain shampoos, soaps and cosmetics	254 48%	86 54%	106 45%	25 42%	- -	22 49%	241 49%	13 39%	186 48%	66 55%	247 50%	7 25%
Seasonal changes in temperature	234 45%	90 57% bc	89 38%	16 27%	- -	24 53%	216 44%	18 55%	163 42%	69 57% a	223 45%	11 39%
Fabrics/clothing	195 37%	61 39%	90 38%	18 30%	- -	20 44%	186 38%	9 27%	153 39%	40 33%	189 38%	6 21%
Stress	151 29%	42 27%	77 33%	23 38%	- -	1 2%	144 29%	7 21%	125 32% b	25 21%	148 30%	3 11%
Cleaning products	137 26%	42 27%	63 27%	13 22%	- -	11 24%	128 26%	9 27%	117 30% b	18 15%	134 27%	3 11%
Certain foods e.g. dairy products, nuts, eggs etc.	126 24%	35 22%	57 24%	16 27%	- -	10 22%	121 25%	5 15%	106 27% b	20 17%	122 25%	4 14%
Fragrances	119 23%	27 17%	59 25%	24 40% ab	- -	8 18%	118 24% b	1 3%	103 26% b	16 13%	115 23%	4 14%
Dust	108 21%	23 15%	61 26% a	13 22%	- -	8 18%	103 21%	5 15%	91 23% b	16 13%	103 21%	5 18%
Grass	98 19%	30 19%	44 19%	8 13%	- -	8 18%	93 19%	5 15%	74 19%	23 19%	96 19%	2 7%
Feeling sad or unhappy	81 15%	16 10%	49 21% a	11 18%	- -	- -	79 16%	2 6%	69 18% b	11 9%	80 16%	1 4%
Exercise	66 13%	11 7%	36 15% a	14 23% a	- -	- -	64 13%	2 6%	59 15% b	7 6%	66 13%	- -
Cigarette smoke	22 4%	1 1%	15 6% a	5 8% a	- -	- -	22 4%	- -	21 5% b	- -	22 4%	- -

NES Eczema Parent Survey

PA\_Q5. Which, if any, of these things, have you noticed trigger an eczema flare up in your child?

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Don't know	22	8	4	2	-	4	16	6	10	7	14	8
	4%	5%	2%	3%	-	9%	3%	18% a	3%	6%	3%	29%
Net: Emotions	186	46	101	30	-	1	179	7	157	28	183	3
	35%	29%	43% a	50% a	-	2%	36%	21%	40% b	23%	37%	11%

## NES Eczema Parent Survey

### PA\_Q6. How often, if ever, do you see your child visibly upset or crying because of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child			Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Daily	14 3%	10 4%	4 2%	- -	7 4%	2 1%	5 3%	13 3%	- -	1 2%	- -	1 11%	- -	9 3% b	4 8% b	- -	8 2%	6 3%
Every few days	56 11%	24 9%	31 12%	1 8%	20 11%	22 14% d	13 8%	45 11%	6 11%	3 6%	2 9%	- -	11 6%	37 13% b	8 17% b	- -	27 8%	27 14% a
Every week	67 13%	31 12%	35 14%	2 17%	27 15%	19 12%	19 11%	57 14%	3 6%	5 10%	2 9%	- -	14 8%	50 17% b	3 6%	- -	45 14%	21 11%
Every few weeks	72 14%	40 15%	31 12%	2 17%	27 15%	22 14%	21 12%	53 13%	9 17%	7 14%	3 13%	- -	17 9%	46 16% b	8 17%	1 100%	42 13%	30 16%
Every month	48 9%	30 11% b	16 6%	2 17%	16 9%	14 9%	16 9%	37 9%	6 11%	5 10%	- -	- -	13 7%	26 9%	9 19% bc	- -	23 7%	24 12% a
Less often than every few months	73 14%	28 11%	44 17% a	1 8%	21 11%	25 16%	26 15%	52 13%	10 19%	5 10%	6 26%	- -	24 13%	40 14%	9 19%	- -	44 14%	28 15%
Every few months	42 8%	27 10%	15 6%	1 8%	11 6%	15 10%	15 9%	31 8%	3 6%	6 12%	2 9%	1 11%	22 12% c	15 5%	4 8%	- -	25 8%	16 8%
I never see my child visibly upset or crying because of their eczema	152 29%	75 28%	76 30%	3 25%	56 30%	35 23%	58 34% c	110 28%	16 30%	18 36%	8 35%	7 78%	78 44% cd	64 22% d	3 6%	- -	110 34% b	41 21%
Net: Sees child visibly upset or crying because of their eczema	372 71%	190 72%	176 70%	9 75%	129 70%	119 77% d	115 66%	288 72%	37 70%	32 64%	15 65%	2 22%	101 56%	223 78% b	45 94% bc	1 100%	214 66%	152 79% a

## NES Eczema Parent Survey

### PA\_Q6. How often, if ever, do you see your child visibly upset or crying because of their eczema?

BASE: All respondents

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Daily	14 3%	10 4%	5 9%	6 5%	4 8%	2 5%	2 8%	12 4%	12 3%	10 3%	12 3%	11 3%	12 7% a	8 5%	11 4%	11 4%	14 4%
Every few days	56 11%	29 12%	12 21%	22 17%	12 23% a	7 18%	8 33%	39 14%	49 11%	43 13%	48 12%	48 13%	32 19%	29 19%	45 18%	41 16%	47 13%
Every week	67 13%	29 12%	17 29% ac	16 13%	12 23% a	7 18%	2 8%	46 16%	63 14%	44 14%	51 13%	50 14%	36 21% af	28 19%	45 18%	43 17%	50 14%
Every few weeks	72 14%	32 13%	7 12%	16 13%	5 9%	8 21%	2 8%	45 16%	62 14%	48 15%	59 15%	57 16%	33 20%	30 20%	40 16%	46 18%	56 16%
Every month	48 9%	19 8%	7 12%	14 11%	8 15%	8 21% a	3 13%	30 11%	42 9%	34 11%	36 9%	37 10%	21 13%	22 15%	30 12%	30 12%	37 11%
Less often than every few months	73 14%	34 14% e	3 5%	20 16% be	4 8%	1 3%	3 13%	38 13%	62 14%	47 15%	49 13%	52 14% c	15 9%	10 7%	27 11%	33 13% c	47 13% c
Every few months	42 8%	19 8%	2 3%	9 7%	1 2%	1 3%	1 4%	16 6%	33 7%	18 6%	32 8%	25 7%	5 3%	4 3%	17 7%	12 5%	24 7%
I never see my child visibly upset or crying because of their eczema	152 29%	67 28% bde	5 9%	24 19%	7 13%	4 11%	3 13%	58 20%	126 28% a	77 24%	103 26%	85 23% bcde	14 8%	20 13%	38 15% b	39 15% b	77 22% bcde
Net: Sees child visibly upset or crying because of their eczema	372 71%	172 72%	53 91% a	103 81%	46 87% a	34 89% a	21 88%	226 80% b	323 72%	244 76%	287 74%	280 77%	154 92% adef	131 87% af	215 85% af	216 85% af	275 78%

## NES Eczema Parent Survey

### PA\_Q6. How often, if ever, do you see your child visibly upset or crying because of their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	14 3%	- -	6 3% a	7 12% ab	- -	1 2%	14 3%	- -	13 3%	1 1%	14 3%	- -
Every few days	56 11%	2 1%	42 18% a	10 17% a	- -	- -	56 11% b	- -	54 14% b	1 1%	55 11%	1 4%
Every week	67 13%	6 4%	47 20% a	10 17% a	- -	1 2%	67 14% b	- -	63 16% b	4 3%	66 13%	1 4%
Every few weeks	72 14%	11 7%	47 20% a	10 17% a	- -	3 7%	72 15% b	- -	62 16% b	9 7%	71 14%	1 4%
Every month	48 9%	8 5%	25 11%	11 18% a	- -	1 2%	48 10%	- -	44 11% b	3 2%	48 10%	- -
Less often than every few months	73 14%	27 17%	26 11%	6 10%	- -	5 11%	68 14%	5 15%	55 14%	16 13%	69 14%	4 14%
Every few months	42 8%	19 12%	15 6%	2 3%	- -	2 4%	41 8%	1 3%	25 6%	17 14% a	41 8%	1 4%
I never see my child visibly upset or crying because of their eczema	152 29%	85 54% bc	26 11%	4 7%	- -	32 71%	125 25%	27 82% a	75 19%	70 58% a	132 27%	20 71%
Net: Sees child visibly upset or crying because of their eczema	372 71%	73 46%	208 89% a	56 93% a	- -	13 29%	366 75% b	6 18%	316 81% b	51 42%	364 73%	8 29%



## NES Eczema Parent Survey

### PA\_Q7. To the best of your knowledge , who, if anyone, does your child turn to for practical and emotional support to help them manage their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
375 72%	186 70%	186 74%	5 42%	106 57%	122 79% b	142 82% b	285 72%	37 70%	35 70%	18 78%	4 44%	142 79% cd	198 69%	30 63%	1 100%	233 72%	141 73%
189 36%	94 35%	92 37%	6 50%	56 30%	69 45% bd	58 34%	149 37%	19 36%	12 24%	9 39%	3 33%	69 39%	104 36%	13 27%	- -	119 37%	68 35%
89 17%	43 16%	44 17%	2 17%	31 17%	22 14%	34 20%	67 17%	11 21%	6 12%	5 22%	- -	20 11%	58 20% b	11 23% b	- -	41 13%	46 24% a
81 15%	39 15%	42 17%	1 8%	27 15%	25 16%	28 16%	66 17% c	10 19% c	2 4%	3 13%	1 11%	20 11%	47 16%	13 27% b	- -	32 10%	48 25% a
62 12%	31 12%	31 12%	- -	21 11%	14 9%	27 16%	48 12%	8 15%	6 12%	- -	1 11%	13 7%	39 14% b	9 19% b	- -	24 7%	38 20% a
40 8%	24 9%	16 6%	- -	18 10%	10 6%	12 7%	36 9% c	3 6%	- -	1 4%	- -	8 4%	24 8%	8 17% b	- -	15 5%	23 12% a
26 5%	17 6% b	7 3%	1 8%	9 5%	9 6%	7 4%	22 6%	2 4%	2 4%	- -	- -	- -	18 6% b	8 17% bc	- -	8 2%	17 9% a
15 3%	8 3%	5 2%	- -	2 1%	7 5% b	6 3%	10 3%	3 6%	2 4%	- -	- -	3 2%	10 3%	2 4%	- -	2 1%	13 7% a
12 2%	7 3%	5 2%	1 8%	2 1%	3 2%	6 3%	11 3%	- -	1 2%	- -	1 11%	5 3%	5 2%	1 2%	- -	7 2%	5 3%
45 9%	23 9%	22 9%	2 17%	37 20% cd	4 3%	2 1%	29 7%	7 13%	7 14%	2 9%	2 22%	19 11%	22 8%	2 4%	- -	45 14% b	- -
479 91%	242 91%	230 91%	10 83%	148 80%	150 97% b	171 99% b	369 93%	46 87%	43 86%	21 91%	7 78%	160 89%	265 92%	46 96%	1 100%	279 86%	193 100% a

## NES Eczema Parent Survey

### PA\_Q7. To the best of your knowledge , who, if anyone, does your child turn to for practical and emotional support to help them manage their eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
375 72%	190 79% bde	35 60%	91 72% d	29 55%	23 61%	17 71%	191 67%	323 72%	215 67%	268 69%	275 75% bc	109 65%	96 64%	181 72%	187 73% c	252 72%
189 36%	87 36%	22 38%	59 46%	17 32%	12 32%	9 38%	106 37%	167 37%	111 35%	142 36%	141 39%	54 32%	47 31%	94 37%	97 38%	124 35%
89 17%	41 17%	16 28%	26 20%	18 34% a	10 26%	5 21%	57 20%	78 17%	57 18%	73 19%	65 18%	35 21%	32 21%	46 18%	52 20%	53 15%
81 15%	41 17%	18 31% a	28 22%	18 34% a	13 34% a	6 25%	57 20%	72 16%	59 18%	66 17%	73 20%	45 27% f	37 25%	54 21%	54 21%	63 18%
62 12%	31 13%	15 26% ac	16 13%	15 28% ac	9 24%	5 21%	47 17% b	50 11%	44 14%	50 13%	45 12%	30 18%	28 19%	37 15%	45 18%	48 14%
40 8%	21 9%	8 14%	15 12%	10 19% a	9 24% a	5 21%	27 10%	36 8%	25 8%	31 8%	27 7%	18 11%	18 12%	25 10%	29 11%	26 7%
26 5%	11 5%	11 19% ac	9 7%	10 19% ac	10 26% ac	3 13%	23 8%	22 5%	26 8%	25 6%	21 6%	20 12% af	20 13% ade	17 7%	17 7%	19 5%
15 3%	5 2%	7 12% a	7 6%	11 21% ac	6 16% ac	6 25%	10 4%	12 3%	12 4%	13 3%	10 3%	9 5%	10 7% a	11 4%	10 4%	12 3%
12 2%	7 3%	1 2%	2 2%	2 4%	2 5%	1 4%	4 1%	11 2%	5 2%	6 2%	7 2%	3 2%	2 1%	4 2%	1 *	7 2%
45 9%	19 8% d	3 5%	9 7% d	- -	1 3%	- -	16 6%	36 8%	31 10%	36 9%	23 6% c	5 3%	3 2%	11 4%	9 4%	30 9% bcde
479 91%	220 92%	55 95%	118 93%	53 100% ac	37 97%	24 100%	268 94%	413 92%	290 90%	354 91%	342 94%	163 97% f	148 98% af	242 96% f	246 96% f	322 91%

## NES Eczema Parent Survey

### PA\_Q7. To the best of your knowledge , who, if anyone, does your child turn to for practical and emotional support to help them manage their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Me	375 72%	129 82%	172 74%	37 62%	- -	- -	355 72%	20 61%	284 73%	82 68%	356 72%	19 68%
Their other parent	189 36%	62 39%	96 41%	19 32%	- -	- -	183 37%	6 18%	152 39%	35 29%	183 37%	6 21%
Other family members e.g. grandparents, aunts, uncles, cousins	89 17%	16 10%	52 22%	17 28%	- -	- -	87 18%	2 6%	77 20%	9 7%	86 17%	3 11%
Siblings	81 15%	7 4%	55 24%	16 27%	- -	- -	80 16%	1 3%	76 19%	5 4%	81 16%	- -
Their friends	62 12%	13 8%	37 16%	11 18%	- -	- -	61 12%	1 3%	57 15%	5 4%	61 12%	1 4%
Teachers	40 8%	6 4%	21 9%	10 17%	- -	- -	39 8%	1 3%	34 9%	6 5%	40 8%	- -
Patient support groups	26 5%	- -	16 7%	9 15%	- -	- -	26 5%	- -	26 7%	- -	26 5%	- -
Online community excluding patient support groups	15 3%	- -	9 4%	5 8%	- -	- -	15 3%	- -	15 4%	- -	15 3%	- -
My child doesn't turn to anyone	12 2%	7 4%	- -	1 2%	- -	- -	6 1%	6 18%	5 1%	7 6%	11 2%	1 4%
Not applicable as my child is too young	45 9%	14 9%	1 *	- -	- -	45 100%	39 8%	6 18%	19 5%	25 21%	39 8%	6 21%
Net: Anyone	479 91%	144 91%	233 100%	60 100%	- -	- -	452 92%	27 82%	372 95%	96 79%	457 92%	22 79%

## NES Eczema Parent Survey

### Q7. Summary: Approximately how often do they turn to them?: Summary

BASE: All respondents

Significance Level: 95%

	Frequency						
Total	Daily	Weekly	Monthly	Every few months	Yearly or more	Never	Net: At least weekly
	*a	*b	*c	*d	*e	*f	*g
375	142	108	61	54	10	-	250
100%	38%	29%	16%	14%	3%	-	67%
189	60	65	31	31	-	2	125
100%	32%	34%	16%	16%	-	1%	66%
81	17	27	21	10	3	3	44
100%	21%	33%	26%	12%	4%	4%	54%
89	12	25	26	21	2	3	37
100%	13%	28%	29%	24%	2%	3%	42%
62	11	14	26	9	-	2	25
100%	18%	23%	42%	15%	-	3%	40%
40	7	9	13	8	1	2	16
100%	18%	23%	33%	20%	3%	5%	40%
26	4	11	8	1	1	1	15
100%	15%	42%	31%	4%	4%	4%	58%
15	2	5	4	2	2	-	7
100%	13%	33%	27%	13%	13%	-	47%

NES Eczema Parent Survey

PA\_Q7\_1. Me: Approximately how often do they turn to them?

BASE: All who say their child turns to them

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
375 100%	186 100%	186 100%	5 100%	106 100%	122 100%	142 100%	285 100%	37 100%	35 100%	18 100%	4 100%	142 100%	198 100%	30 100%	1 100%	233 100%	141 100%
142 38%	70 38%	71 38%	4 80%	55 52% cd	39 32%	44 31%	106 37%	12 32%	16 46%	8 44%	- -	41 29%	85 43% b	16 53% b	- -	97 42%	45 32%
108 29%	50 27%	58 31%	- -	27 25%	38 31%	43 30%	81 28%	12 32%	8 23%	7 39%	- -	35 25%	63 32%	9 30%	1 100%	60 26%	48 34%
61 16%	31 17%	29 16%	- -	17 16%	22 18%	22 15%	49 17%	6 16%	5 14%	1 6%	1 25%	28 20%	29 15%	3 10%	- -	35 15%	25 18%
54 14%	30 16%	24 13%	1 20%	4 4%	21 17% b	28 20% b	41 14%	7 19%	4 11%	2 11%	2 50%	33 23% cd	17 9%	2 7%	- -	35 15%	19 13%
10 3%	5 3%	4 2%	- -	3 3%	2 2%	5 4%	8 3%	- -	2 6%	- -	1 25%	5 4%	4 2%	- -	- -	6 3%	4 3%
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
250 67%	120 65%	129 69%	4 80%	82 77% cd	77 63%	87 61%	187 66%	24 65%	24 69%	15 83%	- -	76 54%	148 75% b	25 83% b	1 100%	157 67%	93 66%

NES Eczema Parent Survey

PA\_Q7\_1. Me: Approximately how often do they turn to them?

BASE: All who say their child turns to them

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total	a	b	c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
375 100%	190 100%	35 100%	91 100%	29 100%	23 100%	17 100%	191 100%	323 100%	215 100%	268 100%	275 100%	109 100%	96 100%	181 100%	187 100%	252 100%
142 38%	73 38%	19 54%	42 46%	19 66%	11 48%	9 53%	83 43%	126 39%	91 42%	102 38%	113 41%	58 53% af	52 54% af	87 48%	89 48%	101 40%
108 29%	53 28%	9 26%	24 26%	5 17%	4 17%	5 29%	52 27%	94 29%	61 28%	84 31%	87 32%	32 29%	28 29%	51 28%	47 25%	79 31%
61 16%	34 18%	6 17%	13 14%	3 10%	6 26%	3 18%	29 15%	52 16%	30 14%	41 15%	44 16%	12 11%	11 11%	27 15%	28 15%	43 17%
54 14%	28 15%	1 3%	11 12%	2 7%	1 4%	- -	23 12%	44 14%	27 13%	34 13%	29 11%	7 6%	4 4%	15 8%	21 11% c	27 11%
10 3%	2 1%	- -	1 1%	- -	1 4%	- -	4 2%	7 2%	6 3%	7 3%	2 1%	- -	1 1%	1 1%	2 1%	2 1%
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
250 67%	126 66%	28 80%	66 73%	24 83%	15 65%	14 82%	135 71%	220 68%	152 71%	186 69%	200 73%	90 83% af	80 83% aef	138 76%	136 73%	180 71%

## NES Eczema Parent Survey

### PA\_Q7\_1. Me: Approximately how often do they turn to them?

BASE: All who say their child turns to them

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	*b	a	*b	a	b	a	*b
Total	375	129	172	37	-	-	355	20	284	82	356	19
	100%	100%	100%	100%	-	-	100%	100%	100%	100%	100%	100%
Daily	142	26	82	21	-	-	141	1	118	20	135	7
	38%	20%	48%	57%	-	-	40%	5%	42%	24%	38%	37%
			a	a					b			
Weekly	108	34	55	8	-	-	102	6	85	22	107	1
	29%	26%	32%	22%	-	-	29%	30%	30%	27%	30%	5%
Monthly	61	27	23	6	-	-	59	2	46	15	57	4
	16%	21%	13%	16%	-	-	17%	10%	16%	18%	16%	21%
Every few months	54	35	11	1	-	-	46	8	31	21	50	4
	14%	27%	6%	3%	-	-	13%	40%	11%	26%	14%	21%
		bc							a			
Yearly or more	10	7	1	1	-	-	7	3	4	4	7	3
	3%	5%	1%	3%	-	-	2%	15%	1%	5%	2%	16%
		b										
Never	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
Net: At least weekly	250	60	137	29	-	-	243	7	203	42	242	8
	67%	47%	80%	78%	-	-	68%	35%	71%	51%	68%	42%
			a	a					b			

## NES Eczema Parent Survey

### PA\_Q7\_2. Their other parent: Approximately how often do they turn to them?

BASE: All who say their child turns to their other parent

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	*b	*c	*d	*a	b	c	*d	*e	a	b
Total	189 100%	94 100%	92 100%	6 100%	56 100%	69 100%	58 100%	149 100%	19 100%	12 100%	9 100%	3 100%	69 100%	104 100%	13 100%	- -	119 100%	68 100%
Daily	60 32%	30 32%	28 30%	4 67%	24 43% d	18 26%	14 24%	46 31%	5 26%	6 50%	3 33%	- -	19 28%	35 34%	6 46%	- -	43 36%	17 25%
Weekly	65 34%	30 32%	35 38%	- -	19 34%	23 33%	23 40%	53 36%	6 32%	3 25%	3 33%	- -	19 28%	42 40%	4 31%	- -	37 31%	28 41%
Monthly	31 16%	20 21%	10 11%	1 17%	8 14%	14 20%	8 14%	26 17%	3 16%	1 8%	1 11%	1 33%	12 17%	16 15%	2 15%	- -	15 13%	14 21%
Every few months	31 16%	14 15%	17 18%	1 17%	4 7%	14 20% b	12 21% b	23 15%	5 26%	2 17%	1 11%	2 67%	18 26% c	10 10%	1 8%	- -	22 18%	9 13%
Yearly or more	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Never	2 1%	- -	2 2%	- -	1 2%	- -	1 2%	1 1%	- -	- -	1 11%	- -	1 1%	1 1%	- -	- -	2 2%	- -
Net: At least weekly	125 66%	60 64%	63 68%	4 67%	43 77% c	41 59%	37 64%	99 66%	11 58%	9 75%	6 67%	- -	38 55%	77 74% b	10 77%	- -	80 67%	45 66%



## NES Eczema Parent Survey

### PA\_Q7\_2. Their other parent: Approximately how often do they turn to them?

BASE: All who say their child turns to their other parent

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	*b	c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
189 100%	87 100%	22 100%	59 100%	17 100%	12 100%	9 100%	106 100%	167 100%	111 100%	142 100%	141 100%	54 100%	47 100%	94 100%	97 100%	124 100%
60 32%	27 31%	6 27%	21 36%	7 41%	3 25%	3 33%	36 34%	53 32%	43 39%	44 31%	49 35%	22 41%	16 34%	32 34%	36 37%	44 35%
65 34%	34 39%	7 32%	19 32%	5 29%	5 42%	3 33%	37 35%	58 35%	37 33%	54 38%	54 38%	23 43%	23 49%	37 39%	34 35%	48 39%
31 16%	13 15%	5 23%	9 15%	2 12%	3 25%	2 22%	18 17%	28 17%	18 16%	23 16%	20 14%	5 9%	5 11%	17 18%	15 15%	17 14%
31 16%	13 15%	3 14%	10 17%	3 18%	1 8%	1 11%	13 12%	27 16%	12 11%	20 14%	16 11%	4 7%	2 4%	8 9%	11 11%	14 11%
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
2 1%	- -	1 5%	- -	- -	- -	- -	2 2%	1 1%	1 1%	1 1%	2 1%	- -	1 2%	- -	1 1%	1 1%
125 66%	61 70%	13 59%	40 68%	12 71%	8 67%	6 67%	73 69%	111 66%	80 72%	98 69%	103 73%	45 83%	39 83%	69 73%	70 72%	92 74%

## NES Eczema Parent Survey

### PA\_Q7\_2. Their other parent: Approximately how often do they turn to them?

BASE: All who say their child turns to their other parent

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	*c	*a	*b	a	*b	a	b	a	*b
Total	189	62	96	19	-	-	183	6	152	35	183	6
	100%	100%	100%	100%	-	-	100%	100%	100%	100%	100%	100%
Daily	60	13	33	11	-	-	60	-	51	8	56	4
	32%	21%	34%	58%	-	-	33%	-	34%	23%	31%	67%
Weekly	65	15	43	3	-	-	64	1	60	5	65	-
	34%	24%	45%	16%	-	-	35%	17%	39%	14%	36%	-
			a						b			
Monthly	31	13	12	3	-	-	30	1	21	10	30	1
	16%	21%	13%	16%	-	-	16%	17%	14%	29%	16%	17%
										a		
Every few months	31	20	7	2	-	-	27	4	19	12	30	1
	16%	32%	7%	11%	-	-	15%	67%	13%	34%	16%	17%
			b							a		
Yearly or more	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
Never	2	1	1	-	-	-	2	-	1	-	2	-
	1%	2%	1%	-	-	-	1%	-	1%	-	1%	-
Net: At least weekly	125	28	76	14	-	-	124	1	111	13	121	4
	66%	45%	79%	74%	-	-	68%	17%	73%	37%	66%	67%
			a						b			

NES Eczema Parent Survey

PA\_Q7\_3. Siblings: Approximately how often do they turn to them?

BASE: All who say their child turns to thier siblings

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	*b	*c	*d	a	*b	*c	*d	*a	*b	c	*d	*e	a	b
Total	81 100%	39 100%	42 100%	1 100%	27 100%	25 100%	28 100%	66 100%	10 100%	2 100%	3 100%	1 100%	20 100%	47 100%	13 100%	- -	32 100%	48 100%
Daily	17 21%	10 26%	7 17%	- -	7 26%	3 12%	7 25%	15 23%	1 10%	1 50%	- -	- -	4 20%	10 21%	3 23%	- -	7 22%	10 21%
Weekly	27 33%	12 31%	15 36%	- -	7 26%	12 48%	8 29%	19 29%	4 40%	1 50%	3 100%	- -	7 35%	19 40%	1 8%	- -	10 31%	17 35%
Monthly	21 26%	10 26%	11 26%	1 100%	6 22%	6 24%	8 29%	19 29%	2 20%	- -	- -	1 100%	4 20%	10 21%	6 46%	- -	8 25%	13 27%
Every few months	10 12%	4 10%	6 14%	- -	5 19%	3 12%	2 7%	10 15%	- -	- -	- -	- -	1 5%	6 13%	3 23%	- -	5 16%	4 8%
Yearly or more	3 4%	1 3%	2 5%	- -	1 4%	- -	2 7%	2 3%	1 10%	- -	- -	- -	2 10%	1 2%	- -	- -	1 3%	2 4%
Never	3 4%	2 5%	1 2%	- -	1 4%	1 4%	1 4%	1 2%	2 20%	- -	- -	- -	2 10%	1 2%	- -	- -	1 3%	2 4%
Net: At least weekly	44 54%	22 56%	22 52%	- -	14 52%	15 60%	15 54%	34 52%	5 50%	2 100%	3 100%	- -	11 55%	29 62%	4 31%	- -	17 53%	27 56%

NES Eczema Parent Survey

PA\_Q7\_3. Siblings: Approximately how often do they turn to them?

BASE: All who say their child turns to thier siblings

Significance Level: 95%		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
		Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear flui	Cracked ski	Flaking ski	Dry or rough skin
	Total																
		a	*b	*c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
Total	81 100%	41 100%	18 100%	28 100%	18 100%	13 100%	6 100%	57 100%	72 100%	59 100%	66 100%	73 100%	45 100%	37 100%	54 100%	54 100%	63 100%
Daily	17 21%	9 22%	4 22%	6 21%	4 22%	1 8%	1 17%	15 26%	16 22%	11 19%	15 23%	17 23%	13 29%	10 27%	10 19%	11 20%	15 24%
Weekly	27 33%	18 44%	6 33%	8 29%	7 39%	4 31%	1 17%	19 33%	26 36%	20 34%	19 29%	24 33%	14 31%	9 24%	19 35%	16 30%	19 30%
Monthly	21 26%	10 24%	5 28%	8 29%	7 39%	5 38%	3 50%	12 21%	16 22%	15 25%	18 27%	18 25%	11 24%	7 19%	15 28%	15 28%	17 27%
Every few months	10 12%	2 5%	2 11%	5 18%	- -	3 23%	- -	7 12%	9 13%	10 17%	9 14%	9 12%	5 11%	7 19%	7 13%	9 17%	7 11%
Yearly or more	3 4%	1 2%	1 6%	1 4%	- -	- -	- -	3 5%	3 4%	2 3%	3 5%	3 4%	- -	2 5%	1 2%	1 2%	3 5%
Never	3 4%	1 2%	- -	- -	- -	- -	1 17%	1 2%	2 3%	1 2%	2 3%	2 3%	2 4%	2 5%	2 4%	2 4%	2 3%
Net: At least weekly	44 54%	27 66%	10 56%	14 50%	11 61%	5 38%	2 33%	34 60%	42 58%	31 53%	34 52%	41 56%	27 60%	19 51%	29 54%	27 50%	34 54%

## NES Eczema Parent Survey

### PA\_Q7\_3. Siblings: Approximately how often do they turn to them?

BASE: All who say their child turns to thier siblings

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	b	*c	*a	*b	a	*b	a	*b	a	*b
Total	81 100%	7 100%	55 100%	16 100%	- -	- -	80 100%	1 100%	76 100%	5 100%	81 100%	- -
Daily	17 21%	- -	11 20%	5 31%	- -	- -	17 21%	- -	16 21%	1 20%	17 21%	- -
Weekly	27 33%	2 29%	21 38%	3 19%	- -	- -	27 34%	- -	26 34%	1 20%	27 33%	- -
Monthly	21 26%	2 29%	13 24%	5 31%	- -	- -	20 25%	1 100%	19 25%	2 40%	21 26%	- -
Every few months	10 12%	2 29%	6 11%	2 13%	- -	- -	10 13%	- -	10 13%	- -	10 12%	- -
Yearly or more	3 4%	- -	3 5%	- -	- -	- -	3 4%	- -	3 4%	- -	3 4%	- -
Never	3 4%	1 14%	1 2%	1 6%	- -	- -	3 4%	- -	2 3%	1 20%	3 4%	- -
Net: At least weekly	44 54%	2 29%	32 58%	8 50%	- -	- -	44 55%	- -	42 55%	2 40%	44 54%	- -

## NES Eczema Parent Survey

### PA\_Q7\_4. Other family members e.g. grandparents, aunts, uncles, cousins: Approximately how often do they turn to them?

BASE: All who say their child turns to thier other family members

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	*c	d	a	*b	*c	*d	*a	*b	c	*d	*e	a	b
Total	89 100%	43 100%	44 100%	2 100%	31 100%	22 100%	34 100%	67 100%	11 100%	6 100%	5 100%	- -	20 100%	58 100%	11 100%	- -	41 100%	46 100%
Daily	12 13%	7 16%	5 11%	- -	5 16%	3 14%	4 12%	9 13%	2 18%	- -	1 20%	- -	1 5%	9 16%	2 18%	- -	4 10%	8 17%
Weekly	25 28%	11 26%	14 32%	- -	9 29%	6 27%	10 29%	19 28%	2 18%	2 33%	2 40%	- -	8 40%	15 26%	2 18%	- -	12 29%	13 28%
Monthly	26 29%	14 33%	11 25%	- -	8 26%	9 41%	9 26%	20 30%	3 27%	3 50%	- -	- -	5 25%	18 31%	3 27%	- -	11 27%	14 30%
Every few months	21 24%	8 19%	12 27%	2 100%	8 26%	4 18%	7 21%	17 25%	2 18%	- -	2 40%	- -	3 15%	14 24%	4 36%	- -	10 24%	10 22%
Yearly or more	2 2%	1 2%	1 2%	- -	- -	- -	2 6%	1 1%	1 9%	- -	- -	- -	1 5%	1 2%	- -	- -	1 2%	1 2%
Never	3 3%	2 5%	1 2%	- -	1 3%	- -	2 6%	1 1%	1 9%	1 17%	- -	- -	2 10%	1 2%	- -	- -	3 7%	- -
Net: At least weekly	37 42%	18 42%	19 43%	- -	14 45%	9 41%	14 41%	28 42%	4 36%	2 33%	3 60%	- -	9 45%	24 41%	4 36%	- -	16 39%	21 46%

## NES Eczema Parent Survey

### PA\_Q7\_4. Other family members e.g. grandparents, aunts, uncles, cousins: Approximately how often do they turn to them?

BASE: All who say their child turns to thier other family members

Significance Level: 95%		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
		Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	Total	a	*b	*c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
Total	89 100%	41 100%	16 100%	26 100%	18 100%	10 100%	5 100%	57 100%	78 100%	57 100%	73 100%	65 100%	35 100%	32 100%	46 100%	52 100%	53 100%
Daily	12 13%	9 22%	3 19%	4 15%	6 33%	3 30%	2 40%	10 18%	12 15%	10 18%	11 15%	10 15%	6 17%	7 22%	6 13%	9 17%	5 9%
Weekly	25 28%	13 32%	5 31%	7 27%	3 17%	2 20%	- -	14 25%	22 28%	16 28%	20 27%	19 29%	10 29%	5 16%	12 26%	18 35%	18 34%
Monthly	26 29%	9 22%	3 19%	7 27%	4 22%	4 40%	2 40%	16 28%	20 26%	17 30%	21 29%	19 29%	8 23%	11 34%	14 30%	11 21%	17 32%
Every few months	21 24%	6 15%	5 31%	7 27%	5 28%	1 10%	1 20%	14 25%	19 24%	10 18%	19 26%	14 22%	10 29%	9 28%	12 26%	12 23%	12 23%
Yearly or more	2 2%	2 5%	- -	- -	- -	- -	- -	1 2%	2 3%	2 4%	- -	1 2%	- -	- -	1 2%	1 2%	- -
Never	3 3%	2 5%	- -	1 4%	- -	- -	- -	2 4%	3 4%	2 4%	2 3%	2 3%	1 3%	- -	1 2%	1 2%	1 2%
Net: At least weekly	37 42%	22 54%	8 50%	11 42%	9 50%	5 50%	2 40%	24 42%	34 44%	26 46%	31 42%	29 45%	16 46%	12 38%	18 39%	27 52%	23 43%

## NES Eczema Parent Survey

### PA\_Q7\_4. Other family members e.g. grandparents, aunts, uncles, cousins: Approximately how often do they turn to them?

BASE: All who say their child turns to thier other family members

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	b	*c	*a	*b	a	*b	a	*b	a	*b
Total	89 100%	16 100%	52 100%	17 100%	- -	- -	87 100%	2 100%	77 100%	9 100%	86 100%	3 100%
Daily	12 13%	- -	8 15%	3 18%	- -	- -	12 14%	- -	11 14%	- -	12 14%	- -
Weekly	25 28%	3 19%	19 37%	3 18%	- -	- -	24 28%	1 50%	23 30%	2 22%	25 29%	- -
Monthly	26 29%	6 38%	15 29%	4 24%	- -	- -	26 30%	- -	21 27%	4 44%	25 29%	1 33%
Every few months	21 24%	5 31%	8 15%	7 41%	- -	- -	20 23%	1 50%	19 25%	2 22%	19 22%	2 67%
Yearly or more	2 2%	- -	1 2%	- -	- -	- -	2 2%	- -	1 1%	- -	2 2%	- -
Never	3 3%	2 13%	1 2%	- -	- -	- -	3 3%	- -	2 3%	1 11%	3 3%	- -
Net: At least weekly	37 42%	3 19%	27 52%	6 35%	- -	- -	36 41%	1 50%	34 44%	2 22%	37 43%	- -



## NES Eczema Parent Survey

### PA\_Q7\_5. Their friends: Approximately how often do they turn to them?

BASE: All who say their child turns to thier friends

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	*b	*c	*d	a	*b	*c	*d	*a	*b	c	*d	*e	*a	b
Total	62 100%	31 100%	31 100%	- -	21 100%	14 100%	27 100%	48 100%	8 100%	6 100%	- -	1 100%	13 100%	39 100%	9 100%	- -	24 100%	38 100%
Daily	11 18%	6 19%	5 16%	- -	3 14%	2 14%	6 22%	9 19%	1 13%	1 17%	- -	- -	2 15%	6 15%	3 33%	- -	4 17%	7 18%
Weekly	14 23%	5 16%	9 29%	- -	3 14%	5 36%	6 22%	12 25%	2 25%	- -	- -	- -	1 8%	12 31%	1 11%	- -	6 25%	8 21%
Monthly	26 42%	16 52%	10 32%	- -	11 52%	7 50%	8 30%	19 40%	3 38%	4 67%	- -	1 100%	3 23%	17 44%	5 56%	- -	12 50%	14 37%
Every few months	9 15%	3 10%	6 19%	- -	3 14%	- -	6 22%	7 15%	1 13%	1 17%	- -	- -	6 46%	3 8%	- -	- -	2 8%	7 18%
Yearly or more	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Never	2 3%	1 3%	1 3%	- -	1 5%	- -	1 4%	1 2%	1 13%	- -	- -	- -	1 8%	1 3%	- -	- -	- -	2 5%
Net: At least weekly	25 40%	11 35%	14 45%	- -	6 29%	7 50%	12 44%	21 44%	3 38%	1 17%	- -	- -	3 23%	18 46%	4 44%	- -	10 42%	15 39%

NES Eczema Parent Survey

PA\_Q7\_5. Their friends: Approximately how often do they turn to them?

BASE: All who say their child turns to thier friends

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear flui	Cracked ski	Flaking ski	Dry or rough skin
	a	*b	*c	*d	*e	*f	a	b	c	d	a	b	*c	d	e	f
62 100%	31 100%	15 100%	16 100%	15 100%	9 100%	5 100%	47 100%	50 100%	44 100%	50 100%	45 100%	30 100%	28 100%	37 100%	45 100%	48 100%
11 18%	6 19%	4 27%	3 19%	2 13%	1 11%	1 20%	7 15%	8 16%	9 20%	9 18%	8 18%	8 27%	6 21%	7 19%	9 20%	8 17%
14 23%	9 29%	2 13%	2 13%	3 20%	2 22%	1 20%	13 28%	13 26%	13 30%	11 22%	11 24%	9 30%	4 14%	9 24%	12 27%	12 25%
26 42%	11 35%	8 53%	10 63%	8 53%	6 67%	3 60%	21 45%	22 44%	19 43%	22 44%	19 42%	12 40%	15 54%	15 41%	17 38%	22 46%
9 15%	4 13%	1 7%	1 6%	2 13%	- -	- -	5 11%	6 12%	3 7%	7 14%	6 13% b	- -	2 7%	5 14% b	6 13% b	5 10%
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 3%	1 3%	- -	- -	- -	- -	- -	1 2%	1 2%	- -	1 2%	1 2%	1 3%	1 4%	1 3%	1 2%	1 2%
25 40%	15 48%	6 40%	5 31%	5 33%	3 33%	2 40%	20 43%	21 42%	22 50%	20 40%	19 42%	17 57%	10 36%	16 43%	21 47%	20 42%

## NES Eczema Parent Survey

### PA\_Q7\_5. Their friends: Approximately how often do they turn to them?

BASE: All who say their child turns to thier friends

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	b	*c	*a	*b	a	*b	a	*b	a	*b
Total	62 100%	13 100%	37 100%	11 100%	- -	- -	61 100%	1 100%	57 100%	5 100%	61 100%	1 100%
Daily	11 18%	1 8%	9 24%	1 9%	- -	- -	11 18%	- -	11 19%	- -	11 18%	- -
Weekly	14 23%	1 8%	11 30%	2 18%	- -	- -	14 23%	- -	14 25%	- -	14 23%	- -
Monthly	26 42%	6 46%	12 32%	7 64%	- -	- -	26 43%	- -	24 42%	2 40%	25 41%	1 100%
Every few months	9 15%	4 31%	4 11%	1 9%	- -	- -	8 13%	1 100%	7 12%	2 40%	9 15%	- -
Yearly or more	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Never	2 3%	1 8%	1 3%	- -	- -	- -	2 3%	- -	1 2%	1 20%	2 3%	- -
Net: At least weekly	25 40%	2 15%	20 54%	3 27%	- -	- -	25 41%	- -	25 44%	- -	25 41%	- -

NES Eczema Parent Survey

PA\_Q7\_6. Teachers: Approximately how often do they turn to them?

BASE: All who say their child turns to thier teachers

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		*a	*b	*a	*b	*c	*d	a	*b	*c	*d	*a	*b	*c	*d	*e	*a	*b
Total	40 100%	24 100%	16 100%	- -	18 100%	10 100%	12 100%	36 100%	3 100%	- -	1 100%	- -	8 100%	24 100%	8 100%	- -	15 100%	23 100%
Daily	7 18%	5 21%	2 13%	- -	3 17%	1 10%	3 25%	7 19%	- -	- -	- -	- -	1 13%	4 17%	2 25%	- -	2 13%	5 22%
Weekly	9 23%	3 13%	6 38%	- -	4 22%	3 30%	2 17%	8 22%	1 33%	- -	- -	- -	2 25%	5 21%	2 25%	- -	2 13%	6 26%
Monthly	13 33%	7 29%	6 38%	- -	7 39%	3 30%	3 25%	12 33%	1 33%	- -	- -	- -	2 25%	8 33%	3 38%	- -	8 53%	5 22%
Every few months	8 20%	7 29%	1 6%	- -	3 17%	2 20%	3 25%	7 19%	- -	- -	1 100%	- -	3 38%	4 17%	1 13%	- -	3 20%	4 17%
Yearly or more	1 3%	1 4%	- -	- -	- -	1 10%	- -	- -	1 33%	- -	- -	- -	- -	1 4%	- -	- -	- -	1 4%
Never	2 5%	1 4%	1 6%	- -	1 6%	- -	1 8%	2 6%	- -	- -	- -	- -	- -	2 8%	- -	- -	- -	2 9%
Net: At least weekly	16 40%	8 33%	8 50%	- -	7 39%	4 40%	5 42%	15 42%	1 33%	- -	- -	- -	3 38%	9 38%	4 50%	- -	4 27%	11 48%

## NES Eczema Parent Survey

### PA\_Q7\_6. Teachers: Approximately how often do they turn to them?

BASE: All who say their child turns to thier teachers

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total																
	*a	*b	*c	*d	*e	*f	*a	b	*c	d	*a	*b	*c	*d	*e	*f
40 100%	21 100%	8 100%	15 100%	10 100%	9 100%	5 100%	27 100%	36 100%	25 100%	31 100%	27 100%	18 100%	18 100%	25 100%	29 100%	26 100%
7 18%	4 19%	1 13%	1 7%	2 20%	- -	- -	5 19%	7 19%	5 20%	6 19%	6 22%	4 22%	3 17%	4 16%	7 24%	7 27%
9 23%	4 19%	2 25%	4 27%	2 20%	3 33%	2 40%	6 22%	8 22%	4 16%	7 23%	7 26%	3 17%	1 6%	6 24%	7 24%	5 19%
13 33%	8 38%	4 50%	6 40%	4 40%	4 44%	3 60%	10 37%	11 31%	10 40%	10 32%	9 33%	5 28%	9 50%	11 44%	10 34%	10 38%
8 20%	4 19%	1 13%	3 20%	1 10%	2 22%	- -	5 19%	7 19%	5 20%	5 16%	3 11%	4 22%	4 22%	2 8%	3 10%	3 12%
1 3%	- -	- -	- -	1 10%	- -	- -	- -	1 3%	1 4%	1 3%	- -	1 6%	- -	1 4%	- -	- -
2 5%	1 5%	- -	1 7%	- -	- -	- -	1 4%	2 6%	- -	2 6%	2 7%	1 6%	1 6%	1 4%	2 7%	1 4%
16 40%	8 38%	3 38%	5 33%	4 40%	3 33%	2 40%	11 41%	15 42%	9 36%	13 42%	13 48%	7 39%	4 22%	10 40%	14 48%	12 46%

## NES Eczema Parent Survey

### PA\_Q7\_6. Teachers: Approximately how often do they turn to them?

BASE: All who say their child turns to thier teachers

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	*b	*c	*a	*b	a	*b	a	*b	a	*b
Total	40	6	21	10	-	-	39	1	34	6	40	-
	100%	100%	100%	100%	-	-	100%	100%	100%	100%	100%	-
Daily	7	-	4	2	-	-	7	-	6	1	7	-
	18%	-	19%	20%	-	-	18%	-	18%	17%	18%	-
Weekly	9	3	5	1	-	-	9	-	7	2	9	-
	23%	50%	24%	10%	-	-	23%	-	21%	33%	23%	-
Monthly	13	1	6	4	-	-	13	-	12	1	13	-
	33%	17%	29%	40%	-	-	33%	-	35%	17%	33%	-
Every few months	8	2	4	2	-	-	8	-	6	2	8	-
	20%	33%	19%	20%	-	-	21%	-	18%	33%	20%	-
Yearly or more	1	-	-	1	-	-	1	-	1	-	1	-
	3%	-	-	10%	-	-	3%	-	3%	-	3%	-
Never	2	-	2	-	-	-	1	1	2	-	2	-
	5%	-	10%	-	-	-	3%	100%	6%	-	5%	-
Net: At least weekly	16	3	9	3	-	-	16	-	13	3	16	-
	40%	50%	43%	30%	-	-	41%	-	38%	50%	40%	-

## NES Eczema Parent Survey

### PA\_Q7\_7. Patient support groups: Approximately how often do they turn to them?

BASE: All who say their child turns to thier patient support groups

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		*a	*b	*a	*b	*c	*d	*a	*b	*c	*d	*a	*b	*c	*d	*e	*a	*b
Total	26 100%	17 100%	7 100%	1 100%	9 100%	9 100%	7 100%	22 100%	2 100%	2 100%	- -	- -	- -	18 100%	8 100%	- -	8 100%	17 100%
Daily	4 15%	3 18%	1 14%	- -	2 22%	- -	2 29%	4 18%	- -	- -	- -	- -	- -	2 11%	2 25%	- -	1 13%	3 18%
Weekly	11 42%	7 41%	3 43%	- -	4 44%	4 44%	3 43%	9 41%	1 50%	1 50%	- -	- -	- -	10 56%	1 13%	- -	3 38%	7 41%
Monthly	8 31%	6 35%	2 29%	- -	3 33%	3 33%	2 29%	6 27%	1 50%	1 50%	- -	- -	- -	5 28%	3 38%	- -	2 25%	6 35%
Every few months	1 4%	1 6%	- -	- -	- -	1 11%	- -	1 5%	- -	- -	- -	- -	- -	1 6%	- -	- -	1 13%	- -
Yearly or more	1 4%	- -	- -	1 100%	- -	- -	- -	1 5%	- -	- -	- -	- -	- -	- -	1 13%	- -	- -	1 6%
Never	1 4%	- -	1 14%	- -	- -	1 11%	- -	1 5%	- -	- -	- -	- -	- -	- -	1 13%	- -	1 13%	- -
Net: At least weekly	15 58%	10 59%	4 57%	- -	6 67%	4 44%	5 71%	13 59%	1 50%	1 50%	- -	- -	- -	12 67%	3 38%	- -	4 50%	10 59%

## NES Eczema Parent Survey

### PA\_Q7\_7. Patient support groups: Approximately how often do they turn to them?

BASE: All who say their child turns to thier patient support groups

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear flui	Cracked ski	Flaking ski	Dry or rough skin
	*a	*b	*c	*d	*e	*f	*a	*b	*c	*d	*a	*b	*c	*d	*e	*f
26 100%	11 100%	11 100%	9 100%	10 100%	10 100%	3 100%	23 100%	22 100%	26 100%	25 100%	21 100%	20 100%	20 100%	17 100%	17 100%	19 100%
4 15%	3 27%	3 27%	2 22%	1 10%	1 10%	- -	4 17%	3 14%	4 15%	4 16%	4 19%	4 20%	4 20%	4 24%	3 18%	3 16%
11 42%	3 27%	6 55%	4 44%	5 50%	4 40%	1 33%	9 39%	10 45%	11 42%	10 40%	8 38%	8 40%	7 35%	8 47%	7 41%	9 47%
8 31%	5 45%	2 18%	2 22%	3 30%	4 40%	2 67%	7 30%	7 32%	8 31%	8 32%	6 29%	7 35%	7 35%	3 18%	5 29%	5 26%
1 4%	- -	- -	- -	1 10%	- -	- -	1 4%	- -	1 4%	1 4%	1 5%	- -	1 5%	- -	1 6%	1 5%
1 4%	- -	- -	1 11%	- -	- -	- -	1 4%	1 5%	1 4%	1 4%	1 5%	- -	- -	1 6%	1 6%	1 5%
1 4%	- -	- -	- -	- -	1 10%	- -	1 4%	1 5%	1 4%	1 4%	1 5%	1 5%	1 5%	1 6%	- -	- -
15 58%	6 55%	9 82%	6 67%	6 60%	5 50%	1 33%	13 57%	13 59%	15 58%	14 56%	12 57%	12 60%	11 55%	12 71%	10 59%	12 63%



## NES Eczema Parent Survey

### PA\_Q7\_7. Patient support groups: Approximately how often do they turn to them?

BASE: All who say their child turns to thier patient support groups

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	*b	*c	*a	*b	*a	*b	*a	*b	*a	*b
Total	26	-	16	9	-	-	26	-	26	-	26	-
	100%	-	100%	100%	-	-	100%	-	100%	-	100%	-
Daily	4	-	4	-	-	-	4	-	4	-	4	-
	15%	-	25%	-	-	-	15%	-	15%	-	15%	-
Weekly	11	-	8	3	-	-	11	-	11	-	11	-
	42%	-	50%	33%	-	-	42%	-	42%	-	42%	-
Monthly	8	-	2	5	-	-	8	-	8	-	8	-
	31%	-	13%	56%	-	-	31%	-	31%	-	31%	-
Every few months	1	-	1	-	-	-	1	-	1	-	1	-
	4%	-	6%	-	-	-	4%	-	4%	-	4%	-
Yearly or more	1	-	1	-	-	-	1	-	1	-	1	-
	4%	-	6%	-	-	-	4%	-	4%	-	4%	-
Never	1	-	-	1	-	-	1	-	1	-	1	-
	4%	-	-	11%	-	-	4%	-	4%	-	4%	-
Net: At least weekly	15	-	12	3	-	-	15	-	15	-	15	-
	58%	-	75%	33%	-	-	58%	-	58%	-	58%	-

## NES Eczema Parent Survey

### PA\_Q7\_8. Online community excluding patient support groups: Approximately how often do they turn to them?

BASE: All who say their child turns to thier Online community excluding patient support groups

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		*a	*b	*a	*b	*c	*d	*a	*b	*c	*d	*a	*b	*c	*d	*e	*a	*b
Total	15 100%	8 100%	5 100%	- -	2 100%	7 100%	6 100%	10 100%	3 100%	2 100%	- -	- -	3 100%	10 100%	2 100%	- -	2 100%	13 100%
Daily	2 13%	2 25%	- -	- -	- -	- -	2 33%	1 10%	1 33%	- -	- -	- -	- -	2 20%	- -	- -	- -	2 15%
Weekly	5 33%	2 25%	2 40%	- -	- -	3 43%	2 33%	4 40%	- -	1 50%	- -	- -	2 67%	3 30%	- -	- -	1 50%	4 31%
Monthly	4 27%	2 25%	2 40%	- -	- -	2 29%	2 33%	2 20%	1 33%	1 50%	- -	- -	- -	3 30%	1 50%	- -	- -	4 31%
Every few months	2 13%	2 25%	- -	- -	1 50%	1 14%	- -	1 10%	1 33%	- -	- -	- -	- -	1 10%	1 50%	- -	- -	2 15%
Yearly or more	2 13%	- -	1 20%	- -	1 50%	1 14%	- -	2 20%	- -	- -	- -	- -	1 33%	1 10%	- -	- -	1 50%	1 8%
Never	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Net: At least weekly	7 47%	4 50%	2 40%	- -	- -	3 43%	4 67%	5 50%	1 33%	1 50%	- -	- -	2 67%	5 50%	- -	- -	1 50%	6 46%

## NES Eczema Parent Survey

### PA\_Q7\_8. Online community excluding patient support groups: Approximately how often do they turn to them?

BASE: All who say their child turns to thier Online community excluding patient support groups

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	*a	*b	*c	*d	*e	*f	*a	*b	*c	*d	*a	*b	*c	*d	*e	*f
15 100%	5 100%	7 100%	7 100%	11 100%	6 100%	6 100%	10 100%	12 100%	12 100%	13 100%	10 100%	9 100%	10 100%	11 100%	10 100%	12 100%
2 13%	1 20%	1 14%	2 29%	1 9%	1 17%	1 17%	1 10%	1 8%	2 17%	1 8%	2 20%	2 22%	2 20%	2 18%	2 20%	2 17%
5 33%	1 20%	1 14%	2 29%	4 36%	1 17%	2 33%	3 30%	4 33%	3 25%	4 31%	5 50%	3 33%	4 40%	3 27%	3 30%	5 42%
4 27%	2 40%	3 43%	2 29%	3 27%	2 33%	2 33%	4 40%	3 25%	4 33%	4 31%	2 20%	1 11%	2 20%	3 27%	4 40%	3 25%
2 13%	1 20%	1 14%	1 14%	2 18%	1 17%	1 17%	1 10%	2 17%	2 17%	2 15%	1 10%	2 22%	1 10%	1 9%	- -	1 8%
2 13%	- -	1 14%	- -	1 9%	1 17%	- -	1 10%	2 17%	1 8%	2 15%	- -	1 11%	1 10%	2 18%	1 10%	1 8%
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
7 47%	2 40%	2 29%	4 57%	5 45%	2 33%	3 50%	4 40%	5 42%	5 42%	5 38%	7 70%	5 56%	6 60%	5 45%	5 50%	7 58%

## NES Eczema Parent Survey

### PA\_Q7\_8. Online community excluding patient support groups: Approximately how often do they turn to them?

BASE: All who say their child turns to thier Online community excluding patient support groups

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	*b	*c	*a	*b	*a	*b	*a	*b	*a	*b
Total	15 100%	- -	9 100%	5 100%	- -	- -	15 100%	- -	15 100%	- -	15 100%	- -
Daily	2 13%	- -	1 11%	1 20%	- -	- -	2 13%	- -	2 13%	- -	2 13%	- -
Weekly	5 33%	- -	4 44%	1 20%	- -	- -	5 33%	- -	5 33%	- -	5 33%	- -
Monthly	4 27%	- -	2 22%	1 20%	- -	- -	4 27%	- -	4 27%	- -	4 27%	- -
Every few months	2 13%	- -	- -	2 40%	- -	- -	2 13%	- -	2 13%	- -	2 13%	- -
Yearly or more	2 13%	- -	2 22%	- -	- -	- -	2 13%	- -	2 13%	- -	2 13%	- -
Never	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Net: At least weekly	7 47%	- -	5 56%	2 40%	- -	- -	7 47%	- -	7 47%	- -	7 47%	- -

## NES Eczema Parent Survey

### PA\_Q8. To the best of your knowledge , who, if anyone, has your child ever tried to keep their eczema hidden from?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
171 33%	79 30%	91 36%	- -	45 24%	52 34%	74 43% b	130 33%	13 25%	21 42%	7 30%	1 11%	43 24%	103 36% b	24 50% b	- -	99 31%	71 37%
65 12%	35 13%	28 11%	2 17%	24 13%	16 10%	23 13%	48 12%	9 17%	6 12%	2 9%	- -	12 7%	47 16% b	6 13%	- -	33 10%	31 16%
50 10%	25 9%	25 10%	- -	18 10%	16 10%	16 9%	43 11%	4 8%	2 4%	1 4%	- -	12 7%	32 11%	6 13%	- -	24 7%	26 13% a
43 8%	24 9%	18 7%	1 8%	17 9%	12 8%	13 8%	38 10% c	2 4%	- -	3 13%	- -	6 3%	31 11% b	6 13% b	- -	19 6%	24 12% a
38 7%	21 8%	16 6%	2 17%	16 9%	9 6%	11 6%	32 8%	3 6%	3 6%	- -	- -	5 3%	28 10% b	5 10% b	- -	18 6%	18 9%
37 7%	24 9% b	10 4%	1 8%	16 9%	10 6%	10 6%	30 8%	3 6%	2 4%	2 9%	- -	6 3%	24 8% b	7 15% b	- -	15 5%	20 10% a
21 4%	12 5%	8 3%	- -	5 3%	5 3%	11 6%	16 4%	1 2%	4 8%	- -	- -	4 2%	11 4%	6 13% bc	- -	5 2%	16 8% a
20 4%	10 4%	9 4%	- -	7 4%	6 4%	7 4%	18 5%	2 4%	- -	- -	1 11%	2 1%	13 5% b	4 8% b	- -	3 1%	16 8% a
147 28%	79 30%	68 27%	- -	24 13%	58 38% b	65 38% b	114 29%	16 30%	9 18%	8 35%	4 44%	68 38% cd	67 23%	7 15%	1 100%	86 27%	60 31%
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
122 23%	64 24%	54 21%	4 33%	51 28%	34 22%	33 19%	103 26% b	6 11%	7 14%	6 26%	- -	24 13%	84 29% b	14 29% b	- -	57 18%	61 32% a
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%

NES Eczema Parent Survey

PA\_Q8. To the best of your knowledge , who, if anyone, has your child ever tried to keep their eczema hidden from?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524	265	252	12	185	154	173	398	53	50	23	9	179	287	48	1	324	193
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
196	95	98	2	56	58	80	149	16	24	7	1	46	123	26	-	108	86
37%	36%	39%	17%	30%	38%	46% b	37%	30%	48%	30%	11%	26%	43% b	54% b	-	33%	45% a

## NES Eczema Parent Survey

### PA\_Q8. To the best of your knowledge , who, if anyone, has your child ever tried to keep their eczema hidden from?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
171 33%	76 32%	29 50% ac	43 34%	23 43%	15 39%	9 38%	102 36%	147 33%	102 32%	131 34%	127 35%	71 42%	56 37%	103 41%	110 43% af	124 35%
65 12%	24 10%	10 17%	24 19% a	14 26% a	9 24% a	3 13%	43 15%	57 13%	47 15%	53 14%	44 12%	30 18%	24 16%	46 18% a	49 19% af	44 13%
50 10%	27 11%	15 26% a	18 14%	11 21%	10 26% a	8 33%	33 12%	45 10%	38 12%	37 9%	30 8%	25 15% af	22 15% a	28 11%	30 12%	31 9%
43 8%	18 8%	16 28% ac	18 14% a	11 21% a	8 21% a	4 17%	32 11%	39 9%	34 11%	35 9%	31 8%	24 14% af	24 16% af	24 9%	31 12%	30 9%
38 7%	18 8%	11 19% a	16 13%	14 26% ac	10 26% ac	5 21%	29 10%	35 8%	32 10%	35 9%	31 8%	27 16% af	25 17% af	29 11%	30 12%	30 9%
37 7%	19 8%	8 14%	11 9%	11 21% ac	4 11%	3 13%	29 10%	36 8%	27 8%	31 8%	26 7%	22 13% a	19 13% a	24 9%	24 9%	28 8%
21 4%	9 4%	6 10% a	5 4%	11 21% ac	3 8%	5 21%	17 6%	17 4%	16 5%	17 4%	17 5%	15 9%	11 7%	13 5%	15 6%	17 5%
20 4%	12 5%	8 14% a	9 7%	12 23% ac	9 24% ac	3 13%	15 5%	18 4%	16 5%	18 5%	14 4%	13 8% f	13 9% af	15 6%	15 6%	13 4%
147 28%	71 30% bde	7 12%	32 25% b	7 13%	5 13%	4 17%	62 22%	125 28%	74 23%	106 27%	103 28% bcde	25 15%	26 17%	53 21%	52 20%	91 26% bc
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
122 23%	53 22%	30 52% ac	41 32% a	30 57% ac	17 45% a	10 42%	87 31%	113 25%	90 28%	97 25%	89 24%	66 39% af	59 39% af	76 30%	80 31%	90 26%
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%

NES Eczema Parent Survey

PA\_Q8. To the best of your knowledge , who, if anyone, has your child ever tried to keep their eczema hidden from?

BASE: All respondents

Significance Level: 95%

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524	239	58	127	53	38	24	284	449	321	390	365	168	151	253	255	352
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
196	84	32	50	30	20	10	124	167	123	154	144	82	72	124	130	141
37%	35%	55%	39%	57%	53%	42%	44%	37%	38%	39%	39%	49%	48%	49%	51%	40%
		ac		ac	a							a		af	af	



## NES Eczema Parent Survey

### PA\_Q8. To the best of your knowledge , who, if anyone, has your child ever tried to keep their eczema hidden from?

BASE: All respondents

		No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
	Total	0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Their friends	171 33%	38 24%	95 41%	31 52%	- -	- -	166 34%	5 15%	150 38%	17 14%	169 34%	2 7%
			a	a			b		b			
Teachers	65 12%	10 6%	40 17%	8 13%	- -	- -	64 13%	1 3%	57 15%	5 4%	63 13%	2 7%
			a						b			
Me	50 10%	5 3%	34 15%	9 15%	- -	- -	49 10%	1 3%	47 12%	2 2%	46 9%	4 14%
			a	a					b			
Other family members e.g. grandparents, aunts, uncles, cousins	43 8%	3 2%	32 14%	6 10%	- -	- -	42 9%	1 3%	39 10%	4 3%	43 9%	- -
			a	a					b			
Siblings	38 7%	- -	23 10%	13 22%	- -	- -	38 8%	- -	36 9%	2 2%	37 7%	1 4%
			a	ab					b			
Their other parent	37 7%	2 1%	26 11%	7 12%	- -	- -	37 8%	- -	34 9%	2 2%	37 7%	- -
			a	a					b			
Online community excluding patient support groups	21 4%	2 1%	12 5%	7 12%	- -	- -	21 4%	- -	18 5%	3 2%	20 4%	1 4%
			a	a								
Patient support groups	20 4%	- -	13 6%	6 10%	- -	- -	20 4%	- -	20 5%	- -	20 4%	- -
			a	a					b			
My child hasn't tried to keep their eczema hidden from anyone	147 28%	87 55%	48 21%	5 8%	- -	2 4%	128 26%	19 58%	91 23%	53 44%	138 28%	9 32%
		bc	c					a		a		
Base for Net Family	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Net Family	122 23%	8 5%	85 36%	24 40%	- -	- -	120 24%	2 6%	112 29%	8 7%	117 24%	5 18%
			a	a			b		b			

## NES Eczema Parent Survey

### PA\_Q8. To the best of your knowledge , who, if anyone, has your child ever tried to keep their eczema hidden from?

BASE: All respondents

Significance Level: 95%

Total

Base for Net Teachers

Net Teachers

	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
Total	0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
	a	b	c	*a	b	a	b	a	b	a	*b
524	158	234	60	-	45	491	33	391	121	496	28
100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
524	158	234	60	-	45	491	33	391	121	496	28
100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
196	39	114	34	-	-	190	6	174	17	193	3
37%	25%	49%	57%	-	-	39%	18%	45%	14%	39%	11%
		a	a			b		b			

## NES Eczema Parent Survey

### PAQ9. To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?: Net agree summary

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
348 66%	182 69%	166 66%	6 50%	117 63%	103 67%	122 71%	267 67%	36 68%	29 58%	16 70%	3 33%	112 63%	202 70%	31 65%	- -	216 67%	130 67%
322 61%	154 58%	167 66%	6 50%	107 58%	96 62%	113 65%	246 62%	35 66%	27 54%	14 61%	7 78%	120 67% c	165 57%	29 60%	1 100%	203 63%	117 61%
284 54%	142 54%	139 55%	7 58%	100 54%	75 49%	102 59%	212 53%	34 64%	28 56%	10 43%	4 44%	102 57%	152 53%	25 52%	1 100%	170 52%	112 58%
142 27%	79 30%	59 23%	3 25%	48 26%	39 25%	52 30%	116 29%	10 19%	15 30%	1 4%	1 11%	26 15%	89 31% b	25 52% bc	1 100%	69 21%	69 36% a
138 26%	72 27%	63 25%	5 42%	60 32% c	32 21%	41 24%	113 28%	16 30%	8 16%	1 4%	- -	27 15%	91 32% b	20 42% b	- -	77 24%	57 30%
115 22%	57 22%	57 23%	3 25%	42 23%	25 16%	45 26% c	96 24% c	11 21%	5 10%	3 13%	- -	26 15%	72 25% b	17 35% b	- -	58 18%	54 28% a

## NES Eczema Parent Survey

### PAQ9. To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?: Net agree summary

BASE: All respondents

	Type of eczema							Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Maintaining a good skincare regime to manage and reduce my child's flare ups takes up a significant amount of my time (e.g. applying emollients, switching soaps and detergents, buying special linen, changing bedding etc.)	348 66%	167 70% e	38 66%	89 70% e	30 57%	19 50%	19 79%	191 67%	301 67%	214 67%	257 66%	255 70%	118 70%	100 66%	172 68%	172 67%	250 71%
My relationship with my partner has not been impacted by my child's eczema	322 61%	149 62%	32 55%	78 61%	32 60%	22 58%	19 79%	166 58%	274 61%	189 59%	228 58%	232 64%	101 60%	85 56%	156 62%	157 62%	223 63%
My sleep or a family member's sleep is not normally disturbed because of my child's eczema	284 54%	136 57%	33 57%	66 52%	26 49%	23 61%	13 54%	148 52%	243 54%	174 54%	203 52%	191 52%	87 52%	73 48%	135 53%	131 51%	192 55%
As a family, we regularly have to cancel activities or trips because of my child's eczema (e.g. visits to restaurants, trip to the cinema, going to visit friends etc.)	142 27%	68 28%	23 40%	44 35%	29 55% ac	17 45% a	15 63%	98 35%	129 29%	111 35%	111 28%	107 29%	85 51% adef	72 48% af	97 38% a	99 39% af	109 31%
My own performance at work has been affected by my child's eczema	138 26%	71 30%	24 41%	40 31%	30 57% ac	16 42%	13 54%	94 33%	125 28%	106 33%	108 28%	101 28%	74 44% af	69 46% af	96 38% af	93 36% a	104 30%
My child's eczema has negatively impacted my relationship with my other children	115 22%	61 26%	23 40% ac	31 24%	25 47% ac	13 34%	8 33%	85 30%	107 24%	79 25%	91 23%	86 24%	67 40% aef	58 38% af	79 31% a	78 31%	86 24%

## NES Eczema Parent Survey

### PAQ9. To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?: Net agree summary

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Maintaining a good skincare regime to manage and reduce my child's flare ups takes up a significant amount of my time (e.g. applying emollients, switching soaps and detergents, buying special linen, changing bedding etc.)	348 66%	92 58%	168 72% a	38 63%	- -	30 67%	327 67%	21 64%	273 70% b	70 58%	331 67%	17 61%
My relationship with my partner has not been impacted by my child's eczema	322 61%	102 65% c	138 59%	29 48%	- -	33 73%	299 61%	23 70%	238 61%	80 66%	302 61%	20 71%
My sleep or a family member's sleep is not normally disturbed because of my child's eczema	284 54%	102 65% bc	111 47%	29 48%	- -	30 67%	259 53%	25 76% a	206 53%	75 62%	268 54%	16 57%
As a family, we regularly have to cancel activities or trips because of my child's eczema (e.g. visits to restaurants, trip to the cinema, going to visit friends etc.)	142 27%	5 3%	96 41% a	32 53% a	- -	3 7%	138 28% b	4 12%	132 34% b	8 7%	137 28%	5 18%
My own performance at work has been affected by my child's eczema	138 26%	8 5%	83 35% a	31 52% ab	- -	4 9%	135 27% b	3 9%	125 32% b	9 7%	133 27%	5 18%
My child's eczema has negatively impacted my relationship with my other children	115 22%	9 6%	73 31% a	22 37% a	- -	4 9%	111 23%	4 12%	106 27% b	7 6%	109 22%	6 21%

NES Eczema Parent Survey

PAQ9. To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life? Summary

BASE: All respondents

	Total	Options					
		Strongly agree	Tend to agree	Tend to disagree	Strongly disagree	Not applicable	Net: Agree
		*a	*b	*c	*d	*e	*f
							Net: Disagree
Significance Level: 95%							
My own performance at work has been affected by my child's eczema	524 100%	62 12%	76 15%	141 27%	173 33%	72 14%	314 60%
My sleep or a family member's sleep is not normally disturbed because of my child's eczema	524 100%	133 25%	151 29%	121 23%	71 14%	48 9%	192 37%
As a family, we regularly have to cancel activities or trips because of my child's eczema (e.g. visits to restaurants, trip to the cinema, going to visit friends etc.)	524 100%	57 11%	85 16%	126 24%	184 35%	72 14%	310 59%
My child's eczema has negatively impacted my relationship with my other children	524 100%	52 10%	63 12%	120 23%	201 38%	88 17%	321 61%
My relationship with my partner has not been impacted by my child's eczema	524 100%	203 39%	119 23%	78 15%	67 13%	57 11%	145 28%
Maintaining a good skincare regime to manage and reduce my child's flare ups takes up a significant amount of my time (e.g. applying emollients, switching soaps and detergents, buying special linen, changing bedding etc.)	524 100%	161 31%	187 36%	87 17%	54 10%	35 7%	141 27%

## NES Eczema Parent Survey

**PA\_Q9\_1. My own performance at work has been affected by my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
62 12%	31 12%	31 12%	3 25%	28 15%	13 8%	18 10%	50 13% c	10 19% c	1 2%	1 4%	- -	14 8%	34 12%	14 29% bc	- -	37 11%	22 11%
76 15%	41 15%	32 13%	2 17%	32 17%	19 12%	23 13%	63 16%	6 11%	7 14%	- -	- -	13 7%	57 20% b	6 13%	- -	40 12%	35 18%
141 27%	72 27%	67 27%	4 33%	39 21%	40 26%	58 34% b	109 27%	13 25%	11 22%	8 35%	2 22%	56 31%	69 24%	14 29%	- -	76 23%	64 33% a
173 33%	84 32%	88 35%	3 25%	58 31%	59 38%	53 31%	130 33%	20 38%	17 34%	6 26%	6 67%	65 36% d	93 32% d	8 17%	1 100%	126 39% b	47 24%
72 14%	37 14%	34 13%	- -	28 15%	23 15%	21 12%	46 12%	4 8%	14 28% ab	8 35%	1 11%	31 17%	34 12%	6 13%	- -	45 14%	25 13%
138 26%	72 27%	63 25%	5 42%	60 32% c	32 21%	41 24%	113 28%	16 30%	8 16%	1 4%	- -	27 15%	91 32% b	20 42% b	- -	77 24%	57 30%
314 60%	156 59%	155 62%	7 58%	97 52%	99 64% b	111 64% b	239 60%	33 62%	28 56%	14 61%	8 89%	121 68% cd	162 56%	22 46%	1 100%	202 62%	111 58%

## NES Eczema Parent Survey

**PA\_Q9\_1. My own performance at work has been affected by my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
62 12%	30 13%	11 19%	20 16%	14 26% a	7 18%	7 29%	45 16%	53 12%	45 14%	51 13%	46 13%	36 21% af	38 25% af	44 17%	46 18%	48 14%
76 15%	41 17%	13 22%	20 16%	16 30% ac	9 24%	6 25%	49 17%	72 16%	61 19%	57 15%	55 15%	38 23% a	31 21%	52 21%	47 18%	56 16%
141 27%	63 26% d	15 26%	41 32% de	6 11%	5 13%	2 8%	73 26%	123 27%	71 22%	104 27%	107 29% b	32 19%	33 22%	61 24%	64 25%	93 26%
173 33%	79 33% bc	10 17%	28 22%	12 23%	9 24%	4 17%	74 26%	143 32%	99 31%	123 32%	105 29% c	40 24%	27 18%	71 28% c	65 25%	106 30% c
72 14%	26 11%	9 16%	18 14%	5 9%	8 21%	5 21%	43 15%	58 13%	45 14%	55 14%	52 14%	22 13%	22 15%	25 10%	33 13%	49 14%
138 26%	71 30%	24 41%	40 31%	30 57% ac	16 42%	13 54%	94 33%	125 28%	106 33%	108 28%	101 28%	74 44% af	69 46% af	96 38% af	93 36% a	104 30%
314 60%	142 59% bde	25 43%	69 54% d	18 34%	14 37%	6 25%	147 52%	266 59% a	170 53%	227 58%	212 58% bc	72 43%	60 40%	132 52% c	129 51% c	199 57% bc



## NES Eczema Parent Survey

**PA\_Q9\_1. My own performance at work has been affected by my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Strongly agree	62 12%	7 4%	32 14% a	15 25% ab	- -	2 4%	60 12%	2 6%	56 14% b	4 3%	60 12%	2 7%
Tend to agree	76 15%	1 1%	51 22% a	16 27% a	- -	2 4%	75 15%	1 3%	69 18% b	5 4%	73 15%	3 11%
Tend to disagree	141 27%	42 27%	70 30%	13 22%	- -	10 22%	136 28%	5 15%	108 28%	31 26%	131 26%	10 36%
Strongly disagree	173 33%	86 54% bc	51 22% c	6 10%	- -	22 49%	152 31%	21 64% a	112 29%	58 48% a	166 33%	7 25%
Not applicable	72 14%	22 14%	30 13%	10 17%	- -	9 20%	68 14%	4 12%	46 12%	23 19% a	66 13%	6 21%
Net: Agree	138 26%	8 5%	83 35% a	31 52% ab	- -	4 9%	135 27% b	3 9%	125 32% b	9 7%	133 27%	5 18%
Net: Disagree	314 60%	128 81% bc	121 52% c	19 32%	- -	32 71%	288 59%	26 79% a	220 56%	89 74% a	297 60%	17 61%

## NES Eczema Parent Survey

**PA\_Q9\_2. My sleep or a family member's sleep is not normally disturbed because of my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
133 25%	60 23%	72 29%	3 25%	47 25%	34 22%	49 28%	101 25%	15 28%	11 22%	6 26%	2 22%	59 33% c	62 22%	10 21%	- -	85 26%	47 24%
151 29%	82 31%	67 27%	4 33%	53 29%	41 27%	53 31%	111 28%	19 36%	17 34%	4 17%	2 22%	43 24%	90 31%	15 31%	1 100%	85 26%	65 34%
121 23%	63 24%	56 22%	2 17%	44 24%	38 25%	37 21%	96 24%	11 21%	9 18%	5 22%	- -	40 22%	69 24%	12 25%	- -	80 25%	39 20%
71 14%	32 12%	38 15%	2 17%	25 14%	25 16%	19 11%	53 13%	6 11%	9 18%	3 13%	3 33%	23 13%	39 14%	6 13%	- -	47 15%	24 12%
48 9%	28 11%	19 8%	1 8%	16 9%	16 10%	15 9%	37 9%	2 4%	4 8%	5 22%	2 22%	14 8%	27 9%	5 10%	- -	27 8%	18 9%
284 54%	142 54%	139 55%	7 58%	100 54%	75 49%	102 59%	212 53%	34 64%	28 56%	10 43%	4 44%	102 57%	152 53%	25 52%	1 100%	170 52%	112 58%
192 37%	95 36%	94 37%	4 33%	69 37%	63 41%	56 32%	149 37%	17 32%	18 36%	8 35%	3 33%	63 35%	108 38%	18 38%	- -	127 39%	63 33%

NES Eczema Parent Survey

PA\_Q9\_2. My sleep or a family member's sleep is not normally disturbed because of my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?

BASE: All respondents

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough ski
Significance Level: 95%			a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%		284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Strongly agree	133 25%	54 23%	17 29%	36 28%	10 19%	11 29%	5 21%		62 22%	109 24%	79 25%	92 24%	83 23%	46 27%	39 26%	61 24%	55 22%	86 24%
Tend to agree	151 29%	82 34%	16 28%	30 24%	16 30%	12 32%	8 33%		86 30%	134 30%	95 30%	111 28%	108 30%	41 24%	34 23%	74 29%	76 30%	106 30%
Tend to disagree	121 23%	58 24%	9 16%	34 27%	10 19%	5 13%	5 21%		64 23%	110 24%	76 24%	98 25%	89 24%	37 22%	28 19%	60 24%	66 26%	85 24%
Strongly disagree	71 14%	26 11%	9 16%	13 10%	11 21%	4 11%	4 17%		37 13%	59 13%	41 13%	55 14%	54 15%	21 13%	28 19%	36 14%	34 13%	46 13%
Not applicable	48 9%	19 8%	7 12%	14 11%	6 11%	6 16%	2 8%		35 12%	37 8%	30 9%	34 9%	31 8%	23 14%	22 15% af	22 9%	24 9%	29 8%
Net: Agree	284 54%	136 57%	33 57%	66 52%	26 49%	23 61%	13 54%		148 52%	243 54%	174 54%	203 52%	191 52%	87 52%	73 48%	135 53%	131 51%	192 55%
Net: Disagree	192 37%	84 35%	18 31%	47 37%	21 40%	9 24%	9 38%		101 36%	169 38%	117 36%	153 39%	143 39%	58 35%	56 37%	96 38%	100 39%	131 37%

## NES Eczema Parent Survey

**PA\_Q9\_2. My sleep or a family member's sleep is not normally disturbed because of my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Strongly agree	133 25%	49 31% b	47 20%	16 27%	- -	19 42%	118 24%	15 45% a	92 24%	40 33% a	124 25%	9 32%
Tend to agree	151 29%	53 34%	64 27%	13 22%	- -	11 24%	141 29%	10 30%	114 29%	35 29%	144 29%	7 25%
Tend to disagree	121 23%	28 18%	67 29% a	13 22%	- -	9 20%	119 24% b	2 6%	98 25%	21 17%	114 23%	7 25%
Strongly disagree	71 14%	20 13%	31 13%	10 17%	- -	3 7%	68 14%	3 9%	51 13%	18 15%	69 14%	2 7%
Not applicable	48 9%	8 5%	25 11%	8 13% a	- -	3 7%	45 9%	3 9%	36 9%	7 6%	45 9%	3 11%
Net: Agree	284 54%	102 65% bc	111 47%	29 48%	- -	30 67%	259 53%	25 76% a	206 53%	75 62%	268 54%	16 57%
Net: Disagree	192 37%	48 30%	98 42% a	23 38%	- -	12 27%	187 38% b	5 15%	149 38%	39 32%	183 37%	9 32%

## NES Eczema Parent Survey

**PA\_Q9\_3. As a family, we regularly have to cancel activities or trips because of my child's eczema (e.g. visits to restaurants, trip to the cinema, going to visit friends etc.): To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Strongly agree	57 11%	30 11%	25 10%	2 17%	22 12%	15 10%	18 10%	47 12%	4 8%	5 10%	1 4%	1 11%	14 8%	29 10%	13 27% bc	- -	28 9%	26 13%
Tend to agree	85 16%	49 18%	34 13%	1 8%	26 14%	24 16%	34 20%	69 17%	6 11%	10 20%	- -	- -	12 7%	60 21% b	12 25% b	1 100%	41 13%	43 22% a
Tend to disagree	126 24%	64 24%	60 24%	2 17%	46 25%	35 23%	43 25%	95 24%	16 30%	9 18%	6 26%	1 11%	47 26%	71 25%	7 15%	- -	81 25%	43 22%
Strongly disagree	184 35%	90 34%	94 37%	6 50%	62 34%	64 42% d	52 30%	133 33%	20 38%	22 44%	9 39%	6 67%	78 44% cd	90 31%	10 21%	- -	129 40% b	55 28%
Not applicable	72 14%	32 12%	39 15%	1 8%	29 16%	16 10%	26 15%	54 14%	7 13%	4 8%	7 30%	1 11%	28 16%	37 13%	6 13%	- -	45 14%	26 13%
Net: Agree	142 27%	79 30%	59 23%	3 25%	48 26%	39 25%	52 30%	116 29%	10 19%	15 30%	1 4%	1 11%	26 15%	89 31% b	25 52% bc	1 100%	69 21%	69 36% a
Net: Disagree	310 59%	154 58%	154 61%	8 67%	108 58%	99 64%	95 55%	228 57%	36 68%	31 62%	15 65%	7 78%	125 70% cd	161 56% d	17 35%	- -	210 65% b	98 51%

## NES Eczema Parent Survey

**PA\_Q9\_3. As a family, we regularly have to cancel activities or trips because of my child's eczema (e.g. visits to restaurants, trip to the cinema, going to visit friends etc.): To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum		Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
57 11%	22 9%	10 17%	17 13%	11 21% a	9 24% a	8 33%	42 15%	49 11%	43 13%	43 11%	41 11%	39 23% aef	34 23% aef	40 16%	37 15%	41 12%
85 16%	46 19%	13 22%	27 21%	18 34% a	8 21%	7 29%	56 20%	80 18%	68 21%	68 17%	66 18%	46 27% af	38 25%	57 23%	62 24%	68 19%
126 24%	53 22% e	12 21%	33 26% de	6 11%	3 8%	3 13%	63 22%	111 25%	68 21%	97 25%	96 26% bc	27 16%	22 15%	50 20%	59 23% c	81 23% c
184 35%	87 36%	14 24%	35 28%	12 23%	11 29%	2 8%	81 29%	150 33%	103 32%	131 34%	108 30% bc	36 21%	31 21%	71 28%	61 24%	112 32% bce
72 14%	31 13%	9 16%	15 12%	6 11%	7 18%	4 17%	42 15%	59 13%	39 12%	51 13%	54 15%	20 12%	26 17%	35 14%	36 14%	50 14%
142 27%	68 28%	23 40%	44 35%	29 55% ac	17 45% a	15 63%	98 35%	129 29%	111 35%	111 28%	107 29%	85 51% adef	72 48% af	97 38% a	99 39% af	109 31%
310 59%	140 59% de	26 45%	68 54% d	18 34%	14 37%	5 21%	144 51%	261 58% a	171 53%	228 58% a	204 56% bcde	63 38%	53 35%	121 48% bc	120 47% c	193 55% bc

## NES Eczema Parent Survey

**PA\_Q9\_3. As a family, we regularly have to cancel activities or trips because of my child's eczema (e.g. visits to restaurants, trip to the cinema, going to visit friends etc.): To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Strongly agree	57 11%	1 1%	40 17% a	13 22% a	- -	1 2%	55 11%	2 6%	51 13% b	4 3%	55 11%	2 7%
Tend to agree	85 16%	4 3%	56 24% a	19 32% a	- -	2 4%	83 17%	2 6%	81 21% b	4 3%	82 17%	3 11%
Tend to disagree	126 24%	41 26% c	54 23%	8 13%	- -	10 22%	124 25% b	2 6%	92 24%	31 26%	120 24%	6 21%
Strongly disagree	184 35%	94 59% bc	44 19%	12 20%	- -	24 53%	162 33%	22 67% a	114 29%	67 55% a	172 35%	12 43%
Not applicable	72 14%	18 11%	40 17%	8 13%	- -	8 18%	67 14%	5 15%	53 14%	15 12%	67 14%	5 18%
Net: Agree	142 27%	5 3%	96 41% a	32 53% a	- -	3 7%	138 28% b	4 12%	132 34% b	8 7%	137 28%	5 18%
Net: Disagree	310 59%	135 85% bc	98 42%	20 33%	- -	34 76%	286 58%	24 73%	206 53%	98 81% a	292 59%	18 64%

## NES Eczema Parent Survey

### PA\_Q9\_4. My child's eczema has negatively impacted my relationship with my other children: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?

BASE: All respondents

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Strongly agree	52 10%	26 10%	25 10%	2 17%	18 10%	13 8%	19 11%	43 11%	3 6%	3 6%	3 13%	- -	12 7%	32 11%	8 17% b	- -	23 7%	26 13% a
Tend to agree	63 12%	31 12%	32 13%	1 8%	24 13%	12 8%	26 15% c	53 13%	8 15%	2 4%	- -	- -	14 8%	40 14% b	9 19% b	- -	35 11%	28 15%
Tend to disagree	120 23%	69 26%	49 19%	1 8%	37 20%	37 24%	45 26%	88 22%	13 25%	13 26%	6 26%	1 11%	41 23%	68 24%	9 19%	1 100%	71 22%	49 25%
Strongly disagree	201 38%	99 37%	101 40%	4 33%	74 40%	66 43%	57 33%	149 37%	19 36%	25 50%	8 35%	7 78%	81 45% c	98 34%	15 31%	- -	134 41%	65 34%
Not applicable	88 17%	40 15%	45 18%	4 33%	32 17%	26 17%	26 15%	65 16%	10 19%	7 14%	6 26%	1 11%	31 17%	49 17%	7 15%	- -	61 19%	25 13%
Net: Agree	115 22%	57 22%	57 23%	3 25%	42 23%	25 16%	45 26% c	96 24% c	11 21%	5 10%	3 13%	- -	26 15%	72 25% b	17 35% b	- -	58 18%	54 28% a
Net: Disagree	321 61%	168 63%	150 60%	5 42%	111 60%	103 67%	102 59%	237 60%	32 60%	38 76% a	14 61%	8 89%	122 68% cd	166 58%	24 50%	1 100%	205 63%	114 59%



## NES Eczema Parent Survey

**PA\_Q9\_4. My child's eczema has negatively impacted my relationship with my other children: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
52 10%	25 10%	15 26% ac	16 13%	11 21% a	4 11%	3 13%	38 13%	49 11%	35 11%	45 12%	37 10%	29 17% af	30 20% af	36 14%	34 13%	37 11%
63 12%	36 15%	8 14%	15 12%	14 26% ac	9 24%	5 21%	47 17%	58 13%	44 14%	46 12%	49 13%	38 23% af	28 19%	43 17%	44 17%	49 14%
120 23%	54 23% d	10 17%	37 29% d	4 8%	7 18%	3 13%	66 23%	103 23%	75 23%	89 23%	91 25%	30 18%	29 19%	49 19%	57 22%	87 25%
201 38%	91 38%	20 34%	43 34%	18 34%	9 24%	8 33%	91 32%	167 37%	120 37%	143 37%	132 36% bc	42 25%	41 27%	88 35% b	80 31%	124 35% b
88 17%	33 14%	5 9%	16 13%	6 11%	9 24% b	5 21%	42 15%	72 16%	47 15%	67 17%	56 15%	29 17%	23 15%	37 15%	40 16%	55 16%
115 22%	61 26%	23 40% ac	31 24%	25 47% ac	13 34%	8 33%	85 30%	107 24%	79 25%	91 23%	86 24%	67 40% aef	58 38% af	79 31% a	78 31%	86 24%
321 61%	145 61% de	30 52%	80 63% de	22 42%	16 42%	11 46%	157 55%	270 60%	195 61%	232 59%	223 61% bc	72 43%	70 46%	137 54% b	137 54% b	211 60% bc

## NES Eczema Parent Survey

**PA\_Q9\_4. My child's eczema has negatively impacted my relationship with my other children: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Strongly agree	52 10%	3 2%	36 15% a	8 13% a	- -	2 4%	51 10%	1 3%	49 13% b	2 2%	51 10%	1 4%
Tend to agree	63 12%	6 4%	37 16% a	14 23% a	- -	2 4%	60 12%	3 9%	57 15% b	5 4%	58 12%	5 18%
Tend to disagree	120 23%	38 24%	59 25%	10 17%	- -	8 18%	118 24% b	2 6%	93 24%	24 20%	115 23%	5 18%
Strongly disagree	201 38%	83 53% bc	76 32%	15 25%	- -	19 42%	184 37%	17 52%	138 35%	61 50% a	194 39%	7 25%
Not applicable	88 17%	28 18%	26 11%	13 22% b	- -	14 31%	78 16%	10 30% a	54 14%	29 24% a	78 16%	10 36%
Net: Agree	115 22%	9 6%	73 31% a	22 37% a	- -	4 9%	111 23%	4 12%	106 27% b	7 6%	109 22%	6 21%
Net: Disagree	321 61%	121 77% bc	135 58% c	25 42%	- -	27 60%	302 62%	19 58%	231 59%	85 70% a	309 62%	12 43%

# NES Eczema Parent Survey

PA\_Q9\_5. My relationship with my partner has not been impacted by my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?

BASE: All respondents

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Strongly agree	203 39%	98 37%	105 42%	5 42%	75 41%	55 36%	68 39%	152 38%	26 49%	16 32%	9 39%	5 56%	84 47% c	97 34%	16 33%	1 100%	132 41%	70 36%
Tend to agree	119 23%	56 21%	62 25%	1 8%	32 17%	41 27% b	45 26% b	94 24%	9 17%	11 22%	5 22%	2 22%	36 20%	68 24%	13 27%	- -	71 22%	47 24%
Tend to disagree	78 15%	44 17%	29 12%	4 33%	30 16%	25 16%	19 11%	63 16%	6 11%	6 12%	3 13%	- -	20 11%	51 18%	7 15%	- -	42 13%	35 18%
Strongly disagree	67 13%	39 15%	28 11%	2 17%	30 16%	16 10%	19 11%	51 13%	5 9%	10 20%	1 4%	1 11%	21 12%	37 13%	8 17%	- -	43 13%	21 11%
Not applicable	57 11%	28 11%	28 11%	- -	18 10%	17 11%	22 13%	38 10%	7 13%	7 14%	5 22%	1 11%	18 10%	34 12%	4 8%	- -	36 11%	20 10%
Net: Agree	322 61%	154 58%	167 66%	6 50%	107 58%	96 62%	113 65%	246 62%	35 66%	27 54%	14 61%	7 78%	120 67% c	165 57%	29 60%	1 100%	203 63%	117 61%
Net: Disagree	145 28%	83 31% b	57 23%	6 50%	60 32% d	41 27%	38 22%	114 29%	11 21%	16 32%	4 17%	1 11%	41 23%	88 31%	15 31%	- -	85 26%	56 29%

## NES Eczema Parent Survey

**PA\_Q9\_5. My relationship with my partner has not been impacted by my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
203 39%	92 38%	19 33%	51 40%	17 32%	12 32%	12 50%	95 33%	174 39%	111 35%	144 37%	144 39%	54 32%	51 34%	93 37%	93 36%	136 39%
119 23%	57 24%	13 22%	27 21%	15 28%	10 26%	7 29%	71 25%	100 22%	78 24%	84 22%	88 24%	47 28%	34 23%	63 25%	64 25%	87 25%
78 15%	37 15%	8 14%	20 16%	9 17%	5 13%	- -	47 17%	70 16%	50 16%	64 16%	54 15%	26 15%	23 15%	43 17%	40 16%	52 15%
67 13%	29 12%	12 21%	17 13%	5 9%	6 16%	1 4%	40 14%	59 13%	45 14%	56 14%	42 12%	26 15%	28 19% ad	29 11%	33 13%	43 12%
57 11%	24 10%	6 10%	12 9%	7 13%	5 13%	4 17%	31 11%	46 10%	37 12%	42 11%	37 10%	15 9%	15 10%	25 10%	25 10%	34 10%
322 61%	149 62%	32 55%	78 61%	32 60%	22 58%	19 79%	166 58%	274 61%	189 59%	228 58%	232 64%	101 60%	85 56%	156 62%	157 62%	223 63%
145 28%	66 28%	20 34%	37 29%	14 26%	11 29%	1 4%	87 31%	129 29%	95 30%	120 31%	96 26%	52 31%	51 34%	72 28%	73 29%	95 27%

## NES Eczema Parent Survey

### PA\_Q9\_5. My relationship with my partner has not been impacted by my child's eczema: To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Strongly agree	203	64	78	17	-	27	183	20	142	58	189	14
	39%	41%	33%	28%	-	60%	37%	61% a	36%	48% a	38%	50%
Tend to agree	119	38	60	12	-	6	116	3	96	22	113	6
	23%	24%	26%	20%	-	13%	24%	9%	25%	18%	23%	21%
Tend to disagree	78	17	42	10	-	5	76	2	64	13	77	1
	15%	11%	18%	17%	-	11%	15%	6%	16%	11%	16%	4%
Strongly disagree	67	21	28	13	-	2	65	2	53	12	66	1
	13%	13%	12%	22%	-	4%	13%	6%	14%	10%	13%	4%
Not applicable	57	18	26	8	-	5	51	6	36	16	51	6
	11%	11%	11%	13%	-	11%	10%	18%	9%	13%	10%	21%
Net: Agree	322	102	138	29	-	33	299	23	238	80	302	20
	61%	65%	59%	48%	-	73%	61%	70%	61%	66%	61%	71%
		c										
Net: Disagree	145	38	70	23	-	7	141	4	117	25	143	2
	28%	24%	30%	38% a	-	16%	29% b	12%	30% b	21%	29%	7%

NES Eczema Parent Survey

PA\_Q9\_6. Maintaining a good skincare regime to manage and reduce my child's flare ups takes up a significant amount of my time (e.g. applying emollients, switching soaps and detergents, buying special linen, changing bedding etc.): To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
											Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland							
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
161 31%	79 30%	82 33%	3 25%	60 32%	46 30%	52 30%	120 30%	18 34%	14 28%	9 39%	3 33%	47 26%	96 33%	15 31%	- -	101 31%	58 30%
187 36%	103 39%	84 33%	3 25%	57 31%	57 37%	70 40%	147 37%	18 34%	15 30%	7 30%	- -	65 36%	106 37%	16 33%	- -	115 35%	72 37%
87 17%	40 15%	45 18%	3 25%	33 18%	24 16%	27 16%	59 15%	9 17%	15 30% a	4 17%	3 33%	39 22% c	37 13%	8 17%	- -	54 17%	31 16%
54 10%	23 9%	28 11%	1 8%	22 12%	18 12%	13 8%	41 10%	6 11%	6 12%	1 4%	2 22%	16 9%	27 9%	8 17%	1 100%	33 10%	20 10%
35 7%	20 8%	13 5%	2 17%	13 7%	9 6%	11 6%	31 8% c	2 4%	- -	2 9%	1 11%	12 7%	21 7%	1 2%	- -	21 6%	12 6%
348 66%	182 69%	166 66%	6 50%	117 63%	103 67%	122 71%	267 67%	36 68%	29 58%	16 70%	3 33%	112 63%	202 70%	31 65%	- -	216 67%	130 67%
141 27%	63 24%	73 29%	4 33%	55 30%	42 27%	40 23%	100 25%	15 28%	21 42% a	5 22%	5 56%	55 31% c	64 22%	16 33%	1 100%	87 27%	51 26%

## NES Eczema Parent Survey

**PA\_Q9\_6. Maintaining a good skincare regime to manage and reduce my child's flare ups takes up a significant amount of my time (e.g. applying emollients, switching soaps and detergents, buying special linen, changing bedding etc.): To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
161 31%	70 29%	15 26%	45 35%	14 26%	12 32%	8 33%	85 30%	140 31%	104 32%	123 32%	121 33%	63 38%	54 36%	86 34%	87 34%	113 32%
187 36%	97 41% e	23 40% e	44 35%	16 30%	7 18%	11 46%	106 37%	161 36%	110 34%	134 34%	134 37%	55 33%	46 30%	86 34%	85 33%	137 39%
87 17%	34 14%	8 14%	22 17%	9 17%	9 24%	2 8%	43 15%	71 16%	52 16%	66 17%	53 15%	21 13%	17 11%	33 13%	32 13%	45 13%
54 10%	23 10%	6 10%	9 7%	11 21% ac	6 16%	2 8%	25 9%	46 10%	35 11%	41 11%	35 10%	14 8%	18 12%	29 11%	31 12%	35 10%
35 7%	15 6%	6 10%	7 6%	3 6%	4 11%	1 4%	25 9%	31 7%	20 6%	26 7%	22 6%	15 9%	16 11%	19 8%	20 8%	22 6%
348 66%	167 70% e	38 66%	89 70% e	30 57%	19 50%	19 79%	191 67%	301 67%	214 67%	257 66%	255 70%	118 70%	100 66%	172 68%	172 67%	250 71%
141 27%	57 24%	14 24%	31 24%	20 38% a	15 39% a	4 17%	68 24%	117 26%	87 27%	107 27%	88 24%	35 21%	35 23%	62 25%	63 25%	80 23%

## NES Eczema Parent Survey

**PA\_Q9\_6. Maintaining a good skincare regime to manage and reduce my child's flare ups takes up a significant amount of my time (e.g. applying emollients, switching soaps and detergents, buying special linen, changing bedding etc.): To what extent do you agree or disagree with the following statements about the impact of eczema on your family's life?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Strongly agree	161 31%	28 18%	85 36% a	25 42% a	- -	14 31%	151 31%	10 30%	131 34% b	27 22%	154 31%	7 25%
Tend to agree	187 36%	64 41% c	83 35% c	13 22%	- -	16 36%	176 36%	11 33%	142 36%	43 36%	177 36%	10 36%
Tend to disagree	87 17%	43 27% bc	29 12%	4 7%	- -	11 24%	80 16%	7 21%	55 14%	30 25% a	82 17%	5 18%
Strongly disagree	54 10%	13 8%	21 9%	13 22% ab	- -	3 7%	53 11%	1 3%	40 10%	13 11%	52 10%	2 7%
Not applicable	35 7%	10 6%	16 7%	5 8%	- -	1 2%	31 6%	4 12%	23 6%	8 7%	31 6%	4 14%
Net: Agree	348 66%	92 58%	168 72% a	38 63%	- -	30 67%	327 67%	21 64%	273 70% b	70 58%	331 67%	17 61%
Net: Disagree	141 27%	56 35% b	50 21%	17 28%	- -	14 31%	133 27%	8 24%	95 24%	43 36% a	134 27%	7 25%



## NES Eczema Parent Survey

### PAQ10. Net Negatively affected any area of life

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Their emotional and mental health	312 60%	155 58%	152 60%	4 33%	83 45%	103 67% b	122 71% b	247 62%	29 55%	26 52%	10 43%	2 22%	83 46%	188 66% b	38 79% b	1 100%	167 52%	141 73% a
Their social life (friends and activities)	250 48%	123 46%	123 49%	5 42%	75 41%	78 51%	92 53% b	204 51% b	18 34%	21 42%	7 30%	- -	49 27%	165 57% b	35 73% bc	1 100%	134 41%	111 58% a
The amount they can exercise	234 45%	120 45%	108 43%	4 33%	66 36%	74 48% b	90 52% b	188 47%	20 38%	19 38%	7 30%	- -	44 25%	158 55% b	31 65% b	1 100%	115 35%	116 60% a
Their ability to make new friends	214 41%	112 42%	99 39%	4 33%	62 34%	69 45% b	79 46% b	168 42%	19 36%	22 44%	5 22%	- -	40 22%	144 50% b	29 60% b	1 100%	110 34%	99 51% a
Their existing friendships	195 37%	98 37%	91 36%	3 25%	63 34%	63 41%	66 38%	159 40%	15 28%	18 36%	3 13%	1 11%	37 21%	126 44% b	30 63% bc	1 100%	95 29%	95 49% a
Their performance at school e.g. exam results	193 37%	104 39%	85 34%	4 33%	57 31%	55 36%	77 45% b	160 40% b	13 25%	15 30%	5 22%	- -	36 20%	130 45% b	27 56% b	- -	90 28%	97 50% a
Their attendance at school	182 35%	98 37%	79 31%	5 42%	55 30%	57 37%	65 38%	144 36%	16 30%	17 34%	5 22%	- -	31 17%	123 43% b	27 56% b	1 100%	82 25%	97 50% a

NES Eczema Parent Survey

PAQ10. Net Negatively affected any area of life

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
312 60%	148 62%	43 74%	79 62%	42 79% ac	25 66%	14 58%	178 63%	267 59%	202 63%	240 62%	239 65%	124 74% f	114 75% af	179 71%	186 73% af	225 64%
250 48%	112 47%	42 72% ac	67 53%	36 68% a	25 66% a	18 75%	165 58% b	222 49%	167 52%	203 52%	195 53%	120 71% af	111 74% af	167 66% af	173 68% af	183 52%
234 45%	105 44%	40 69% a	69 54%	40 75% ac	24 63% a	16 67%	152 54%	211 47%	164 51%	189 48%	187 51%	111 66% af	99 66% af	152 60% af	158 62% af	178 51%
214 41%	99 41%	34 59% a	63 50%	36 68% ac	20 53%	19 79%	139 49%	192 43%	145 45%	177 45%	174 48%	107 64% af	99 66% af	149 59% af	147 58% af	166 47%
195 37%	89 37%	32 55% a	56 44%	34 64% ac	25 66% ac	19 79%	135 48% b	171 38%	137 43%	161 41%	149 41%	101 60% af	97 64% ade	135 53% af	131 51% af	148 42%
193 37%	82 34%	35 60% a	60 47% a	32 60% a	22 58% a	17 71%	130 46%	173 39%	138 43%	154 39%	153 42%	97 58% af	91 60% adf	126 50%	130 51% a	152 43%
182 35%	85 36%	36 62% ac	52 41%	37 70% ac	21 55% a	19 79%	127 45% b	160 36%	132 41%	146 37%	142 39%	95 57% af	89 59% adf	122 48% af	125 49% af	140 40%

## NES Eczema Parent Survey

### PAQ10. Net Negatively affected any area of life

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Their emotional and mental health	312	69	181	46	-	1	300	12	264	41	304	8
	60%	44%	77%	77%	-	2%	61%	36%	68%	34%	61%	29%
			a	a			b		b			
Their social life (friends and activities)	250	28	164	45	-	-	242	8	226	20	245	5
	48%	18%	70%	75%	-	-	49%	24%	58%	17%	49%	18%
			a	a			b		b			
The amount they can exercise	234	23	160	41	-	1	227	7	216	14	231	3
	45%	15%	68%	68%	-	2%	46%	21%	55%	12%	47%	11%
			a	a			b		b			
Their ability to make new friends	214	22	140	44	-	-	208	6	200	11	211	3
	41%	14%	60%	73%	-	-	42%	18%	51%	9%	43%	11%
			a	a			b		b			
Their existing friendships	195	13	129	46	-	-	190	5	183	9	190	5
	37%	8%	55%	77%	-	-	39%	15%	47%	7%	38%	18%
			a	ab			b		b			
Their performance at school e.g. exam results	193	20	127	38	-	-	188	5	180	8	191	2
	37%	13%	54%	63%	-	-	38%	15%	46%	7%	39%	7%
			a	a			b		b			
Their attendance at school	182	13	122	36	-	1	178	4	170	8	180	2
	35%	8%	52%	60%	-	2%	36%	12%	43%	7%	36%	7%
			a	a			b		b			

## NES Eczema Parent Survey

### PAQ10. To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life? Summary

BASE: All respondents

		Extent							
Total		A lot	Moderately	A little	Not at all	Don't know	Not applicable as my child is too young	Net: At all (a lot / moderately / a little)	Net: A lot / moderately
		*a	*b	*c	*d	*e	*f	*g	*h
Significance Level: 95%									
Their existing friendships	524	30	62	103	240	18	71	195	92
	100%	6%	12%	20%	46%	3%	14%	37%	18%
Their ability to make new friends	524	37	77	100	223	19	68	214	114
	100%	7%	15%	19%	43%	4%	13%	41%	22%
Their social life (friends and activities)	524	39	70	141	193	10	71	250	109
	100%	7%	13%	27%	37%	2%	14%	48%	21%
The amount they can exercise	524	40	74	120	204	14	72	234	114
	100%	8%	14%	23%	39%	3%	14%	45%	22%
Their emotional and mental health	524	39	84	189	126	21	65	312	123
	100%	7%	16%	36%	24%	4%	12%	60%	23%
Their attendance at school	524	39	50	93	249	18	75	182	89
	100%	7%	10%	18%	48%	3%	14%	35%	17%
Their performance at school e.g. exam results	524	29	65	99	205	22	104	193	94
	100%	6%	12%	19%	39%	4%	20%	37%	18%

## NES Eczema Parent Survey

### PA\_Q10\_1 . Their existing friendships: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
A lot	30 6%	16 6%	14 6%	- -	8 4%	12 8%	10 6%	21 5%	3 6%	5 10%	1 4%	- -	9 5%	16 6%	5 10%	- -	9 3%	20 10% a
Moderately	62 12%	28 11%	32 13%	- -	23 12%	16 10%	23 13%	54 14%	4 8%	3 6%	1 4%	- -	8 4%	49 17% b	5 10%	- -	29 9%	32 17% a
A little	103 20%	54 20%	45 18%	3 25%	32 17%	35 23%	33 19%	84 21%	8 15%	10 20%	1 4%	1 11%	20 11%	61 21% b	20 42% bc	1 100%	57 18%	43 22%
Not at all	240 46%	122 46%	117 46%	2 17%	58 31%	84 55% b	96 55% b	176 44%	25 47%	21 42%	18 78%	6 67%	103 58% cd	117 41%	14 29%	- -	147 45%	92 48%
Don't know	18 3%	11 4%	7 3%	1 8%	7 4%	3 2%	7 4%	14 4%	4 8%	- -	- -	1 11%	5 3%	11 4%	1 2%	- -	12 4%	5 3%
Not applicable as my child is too young	71 14%	34 13%	37 15%	6 50%	57 31% cd	4 3%	4 2%	49 12%	9 17%	11 22%	2 9%	1 11%	34 19% cd	33 11%	3 6%	- -	70 22% b	1 1%
Net: At all (a lot / moderately / a little)	195 37%	98 37%	91 36%	3 25%	63 34%	63 41%	66 38%	159 40%	15 28%	18 36%	3 13%	1 11%	37 21%	126 44% b	30 63% bc	1 100%	95 29%	95 49% a
Net: A lot / moderately	92 18%	44 17%	46 18%	- -	31 17%	28 18%	33 19%	75 19%	7 13%	8 16%	2 9%	- -	17 9%	65 23% b	10 21% b	- -	38 12%	52 27% a

## NES Eczema Parent Survey

### PA\_Q10\_1 . Their existing friendships: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
30 6%	11 5%	3 5%	9 7%	9 17% abc	3 8%	5 21%	22 8%	24 5%	21 7%	22 6%	26 7%	18 11%	19 13% af	24 9%	26 10%	25 7%
62 12%	31 13%	14 24% a	19 15%	10 19%	12 32% ac	10 42%	46 16%	55 12%	50 16%	54 14%	47 13%	39 23% af	33 22% af	42 17%	44 17%	49 14%
103 20%	47 20%	15 26%	28 22%	15 28%	10 26%	4 17%	67 24%	92 20%	66 21%	85 22%	76 21%	44 26%	45 30% af	69 27%	61 24%	74 21%
240 46%	109 46% de	21 36%	51 40%	16 30%	9 24%	1 4%	103 36%	201 45% a	125 39%	166 43%	161 44% bcd	50 30%	39 26%	85 34%	96 38% c	149 42% bcd
18 3%	4 2%	2 3%	6 5%	2 4%	1 3%	1 4%	13 5%	14 3%	11 3%	12 3%	13 4%	5 3%	6 4%	10 4%	8 3%	11 3%
71 14%	37 15% bd	3 5%	14 11% d	1 2%	3 8%	3 13%	33 12%	63 14%	48 15%	51 13%	42 12%	12 7%	9 6%	23 9%	20 8%	44 13% c
195 37%	89 37%	32 55% a	56 44%	34 64% ac	25 66% ac	19 79%	135 48% b	171 38%	137 43%	161 41%	149 41%	101 60% af	97 64% adef	135 53% af	131 51% af	148 42%
92 18%	42 18%	17 29% a	28 22%	19 36% a	15 39% ac	15 63%	68 24% b	79 18%	71 22%	76 19%	73 20%	57 34% af	52 34% af	66 26%	70 27% a	74 21%

## NES Eczema Parent Survey

### PA\_Q10\_1 . Their existing friendships: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
A lot	30 6%	1 1%	15 6% a	13 22% ab	- -	- -	30 6%	- -	29 7% b	1 1%	30 6%	- -
Moderately	62 12%	3 2%	39 17% a	18 30% ab	- -	- -	61 12%	1 3%	59 15% b	2 2%	61 12%	1 4%
A little	103 20%	9 6%	75 32% a	15 25% a	- -	- -	99 20%	4 12%	95 24% b	6 5%	99 20%	4 14%
Not at all	240 46%	127 80% bc	88 38% c	10 17%	- -	10 22%	219 45%	21 64% a	161 41%	73 60% a	225 45%	15 54%
Don't know	18 3%	5 3%	7 3%	3 5%	- -	- -	17 3%	1 3%	11 3%	5 4%	17 3%	1 4%
Not applicable as my child is too young	71 14%	13 8%	10 4%	1 2%	- -	35 78%	65 13%	6 18%	36 9%	34 28% a	64 13%	7 25%
Net: At all (a lot / moderately / a little)	195 37%	13 8%	129 55% a	46 77% ab	- -	- -	190 39% b	5 15%	183 47% b	9 7%	190 38%	5 18%
Net: A lot / moderately	92 18%	4 3%	54 23% a	31 52% ab	- -	- -	91 19% b	1 3%	88 23% b	3 2%	91 18%	1 4%

## NES Eczema Parent Survey

### PA\_Q10\_2 . Their ability to make new friends: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
A lot	37 7%	21 8%	16 6%	- -	11 6%	14 9%	12 7%	30 8%	4 8%	3 6%	- -	- -	7 4%	21 7%	9 19% bc	- -	19 6%	17 9%
Moderately	77 15%	37 14%	39 15%	2 17%	24 13%	22 14%	29 17%	61 15%	6 11%	6 12%	4 17%	- -	10 6%	60 21% b	7 15% b	- -	36 11%	37 19% a
A little	100 19%	54 20%	44 17%	2 17%	27 15%	33 21%	38 22%	77 19%	9 17%	13 26%	1 4%	- -	23 13%	63 22% b	13 27% b	1 100%	55 17%	45 23%
Not at all	223 43%	116 44%	104 41%	2 17%	65 35%	73 47% b	83 48% b	171 43%	22 42%	16 32%	14 61%	8 89%	97 54% cd	102 36%	16 33%	- -	135 42%	87 45%
Don't know	19 4%	6 2%	12 5%	- -	5 3%	6 4%	8 5%	15 4%	2 4%	1 2%	1 4%	- -	7 4%	11 4%	1 2%	- -	13 4%	5 3%
Not applicable as my child is too young	68 13%	31 12%	37 15%	6 50%	53 29% cd	6 4%	3 2%	44 11%	10 19%	11 22% a	3 13%	1 11%	35 20% cd	30 10%	2 4%	- -	66 20% b	2 1%
Net: At all (a lot / moderately / a little)	214 41%	112 42%	99 39%	4 33%	62 34%	69 45% b	79 46% b	168 42%	19 36%	22 44%	5 22%	- -	40 22%	144 50% b	29 60% b	1 100%	110 34%	99 51% a
Net: A lot / moderately	114 22%	58 22%	55 22%	2 17%	35 19%	36 23%	41 24%	91 23%	10 19%	9 18%	4 17%	- -	17 9%	81 28% b	16 33% b	- -	55 17%	54 28% a



## NES Eczema Parent Survey

### PA\_Q10\_2 . Their ability to make new friends: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
A lot	37 7%	11 5%	3 5%	11 9%	7 13% a	5 13% a	7 29%	28 10%	32 7%	29 9%	32 8%	31 8%	25 15% af	17 11%	28 11%	33 13%	29 8%
Moderately	77 15%	39 16%	18 31% a	26 20%	15 28% a	9 24%	9 38%	55 19%	71 16%	57 18%	63 16%	63 17%	34 20%	46 30% abef	58 23% f	52 20%	56 16%
A little	100 19%	49 21%	13 22%	26 20%	14 26%	6 16%	3 13%	56 20%	89 20%	59 18%	82 21%	80 22%	48 29%	36 24%	63 25%	62 24%	81 23%
Not at all	223 43%	97 41%	19 33%	47 37%	15 28%	15 39%	2 8%	106 37%	178 40%	122 38%	155 40%	139 38% bcde	41 24%	40 26%	74 29%	77 30%	135 38% bcde
Don't know	19 4%	10 4%	1 2%	3 2%	- - -	1 3%	- -	9 3%	18 4%	8 2%	12 3%	14 4%	7 4%	3 2%	8 3%	10 4%	12 3%
Not applicable as my child is too young	68 13%	33 14% d	4 7%	14 11%	2 4%	2 5%	3 13%	30 11%	61 14%	46 14%	46 12%	38 10%	13 8%	9 6%	22 9%	21 8%	39 11%
Net: At all (a lot / moderately / a little)	214 41%	99 41%	34 59% a	63 50%	36 68% ac	20 53%	19 79%	139 49%	192 43%	145 45%	177 45%	174 48%	107 64% af	99 66% af	149 59% af	147 58% af	166 47%
Net: A lot / moderately	114 22%	50 21%	21 36% a	37 29%	22 42% a	14 37% a	16 67%	83 29%	103 23%	86 27%	95 24%	94 26%	59 35% af	63 42% af	86 34% af	85 33% af	85 24%

## NES Eczema Parent Survey

### PA\_Q10\_2 . Their ability to make new friends: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
A lot	37 7%	1 1%	22 9% a	13 22% ab	- -	- -	36 7%	1 3%	35 9% b	2 2%	37 7%	- -
Moderately	77 15%	3 2%	50 21% a	20 33% a	- -	- -	75 15%	2 6%	72 18% b	2 2%	76 15%	1 4%
A little	100 19%	18 11%	68 29% a	11 18%	- -	- -	97 20%	3 9%	93 24% b	7 6%	98 20%	2 7%
Not at all	223 43%	120 76% bc	73 31%	14 23%	- -	12 27%	206 42%	17 52%	146 37%	71 59% a	210 42%	13 46%
Don't know	19 4%	5 3%	10 4%	- -	- -	1 2%	15 3%	4 12% a	11 3%	6 5%	15 3%	4 14%
Not applicable as my child is too young	68 13%	11 7%	11 5%	2 3%	- -	32 71%	62 13%	6 18%	34 9%	33 27% a	60 12%	8 29%
Net: At all (a lot / moderately / a little)	214 41%	22 14%	140 60% a	44 73% a	- -	- -	208 42% b	6 18%	200 51% b	11 9%	211 43%	3 11%
Net: A lot / moderately	114 22%	4 3%	72 31% a	33 55% ab	- -	- -	111 23%	3 9%	107 27% b	4 3%	113 23%	1 4%

## NES Eczema Parent Survey

**PA\_Q10\_3 . Their social life (friends and activities): To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?**

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
A lot	39 7%	25 9%	14 6%	- -	14 8%	8 5%	17 10%	33 8%	3 6%	3 6%	- -	- -	6 3%	22 8%	11 23% bc	- -	14 4%	25 13% a
Moderately	70 13%	32 12%	36 14%	1 8%	21 11%	24 16%	24 14%	59 15%	3 6%	5 10%	3 13%	- -	14 8%	45 16% b	11 23% b	- -	28 9%	41 21% a
A little	141 27%	66 25%	73 29%	4 33%	40 22%	46 30%	51 29%	112 28%	12 23%	13 26%	4 17%	- -	29 16%	98 34% b	13 27%	1 100%	92 28%	45 23%
Not at all	193 37%	101 38%	90 36%	2 17%	50 27%	67 44% b	74 43% b	138 35%	24 45%	18 36%	13 57%	8 89%	92 51% cd	84 29%	9 19%	- -	116 36%	76 39%
Don't know	10 2%	4 2%	6 2%	- -	3 2%	4 3%	3 2%	7 2%	1 2%	2 4%	- -	- -	5 3%	4 1%	1 2%	- -	6 2%	4 2%
Not applicable as my child is too young	71 14%	37 14%	33 13%	5 42%	57 31% cd	5 3%	4 2%	49 12%	10 19%	9 18%	3 13%	1 11%	33 18% cd	34 12%	3 6%	- -	68 21% b	2 1%
Net: At all (a lot / moderately / a little)	250 48%	123 46%	123 49%	5 42%	75 41%	78 51%	92 53% b	204 51% b	18 34%	21 42%	7 30%	- -	49 27%	165 57% b	35 73% bc	1 100%	134 41%	111 58% a
Net: A lot / moderately	109 21%	57 22%	50 20%	1 8%	35 19%	32 21%	41 24%	92 23%	6 11%	8 16%	3 13%	- -	20 11%	67 23% b	22 46% bc	- -	42 13%	66 34% a

## NES Eczema Parent Survey

**PA\_Q10\_3 . Their social life (friends and activities): To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
39 7%	13 5%	10 17% ac	9 7%	8 15% a	9 24% ac	3 13%	32 11%	32 7%	30 9%	32 8%	33 9%	28 17% af	24 16% af	31 12%	28 11%	32 9%
70 13%	32 13%	12 21%	26 20%	16 30% a	10 26% a	10 42%	50 18%	63 14%	53 17%	59 15%	55 15%	35 21%	38 25% af	49 19%	49 19%	54 15%
141 27%	67 28%	20 34% e	32 25%	12 23%	6 16%	5 21%	83 29%	127 28%	84 26%	112 29%	107 29%	57 34%	49 32%	87 34%	96 38% af	97 28%
193 37%	89 37% b	12 21%	46 36% b	15 28%	11 29%	2 8%	83 29%	158 35%	99 31%	129 33%	123 34% bcde	34 20%	28 19%	61 24%	60 24%	119 34% bcde
10 2%	4 2%	- -	1 1%	1 2%	- -	1 4%	6 2%	7 2%	8 2%	7 2%	4 1%	4 2%	3 2%	4 2%	3 1%	7 2%
71 14%	34 14% d	4 7%	13 10%	1 2%	2 5%	3 13%	30 11%	62 14%	47 15%	51 13%	43 12% bc	10 6%	9 6%	21 8%	19 7%	43 12% bc
250 48%	112 47%	42 72% ac	67 53%	36 68% a	25 66% a	18 75%	165 58% b	222 49%	167 52%	203 52%	195 53%	120 71% af	111 74% af	167 66% af	173 68% af	183 52%
109 21%	45 19%	22 38% a	35 28%	24 45% ac	19 50% ac	13 54%	82 29% b	95 21%	83 26%	91 23%	88 24%	63 38% af	62 41% aef	80 32% a	77 30%	86 24%

## NES Eczema Parent Survey

**PA\_Q10\_3 . Their social life (friends and activities): To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
A lot	39 7%	2 1%	22 9% a	13 22% ab	- -	- -	38 8%	1 3%	39 10% b	- -	39 8%	- -
Moderately	70 13%	5 3%	49 21% a	14 23% a	- -	- -	70 14% b	- -	70 18% b	- -	69 14%	1 4%
A little	141 27%	21 13%	93 40% a	18 30% a	- -	- -	134 27%	7 21%	117 30% b	20 17%	137 28%	4 14%
Not at all	193 37%	110 70% bc	57 24%	11 18%	- -	12 27%	174 35%	19 58% a	124 32%	63 52% a	180 36%	13 46%
Don't know	10 2%	3 2%	4 2%	3 5%	- -	- -	9 2%	1 3%	3 1%	5 4% a	7 1%	3 11%
Not applicable as my child is too young	71 14%	17 11% bc	9 4%	1 2%	- -	33 73%	66 13%	5 15%	38 10%	33 27% a	64 13%	7 25%
Net: At all (a lot / moderately / a little)	250 48%	28 18%	164 70% a	45 75% a	- -	- -	242 49% b	8 24%	226 58% b	20 17%	245 49%	5 18%
Net: A lot / moderately	109 21%	7 4%	71 30% a	27 45% ab	- -	- -	108 22% b	1 3%	109 28% b	- -	108 22%	1 4%

## NES Eczema Parent Survey

### PA\_Q10\_4 . The amount they can exercise: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
40 8%	24 9%	14 6%	1 8%	8 4%	13 8%	18 10% b	33 8%	2 4%	5 10%	- -	- -	6 3%	26 9% b	8 17% b	- -	19 6%	20 10%
74 14%	37 14%	36 14%	1 8%	22 12%	25 16%	26 15%	58 15%	7 13%	7 14%	2 9%	- -	12 7%	53 18% b	9 19% b	- -	30 9%	42 22% a
120 23%	59 22%	58 23%	2 17%	36 19%	36 23%	46 27%	97 24%	11 21%	7 14%	5 22%	- -	26 15%	79 28% b	14 29% b	1 100%	66 20%	54 28% a
204 39%	102 38%	102 40%	2 17%	52 28%	75 49% b	75 43% b	148 37%	24 45%	18 36%	14 61%	7 78%	100 56% cd	85 30%	12 25%	- -	133 41%	69 36%
14 3%	9 3%	5 2%	- -	9 5% c	1 1%	4 2%	13 3%	1 2%	- -	- -	- -	3 2%	9 3%	2 4%	- -	8 2%	5 3%
72 14%	34 13%	37 15%	6 50%	58 31% cd	4 3%	4 2%	49 12%	8 15%	13 26% a	2 9%	2 22%	32 18% d	35 12%	3 6%	- -	68 21% b	3 2%
234 45%	120 45%	108 43%	4 33%	66 36%	74 48% b	90 52% b	188 47%	20 38%	19 38%	7 30%	- -	44 25%	158 55% b	31 65% b	1 100%	115 35%	116 60% a
114 22%	61 23%	50 20%	2 17%	30 16%	38 25%	44 25% b	91 23%	9 17%	12 24%	2 9%	- -	18 10%	79 28% b	17 35% b	- -	49 15%	62 32% a

## NES Eczema Parent Survey

### PA\_Q10\_4 . The amount they can exercise: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
A lot	40 8%	16 7%	10 17% a	15 12% a	9 17% a	7 18% a	4 17%	32 11%	33 7%	31 10%	32 8%	33 9%	23 14%	24 16% af	34 13%	33 13%	30 9%
Moderately	74 14%	33 14%	12 21%	28 22% a	20 38% ac	9 24%	5 21%	50 18%	66 15%	50 16%	62 16%	61 17%	46 27% af	37 25% a	51 20%	54 21%	61 17%
A little	120 23%	56 23%	18 31%	26 20%	11 21%	8 21%	7 29%	70 25%	112 25%	83 26%	95 24%	93 25%	42 25%	38 25%	67 26%	71 28%	87 25%
Not at all	204 39%	94 39% bd	13 22%	43 34% d	10 19%	10 26%	4 17%	89 31%	166 37% c	95 30%	137 35%	126 35% bce	40 24%	36 24%	70 28%	69 27%	124 35% bcde
Don't know	14 3%	4 2%	2 3%	1 1%	1 2%	2 5%	- -	8 3%	11 2%	13 4%	11 3%	8 2%	6 4%	4 3%	9 4%	6 2%	7 2%
Not applicable as my child is too young	72 14%	36 15% bd	3 5%	14 11%	2 4%	2 5%	4 17%	35 12%	61 14%	49 15%	53 14%	44 12%	11 7%	12 8%	22 9%	22 9%	43 12% b
Net: At all (a lot / moderately / a little)	234 45%	105 44%	40 69% a	69 54%	40 75% ac	24 63% a	16 67%	152 54%	211 47%	164 51%	189 48%	187 51%	111 66% af	99 66% af	152 60% af	158 62% af	178 51%
Net: A lot / moderately	114 22%	49 21%	22 38% a	43 34% a	29 55% ac	16 42% a	9 38%	82 29% b	99 22%	81 25%	94 24%	94 26%	69 41% af	61 40% af	85 34% af	87 34% af	91 26%

## NES Eczema Parent Survey

**PA\_Q10\_4 . The amount they can exercise: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
A lot	40 8%	2 1%	23 10% a	14 23% ab	- -	- -	39 8%	1 3%	38 10% b	1 1%	40 8%	- -
Moderately	74 14%	1 1%	56 24% a	15 25% a	- -	- -	73 15%	1 3%	71 18% b	2 2%	73 15%	1 4%
A little	120 23%	20 13%	81 35% ac	12 20%	- -	1 2%	115 23%	5 15%	107 27% b	11 9%	118 24%	2 7%
Not at all	204 39%	122 77% bc	54 23%	12 20%	- -	12 27%	186 38%	18 55%	123 31%	76 63% a	190 38%	14 50%
Don't know	14 3%	1 1%	8 3%	3 5% a	- -	1 2%	12 2%	2 6%	10 3%	2 2%	12 2%	2 7%
Not applicable as my child is too young	72 14%	12 8%	12 5%	4 7%	- -	31 69%	66 13%	6 18%	42 11%	29 24% a	63 13%	9 32%
Net: At all (a lot / moderately / a little)	234 45%	23 15%	160 68% a	41 68% a	- -	1 2%	227 46% b	7 21%	216 55% b	14 12%	231 47%	3 11%
Net: A lot / moderately	114 22%	3 2%	79 34% a	29 48% ab	- -	- -	112 23% b	2 6%	109 28% b	3 2%	113 23%	1 4%



## NES Eczema Parent Survey

**PA\_Q10\_5 . Their emotional and mental health: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?**

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
A lot	39 7%	18 7%	20 8%	1 8%	7 4%	10 6%	21 12% b	31 8%	2 4%	5 10%	1 4%	- -	9 5%	21 7%	9 19% bc	- -	12 4%	27 14% a
Moderately	84 16%	45 17%	37 15%	- -	31 17%	26 17%	27 16%	71 18%	7 13%	5 10%	1 4%	1 11%	13 7%	61 21% b	9 19% b	- -	47 15%	35 18%
A little	189 36%	92 35%	95 38%	3 25%	45 24%	67 44% b	74 43% b	145 36%	20 38%	16 32%	8 35%	1 11%	61 34%	106 37%	20 42%	1 100%	108 33%	79 41%
Not at all	126 24%	66 25%	59 23%	1 8%	39 21%	42 27%	44 25%	92 23%	15 28%	11 22%	8 35%	5 56%	59 33% cd	57 20%	5 10%	- -	80 25%	45 23%
Don't know	21 4%	9 3%	11 4%	2 17%	10 5%	5 3%	4 2%	13 3%	2 4%	3 6%	3 13%	- -	8 4%	9 3%	4 8%	- -	14 4%	6 3%
Not applicable as my child is too young	65 12%	35 13%	30 12%	5 42%	53 29% cd	4 3%	3 2%	46 12%	7 13%	10 20%	2 9%	2 22%	29 16% d	33 11% d	1 2%	- -	63 19% b	1 1%
Net: At all (a lot / moderately / a little)	312 60%	155 58%	152 60%	4 33%	83 45%	103 67% b	122 71% b	247 62%	29 55%	26 52%	10 43%	2 22%	83 46%	188 66% b	38 79% b	1 100%	167 52%	141 73% a
Net: A lot / moderately	123 23%	63 24%	57 23%	1 8%	38 21%	36 23%	48 28%	102 26%	9 17%	10 20%	2 9%	1 11%	22 12%	82 29% b	18 38% b	- -	59 18%	62 32% a

## NES Eczema Parent Survey

**PA\_Q10\_5 . Their emotional and mental health: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
39 7%	14 6%	10 17% a	13 10%	11 21% a	7 18% a	3 13%	31 11%	33 7%	30 9%	28 7%	31 8%	23 14%	23 15% af	27 11%	32 13%	31 9%
84 16%	46 19%	14 24%	18 14%	12 23%	11 29% c	6 25%	54 19%	74 16%	51 16%	70 18%	71 19%	44 26%	37 25%	63 25%	61 24%	71 20%
189 36%	88 37% e	19 33%	48 38% e	19 36%	7 18%	5 21%	93 33%	160 36%	121 38%	142 36%	137 38%	57 34%	54 36%	89 35%	93 36%	123 35%
126 24%	51 21%	9 16%	32 25%	8 15%	9 24%	6 25%	63 22%	108 24%	64 20%	89 23%	74 20%	30 18%	27 18%	46 18%	42 16%	73 21%
21 4%	8 3%	3 5%	5 4%	2 4%	2 5%	2 8%	13 5%	19 4%	12 4%	15 4%	16 4%	7 4%	4 3%	10 4%	9 4%	14 4%
65 12%	32 13% d	3 5%	11 9%	1 2%	2 5%	2 8%	30 11%	55 12%	43 13%	46 12%	36 10% bc	7 4%	6 4%	18 7%	18 7%	40 11% bc
312 60%	148 62%	43 74%	79 62%	42 79% ac	25 66%	14 58%	178 63%	267 59%	202 63%	240 62%	239 65%	124 74% f	114 75% af	179 71%	186 73% af	225 64%
123 23%	60 25%	24 41% ac	31 24%	23 43% ac	18 47% ac	9 38%	85 30%	107 24%	81 25%	98 25%	102 28%	67 40% af	60 40% af	90 36% a	93 36% a	102 29%

## NES Eczema Parent Survey

### PA\_Q10\_5 . Their emotional and mental health: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
A lot	39	1	21	15	-	-	39	-	38	1	37	2
	7%	1%	9%	25%	-	-	8%	-	10%	1%	7%	7%
			a	ab					b			
Moderately	84	8	53	20	-	-	81	3	76	6	83	1
	16%	5%	23%	33%	-	-	16%	9%	19%	5%	17%	4%
			a	a					b			
A little	189	60	107	11	-	1	180	9	150	34	184	5
	36%	38%	46%	18%	-	2%	37%	27%	38%	28%	37%	18%
		c	c						b			
Not at all	126	67	38	9	-	11	112	14	75	47	113	13
	24%	42%	16%	15%	-	24%	23%	42%	19%	39%	23%	46%
		bc					a		a			
Don't know	21	7	6	5	-	-	20	1	16	4	19	2
	4%	4%	3%	8%	-	-	4%	3%	4%	3%	4%	7%
				b								
Not applicable as my child is too young	65	15	9	-	-	33	59	6	36	29	60	5
	12%	9%	4%	-	-	73%	12%	18%	9%	24%	12%	18%
		bc							a			
Net: At all (a lot / moderately / a little)	312	69	181	46	-	1	300	12	264	41	304	8
	60%	44%	77%	77%	-	2%	61%	36%	68%	34%	61%	29%
			a	a			b		b			
Net: A lot / moderately	123	9	74	35	-	-	120	3	114	7	120	3
	23%	6%	32%	58%	-	-	24%	9%	29%	6%	24%	11%
			a	ab			b		b			

## NES Eczema Parent Survey

### PA\_Q10\_6 . Their attendance at school: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
39 7%	19 7%	20 8%	- -	14 8%	12 8%	13 8%	33 8%	3 6%	3 6%	- -	- -	7 4%	22 8%	10 21% bc	- -	13 4%	26 13% a
50 10%	26 10%	23 9%	1 8%	19 10%	16 10%	14 8%	41 10%	2 4%	6 12%	1 4%	- -	7 4%	38 13% b	5 10%	- -	23 7%	25 13% a
93 18%	53 20%	36 14%	4 33%	22 12%	29 19%	38 22% b	70 18%	11 21%	8 16%	4 17%	- -	17 9%	63 22% b	12 25% b	1 100%	46 14%	46 24% a
249 48%	124 47%	123 49%	- -	62 34%	90 58% b	97 56% b	190 48%	20 38%	23 46%	16 70%	7 78%	108 60% cd	121 42% d	13 27%	- -	161 50%	85 44%
18 3%	9 3%	9 4%	1 8%	6 3%	3 2%	8 5%	14 4%	4 8%	- -	- -	- -	4 2%	10 3%	4 8% b	- -	6 2%	11 6% a
75 14%	34 13%	41 16%	6 50%	62 34% cd	4 3%	3 2%	50 13%	13 25% a	10 20%	2 9%	2 22%	36 20% c	33 11%	4 8%	- -	75 23% b	- -
182 35%	98 37%	79 31%	5 42%	55 30%	57 37%	65 38%	144 36%	16 30%	17 34%	5 22%	- -	31 17%	123 43% b	27 56% b	1 100%	82 25%	97 50% a
89 17%	45 17%	43 17%	1 8%	33 18%	28 18%	27 16%	74 19%	5 9%	9 18%	1 4%	- -	14 8%	60 21% b	15 31% b	- -	36 11%	51 26% a

## NES Eczema Parent Survey

### PA\_Q10\_6 . Their attendance at school: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
39 7%	18 8%	9 16%	12 9%	12 23% ac	6 16%	7 29%	31 11%	33 7%	33 10%	34 9%	31 8%	24 14% af	24 16% af	29 11%	33 13%	29 8%
50 10%	22 9%	8 14%	13 10%	12 23% ac	7 18%	5 21%	38 13%	42 9%	40 12%	42 11%	42 12%	31 18% af	26 17%	37 15%	34 13%	39 11%
93 18%	45 19%	19 33% a	27 21%	13 25%	8 21%	7 29%	58 20%	85 19%	59 18%	70 18%	69 19%	40 24%	39 26%	56 22%	58 23%	72 20%
249 48%	113 47% bd	15 26%	56 44% bd	12 23%	12 32%	3 13%	108 38%	205 46% a	125 39%	173 44%	168 46% bc	48 29%	43 28%	100 40% bc	99 39% bc	155 44% bc
18 3%	5 2%	3 5%	2 2%	3 6%	3 8% ac	- -	11 4%	17 4%	13 4%	16 4%	8 2%	11 7% aef	7 5%	8 3%	6 2%	8 2%
75 14%	36 15% d	4 7%	17 13% d	1 2%	2 5%	2 8%	38 13%	67 15%	51 16%	55 14%	47 13%	14 8%	12 8%	23 9%	25 10%	49 14%
182 35%	85 36%	36 62% ac	52 41%	37 70% ac	21 55% a	19 79%	127 45% b	160 36%	132 41%	146 37%	142 39%	95 57% af	89 59% adf	122 48% af	125 49% af	140 40%
89 17%	40 17%	17 29% a	25 20%	24 45% ac	13 34% a	12 50%	69 24% b	75 17%	73 23% b	76 19%	73 20%	55 33% af	50 33% af	66 26% f	67 26% f	68 19%

## NES Eczema Parent Survey

### PA\_Q10\_6 . Their attendance at school: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
A lot	39 7%	1 1%	25 11% a	11 18% a	- -	- -	39 8%	- -	38 10% b	1 1%	38 8%	1 4%
Moderately	50 10%	1 1%	34 15% a	14 23% a	- -	- -	49 10%	1 3%	46 12% b	2 2%	50 10%	- -
A little	93 18%	11 7%	63 27% a	11 18% a	- -	1 2%	90 18%	3 9%	86 22% b	5 4%	92 19%	1 4%
Not at all	249 48%	129 82% bc	89 38%	18 30%	- -	10 22%	227 46%	22 67% a	166 42%	79 65% a	235 47%	14 50%
Don't know	18 3%	2 1%	11 5%	4 7% a	- -	- -	17 3%	1 3%	15 4%	1 1%	15 3%	3 11%
Not applicable as my child is too young	75 14%	14 9%	12 5%	2 3%	- -	34 76%	69 14%	6 18%	40 10%	33 27% a	66 13%	9 32%
Net: At all (a lot / moderately / a little)	182 35%	13 8%	122 52% a	36 60% a	- -	1 2%	178 36% b	4 12%	170 43% b	8 7%	180 36%	2 7%
Net: A lot / moderately	89 17%	2 1%	59 25% a	25 42% ab	- -	- -	88 18% b	1 3%	84 21% b	3 2%	88 18%	1 4%

## NES Eczema Parent Survey

**PA\_Q10\_7 . Their performance at school e.g. exam results: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?**

BASE: All respondents

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
29 6%	15 6%	14 6%	1 8%	8 4%	10 6%	10 6%	22 6%	3 6%	3 6%	1 4%	- -	5 3%	19 7%	5 10% b	- -	16 5%	12 6%
65 12%	36 14%	28 11%	1 8%	23 12%	15 10%	26 15%	61 15% b	1 2%	3 6%	- -	- -	8 4%	45 16% b	12 25% b	- -	25 8%	36 19% a
99 19%	53 20%	43 17%	2 17%	26 14%	30 19%	41 24% b	77 19%	9 17%	9 18%	4 17%	- -	23 13%	66 23% b	10 21%	- -	49 15%	49 25% a
205 39%	101 38%	103 41%	1 8%	42 23%	82 53% b	80 46% b	150 38%	19 36%	22 44%	14 61%	4 44%	97 54% cd	90 31%	13 27%	1 100%	120 37%	85 44%
22 4%	9 3%	12 5%	1 8%	4 2%	8 5%	9 5%	16 4%	5 9% c	- -	1 4%	2 22%	3 2%	15 5%	2 4%	- -	16 5%	6 3%
104 20%	51 19%	52 21%	6 50%	82 44% cd	9 6%	7 4%	72 18%	16 30% a	13 26%	3 13%	3 33%	43 24%	52 18%	6 13%	- -	98 30% b	5 3%
193 37%	104 39%	85 34%	4 33%	57 31%	55 36%	77 45% b	160 40% b	13 25%	15 30%	5 22%	- -	36 20%	130 45% b	27 56% b	- -	90 28%	97 50% a
94 18%	51 19%	42 17%	2 17%	31 17%	25 16%	36 21%	83 21% b	4 8%	6 12%	1 4%	- -	13 7%	64 22% b	17 35% b	- -	41 13%	48 25% a

## NES Eczema Parent Survey

**PA\_Q10\_7 . Their performance at school e.g. exam results: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
29 6%	11 5%	4 7%	8 6%	5 9%	3 8%	4 17%	22 8%	25 6%	20 6%	25 6%	25 7%	13 8%	16 11%	21 8%	24 9%	23 7%
65 12%	31 13%	16 28% a	24 19%	13 25% a	13 34% ac	8 33%	52 18%	59 13%	56 17%	55 14%	54 15%	43 26% aef	41 27% aef	48 19%	43 17%	53 15%
99 19%	40 17%	15 26%	28 22%	14 26%	6 16%	5 21%	56 20%	89 20%	62 19%	74 19%	74 20%	41 24%	34 23%	57 23%	63 25%	76 22%
205 39%	99 41% bd	15 26%	44 35%	13 25%	11 29%	4 17%	91 32%	168 37%	102 32%	141 36%	132 36% bcd	40 24%	40 26%	69 27%	77 30%	111 32%
22 4%	7 3%	2 3%	4 3%	4 8%	2 5%	- -	14 5%	19 4%	13 4%	17 4%	11 3%	11 7%	6 4%	16 6% a	12 5%	17 5%
104 20%	51 21% d	6 10%	19 15%	4 8%	3 8%	3 13%	49 17%	89 20%	68 21%	78 20%	69 19% bc	20 12%	14 9%	42 17% c	36 14%	72 20% bce
193 37%	82 34%	35 60% a	60 47% a	32 60% a	22 58% a	17 71%	130 46%	173 39%	138 43%	154 39%	153 42%	97 58% af	91 60% adf	126 50%	130 51% a	152 43%
94 18%	42 18%	20 34% a	32 25%	18 34% a	16 42% ac	12 50%	74 26% b	84 19%	76 24%	80 21%	79 22%	56 33% af	57 38% adef	69 27%	67 26%	76 22%



## NES Eczema Parent Survey

**PA\_Q10\_7 . Their performance at school e.g. exam results: To the best of your knowledge , to what extent, if at all, has eczema affected the following areas of your child's life ?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
A lot	29 6%	2 1%	17 7% a	7 12% a	- -	- -	28 6%	1 3%	26 7% b	1 1%	28 6%	1 4%
Moderately	65 12%	2 1%	42 18% a	18 30% ab	- -	- -	62 13%	3 9%	63 16% b	1 1%	65 13%	- -
A little	99 19%	16 10%	68 29% a	13 22% a	- -	- -	98 20% b	1 3%	91 23% b	6 5%	98 20%	1 4%
Not at all	205 39%	107 68% bc	75 32%	14 23%	- -	4 9%	184 37%	21 64% a	136 35%	64 53% a	189 38%	16 57%
Don't know	22 4%	5 3%	14 6%	2 3%	- -	- -	21 4%	1 3%	17 4%	4 3%	21 4%	1 4%
Not applicable as my child is too young	104 20%	26 16% b	18 8%	6 10%	- -	41 91%	98 20%	6 18%	58 15%	45 37% a	95 19%	9 32%
Net: At all (a lot / moderately / a little)	193 37%	20 13%	127 54% a	38 63% a	- -	- -	188 38% b	5 15%	180 46% b	8 7%	191 39%	2 7%
Net: A lot / moderately	94 18%	4 3%	59 25% a	25 42% ab	- -	- -	90 18%	4 12%	89 23% b	2 2%	93 19%	1 4%

## NES Eczema Parent Survey

### PAQ11. To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema: Net All

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
323 62%	161 61%	158 63%	5 42%	77 42%	104 68% b	137 79% bc	252 63%	34 64%	26 52%	11 48%	3 33%	81 45%	199 69% b	40 83% bc	- -	163 50%	155 80% a
307 59%	157 59%	144 57%	7 58%	78 42%	99 64% b	123 71% b	237 60%	31 58%	28 56%	11 48%	3 33%	75 42%	190 66% b	38 79% b	1 100%	159 49%	143 74% a
306 58%	153 58%	147 58%	5 42%	82 44%	98 64% b	121 70% b	237 60%	29 55%	29 58%	11 48%	2 22%	74 41%	190 66% b	39 81% bc	1 100%	154 48%	147 76% a
296 56%	143 54%	147 58%	5 42%	101 55%	90 58%	100 58%	235 59%	28 53%	24 48%	9 39%	1 11%	70 39%	188 66% b	36 75% b	1 100%	167 52%	125 65% a
285 54%	138 52%	141 56%	6 50%	74 40%	96 62% b	109 63% b	224 56%	27 51%	24 48%	10 43%	2 22%	69 39%	176 61% b	38 79% bc	- -	146 45%	135 70% a
276 53%	137 52%	134 53%	5 42%	77 42%	83 54% b	111 64% b	220 55%	24 45%	25 50%	7 30%	- -	64 36%	169 59% b	42 88% bc	1 100%	136 42%	134 69% a
254 48%	129 49%	120 48%	6 50%	83 45%	80 52%	85 49%	200 50%	24 45%	22 44%	8 35%	1 11%	48 27%	167 58% b	38 79% bc	- -	136 42%	112 58% a
223 43%	119 45%	100 40%	5 42%	69 37%	72 47%	77 45%	179 45%	18 34%	21 42%	5 22%	- -	46 26%	146 51% b	30 63% b	1 100%	109 34%	109 56% a
222 42%	120 45%	99 39%	5 42%	72 39%	71 46%	74 43%	178 45%	24 45%	17 34%	3 13%	1 11%	51 28%	138 48% b	31 65% bc	1 100%	106 33%	110 57% a

## NES Eczema Parent Survey

### PAQ11. To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema: Net All

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
323 62%	148 62%	48 83% ac	85 67%	46 87% ac	32 84% ac	20 83%	193 68%	278 62%	207 64%	251 64%	244 67%	133 79% af	123 81% af	187 74%	194 76% af	235 67%
307 59%	143 60%	45 78% ac	76 60%	43 81% ac	27 71%	19 79%	191 67% b	264 59%	198 62%	236 61%	227 62%	134 80% af	120 79% af	181 72% af	184 72% af	218 62%
306 58%	138 58%	43 74% a	79 62%	46 87% ac	28 74%	17 71%	186 65% b	260 58%	200 62%	239 61%	225 62%	134 80% af	116 77% af	183 72% af	184 72% a	228 65%
296 56%	138 58%	46 79% ac	76 60%	44 83% ac	27 71%	19 79%	183 64%	262 58%	196 61%	230 59%	228 62%	138 82% adef	113 75% af	180 71% af	187 73% af	222 63%
285 54%	127 53%	45 78% ac	78 61%	42 79% ac	27 71% a	18 75%	179 63% b	243 54%	187 58%	223 57%	208 57%	126 75% af	112 74% af	170 67% a	169 66% a	212 60%
276 53%	123 51%	45 78% ac	71 56%	44 83% ac	27 71% a	20 83%	171 60%	245 55%	184 57%	214 55%	211 58%	130 77% adef	113 75% af	170 67% a	172 67% af	209 59%
254 48%	114 48%	45 78% ac	72 57%	45 85% ace	23 61%	19 79%	162 57%	224 50%	175 55%	202 52%	199 55%	131 78% adef	116 77% adef	168 66% af	160 63% af	192 55%
223 43%	100 42%	39 67% a	66 52%	42 79% ac	26 68% a	17 71%	148 52% b	194 43%	156 49%	179 46%	171 47%	114 68% af	103 68% af	149 59% af	153 60% af	167 47%
222 42%	92 38%	38 66% a	71 56% a	46 87% abc	27 71% a	18 75%	154 54% bd	194 43%	165 51% b	174 45%	171 47%	112 67% aef	102 68% adef	145 57% af	143 56% af	164 47%

## NES Eczema Parent Survey

### PAQ11. To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema: Net All

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Self-conscious/embarrassed	323 62%	72 46%	184 79% a	53 88% a	- -	- -	308 63% b	15 45%	277 71% b	41 34%	314 63%	9 32%
Less confident	307 59%	61 39%	181 77% a	55 92% ab	- -	- -	295 60% b	12 36%	265 68% b	37 31%	299 60%	8 29%
Anxious or nervous	306 58%	61 39%	183 78% a	51 85% a	- -	- -	293 60% b	13 39%	268 69% b	34 28%	299 60%	7 25%
Angry	296 56%	45 28%	178 76% a	52 87% a	- -	3 7%	286 58% b	10 30%	259 66% b	32 26%	288 58%	8 29%
Envious of people with more typical skin	285 54%	54 34%	170 73% a	52 87% ab	- -	1 2%	278 57% b	7 21%	252 64% b	30 25%	277 56%	8 29%
Depressed or sad	276 53%	46 29%	167 71% a	52 87% ab	- -	- -	268 55% b	8 24%	248 63% b	26 21%	268 54%	8 29%
Helpless	254 48%	31 20%	159 68% a	52 87% ab	- -	1 2%	249 51% b	5 15%	234 60% b	16 13%	248 50%	6 21%
Lonely/socially isolated	223 43%	20 13%	145 62% a	50 83% ab	- -	- -	219 45% b	4 12%	211 54% b	10 8%	216 44%	7 25%
Like a stronger person	222 42%	22 14%	151 65% a	41 68% a	- -	- -	218 44% b	4 12%	207 53% b	13 11%	218 44%	4 14%

## NES Eczema Parent Survey

### PAQ11. To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema? Summary

BASE: All respondents

		Options										
		Total	Daily	Weekly	Monthly	Every few months	Yearly or more	Never	Don't know	Not applicable as my child is too young	Net: Ever	Net: At least weekly
Significance Level: 95%			*a	*b	*c	*d	*e	*f	*g	*h	*i	*j
Depressed or sad	524	32	74	81	39	50	138	33	77	276	106	
	100%	6%	14%	15%	7%	10%	26%	6%	15%	53%	20%	
Anxious or nervous	524	46	84	67	49	60	116	30	72	306	130	
	100%	9%	16%	13%	9%	11%	22%	6%	14%	58%	25%	
Envious of people with more typical skin	524	57	70	71	42	45	121	38	80	285	127	
	100%	11%	13%	14%	8%	9%	23%	7%	15%	54%	24%	
Like a stronger person	524	51	59	40	42	30	139	76	87	222	110	
	100%	10%	11%	8%	8%	6%	27%	15%	17%	42%	21%	
Less confident	524	46	82	78	55	46	115	27	75	307	128	
	100%	9%	16%	15%	10%	9%	22%	5%	14%	59%	24%	
Self-conscious/embarrassed	524	53	87	88	47	48	94	30	77	323	140	
	100%	10%	17%	17%	9%	9%	18%	6%	15%	62%	27%	
Lonely/socially isolated	524	31	49	66	40	37	190	28	83	223	80	
	100%	6%	9%	13%	8%	7%	36%	5%	16%	43%	15%	
Angry	524	36	86	77	54	43	131	31	66	296	122	
	100%	7%	16%	15%	10%	8%	25%	6%	13%	56%	23%	
Helpless	524	41	64	67	41	41	165	30	75	254	105	
	100%	8%	12%	13%	8%	8%	31%	6%	14%	48%	20%	

## NES Eczema Parent Survey

### PA\_Q11\_1. Depressed or sad: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
32 6%	18 7%	14 6%	- -	8 4%	10 6%	14 8%	27 7%	1 2%	3 6%	1 4%	- -	6 3%	22 8%	4 8%	- -	11 3%	21 11% a
74 14%	36 14%	36 14%	2 17%	24 13%	24 16%	24 14%	57 14%	6 11%	7 14%	4 17%	- -	15 8%	41 14%	18 38% bc	- -	36 11%	36 19% a
81 15%	41 15%	39 15%	3 25%	24 13%	18 12%	36 21% bc	60 15%	12 23%	9 18%	- -	- -	24 13%	46 16%	11 23%	- -	46 14%	33 17%
39 7%	20 8%	18 7%	- -	12 6%	14 9%	13 8%	34 9%	2 4%	3 6%	- -	- -	7 4%	27 9% b	4 8%	1 100%	22 7%	16 8%
50 10%	22 8%	27 11%	- -	9 5%	17 11% b	24 14% b	42 11%	3 6%	3 6%	2 9%	- -	12 7%	33 11%	5 10%	- -	21 6%	28 15% a
138 26%	71 27%	67 27%	2 17%	33 18%	56 36% b	47 27% b	101 25%	18 34%	10 20%	9 39%	5 56%	68 38% cd	61 21% d	4 8%	- -	91 28%	47 24%
33 6%	16 6%	15 6%	- -	15 8%	7 5%	11 6%	20 5%	5 9%	4 8%	4 17%	2 22%	11 6%	20 7%	- -	- -	24 7%	8 4%
77 15%	41 15%	36 14%	5 42%	60 32% cd	8 5%	4 2%	57 14%	6 11%	11 22%	3 13%	2 22%	36 20% cd	37 13%	2 4%	- -	73 23% b	4 2%
276 53%	137 52%	134 53%	5 42%	77 42%	83 54% b	111 64% b	220 55%	24 45%	25 50%	7 30%	- -	64 36%	169 59% b	42 88% bc	1 100%	136 42%	134 69% a
106 20%	54 20%	50 20%	2 17%	32 17%	34 22%	38 22%	84 21%	7 13%	10 20%	5 22%	- -	21 12%	63 22% b	22 46% bc	- -	47 15%	57 30% a

## NES Eczema Parent Survey

### PA\_Q11\_1. Depressed or sad: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
32 6%	17 7%	4 7%	9 7%	9 17% ac	3 8%	2 8%	24 8%	26 6%	24 7%	22 6%	26 7%	23 14% af	15 10%	24 9%	25 10%	26 7%
74 14%	40 17%	19 33% ac	20 16%	11 21%	12 32% ac	14 58%	49 17%	68 15%	56 17%	59 15%	61 17%	41 24% af	39 26% af	50 20%	52 20%	60 17%
81 15%	32 13%	10 17%	20 16%	12 23%	5 13%	2 8%	48 17%	74 16%	46 14%	63 16%	64 18%	36 21%	28 19%	47 19%	51 20%	63 18%
39 7%	16 7%	6 10%	8 6%	5 9%	3 8%	2 8%	21 7%	35 8%	24 7%	32 8%	30 8%	16 10%	18 12%	26 10%	21 8%	32 9%
50 10%	18 8%	6 10%	14 11%	7 13%	4 11%	- -	29 10%	42 9%	34 11%	38 10%	30 8%	14 8%	13 9%	23 9%	23 9%	28 8%
138 26%	60 25% bd	6 10%	38 30% bd	3 6%	6 16%	3 13%	60 21%	111 25%	65 20%	98 25%	86 24% bc	20 12%	23 15%	46 18%	44 17%	74 21% b
33 6%	16 7%	2 3%	6 5%	2 4%	1 3%	- -	17 6%	27 6%	17 5%	23 6%	22 6%	8 5%	7 5%	16 6%	15 6%	20 6%
77 15%	40 17%	5 9%	12 9%	4 8%	4 11%	1 4%	36 13%	66 15%	55 17%	55 14%	46 13% bc	10 6%	8 5%	21 8%	24 9%	49 14% bcd
276 53%	123 51%	45 78% ac	71 56%	44 83% ac	27 71% a	20 83%	171 60%	245 55%	184 57%	214 55%	211 58%	130 77% adef	113 75% af	170 67% a	172 67% af	209 59%
106 20%	57 24%	23 40% ac	29 23%	20 38% ac	15 39% ac	16 67%	73 26%	94 21%	80 25%	81 21%	87 24%	64 38% af	54 36% af	74 29%	77 30%	86 24%

## NES Eczema Parent Survey

### PA\_Q11\_1. Depressed or sad: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

		No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	32 6%	2 1%	15 6% a	12 20% ab	- -	- -	31 6%	1 3%	29 7% b	2 2%	29 6%	3 11%
Weekly	74 14%	5 3%	47 20% a	18 30% a	- -	- -	73 15%	1 3%	64 16% b	10 8%	73 15%	1 4%
Monthly	81 15%	17 11%	56 24% ac	6 10%	- -	- -	78 16%	3 9%	75 19% b	6 5%	81 16%	- -
Every three months	39 7%	4 3%	25 11% a	8 13% a	- -	- -	39 8%	- -	38 10% b	1 1%	39 8%	- -
More than every three months	50 10%	18 11%	24 10%	8 13%	- -	- -	47 10%	3 9%	42 11%	7 6%	46 9%	4 14%
Never	138 26%	81 51% bc	40 17%	6 10%	- -	6 13%	123 25%	15 45% a	75 19% a	56 46% a	128 26%	10 36%
Don't know	33 6%	13 8%	13 6%	1 2%	- -	- -	30 6%	3 9%	24 6%	8 7%	32 6%	1 4%
Not applicable as my child is too young	77 15%	18 11% c	14 6%	1 2%	- -	39 87%	70 14%	7 21%	44 11%	31 26% a	68 14%	9 32%
Net: Ever	276 53%	46 29%	167 71% a	52 87% ab	- -	- -	268 55% b	8 24%	248 63% b	26 21%	268 54%	8 29%
Net: At least weekly	106 20%	7 4%	62 26% a	30 50% ab	- -	- -	104 21% b	2 6%	93 24% b	12 10%	102 21%	4 14%



## NES Eczema Parent Survey

### PA\_Q11\_2. Anxious or nervous: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
46 9%	22 8%	24 10%	- -	12 6%	15 10%	19 11%	40 10%	2 4%	3 6%	1 4%	- -	10 6%	26 9%	10 21% bc	- -	24 7%	22 11%
84 16%	45 17%	39 15%	1 8%	22 12%	25 16%	36 21% b	65 16%	7 13%	11 22%	1 4%	- -	13 7%	62 22% b	9 19% b	- -	42 13%	41 21% a
67 13%	31 12%	33 13%	3 25%	23 12%	19 12%	22 13%	52 13%	6 11%	5 10%	4 17%	1 11%	16 9%	40 14%	10 21% b	- -	30 9%	37 19% a
49 9%	24 9%	24 10%	- -	11 6%	18 12%	20 12%	41 10%	4 8%	2 4%	2 9%	1 11%	14 8%	28 10%	6 13%	- -	25 8%	22 11%
60 11%	31 12%	27 11%	1 8%	14 8%	21 14%	24 14%	39 10%	10 19% a	8 16%	3 13%	- -	21 12%	34 12%	4 8%	1 100%	33 10%	25 13%
116 22%	53 20%	63 25%	3 25%	31 17%	42 27% b	40 23%	84 21%	15 28%	10 20%	7 30%	4 44%	63 35% cd	45 16%	4 8%	- -	78 24%	38 20%
30 6%	19 7%	10 4%	- -	14 8%	8 5%	8 5%	24 6%	3 6%	1 2%	2 9%	1 11%	10 6%	16 6%	3 6%	- -	24 7% b	5 3%
72 14%	40 15%	32 13%	4 33%	58 31% cd	6 4%	4 2%	53 13%	6 11%	10 20%	3 13%	2 22%	32 18% d	36 13%	2 4%	- -	68 21% b	3 2%
306 58%	153 58%	147 58%	5 42%	82 44%	98 64% b	121 70% b	237 60%	29 55%	29 58%	11 48%	2 22%	74 41%	190 66% b	39 81% bc	1 100%	154 48%	147 76% a
130 25%	67 25%	63 25%	1 8%	34 18%	40 26%	55 32% b	105 26%	9 17%	14 28%	2 9%	- -	23 13%	88 31% b	19 40% b	- -	66 20%	63 33% a

## NES Eczema Parent Survey

### PA\_Q11\_2. Anxious or nervous: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
46 9%	22 9%	5 9%	11 9%	8 15%	4 11%	4 17%	33 12%	41 9%	30 9%	37 9%	38 10%	28 17% a	19 13%	31 12%	33 13%	39 11%
84 16%	40 17%	15 26%	30 24%	13 25%	9 24%	6 25%	48 17%	79 18%	56 17%	68 17%	70 19%	52 31% af	43 28% af	58 23%	63 25%	68 19%
67 13%	33 14%	9 16%	12 9%	10 19%	7 18%	5 21%	45 16%	51 11%	47 15%	49 13%	54 15%	27 16%	27 18%	39 15%	38 15%	57 16%
49 9%	20 8%	9 16%	12 9%	7 13%	6 16%	1 4%	30 11%	41 9%	32 10%	38 10%	31 8%	15 9%	14 9%	28 11%	24 9%	35 10%
60 11%	23 10%	5 9%	14 11%	8 15%	2 5%	1 4%	30 11%	48 11%	35 11%	47 12%	32 9%	12 7%	13 9%	27 11%	26 10%	29 8%
116 22%	46 19% d	7 12%	30 24% d	4 8%	4 11%	5 21%	49 17%	98 22%	53 17%	73 19%	76 21% b	20 12%	22 15%	39 15%	39 15%	60 17%
30 6%	17 7%	3 5%	6 5%	1 2%	3 8%	1 4%	18 6%	29 6%	20 6%	25 6%	20 5%	3 2%	4 3%	10 4%	12 5%	16 5%
72 14%	38 16% d	5 9%	12 9%	2 4%	3 8%	1 4%	31 11%	62 14%	48 15%	53 14%	44 12% c	11 7%	9 6%	21 8%	20 8%	48 14% bcde
306 58%	138 58%	43 74% a	79 62%	46 87% ac	28 74%	17 71%	186 65% b	260 58%	200 62%	239 61%	225 62%	134 80% af	116 77% af	183 72% af	184 72% a	228 65%
130 25%	62 26%	20 34%	41 32%	21 40% a	13 34%	10 42%	81 29%	120 27%	86 27%	105 27%	108 30%	80 48% ade	62 41% af	89 35%	96 38% a	107 30%

## NES Eczema Parent Survey

### PA\_Q11\_2. Anxious or nervous: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	46 9%	3 2%	27 12% a	14 23% ab	- -	- -	46 9%	- -	43 11% b	2 2%	45 9%	1 4%
Weekly	84 16%	7 4%	62 26% a	11 18% a	- -	- -	81 16%	3 9%	75 19% b	9 7%	84 17%	- -
Monthly	67 13%	13 8%	42 18% a	10 17%	- -	- -	65 13%	2 6%	58 15% b	9 7%	66 13%	1 4%
Every three months	49 9%	16 10%	22 9%	11 18%	- -	- -	47 10%	2 6%	43 11% b	6 5%	49 10%	- -
More than every three months	60 11%	22 14%	30 13%	5 8%	- -	- -	54 11%	6 18%	49 13%	8 7%	55 11%	5 18%
Never	116 22%	66 42% bc	32 14%	5 8%	- -	6 13%	105 21%	11 33%	60 15% a	50 41%	106 21%	10 36%
Don't know	30 6%	16 10% b	7 3%	3 5%	- -	1 2%	28 6%	2 6%	23 6%	7 6%	28 6%	2 7%
Not applicable as my child is too young	72 14%	15 9% c	12 5%	1 2%	- -	38 84%	65 13%	7 21%	40 10%	30 25% a	63 13%	9 32%
Net: Ever	306 58%	61 39%	183 78% a	51 85% a	- -	- -	293 60% b	13 39%	268 69% b	34 28%	299 60%	7 25%
Net: At least weekly	130 25%	10 6%	89 38% a	25 42% a	- -	- -	127 26% b	3 9%	118 30% b	11 9%	129 26%	1 4%

## NES Eczema Parent Survey

### PA\_Q11\_3. Envious of people with more typical skin: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
57 11%	29 11%	28 11%	- -	15 8%	17 11%	25 14%	44 11%	6 11%	5 10%	2 9%	- -	11 6%	35 12% b	11 23% bc	- -	28 9%	29 15% a
70 13%	35 13%	34 13%	1 8%	23 12%	15 10%	31 18% c	59 15%	6 11%	4 8%	1 4%	1 11%	17 9%	39 14%	13 27% bc	- -	38 12%	29 15%
71 14%	29 11%	41 16%	2 17%	17 9%	30 19% b	22 13%	51 13%	7 13%	8 16%	5 22%	- -	15 8%	45 16% b	11 23% b	- -	36 11%	35 18% a
42 8%	24 9%	16 6%	2 17%	12 6%	10 6%	18 10%	34 9%	3 6%	5 10%	- -	1 11%	10 6%	29 10%	2 4%	- -	20 6%	21 11%
45 9%	21 8%	22 9%	1 8%	7 4%	24 16% bd	13 8%	36 9%	5 9%	2 4%	2 9%	- -	16 9%	28 10%	1 2%	- -	24 7%	21 11%
121 23%	66 25%	55 22%	1 8%	37 20%	44 29%	39 23%	91 23%	12 23%	10 20%	8 35%	4 44%	60 34% cd	51 18%	5 10%	1 100%	80 25%	39 20%
38 7%	22 8%	15 6%	- -	12 6%	5 3%	21 12% c	26 7%	6 11%	4 8%	2 9%	1 11%	13 7%	22 8%	2 4%	- -	24 7%	13 7%
80 15%	39 15%	41 16%	5 42%	62 34% cd	9 6%	4 2%	57 14%	8 15%	12 24%	3 13%	2 22%	37 21% cd	38 13%	3 6%	- -	74 23% b	6 3%
285 54%	138 52%	141 56%	6 50%	74 40%	96 62% b	109 63% b	224 56%	27 51%	24 48%	10 43%	2 22%	69 39%	176 61% b	38 79% bc	- -	146 45%	135 70% a
127 24%	64 24%	62 25%	1 8%	38 21%	32 21%	56 32% bc	103 26%	12 23%	9 18%	3 13%	1 11%	28 16%	74 26% b	24 50% bc	- -	66 20%	58 30% a

## NES Eczema Parent Survey

### PA\_Q11\_3. Envious of people with more typical skin: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
57 11%	27 11%	8 14%	20 16%	13 25% a	4 11%	3 13%	38 13%	50 11%	41 13%	46 12%	47 13%	35 21% af	27 18%	45 18%	43 17%	49 14%
70 13%	35 15%	15 26% a	19 15%	12 23%	7 18%	8 33%	46 16%	60 13%	43 13%	52 13%	58 16%	35 21%	28 19%	43 17%	43 17%	58 16%
71 14%	29 12%	11 19%	17 13%	6 11%	6 16%	6 25%	44 15%	63 14%	47 15%	63 16%	54 15%	29 17%	30 20%	39 15%	38 15%	52 15%
42 8%	16 7%	7 12%	13 10%	5 9%	8 21% a	1 4%	30 11%	31 7%	30 9%	28 7%	24 7%	18 11%	18 12% a	23 9%	25 10%	31 9%
45 9%	20 8%	4 7%	9 7%	6 11%	2 5%	- -	21 7%	39 9%	26 8%	34 9%	25 7%	9 5%	9 6%	20 8%	20 8%	22 6%
121 23%	52 22%	6 10%	29 23% b	6 11%	6 16%	3 13%	57 20%	103 23%	58 18%	80 21%	78 21% bcd	17 10%	20 13%	37 15%	44 17% b	60 17% b
38 7%	19 8%	2 3%	7 6%	2 4%	2 5%	1 4%	16 6%	35 8%	20 6%	30 8%	29 8%	10 6%	9 6%	19 8%	16 6%	26 7%
80 15%	41 17% d	5 9%	13 10%	3 6%	3 8%	2 8%	32 11%	68 15%	56 17% a	57 15%	50 14% c	15 9%	10 7%	27 11%	26 10%	54 15% bc
285 54%	127 53%	45 78% ac	78 61%	42 79% ac	27 71% a	18 75%	179 63% b	243 54%	187 58%	223 57%	208 57%	126 75% af	112 74% af	170 67% a	169 66% a	212 60%
127 24%	62 26%	23 40% a	39 31%	25 47% ac	11 29%	11 46%	84 30%	110 24%	84 26%	98 25%	105 29%	70 42% af	55 36%	88 35%	86 34%	107 30%

## NES Eczema Parent Survey

### PA\_Q11\_3. Envious of people with more typical skin: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	57 11%	1 1%	35 15% a	19 32% ab	- -	- -	57 12% b	- -	54 14% b	3 2%	56 11%	1 4%
Weekly	70 13%	9 6%	46 20% a	12 20% a	- -	- -	69 14%	1 3%	63 16% b	6 5%	69 14%	1 4%
Monthly	71 14%	14 9%	44 19% a	12 20% a	- -	- -	71 14% b	- -	59 15%	12 10%	70 14%	1 4%
Every three months	42 8%	13 8%	22 9%	6 10%	- -	- -	41 8%	1 3%	38 10% b	3 2%	40 8%	2 7%
More than every three months	45 9%	17 11%	23 10%	3 5%	- -	1 2%	40 8%	5 15%	38 10%	6 5%	42 8%	3 11%
Never	121 23%	69 44% bc	40 17% c	3 5%	- -	7 16%	104 21%	17 52% a	68 17%	46 38% a	111 22%	10 36%
Don't know	38 7%	19 12% b	11 5%	2 3%	- -	- -	36 7%	2 6%	25 6%	13 11%	37 7%	1 4%
Not applicable as my child is too young	80 15%	16 10%	13 6%	3 5%	- -	37 82%	73 15%	7 21%	46 12%	32 26% a	71 14%	9 32%
Net: Ever	285 54%	54 34%	170 73% a	52 87% ab	- -	1 2%	278 57% b	7 21%	252 64% b	30 25%	277 56%	8 29%
Net: At least weekly	127 24%	10 6%	81 35% a	31 52% ab	- -	- -	126 26% b	1 3%	117 30% b	9 7%	125 25%	2 7%

## NES Eczema Parent Survey

### PA\_Q11\_4. Like a stronger person: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
51 10%	23 9%	28 11%	- -	17 9%	11 7%	23 13%	39 10%	10 19% ac	2 4%	- -	- -	10 6%	32 11% b	9 19% b	- -	25 8%	24 12%
59 11%	35 13%	22 9%	2 17%	20 11%	19 12%	18 10%	50 13%	3 6%	5 10%	1 4%	- -	13 7%	39 14% b	7 15%	- -	23 7%	34 18% a
40 8%	19 7%	20 8%	2 17%	21 11% cd	8 5%	9 5%	34 9%	2 4%	3 6%	1 4%	- -	12 7%	21 7%	7 15%	- -	21 6%	19 10%
42 8%	24 9%	18 7%	1 8%	11 6%	21 14% bd	9 5%	34 9%	2 4%	5 10%	1 4%	1 11%	8 4%	29 10% b	3 6%	1 100%	23 7%	17 9%
30 6%	19 7%	11 4%	- -	3 2%	12 8% b	15 9% b	21 5%	7 13% a	2 4%	- -	- -	8 4%	17 6%	5 10%	- -	14 4%	16 8%
139 27%	70 26%	67 27%	1 8%	30 16%	49 32% b	59 34% b	103 26%	12 23%	12 24%	12 52%	3 33%	65 36% cd	63 22%	8 17%	- -	88 27%	51 26%
76 15%	31 12%	44 17%	- -	18 10%	21 14%	37 21% b	54 14%	10 19%	8 16%	4 17%	3 33%	24 13%	43 15%	6 13%	- -	50 15%	25 13%
87 17%	44 17%	42 17%	6 50%	65 35% cd	13 8% d	3 2%	63 16%	7 13%	13 26%	4 17%	2 22%	39 22% d	43 15%	3 6%	- -	80 25% b	7 4%
222 42%	120 45%	99 39%	5 42%	72 39%	71 46%	74 43%	178 45%	24 45%	17 34%	3 13%	1 11%	51 28%	138 48% b	31 65% bc	1 100%	106 33%	110 57% a
110 21%	58 22%	50 20%	2 17%	37 20%	30 19%	41 24%	89 22%	13 25%	7 14%	1 4%	- -	23 13%	71 25% b	16 33% b	- -	48 15%	58 30% a

## NES Eczema Parent Survey

### PA\_Q11\_4. Like a stronger person: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Type of eczema							Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Daily	51 10%	19 8%	7 12%	15 12%	8 15%	7 18% a	9 38%	38 13%	44 10%	41 13%	41 11%	45 12%	27 16%	24 16%	31 12%	35 14%	39 11%
Weekly	59 11%	24 10%	11 19%	20 16%	13 25% a	8 21% a	4 17%	41 14%	54 12%	44 14%	45 12%	44 12%	31 18% af	28 19%	38 15%	39 15%	42 12%
Monthly	40 8%	21 9%	8 14%	10 8%	8 15%	6 16%	3 13%	26 9%	33 7%	32 10%	31 8%	29 8%	21 13%	19 13%	27 11%	24 9%	31 9%
Every three months	42 8%	13 5%	7 12%	19 15% a	12 23% a	4 11%	- -	30 11%	36 8%	28 9%	33 8%	29 8%	20 12%	18 12%	28 11%	25 10%	32 9%
More than every three months	30 6%	15 6%	5 9%	7 6%	5 9%	2 5%	2 8%	19 7%	27 6%	20 6%	24 6%	24 7%	13 8%	13 9%	21 8%	20 8%	20 6%
Never	139 27%	64 27% d	10 17%	29 23% d	4 8%	5 13%	3 13%	51 18%	117 26% ac	61 19%	94 24%	88 24% bcd	27 16%	23 15%	44 17%	50 20%	77 22%
Don't know	76 15%	38 16% d	5 9% d	13 10% d	- -	2 5%	2 8%	40 14%	63 14%	39 12%	57 15%	51 14%	16 10%	14 9%	36 14%	34 13%	52 15%
Not applicable as my child is too young	87 17%	45 19% d	5 9%	14 11%	3 6%	4 11%	1 4%	39 14%	75 17%	56 17%	65 17%	55 15% bc	13 8%	12 8%	28 11%	28 11%	59 17% bcde
Net: Ever	222 42%	92 38%	38 66% a	71 56% a	46 87% abc	27 71% a	18 75%	154 54% bd	194 43%	165 51% b	174 45%	171 47%	112 67% aef	102 68% adef	145 57% af	143 56% af	164 47%
Net: At least weekly	110 21%	43 18%	18 31% a	35 28% a	21 40% a	15 39% a	13 54%	79 28%	98 22%	85 26%	86 22%	89 24%	58 35% af	52 34% af	69 27%	74 29%	81 23%



## NES Eczema Parent Survey

### PA\_Q11\_4. Like a stronger person: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	51 10%	7 4%	31 13% a	11 18% a	- -	- -	50 10%	1 3%	46 12% b	4 3%	51 10%	- -
Weekly	59 11%	4 3%	42 18% a	11 18% a	- -	- -	57 12%	2 6%	57 15% b	2 2%	58 12%	1 4%
Monthly	40 8%	4 3%	28 12% a	7 12% a	- -	- -	39 8%	1 3%	37 9% b	3 2%	40 8%	- -
Every three months	42 8%	3 2%	31 13% a	7 12% a	- -	- -	42 9%	- -	40 10% b	1 1%	39 8%	3 11%
More than every three months	30 6%	4 3%	19 8% a	5 8%	- -	- -	30 6%	- -	27 7%	3 2%	30 6%	- -
Never	139 27%	71 45% bc	46 20%	12 20%	- -	3 7%	125 25%	14 42% a	88 23%	45 37% a	128 26%	11 39%
Don't know	76 15%	41 26% bc	24 10%	3 5%	- -	3 7%	68 14%	8 24%	47 12%	27 22% a	72 15%	4 14%
Not applicable as my child is too young	87 17%	24 15% b	13 6%	4 7%	- -	39 87%	80 16%	7 21%	49 13%	36 30% a	78 16%	9 32%
Net: Ever	222 42%	22 14%	151 65% a	41 68% a	- -	- -	218 44% b	4 12%	207 53% b	13 11%	218 44%	4 14%
Net: At least weekly	110 21%	11 7%	73 31% a	22 37% a	- -	- -	107 22%	3 9%	103 26% b	6 5%	109 22%	1 4%

## NES Eczema Parent Survey

### PA\_Q11\_5. Less confident: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
46 9%	27 10%	18 7%	1 8%	7 4%	16 10% b	22 13% b	39 10% b	- -	6 12% b	1 4%	1 11%	12 7%	26 9%	7 15%	- -	26 8%	20 10%
82 16%	43 16%	38 15%	3 25%	29 16%	24 16%	26 15%	64 16%	8 15%	8 16%	2 9%	- -	16 9%	54 19% b	12 25% b	- -	43 13%	37 19%
78 15%	35 13%	42 17%	1 8%	24 13%	22 14%	31 18%	54 14%	12 23%	9 18%	3 13%	1 11%	17 9%	51 18% b	9 19%	- -	39 12%	37 19% a
55 10%	31 12%	23 9%	1 8%	12 6%	19 12%	23 13% b	45 11%	6 11%	3 6%	1 4%	1 11%	13 7%	33 11%	7 15%	1 100%	28 9%	26 13%
46 9%	21 8%	23 9%	1 8%	6 3%	18 12% b	21 12% b	35 9%	5 9%	2 4%	4 17%	- -	17 9%	26 9%	3 6%	- -	23 7%	23 12%
115 22%	58 22%	57 23%	- -	37 20%	42 27%	36 21%	86 22%	10 19%	11 22%	8 35%	4 44%	61 34% cd	45 16%	5 10%	- -	75 23%	39 20%
27 5%	12 5%	14 6%	- -	11 6%	6 4%	10 6%	19 5%	5 9%	2 4%	1 4%	- -	8 4%	16 6%	3 6%	- -	18 6%	8 4%
75 14%	38 14%	37 15%	5 42%	59 32% cd	7 5%	4 2%	56 14%	7 13%	9 18%	3 13%	2 22%	35 20% cd	36 13%	2 4%	- -	72 22% b	3 2%
307 59%	157 59%	144 57%	7 58%	78 42%	99 64% b	123 71% b	237 60%	31 58%	28 56%	11 48%	3 33%	75 42%	190 66% b	38 79% b	1 100%	159 49%	143 74% a
128 24%	70 26%	56 22%	4 33%	36 19%	40 26%	48 28%	103 26%	8 15%	14 28%	3 13%	1 11%	28 16%	80 28% b	19 40% b	- -	69 21%	57 30% a

## NES Eczema Parent Survey

### PA\_Q11\_5. Less confident: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
46 9%	25 10%	8 14%	10 8%	9 17%	4 11%	3 13%	33 12%	40 9%	27 8%	35 9%	36 10%	25 15%	18 12%	30 12%	29 11%	40 11%
82 16%	37 15%	11 19%	30 24%	13 25%	6 16%	7 29%	52 18%	71 16%	59 18%	64 16%	65 18%	44 26% af	40 26% af	57 23%	68 27% af	65 18%
78 15%	36 15%	14 24% c	16 13%	13 25% c	9 24%	6 25%	44 15%	69 15%	49 15%	59 15%	59 16%	35 21%	35 23% f	45 18%	42 16%	54 15%
55 10%	24 10%	8 14%	12 9%	3 6%	7 18%	2 8%	39 14%	46 10%	37 12%	45 12%	41 11%	24 14%	20 13%	31 12%	31 12%	40 11%
46 9%	21 9%	4 7%	8 6%	5 9%	1 3%	1 4%	23 8%	38 8%	26 8%	33 8%	26 7%	6 4%	7 5%	18 7%	14 5%	19 5%
115 22%	45 19%	5 9%	30 24% b	7 13%	7 18%	2 8%	51 18%	96 21%	56 17%	78 20%	72 20% bce	15 9%	15 10%	36 14%	34 13%	62 18% bc
27 5%	12 5%	3 5%	9 7%	1 2%	1 3%	1 4%	11 4%	25 6%	17 5%	22 6%	19 5%	7 4%	7 5%	12 5%	13 5%	21 6%
75 14%	39 16% d	5 9%	12 9%	2 4%	3 8%	2 8%	31 11%	64 14%	50 16%	54 14%	47 13% c	12 7%	9 6%	24 9%	24 9%	51 14% bc
307 59%	143 60%	45 78% ac	76 60%	43 81% ac	27 71%	19 79%	191 67% b	264 59%	198 62%	236 61%	227 62%	134 80% af	120 79% af	181 72% af	184 72% af	218 62%
128 24%	62 26%	19 33%	40 31%	22 42% a	10 26%	10 42%	85 30%	111 25%	86 27%	99 25%	101 28%	69 41% af	58 38% a	87 34%	97 38% af	105 30%

## NES Eczema Parent Survey

### PA\_Q11\_5. Less confident: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	46 9%	2 1%	28 12% a	14 23% ab	- -	- -	46 9%	- -	40 10% b	5 4%	45 9%	1 4%
Weekly	82 16%	9 6%	54 23% a	16 27% a	- -	- -	81 16% b	1 3%	74 19% b	7 6%	81 16%	1 4%
Monthly	78 15%	19 12%	44 19%	12 20%	- -	- -	74 15%	4 12%	68 17% b	10 8%	77 16%	1 4%
Every three months	55 10%	12 8%	33 14% a	9 15%	- -	- -	52 11%	3 9%	47 12%	7 6%	53 11%	2 7%
More than every three months	46 9%	19 12%	22 9%	4 7%	- -	- -	42 9%	4 12%	36 9%	8 7%	43 9%	3 11%
Never	115 22%	68 43% bc	34 15%	4 7%	- -	6 13%	101 21%	14 42% a	63 16%	47 39% a	105 21%	10 36%
Don't know	27 5%	13 8% bc	7 3%	- -	- -	1 2%	27 5%	- -	19 5%	8 7%	26 5%	1 4%
Not applicable as my child is too young	75 14%	16 10% c	12 5%	1 2%	- -	38 84%	68 14%	7 21%	44 11%	29 24% a	66 13%	9 32%
Net: Ever	307 59%	61 39%	181 77% a	55 92% ab	- -	- -	295 60% b	12 36%	265 68% b	37 31%	299 60%	8 29%
Net: At least weekly	128 24%	11 7%	82 35% a	30 50% ab	- -	- -	127 26% b	1 3%	114 29% b	12 10%	126 25%	2 7%

## NES Eczema Parent Survey

### PA\_Q11\_6. Self-conscious/embarrassed: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
53 10%	32 12%	21 8%	- -	14 8%	18 12%	21 12%	43 11%	3 6%	5 10%	2 9%	- -	10 6%	32 11% b	11 23% bc	- -	25 8%	27 14% a
87 17%	41 15%	45 18%	2 17%	22 12%	25 16%	38 22% b	65 16%	10 19%	10 20%	2 9%	- -	18 10%	58 20% b	11 23% b	- -	46 14%	40 21%
88 17%	46 17%	41 16%	- -	27 15%	22 14%	39 23%	71 18%	10 19%	7 14%	- -	1 11%	22 12%	54 19%	11 23%	- -	42 13%	45 23% a
47 9%	23 9%	22 9%	3 25%	7 4%	19 12% b	18 10% b	36 9% c	7 13% c	- -	4 17%	2 22%	10 6%	28 10%	7 15% b	- -	26 8%	20 10%
48 9%	19 7%	29 12%	- -	7 4%	20 13% b	21 12% b	37 9%	4 8%	4 8%	3 13%	- -	21 12% d	27 9% d	- -	- -	24 7%	23 12%
94 18%	54 20%	39 15%	1 8%	28 15%	39 25% bd	26 15%	70 18%	9 17%	9 18%	6 26%	4 44%	51 28% cd	35 12%	3 6%	1 100%	64 20%	29 15%
30 6%	13 5%	15 6%	- -	19 10% cd	5 3%	6 3%	20 5%	2 4%	5 10%	3 13%	- -	9 5%	19 7%	2 4%	- -	22 7%	7 4%
77 15%	37 14%	40 16%	6 50%	61 33% cd	6 4%	4 2%	56 14%	8 15%	10 20%	3 13%	2 22%	38 21% cd	34 12%	3 6%	- -	75 23% b	2 1%
323 62%	161 61%	158 63%	5 42%	77 42%	104 68% b	137 79% bc	252 63%	34 64%	26 52%	11 48%	3 33%	81 45%	199 69% b	40 83% bc	- -	163 50%	155 80% a
140 27%	73 28%	66 26%	2 17%	36 19%	43 28%	59 34% b	108 27%	13 25%	15 30%	4 17%	- -	28 16%	90 31% b	22 46% bc	- -	71 22%	67 35% a

## NES Eczema Parent Survey

### PA\_Q11\_6. Self-conscious/embarrassed: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
53 10%	23 10%	10 17%	16 13%	10 19%	7 18%	7 29%	38 13%	46 10%	36 11%	45 12%	40 11%	36 21% af	24 16%	42 17% a	40 16%	43 12%
87 17%	47 20%	12 21%	26 20%	13 25%	6 16%	4 17%	53 19%	79 18%	53 17%	67 17%	72 20%	43 26%	40 26%	53 21%	61 24%	74 21%
88 17%	41 17%	18 31% ac	18 14%	15 28% c	13 34% ac	7 29%	51 18%	71 16%	59 18%	67 17%	66 18%	35 21%	39 26% a	51 20%	49 19%	64 18%
47 9%	17 7%	7 12%	13 10%	3 6%	5 13%	1 4%	30 11%	42 9%	35 11%	39 10%	34 9%	13 8%	13 9%	22 9%	23 9%	33 9%
48 9%	20 8%	1 2%	12 9%	5 9%	1 3%	1 4%	21 7%	40 9%	24 7%	33 8%	32 9% b	6 4%	7 5%	19 8%	21 8%	21 6%
94 18%	40 17% bd	3 5%	25 20% bde	3 6%	2 5%	1 4%	41 14%	77 17%	43 13%	62 16%	54 15% bce	13 8%	10 7%	29 11%	23 9%	46 13% c
30 6%	9 4%	3 5%	6 5%	1 2%	1 3%	2 8%	16 6%	27 6%	19 6%	21 5%	22 6%	11 7%	10 7%	15 6%	14 5%	21 6%
77 15%	42 18% bcd	4 7%	11 9%	3 6%	3 8%	1 4%	34 12%	67 15%	52 16%	56 14%	45 12% bc	11 7%	8 5%	22 9%	24 9%	50 14% bcd
323 62%	148 62%	48 83% ac	85 67%	46 87% ac	32 84% ac	20 83%	193 68%	278 62%	207 64%	251 64%	244 67%	133 79% af	123 81% af	187 74%	194 76% af	235 67%
140 27%	70 29%	22 38%	42 33%	23 43% a	13 34%	11 46%	91 32%	125 28%	89 28%	112 29%	112 31%	79 47% af	64 42% a	95 38%	101 40% a	117 33%

## NES Eczema Parent Survey

### PA\_Q11\_6. Self-conscious/embarrassed: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	53 10%	5 3%	26 11% a	17 28% ab	- -	- -	52 11%	1 3%	49 13% b	4 3%	52 10%	1 4%
Weekly	87 17%	12 8%	63 27% a	11 18% a	- -	- -	84 17%	3 9%	75 19% b	11 9%	86 17%	1 4%
Monthly	88 17%	20 13%	52 22% a	13 22%	- -	- -	84 17%	4 12%	77 20% b	10 8%	86 17%	2 7%
Every three months	47 9%	12 8%	25 11%	8 13%	- -	- -	44 9%	3 9%	41 10% b	5 4%	47 9%	- -
More than every three months	48 9%	23 15% b	18 8%	4 7%	- -	- -	44 9%	4 12%	35 9%	11 9%	43 9%	5 18%
Never	94 18%	57 36% bc	26 11% c	1 2%	- -	5 11%	84 17%	10 30%	52 13%	39 32% a	86 17%	8 29%
Don't know	30 6%	9 6%	12 5%	4 7%	- -	2 4%	29 6%	1 3%	20 5%	9 7%	28 6%	2 7%
Not applicable as my child is too young	77 15%	20 13% bc	12 5%	2 3%	- -	38 84%	70 14%	7 21%	42 11%	32 26% a	68 14%	9 32%
Net: Ever	323 62%	72 46%	184 79% a	53 88% a	- -	- -	308 63% b	15 45%	277 71% b	41 34%	314 63%	9 32%
Net: At least weekly	140 27%	17 11%	89 38% a	28 47% a	- -	- -	136 28%	4 12%	124 32% b	15 12%	138 28%	2 7%

## NES Eczema Parent Survey

### PA\_Q11\_7. Lonely/socially isolated: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
31 6%	23 9% b	8 3%	- -	10 5%	11 7%	10 6%	26 7%	3 6%	2 4%	- -	- -	6 3%	20 7%	5 10% b	- -	13 4%	17 9% a
49 9%	27 10%	22 9%	1 8%	15 8%	13 8%	20 12%	43 11% b	1 2%	5 10%	- -	- -	11 6%	32 11%	6 13%	- -	23 7%	24 12% a
66 13%	29 11%	36 14%	- -	21 11%	21 14%	24 14%	50 13%	7 13%	6 12%	3 13%	- -	10 6%	46 16% b	10 21% b	- -	34 10%	32 17% a
40 8%	23 9%	14 6%	3 25%	12 6%	12 8%	13 8%	30 8%	3 6%	6 12%	1 4%	- -	9 5%	24 8%	6 13%	1 100%	17 5%	22 11% a
37 7%	17 6%	20 8%	1 8%	11 6%	15 10%	10 6%	30 8%	4 8%	2 4%	1 4%	- -	10 6%	24 8%	3 6%	- -	22 7%	14 7%
190 36%	94 35%	95 38%	1 8%	45 24%	65 42% b	79 46% b	138 35%	23 43%	15 30%	14 61%	5 56%	88 49% cd	85 30%	12 25%	- -	118 36%	71 37%
28 5%	10 4%	17 7%	1 8%	7 4%	9 6%	11 6%	21 5%	6 11% c	- -	1 4%	2 22%	8 4%	16 6%	2 4%	- -	22 7% b	5 3%
83 16%	42 16%	40 16%	5 42%	64 35% cd	8 5%	6 3%	60 15%	6 11%	14 28% ab	3 13%	2 22%	37 21% d	40 14%	4 8%	- -	75 23% b	8 4%
223 43%	119 45%	100 40%	5 42%	69 37%	72 47%	77 45%	179 45%	18 34%	21 42%	5 22%	- -	46 26%	146 51% b	30 63% b	1 100%	109 34%	109 56% a
80 15%	50 19% b	30 12%	1 8%	25 14%	24 16%	30 17%	69 17%	4 8%	7 14%	- -	- -	17 9%	52 18% b	11 23% b	- -	36 11%	41 21% a



## NES Eczema Parent Survey

### PA\_Q11\_7. Lonely/socially isolated: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
31 6%	13 5%	4 7%	11 9%	11 21% abce	2 5%	3 13%	21 7%	30 7%	24 7%	26 7%	23 6%	21 13% a	14 9%	24 9%	21 8%	26 7%
49 9%	22 9%	10 17%	15 12%	11 21% a	7 18%	6 25%	29 10%	41 9%	29 9%	39 10%	43 12%	27 16%	29 19% af	37 15%	38 15%	41 12%
66 13%	29 12%	14 24% a	19 15%	12 23% a	11 29% a	8 33%	45 16%	58 13%	51 16%	50 13%	51 14%	36 21% af	35 23% af	41 16%	44 17%	47 13%
40 8%	19 8%	7 12%	11 9%	4 8%	2 5%	- -	29 10%	33 7%	29 9%	35 9%	28 8%	19 11%	14 9%	25 10%	26 10%	33 9%
37 7%	17 7%	4 7%	10 8%	4 8%	4 11%	- -	24 8%	32 7%	23 7%	29 7%	26 7%	11 7%	11 7%	22 9%	24 9%	20 6%
190 36%	86 36% bd	10 17%	41 32% bd	6 11%	8 21%	4 17%	85 30%	158 35%	93 29%	131 34%	124 34% bcde	29 17%	30 20%	60 24%	60 24%	106 30% bc
28 5%	13 5%	2 3%	6 5%	1 2%	- -	- -	14 5%	25 6%	15 5%	20 5%	18 5%	9 5%	7 5%	16 6%	14 5%	21 6%
83 16%	40 17%	7 12%	14 11%	4 8%	4 11%	3 13%	37 13%	72 16%	57 18%	60 15%	52 14% c	16 10%	11 7%	28 11%	28 11%	58 16% bc
223 43%	100 42%	39 67% a	66 52%	42 79% ac	26 68% a	17 71%	148 52% b	194 43%	156 49%	179 46%	171 47%	114 68% af	103 68% af	149 59% af	153 60% af	167 47%
80 15%	35 15%	14 24%	26 20%	22 42% ac	9 24%	9 38%	50 18%	71 16%	53 17%	65 17%	66 18%	48 29% af	43 28% af	61 24%	59 23%	67 19%

## NES Eczema Parent Survey

### PA\_Q11\_7. Lonely/socially isolated: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	31 6%	2 1%	15 6% a	11 18% ab	- -	- -	30 6%	1 3%	29 7% b	2 2%	30 6%	1 4%
Weekly	49 9%	- -	35 15% a	13 22% a	- -	- -	49 10%	- -	47 12% b	1 1%	48 10%	1 4%
Monthly	66 13%	6 4%	45 19% a	12 20% a	- -	- -	64 13%	2 6%	63 16% b	3 2%	65 13%	1 4%
Every three months	40 8%	4 3%	27 12% a	9 15% a	- -	- -	40 8%	- -	39 10% b	1 1%	40 8%	- -
More than every three months	37 7%	8 5%	23 10%	5 8%	- -	- -	36 7%	1 3%	33 8% b	3 2%	33 7%	4 14%
Never	190 36%	111 70% bc	61 26% c	5 8%	- -	7 16%	169 34%	21 64% a	114 29%	69 57% a	179 36%	11 39%
Don't know	28 5%	10 6%	13 6%	1 2%	- -	- -	27 5%	1 3%	17 4%	10 8%	27 5%	1 4%
Not applicable as my child is too young	83 16%	17 11%	15 6%	4 7%	- -	38 84%	76 15%	7 21%	49 13%	32 26% a	74 15%	9 32%
Net: Ever	223 43%	20 13%	145 62% a	50 83% ab	- -	- -	219 45% b	4 12%	211 54% b	10 8%	216 44%	7 25%
Net: At least weekly	80 15%	2 1%	50 21% a	24 40% ab	- -	- -	79 16% b	1 3%	76 19% b	3 2%	78 16%	2 7%

## NES Eczema Parent Survey

### PA\_Q11\_8. Angry: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
36 7%	16 6%	20 8%	- -	9 5%	14 9%	13 8%	31 8%	1 2%	3 6%	1 4%	- -	7 4%	23 8%	6 13% b	- -	23 7%	13 7%
86 16%	42 16%	43 17%	- -	33 18%	24 16%	29 17%	69 17%	6 11%	10 20%	1 4%	- -	20 11%	56 20% b	10 21%	- -	52 16%	33 17%
77 15%	41 15%	34 13%	2 17%	28 15%	22 14%	25 14%	58 15%	12 23% c	4 8%	3 13%	- -	19 11%	49 17%	9 19%	- -	37 11%	39 20% a
54 10%	26 10%	26 10%	2 17%	17 9%	17 11%	18 10%	44 11%	3 6%	5 10%	2 9%	1 11%	9 5%	34 12% b	9 19% b	1 100%	30 9%	23 12%
43 8%	18 7%	24 10%	1 8%	14 8%	13 8%	15 9%	33 8%	6 11%	2 4%	2 9%	- -	15 8%	26 9%	2 4%	- -	25 8%	17 9%
131 25%	68 26%	63 25%	3 25%	26 14%	51 33% b	51 29% b	95 24%	13 25%	13 26%	10 43%	4 44%	67 37% cd	50 17%	10 21%	- -	79 24%	51 26%
31 6%	16 6%	14 6%	- -	7 4%	7 5%	17 10% b	23 6%	5 9%	2 4%	1 4%	2 22%	12 7%	16 6%	1 2%	- -	18 6%	11 6%
66 13%	38 14%	28 11%	4 33%	51 28% cd	6 4%	5 3%	45 11%	7 13%	11 22% a	3 13%	2 22%	30 17% d	33 11% d	1 2%	- -	60 19% b	6 3%
296 56%	143 54%	147 58%	5 42%	101 55%	90 58%	100 58%	235 59%	28 53%	24 48%	9 39%	1 11%	70 39%	188 66% b	36 75% b	1 100%	167 52%	125 65% a
122 23%	58 22%	63 25%	- -	42 23%	38 25%	42 24%	100 25%	7 13%	13 26%	2 9%	- -	27 15%	79 28% b	16 33% b	- -	75 23%	46 24%

## NES Eczema Parent Survey

### PA\_Q11\_8. Angry: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
36 7%	17 7%	7 12%	14 11%	4 8%	1 3%	6 25%	27 10%	33 7%	25 8%	30 8%	28 8%	24 14% a	22 15% a	24 9%	28 11%	32 9%
86 16%	36 15%	14 24%	21 17%	15 28% a	5 13%	6 25%	50 18%	75 17%	58 18%	67 17%	72 20%	46 27% af	32 21%	58 23%	66 26% f	67 19%
77 15%	41 17%	12 21%	22 17%	13 25%	10 26%	6 25%	50 18%	71 16%	48 15%	61 16%	62 17%	37 22%	34 23%	50 20%	44 17%	61 17%
54 10%	25 10%	9 16%	11 9%	6 11%	7 18%	1 4%	31 11%	47 10%	40 12%	40 10%	38 10%	20 12%	16 11%	26 10%	27 11%	39 11%
43 8%	19 8%	4 7%	8 6%	6 11%	4 11%	- -	25 9%	36 8%	25 8%	32 8%	28 8%	11 7%	9 6%	22 9%	22 9%	23 7%
131 25%	55 23%	7 12%	33 26% b	7 13%	7 18%	4 17%	62 22%	106 24%	63 20%	88 23%	78 21% b	17 10%	23 15%	43 17% b	42 16%	63 18% b
31 6%	13 5%	1 2%	8 6%	1 2%	1 3%	- -	12 4%	26 6%	19 6%	21 5%	20 5%	4 2%	6 4%	12 5%	10 4%	22 6%
66 13%	33 14% d	4 7%	10 8%	1 2%	3 8%	1 4%	27 10%	55 12%	43 13%	51 13%	39 11% b	9 5%	9 6%	18 7%	16 6%	45 13% bcde
296 56%	138 58%	46 79% ac	76 60%	44 83% ac	27 71%	19 79%	183 64%	262 58%	196 61%	230 59%	228 62%	138 82% adef	113 75% af	180 71% af	187 73% af	222 63%
122 23%	53 22%	21 36% ae	35 28%	19 36% ae	6 16%	12 50%	77 27%	108 24%	83 26%	97 25%	100 27%	70 42% af	54 36%	82 32%	94 37% af	99 28%

## NES Eczema Parent Survey

### PA\_Q11\_8. Angry: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	36 7%	1 1%	22 9% a	13 22% ab	- -	- -	36 7%	- -	34 9% b	1 1%	35 7%	1 4%
Weekly	86 16%	8 5%	57 24% a	12 20% a	- -	2 4%	84 17%	2 6%	72 18%	14 12%	82 17%	4 14%
Monthly	77 15%	11 7%	48 21% a	13 22% a	- -	1 2%	75 15%	2 6%	71 18% b	6 5%	76 15%	1 4%
Every three months	54 10%	12 8%	30 13%	8 13%	- -	- -	53 11%	1 3%	43 11%	10 8%	54 11%	- -
More than every three months	43 8%	13 8%	21 9%	6 10%	- -	- -	38 8%	5 15%	39 10% b	1 1%	41 8%	2 7%
Never	131 25%	77 49% bc	41 18%	5 8%	- -	5 11%	115 23%	16 48% a	78 20%	48 40% a	119 24%	12 43%
Don't know	31 6%	20 13% bc	7 3%	1 2%	- -	1 2%	31 6%	- -	20 5%	11 9%	30 6%	1 4%
Not applicable as my child is too young	66 13%	16 10% b	8 3%	2 3%	- -	36 80%	59 12%	7 21%	34 9%	30 25% a	59 12%	7 25%
Net: Ever	296 56%	45 28%	178 76% a	52 87% a	- -	3 7%	286 58% b	10 30%	259 66% b	32 26%	288 58%	8 29%
Net: At least weekly	122 23%	9 6%	79 34% a	25 42% a	- -	2 4%	120 24% b	2 6%	106 27% b	15 12%	117 24%	5 18%

## NES Eczema Parent Survey

### PA\_Q11\_9. Helpless: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

Significance Level: 95%

	Gender of child			Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Daily	41 8%	23 9%	18 7%	- -	10 5%	12 8%	19 11%	33 8%	4 8%	3 6%	1 4%	- -	8 4%	23 8%	10 21% bc	- -	18 6%	22 11% a
Weekly	64 12%	35 13%	28 11%	2 17%	26 14%	18 12%	18 10%	47 12%	5 9%	9 18%	3 13%	- -	11 6%	47 16% b	6 13%	- -	34 10%	28 15%
Monthly	67 13%	36 14%	31 12%	- -	23 12%	20 13%	24 14%	53 13%	4 8%	7 14%	3 13%	1 11%	10 6%	45 16% b	11 23% b	- -	34 10%	32 17% a
Every three months	41 8%	19 7%	19 8%	2 17%	15 8%	17 11% d	7 4%	32 8%	7 13% c	1 2%	1 4%	- -	9 5%	26 9%	6 13%	- -	23 7%	18 9%
More than every three months	41 8%	16 6%	24 10%	2 17%	9 5%	13 8%	17 10%	35 9%	4 8%	2 4%	- -	- -	10 6%	26 9%	5 10%	- -	27 8%	12 6%
Never	165 31%	84 32%	81 32%	- -	35 19%	57 37% b	73 42% b	119 30%	20 38%	15 30%	11 48%	5 56%	82 46% cd	71 25%	6 13%	1 100%	96 30%	69 36%
Don't know	30 6%	15 6%	14 6%	- -	10 5%	8 5%	12 7%	24 6%	2 4%	3 6%	1 4%	1 11%	15 8%	13 5%	1 2%	- -	22 7%	7 4%
Not applicable as my child is too young	75 14%	37 14%	37 15%	6 50%	57 31% cd	9 6% d	3 2%	55 14%	7 13%	10 20%	3 13%	2 22%	34 19% d	36 13%	3 6%	- -	70 22% b	5 3%
Net: Ever	254 48%	129 49%	120 48%	6 50%	83 45%	80 52%	85 49%	200 50%	24 45%	22 44%	8 35%	1 11%	48 27%	167 58% b	38 79% bc	- -	136 42%	112 58% a
Net: At least weekly	105 20%	58 22%	46 18%	2 17%	36 19%	30 19%	37 21%	80 20%	9 17%	12 24%	4 17%	- -	19 11%	70 24% b	16 33% b	- -	52 16%	50 26% a

## NES Eczema Parent Survey

### PA\_Q11\_9. Helpless: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
41 8%	16 7%	8 14%	12 9%	8 15% a	1 3%	4 17%	31 11%	36 8%	27 8%	33 8%	33 9%	29 17% af	27 18% af	33 13%	33 13%	35 10%
64 12%	32 13%	9 16%	16 13%	13 25% ac	12 32% ac	7 29%	38 13%	57 13%	42 13%	53 14%	51 14%	33 20%	38 25% aef	48 19%	40 16%	51 14%
67 13%	30 13%	15 26% a	21 17%	12 23%	5 13%	7 29%	43 15%	60 13%	48 15%	52 13%	55 15%	36 21%	30 20%	42 17%	47 18%	52 15%
41 8%	21 9%	8 14%	9 7%	6 11%	2 5%	1 4%	26 9%	36 8%	29 9%	32 8%	30 8%	18 11%	12 8%	26 10%	22 9%	30 9%
41 8%	15 6%	5 9%	14 11%	6 11%	3 8%	- -	24 8%	35 8%	29 9%	32 8%	30 8%	15 9%	9 6%	19 8%	18 7%	24 7%
165 31%	75 31% bd	7 12%	37 29% bd	6 11%	8 21%	4 17%	75 26%	136 30%	79 25%	113 29%	104 28% bcd	20 12%	20 13%	51 20% b	62 24% bc	93 26% bc
30 6%	13 5%	1 2%	7 6%	- -	3 8% d	- -	16 6%	25 6%	18 6%	21 5%	19 5%	7 4%	7 5%	11 4%	11 4%	20 6%
75 14%	37 15% d	5 9%	11 9%	2 4%	4 11%	1 4%	31 11%	64 14%	49 15%	54 14%	43 12% bc	10 6%	8 5%	23 9%	22 9%	47 13% bc
254 48%	114 48%	45 78% ac	72 57%	45 85% ace	23 61%	19 79%	162 57%	224 50%	175 55%	202 52%	199 55%	131 78% ade	116 77% ade	168 66% af	160 63% af	192 55%
105 20%	48 20%	17 29%	28 22%	21 40% ac	13 34%	11 46%	69 24%	93 21%	69 21%	86 22%	84 23%	62 37% af	65 43% ade	81 32% af	73 29%	86 24%

## NES Eczema Parent Survey

### PA\_Q11\_9. Helpless: To the best of your knowledge, how often, if ever, does your child feel the following as a result of their eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Daily	41 8%	- -	26 11% a	12 20% a	- -	- -	39 8%	2 6%	39 10% b	2 2%	40 8%	1 4%
Weekly	64 12%	3 2%	42 18% a	16 27% a	- -	- -	64 13% b	- -	60 15% b	3 2%	64 13%	- -
Monthly	67 13%	7 4%	47 20% a	8 13% a	- -	1 2%	66 13%	1 3%	62 16% b	4 3%	64 13%	3 11%
Every three months	41 8%	8 5%	25 11%	8 13% a	- -	- -	41 8%	- -	41 10% b	- -	41 8%	- -
More than every three months	41 8%	13 8%	19 8%	8 13%	- -	- -	39 8%	2 6%	32 8%	7 6%	39 8%	2 7%
Never	165 31%	95 60% bc	54 23% c	3 5%	- -	6 13%	148 30%	17 52% a	94 24%	66 55% a	155 31%	10 36%
Don't know	30 6%	15 9% b	10 4%	2 3%	- -	- -	26 5%	4 12%	20 5%	9 7%	28 6%	2 7%
Not applicable as my child is too young	75 14%	17 11% b	11 5%	3 5%	- -	38 84%	68 14%	7 21%	43 11%	30 25% a	65 13%	10 36%
Net: Ever	254 48%	31 20%	159 68% a	52 87% ab	- -	1 2%	249 51% b	5 15%	234 60% b	16 13%	248 50%	6 21%
Net: At least weekly	105 20%	3 2%	68 29% a	28 47% ab	- -	- -	103 21% b	2 6%	99 25% b	5 4%	104 21%	1 4%



NES Eczema Parent Survey

PA\_Q12. Over the last year, how many days off school has your child had to take because of eczema? This includes for pain, lack of sleep, doctors appointment etc.

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
238 45%	116 44%	121 48%	8 67%	91 49%	61 40%	78 45%	172 43%	28 53%	24 48%	14 61%	8 89%	114 64% cd	105 37%	11 23%	- -	176 54% b	60 31%
72 14%	40 15%	30 12%	1 8%	22 12%	27 18%	22 13%	59 15%	7 13%	4 8%	2 9%	1 11%	22 12%	42 15%	7 15%	- -	45 14%	27 14%
45 9%	18 7%	27 11%	1 8%	10 5%	16 10%	18 10%	36 9%	4 8%	3 6%	2 9%	- -	11 6%	30 10%	4 8%	- -	21 6%	24 12% a
60 11%	32 12%	27 11%	1 8%	24 13%	18 12%	17 10%	48 12%	7 13%	3 6%	2 9%	- -	15 8%	37 13%	8 17%	- -	31 10%	27 14%
34 6%	25 9% b	9 4%	- -	13 7%	9 6%	12 7%	25 6%	1 2%	6 12% b	2 9%	- -	8 4%	22 8%	3 6%	1 100%	16 5%	18 9%
75 14%	34 13%	38 15%	1 8%	25 14%	23 15%	26 15%	58 15%	6 11%	10 20%	1 4%	- -	9 5%	51 18% b	15 31% bc	- -	35 11%	37 19% a
286 55%	149 56%	131 52%	4 33%	94 51%	93 60%	95 55%	226 57%	25 47%	26 52%	9 39%	1 11%	65 36%	182 63% b	37 77% b	1 100%	148 46%	133 69% a

## NES Eczema Parent Survey

**PA\_Q12. Over the last year, how many days off school has your child had to take because of eczema? This includes for pain, lack of sleep, doctors appointment etc.**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
238 45%	115 48% bcde	10 17%	42 33% bd	4 8%	8 21%	3 13%	95 33%	196 44% ac	116 36%	163 42% a	143 39% bcde	36 21%	33 22%	73 29%	74 29%	139 39% bcde
72 14%	38 16%	8 14%	18 14%	9 17%	3 8%	- -	45 16%	64 14%	51 16%	57 15%	51 14%	22 13%	16 11%	33 13%	34 13%	44 13%
45 9%	18 8%	9 16%	15 12%	7 13%	5 13%	4 17%	27 10%	37 8%	29 9%	28 7%	37 10%	21 13%	18 12%	26 10%	32 13%	33 9%
60 11%	23 10%	11 19% a	16 13%	11 21% a	3 8%	7 29%	38 13%	55 12%	39 12%	50 13%	45 12%	28 17%	26 17%	40 16%	37 15%	51 14%
34 6%	12 5%	4 7%	13 10%	10 19% a	4 11%	2 8%	22 8%	29 6%	27 8%	25 6%	27 7%	17 10%	13 9%	27 11% f	23 9%	22 6%
75 14%	33 14%	16 28% a	23 18%	12 23%	15 39% ac	8 33%	57 20%	68 15%	59 18%	67 17%	62 17%	44 26% af	45 30% af	54 21%	55 22%	63 18%
286 55%	124 52%	48 83% ac	85 67% a	49 92% ac	30 79% a	21 88%	189 67% bd	253 56%	205 64% b	227 58%	222 61%	132 79% af	118 78% af	180 71% af	181 71% af	213 61%

## NES Eczema Parent Survey

**PA\_Q12. Over the last year, how many days off school has your child had to take because of eczema? This includes for pain, lack of sleep, doctors appointment etc.**

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
0 days	238	120	53	9	-	41	209	29	128	103	215	23
	45%	76%	23%	15%	-	91%	43%	88%	33%	85%	43%	82%
		bc						a		a		
1-2 days	72	22	39	6	-	3	70	2	61	8	70	2
	14%	14%	17%	10%	-	7%	14%	6%	16%	7%	14%	7%
									b			
3-4 days	45	5	27	10	-	-	45	-	40	4	44	1
	9%	3%	12%	17%	-	-	9%	-	10%	3%	9%	4%
			a	a					b			
5-7 days	60	5	40	10	-	1	60	-	56	4	59	1
	11%	3%	17%	17%	-	2%	12%	-	14%	3%	12%	4%
			a	a			b		b			
7-10 days	34	3	26	5	-	-	33	1	34	-	34	-
	6%	2%	11%	8%	-	-	7%	3%	9%	-	7%	-
			a	a					b			
More than 10 days	75	3	49	20	-	-	74	1	72	2	74	1
	14%	2%	21%	33%	-	-	15%	3%	18%	2%	15%	4%
			a	ab					b			
Net: Any days off	286	38	181	51	-	4	282	4	263	18	281	5
	55%	24%	77%	85%	-	9%	57%	12%	67%	15%	57%	18%
			a	a			b		b			

## NES Eczema Parent Survey

### PA\_Q13. To the best of your knowledge, thinking about your child's eczema and school, which of the following apply to them?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Teachers are aware of the difficulties that my child's eczema can cause	140 27%	70 26%	68 27%	2 17%	38 21%	49 32% b	51 29%	111 28%	15 28%	11 22%	3 13%	- -	42 23%	79 28%	19 40% b	- -	81 25%	56 29%
Teachers support my child in applying emollients and other topical treatments when at school to manage their eczema	118 23%	54 20%	64 25%	1 8%	38 21%	34 22%	45 26%	89 22%	16 30%	11 22%	2 9%	- -	24 13%	77 27% b	16 33% b	1 100%	59 18%	57 30% a
My child has to limit certain activities at school because of eczema e.g. sports or arts and crafts	92 18%	51 19%	39 15%	2 17%	27 15%	24 16%	39 23%	81 20%	5 9%	5 10%	1 4%	- -	23 13%	55 19%	14 29% b	- -	40 12%	49 25% a
My child regularly mentions having difficulty concentrating in class because of their eczema	90 17%	41 15%	46 18%	1 8%	32 17%	28 18%	29 17%	76 19%	7 13%	6 12%	1 4%	1 11%	16 9%	55 19% b	18 38% bc	- -	56 17%	32 17%
Teachers are not sympathetic towards the difficulties of living with eczema	54 10%	31 12%	21 8%	- -	15 8%	18 12%	21 12%	48 12%	3 6%	2 4%	1 4%	- -	11 6%	36 13% b	7 15%	- -	27 8%	27 14% a
Eczema has not had any impact on my child's experience at school	138 26%	69 26%	69 27%	1 8%	23 12%	52 34% b	62 36% b	96 24%	12 23%	17 34%	13 57%	5 56%	67 37% cd	61 21%	5 10%	- -	82 25%	56 29%
None of the above are applicable as my child is too young	95 18%	45 17%	49 19%	6 50%	72 39% cd	10 6%	7 4%	69 17%	13 25%	9 18%	4 17%	3 33%	45 25% cd	43 15%	4 8%	- -	86 27% b	8 4%

## NES Eczema Parent Survey

### PA\_Q13. To the best of your knowledge, thinking about your child's eczema and school, which of the following apply to them?

BASE: All respondents

	Type of eczema							Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Teachers are aware of the difficulties that my child's eczema can cause	140 27%	69 29%	24 41%	37 29%	25 47% ac	17 45%	11 46%	83 29%	123 27%	88 27%	111 28%	118 32%	53 32%	53 35%	90 36%	93 36%	114 32%
Teachers support my child in applying emollients and other topical treatments when at school to manage their eczema	118 23%	56 23%	21 36% a	45 35% a	24 45% a	12 32%	10 42%	75 26%	101 22%	81 25%	92 24%	99 27%	55 33%	58 38% af	81 32%	80 31%	92 26%
My child has to limit certain activities at school because of eczema e.g. sports or arts and crafts	92 18%	41 17%	13 22%	35 28% a	13 25%	6 16%	5 21%	65 23%	84 19%	66 21%	75 19%	72 20%	44 26%	42 28% a	60 24%	56 22%	74 21%
My child regularly mentions having difficulty concentrating in class because of their eczema	90 17%	36 15%	22 38% ac	30 24% a	20 38% a	21 55% ac	12 50%	62 22%	78 17%	62 19%	76 19%	65 18%	53 32% af	47 31% af	65 26% a	65 25% a	72 20%
Teachers are not sympathetic towards the difficulties of living with eczema	54 10%	28 12%	11 19%	15 12%	11 21%	11 29% ac	5 21%	35 12%	50 11%	34 11%	46 12%	43 12%	29 17%	28 19% af	37 15%	34 13%	40 11%
Eczema has not had any impact on my child's experience at school	138 26%	65 27% de	10 17%	26 20% d	3 6%	4 11%	3 13%	51 18%	115 26% ac	60 19%	92 24%	83 23% bcde	22 13%	16 11%	36 14%	40 16%	68 19% c
None of the above are applicable as my child is too young	95 18%	45 19% bd	4 7%	18 14% d	1 2%	3 8%	2 8%	44 15%	78 17%	63 20%	64 16%	58 16% c	17 10%	14 9%	31 12%	33 13%	59 17% bc

## NES Eczema Parent Survey

### PA\_Q13. To the best of your knowledge, thinking about your child's eczema and school, which of the following apply to them?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Teachers are aware of the difficulties that my child's eczema can cause	140	29	87	19	-	-	139	1	130	8	139	1
	27%	18%	37%	32%	-	-	28%	3%	33%	7%	28%	4%
			a	a			b		b			
Teachers support my child in applying emollients and other topical treatments when at school to manage their eczema	118	14	79	21	-	2	116	2	108	9	117	1
	23%	9%	34%	35%	-	4%	24%	6%	28%	7%	24%	4%
			a	a			b		b			
My child has to limit certain activities at school because of eczema e.g. sports or arts and crafts	92	5	67	17	-	-	92	-	89	3	91	1
	18%	3%	29%	28%	-	-	19%	-	23%	2%	18%	4%
			a	a			b		b			
My child regularly mentions having difficulty concentrating in class because of their eczema	90	4	58	25	-	-	88	2	88	1	89	1
	17%	3%	25%	42%	-	-	18%	6%	23%	1%	18%	4%
			a	ab					b			
Teachers are not sympathetic towards the difficulties of living with eczema	54	3	36	11	-	-	53	1	47	5	54	-
	10%	2%	15%	18%	-	-	11%	3%	12%	4%	11%	-
			a	a					b			
Eczema has not had any impact on my child's experience at school	138	96	25	5	-	4	119	19	72	62	126	12
	26%	61%	11%	8%	-	9%	24%	58%	18%	51%	25%	43%
		bc					a		a			
None of the above are applicable as my child is too young	95	24	21	1	-	39	86	9	54	38	82	13
	18%	15%	9%	2%	-	87%	18%	27%	14%	31%	17%	46%
		c							a			

## NES Eczema Parent Survey

### PA\_Q14. To the best of your knowledge, thinking about your child's eczema and experiences with other people, which of the following, if any, apply?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
My child's eczema hasn't impacted their ability to make friends	210 40%	104 39%	104 41%	2 17%	59 32%	58 38%	91 53% bc	163 41%	19 36%	16 32%	12 52%	7 78%	80 45% c	101 35%	21 44%	1 100%	114 35%	95 49% a
My child has mentioned being bullied or teased in person because of eczema	119 23%	63 24%	55 22%	1 8%	25 14%	45 29% b	48 28% b	98 25%	10 19%	9 18%	2 9%	- -	26 15%	75 26% b	18 38% b	- -	67 21%	51 26%
My child has mentioned being bullied online because of eczema	66 13%	33 12%	31 12%	1 8%	26 14%	20 13%	19 11%	54 14%	5 9%	5 10%	2 9%	- -	12 7% b	44 15% b	10 21% b	- -	31 10%	32 17% a
Not applicable as my child is too young	95 18%	49 18%	45 18%	5 42%	71 38% cd	15 10% d	4 2%	63 16%	13 25%	15 30% a	4 17%	2 22%	34 19%	54 19%	5 10%	- -	86 27% b	9 5%
None of the above	79 15%	41 15%	36 14%	3 25%	16 9%	30 19% b	30 17% b	58 15%	10 19%	7 14%	4 17%	- -	38 21% cd	39 14%	2 4%	- -	43 13%	33 17%
Net: Been bullied or teased	164 31%	84 32%	77 31%	2 17%	47 25%	57 37% b	58 34%	132 33%	14 26%	14 28%	4 17%	- -	33 18%	107 37% b	24 50% b	- -	91 28%	69 36%
Net: Been bullied or teased in person and online	21 4%	12 5%	9 4%	- -	4 2%	8 5%	9 5%	20 5%	1 2%	- -	- -	- -	5 3%	12 4%	4 8%	- -	7 2%	14 7% a

## NES Eczema Parent Survey

### PA\_Q14. To the best of your knowledge, thinking about your child's eczema and experiences with other people, which of the following, if any, apply?

BASE: All respondents

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrheoic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%			a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%	
My child's eczema hasn't impacted their ability to make friends	210 40%	97 41%	25 43%	53 42%	23 43%	16 42%	8 33%	110 39%	174 39%	116 36%	154 39%	151 41%	67 40%	58 38%	97 38%	91 36%	137 39%	
My child has mentioned being bullied or teased in person because of eczema	119 23%	51 21%	25 43% a	43 34% a	23 43% a	15 39% a	11 46%	80 28%	104 23%	81 25%	94 24%	93 25%	57 34% a	53 35% af	77 30%	83 33%	92 26%	
My child has mentioned being bullied online because of eczema	66 13%	28 12%	16 28% a	23 18%	20 38% ac	18 47% ac	8 33%	50 18%	58 13%	51 16%	57 15%	48 13%	42 25% aef	36 24% af	45 18%	43 17%	45 13%	
Not applicable as my child is too young	95 18%	49 21% bcd	4 7%	15 12%	2 4%	3 8%	4 17%	45 16%	79 18%	64 20%	71 18%	58 16%	19 11%	19 13%	37 15%	35 14%	64 18% b	
None of the above	79 15%	36 15% b	3 5%	15 12%	5 9%	3 8%	1 4%	33 12%	74 16%	42 13%	53 14%	48 13%	14 8%	11 7%	25 10%	33 13%	45 13%	
Net: Been bullied or teased	164 31%	68 28%	33 57% a	54 43% a	33 62% ac	24 63% ac	14 58%	112 39% b	142 32%	115 36%	134 34%	125 34%	83 49% af	76 50% af	107 42% af	110 43% af	119 34%	
Net: Been bullied or teased in person and online	21 4%	11 5%	8 14% a	12 9%	10 19% a	9 24% ac	5 21%	18 6%	20 4%	17 5%	17 4%	16 4%	16 10% a	13 9%	15 6%	16 6%	18 5%	



## NES Eczema Parent Survey

### PA\_Q14. To the best of your knowledge, thinking about your child's eczema and experiences with other people, which of the following, if any, apply?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
My child's eczema hasn't impacted their ability to make friends	210	89	95	19	-	5	195	15	156	52	201	9
	40%	56%	41%	32%	-	11%	40%	45%	40%	43%	41%	32%
		bc										
My child has mentioned being bullied or teased in person because of eczema	119	17	73	25	-	-	117	2	107	10	117	2
	23%	11%	31%	42%	-	-	24%	6%	27%	8%	24%	7%
			a	a			b		b			
My child has mentioned being bullied online because of eczema	66	3	43	17	-	-	65	1	64	1	66	-
	13%	2%	18%	28%	-	-	13%	3%	16%	1%	13%	-
			a	a					b			
Not applicable as my child is too young	95	18	21	7	-	38	91	4	57	36	88	7
	18%	11%	9%	12%	-	84%	19%	12%	15%	30%	18%	25%
										a		
None of the above	79	36	27	5	-	2	68	11	50	23	69	10
	15%	23%	12%	8%	-	4%	14%	33%	13%	19%	14%	36%
		bc						a				
Net: Been bullied or teased	164	19	104	35	-	-	161	3	150	11	162	2
	31%	12%	44%	58%	-	-	33%	9%	38%	9%	33%	7%
			a	a			b		b			
Net: Been bullied or teased in person and online	21	1	12	7	-	-	21	-	21	-	21	-
	4%	1%	5%	12%	-	-	4%	-	5%	-	4%	-
			a	a					b			

## NES Eczema Parent Survey

### PA\_Q15. In the last year, who out of the following list of healthcare professionals, have been consulted about your child's eczema?

BASE: All respondents

	Gender of child			Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
GP	335 64%	169 64%	162 64%	8 67%	123 66%	97 63%	107 62%	248 62%	34 64%	35 70%	18 78%	4 44%	128 72% d	181 63% d	21 44%	1 100%	213 66%	119 62%
A pharmacist	137 26%	70 26%	66 26%	2 17%	57 31%	37 24%	41 24%	101 25%	15 28%	15 30%	6 26%	2 22%	45 25%	74 26%	16 33%	- -	85 26%	51 26%
An NHS dermatologist	135 26%	74 28%	60 24%	2 17%	48 26%	37 24%	48 28%	107 27%	14 26%	8 16%	6 26%	- -	39 22%	80 28%	15 31%	1 100%	79 24%	53 27%
A nurse	109 21%	57 22%	50 20%	1 8%	37 20%	34 22%	37 21%	84 21%	12 23%	9 18%	4 17%	1 11%	32 18%	61 21%	15 31% b	- -	63 19%	44 23%
An NHS paediatrician	98 19%	46 17%	51 20%	1 8%	38 21%	30 19%	29 17%	74 19%	9 17%	12 24%	3 13%	1 11%	33 18%	48 17%	15 31% c	1 100%	58 18%	38 20%
A private dermatologist	50 10%	25 9%	24 10%	3 25%	14 8%	17 11%	16 9%	37 9%	8 15%	4 8%	1 4%	- -	9 5%	32 11% b	8 17% b	1 100%	26 8%	23 12%
An NHS A&E or out-of-hours service worker	50 10%	25 9%	24 10%	1 8%	14 8%	16 10%	19 11%	38 10%	7 13%	3 6%	2 9%	- -	7 4%	34 12% b	9 19% b	- -	24 7%	25 13% a
Telephone support worker (e.g. NHS 111/NHS 24)	49 9%	25 9%	24 10%	2 17%	16 9%	13 8%	18 10%	41 10%	4 8%	4 8%	- -	- -	13 7%	22 8%	14 29% bc	- -	25 8%	24 12%
A private paediatrician	34 6%	20 8%	12 5%	2 17%	10 5%	10 6%	12 7%	29 7%	3 6%	2 4%	- -	- -	3 2%	21 7% b	9 19% bc	1 100%	14 4%	19 10% a
An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker	33 6%	16 6%	17 7%	- -	14 8%	10 6%	9 5%	26 7%	5 9%	1 2%	1 4%	- -	7 4%	23 8%	3 6%	- -	14 4%	19 10% a
I have not consulted a healthcare professional about my child's eczema in the last year	33 6%	15 6%	18 7%	- -	7 4%	8 5%	18 10% b	29 7%	1 2%	2 4%	1 4%	2 22%	17 9% c	11 4%	3 6%	- -	23 7%	10 5%

## NES Eczema Parent Survey

### PA\_Q15. In the last year, who out of the following list of healthcare professionals, have been consulted about your child's eczema?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
335 64%	164 69% cd	34 59%	74 58%	24 45%	23 61%	15 63%	164 58%	282 63%	190 59%	234 60%	237 65% b	93 55%	88 58%	164 65%	155 61%	238 68% bc
137 26%	70 29%	16 28%	30 24%	10 19%	11 29%	8 33%	73 26%	118 26%	88 27%	102 26%	103 28%	47 28%	44 29%	73 29%	80 31%	104 30%
135 26%	76 32%	20 34%	42 33%	22 42%	11 29%	9 38%	78 27%	120 27%	98 31%	105 27%	111 30%	57 34%	47 31%	77 30%	88 35%	98 28%
109 21%	55 23%	17 29%	27 21%	16 30%	10 26%	7 29%	60 21%	99 22%	69 21%	86 22%	78 21%	43 26%	37 25%	62 25%	65 25%	85 24%
98 19%	60 25%	16 28%	24 19%	21 40% ac	11 29%	6 25%	60 21%	82 18%	58 18%	75 19%	77 21%	42 25%	39 26%	57 23%	62 24%	75 21%
50 10%	22 9%	13 22% a	18 14%	10 19% a	7 18%	6 25%	32 11%	46 10%	37 12%	38 10%	42 12%	26 15%	22 15%	35 14%	36 14%	40 11%
50 10%	28 12%	10 17%	19 15%	10 19%	10 26% a	8 33%	38 13%	45 10%	39 12%	40 10%	44 12%	31 18% af	23 15%	35 14%	36 14%	38 11%
49 9%	20 8%	14 24% a	20 16% a	12 23% a	8 21% a	9 38%	36 13%	43 10%	39 12%	38 10%	39 11%	32 19% adf	28 19% af	30 12%	32 13%	36 10%
34 6%	17 7%	8 14%	13 10%	12 23% ac	8 21% a	2 8%	27 10%	33 7%	28 9%	30 8%	27 7%	23 14% af	14 9%	24 9%	25 10%	26 7%
33 6%	14 6%	8 14% a	13 10%	14 26% ac	8 21% a	7 29%	26 9%	25 6%	21 7%	26 7%	24 7%	16 10%	17 11%	19 8%	24 9%	24 7%
33 6%	12 5%	3 5%	7 6%	1 2%	2 5%	1 4%	14 5%	29 6%	16 5%	25 6%	18 5%	6 4%	3 2%	5 2%	7 3%	13 4%

## NES Eczema Parent Survey

### PA\_Q15. In the last year, who out of the following list of healthcare professionals, have been consulted about your child's eczema?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
GP	335	115	140	29	-	33	335	-	237	94	321	14
	64%	73%	60%	48%	-	73%	68%	-	61%	78%	65%	50%
		bc					b			a		
A pharmacist	137	37	64	21	-	10	137	-	103	33	133	4
	26%	23%	27%	35%	-	22%	28%	-	26%	27%	27%	14%
							b					
An NHS dermatologist	135	34	73	18	-	4	135	-	134	-	134	1
	26%	22%	31%	30%	-	9%	27%	-	34%	-	27%	4%
			a				b		b			
A nurse	109	25	58	12	-	6	109	-	91	17	104	5
	21%	16%	25%	20%	-	13%	22%	-	23%	14%	21%	18%
			a				b		b			
An NHS paediatrician	98	15	60	12	-	4	98	-	94	3	96	2
	19%	9%	26%	20%	-	9%	20%	-	24%	2%	19%	7%
			a	a			b		b			
A private dermatologist	50	7	24	14	-	3	50	-	48	-	50	-
	10%	4%	10%	23%	-	7%	10%	-	12%	-	10%	-
			a	ab					b			
An NHS A&E or out-of-hours service worker	50	4	26	14	-	2	50	-	48	1	50	-
	10%	3%	11%	23%	-	4%	10%	-	12%	1%	10%	-
			a	ab					b			
Telephone support worker (e.g. NHS 111/NHS 24)	49	3	30	12	-	2	49	-	45	4	48	1
	9%	2%	13%	20%	-	4%	10%	-	12%	3%	10%	4%
			a	a					b			
A private paediatrician	34	1	20	11	-	-	34	-	33	1	33	1
	6%	1%	9%	18%	-	-	7%	-	8%	1%	7%	4%
			a	ab					b			
An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker	33	2	19	9	-	-	33	-	32	-	33	-
	6%	1%	8%	15%	-	-	7%	-	8%	-	7%	-
			a	a					b			

NES Eczema Parent Survey

PA\_Q15. In the last year, who out of the following list of healthcare professionals, have been consulted about your child's eczema?

BASE: All respondents

Significance Level: 95%

Total

I have not consulted a healthcare professional about my child's eczema in the last year

	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
Total	0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
	a	b	c	*a	b	a	b	a	b	a	*b
524	158	234	60	-	45	491	33	391	121	496	28
100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
33	20	4	1	-	6	-	33	14	15	23	10
6%	13%	2%	2%	-	13%	-	100%	4%	12%	5%	36%
	bc						a		a		

NES Eczema Parent Survey

PA\_Q15\_1. GP: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted GP

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	*d	*e	a	b
335 100%	169 100%	162 100%	8 100%	123 100%	97 100%	107 100%	248 100%	34 100%	35 100%	18 100%	4 100%	128 100%	181 100%	21 100%	1 100%	213 100%	119 100%
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
184 55%	92 54%	89 55%	6 75%	67 54%	52 54%	59 55%	131 53%	20 59%	20 57%	13 72%	4 100%	88 69% c	86 48%	6 29%	- -	124 58%	57 48%
95 28%	43 25%	52 32%	1 13%	34 28%	32 33%	28 26%	75 30%	7 21%	8 23%	5 28%	- -	29 23%	60 33% b	5 24%	1 100%	58 27%	37 31%
42 13%	25 15%	16 10%	1 13%	15 12%	10 10%	16 15%	33 13%	2 6%	7 20%	- -	- -	9 7% b	27 15% b	6 29%	- -	24 11%	18 15%
14 4%	9 5%	5 3%	- -	7 6%	3 3%	4 4%	9 4%	5 15% ac	- -	- -	- -	2 2%	8 4%	4 19%	- -	7 3%	7 6%
335 100%	169 100%	162 100%	8 100%	123 100%	97 100%	107 100%	248 100%	34 100%	35 100%	18 100%	4 100%	128 100%	181 100%	21 100%	1 100%	213 100%	119 100%
335 3.87	169 5.16	162 2.54	8 1.63	123 5.47	97 2.58	107 3.37	248 4.13	34 4.62	35 2.57	18 1.50	4 1.00	128 2.05	181 3.63 b	21 17.62	1 4.00	213 2.74	119 5.97 a
12.974 .709 .50	17.953 1.381 1.91	2.991 .235 .06	1.408 .498 .25	20.411 1.840 3.39	2.791 .283 .08	6.206 .600 .36	14.720 .935 .87	8.316 1.426 2.03	2.465 .417 .17	.924 .218 .05	- . -	2.758 .244 .06	8.373 .622 .39	43.701 9.536 90.94	- . -	4.329 .297 .09	20.875 1.914 3.66

NES Eczema Parent Survey

PA\_Q15\_1. GP: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted GP

Significance Level: 95%

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
335 100%	164 100%	34 100%	74 100%	24 100%	23 100%	15 100%	164 100%	282 100%	190 100%	234 100%	237 100%	93 100%	88 100%	164 100%	155 100%	238 100%
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
184 55%	82 50%	11 32%	38 51%	7 29%	9 39%	5 33%	79 48%	152 54%	88 46%	125 53%	115 49%	32 34%	37 42%	80 49%	62 40%	115 48%
											b			b		b
95 28%	53 32%	13 38%	28 38%	6 25%	8 35%	6 40%	49 30%	79 28%	67 35%	64 27%	75 32%	34 37%	31 35%	50 30%	53 34%	77 32%
42 13%	19 12%	8 24%	7 9%	9 38%	3 13%	2 13%	27 16%	38 13%	26 14%	33 14%	33 14%	16 17%	12 14%	25 15%	31 20%	34 14%
14 4%	10 6%	2 6%	1 1%	2 8%	3 13%	2 13%	9 5%	13 5%	9 5%	12 5%	14 6%	11 12%	8 9%	9 5%	9 6%	12 5%
												f				
335 100%	164 100%	34 100%	74 100%	24 100%	23 100%	15 100%	164 100%	282 100%	190 100%	234 100%	237 100%	93 100%	88 100%	164 100%	155 100%	238 100%
335 3.87 12.974 .709 .50	164 5.28 18.240 1.424 2.03	34 10.44 34.780 5.965 35.58	74 4.93 23.068 2.682 7.19	24 14.29 41.062 8.382 70.26	23 12.04 41.136 8.577 73.57	15 19.47 51.818 13.379 179.01	164 5.43 18.194 1.421 2.02	282 4.16 14.083 .839 .70	190 4.54 15.467 1.122 1.26	234 4.41 15.174 .992 .98	237 4.74 15.315 .995 .99	93 7.27 21.891 2.270 5.15	88 6.73 22.376 2.385 5.69	164 3.70 6.443 .503 .25	155 4.54 9.760 .784 .61	238 4.53 15.081 .978 .96

## NES Eczema Parent Survey

### PA\_Q15\_1. GP: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted GP

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	*c	*a	b	a	*b	a	b	a	*b
Total	335	115	140	29	-	33	335	-	237	94	321	14
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
0	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
1	184	84	56	9	-	25	184	-	102	78	172	12
	55%	73%	40%	31%	-	76%	55%	-	43%	83%	54%	86%
		b								a		
2-4	95	25	48	7	-	8	95	-	83	12	93	2
	28%	22%	34%	24%	-	24%	28%	-	35%	13%	29%	14%
			a						b			
5-10	42	5	28	8	-	-	42	-	38	4	42	-
	13%	4%	20%	28%	-	-	13%	-	16%	4%	13%	-
			a						b			
11+	14	1	8	5	-	-	14	-	14	-	14	-
	4%	1%	6%	17%	-	-	4%	-	6%	-	4%	-
			a						b			
Net At all (1+)	335	115	140	29	-	33	335	-	237	94	321	14
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
Base for stats	335	115	140	29	-	33	335	-	237	94	321	14
Mean Score	3.87	1.63	3.80	17.00	-	1.39	3.87	-	4.87	1.48	3.99	1.21
			a						b			
Standard Deviation	12.974	1.597	5.057	40.741	-	.827	12.974	-	15.297	1.420	13.242	.579
Standard Error	.709	.149	.427	7.565	-	.144	.709	-	.994	.146	.739	.155
Error variance	.50	.02	.18	57.24	-	.02	.50	-	.99	.02	.55	.02



NES Eczema Parent Survey

PA\_Q15\_2. A nurse: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A nurse

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	*b	*c	*d	*a	b	c	*d	*e	a	b
Total	109 100%	57 100%	50 100%	1 100%	37 100%	34 100%	37 100%	84 100%	12 100%	9 100%	4 100%	1 100%	32 100%	61 100%	15 100%	- -	63 100%	44 100%
0	1 1%	- -	1 2%	- -	- -	1 3%	- -	1 1%	- -	- -	- -	- -	- -	1 2%	- -	- -	1 2%	- -
1	30 28%	13 23%	17 34%	1 100%	11 30%	9 26%	9 24%	18 21%	6 50%	3 33%	3 75%	1 100%	7 22%	21 34%	1 7%	- -	24 38% b	6 14%
2-4	54 50%	25 44%	28 56%	- -	19 51%	17 50%	18 49%	45 54%	4 33%	4 44%	1 25%	- -	23 72% c	24 39%	7 47%	- -	28 44%	25 57%
5-10	19 17%	14 25% b	4 8%	- -	6 16%	5 15%	8 22%	15 18%	2 17%	2 22%	- -	- -	2 6%	12 20%	5 33%	- -	8 13%	10 23%
11+	5 5%	5 9% b	- -	- -	1 3%	2 6%	2 5%	5 6%	- -	- -	- -	- -	- -	3 5%	2 13%	- -	2 3%	3 7%
Net At all (1+)	108 99%	57 100%	49 98%	1 100%	37 100%	33 97%	37 100%	83 99%	12 100%	9 100%	4 100%	1 100%	32 100%	60 98%	15 100%	- -	62 98%	44 100%
Base for stats	109	57	50	1	37	34	37	84	12	9	4	1	32	61	15	-	63	44
Mean Score	5.78	9.02	2.16	1.00	7.73	4.79	4.86	6.82	2.58	2.33	1.25	1.00	2.38	4.82	17.27	-	3.97	8.45
Standard Deviation	20.440	27.950	1.517	-	32.517	11.300	8.522	23.190	2.392	1.581	.500	-	1.157	10.604	50.641	-	10.115	29.824
Standard Error	1.958	3.702	.214	-	5.346	1.938	1.401	2.530	.690	.527	.250	-	.205	1.358	13.075	-	1.274	4.496
Error variance	3.83	13.71	.05	-	28.58	3.76	1.96	6.40	.48	.28	.06	-	.04	1.84	170.97	-	1.62	20.22

NES Eczema Parent Survey

PA\_Q15\_2. A nurse: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A nurse

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			a	*b	*c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
Total	109 100%	55 100%	17 100%	27 100%	16 100%	10 100%	7 100%		60 100%	99 100%	69 100%	86 100%	78 100%	43 100%	37 100%	62 100%	65 100%	85 100%
0	1 1%	1 2%	- -	- -	- -	- -	- -		- -	1 1%	1 1%	1 1%	1 1%	1 2%	- -	1 2%	- -	- -
1	30 28%	18 33%	2 12%	10 37%	2 13%	2 20%	- -		17 28%	27 27%	19 28%	23 27%	17 22%	6 14%	7 19%	16 26%	18 28%	21 25%
2-4	54 50%	25 45%	6 35%	11 41%	9 56%	3 30%	3 43%		27 45%	49 49%	32 46%	40 47%	42 54%	20 47%	15 41%	29 47%	31 48%	43 51%
5-10	19 17%	8 15%	5 29%	5 19%	3 19%	3 30%	2 29%		11 18%	17 17%	13 19%	17 20%	14 18%	11 26%	11 30%	13 21%	14 22%	16 19%
11+	5 5%	3 5%	4 24%	1 4%	2 13%	2 20%	2 29%		5 8%	5 5%	4 6%	5 6%	4 5%	5 12%	4 11%	3 5%	2 3%	5 6%
Net At all (1+)	108 99%	54 98%	17 100%	27 100%	16 100%	10 100%	7 100%		60 100%	98 99%	68 99%	85 99%	77 99%	42 98%	37 100%	61 98%	65 100%	85 100%
Base for stats	109	55	17	27	16	10	7		60	99	69	86	78	43	37	62	65	85
Mean Score	5.78	7.07	19.94	9.93	15.94	29.90	33.00		8.47	6.09	6.93	6.70	6.79	10.81	11.73	4.15	3.68	6.64
Standard Deviation	20.440	27.410	48.032	38.046	49.163	62.820	73.729		27.319	21.427	24.965	22.942	23.984	32.020	34.343	7.082	6.505	23.059
Standard Error	1.958	3.696	11.649	7.322	12.291	19.865	27.867		3.527	2.154	3.005	2.474	2.716	4.883	5.646	.899	.807	2.501
Error variance	3.83	13.66	135.71	53.61	151.06	394.63	776.57		12.44	4.64	9.03	6.12	7.37	23.84	31.88	.81	.65	6.26

## NES Eczema Parent Survey

### PA\_Q15\_2. A nurse: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A nurse

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		*a	b	*c	*a	*b	a	*b	a	*b	a	*b
Total	109	25	58	12	-	6	109	-	91	17	104	5
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
0	1	-	1	-	-	-	1	-	1	-	1	-
	1%	-	2%	-	-	-	1%	-	1%	-	1%	-
1	30	12	12	1	-	4	30	-	21	9	27	3
	28%	48%	21%	8%	-	67%	28%	-	23%	53%	26%	60%
2-4	54	13	29	4	-	2	54	-	47	6	52	2
	50%	52%	50%	33%	-	33%	50%	-	52%	35%	50%	40%
5-10	19	-	13	5	-	-	19	-	18	1	19	-
	17%	-	22%	42%	-	-	17%	-	20%	6%	18%	-
11+	5	-	3	2	-	-	5	-	4	1	5	-
	5%	-	5%	17%	-	-	5%	-	4%	6%	5%	-
Net At all (1+)	108	25	57	12	-	6	108	-	90	17	103	5
	99%	100%	98%	100%	-	100%	99%	-	99%	100%	99%	100%
Base for stats	109	25	58	12	-	6	109	-	91	17	104	5
Mean Score	5.78	1.64	5.33	20.50	-	1.50	5.78	-	5.98	4.88	5.96	2.00
Standard Deviation	20.440	.757	10.782	56.589	-	.837	20.440	-	21.779	12.262	20.911	1.414
Standard Error	1.958	.151	1.416	16.336	-	.342	1.958	-	2.283	2.974	2.050	.632
Error variance	3.83	.02	2.00	266.86	-	.12	3.83	-	5.21	8.84	4.20	.40

NES Eczema Parent Survey

PA\_Q15\_3. A pharmacist: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A pharmacist

Significance Level: 95%

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	*b	*c	*d	*a	b	c	*d	*e	a	b
Total	137 100%	70 100%	66 100%	2 100%	57 100%	37 100%	41 100%	101 100%	15 100%	15 100%	6 100%	2 100%	45 100%	74 100%	16 100%	-	85 100%	51 100%
0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-	- -	- -
1	44 32%	21 30%	22 33%	- -	15 26%	14 38%	15 37%	33 33%	4 27%	5 33%	2 33%	2 100%	16 36%	25 34%	1 6%	-	27 32%	16 31%
2-4	55 40%	28 40%	27 41%	2 100%	24 42%	13 35%	16 39%	42 42%	3 20%	6 40%	4 67%	- -	19 42%	31 42%	5 31%	-	39 46%	16 31%
5-10	27 20%	13 19%	14 21%	- -	14 25%	6 16%	7 17%	21 21%	5 33%	1 7%	- -	- -	7 16%	12 16%	8 50%	-	16 19%	11 22%
11+	11 8%	8 11%	3 5%	- -	4 7%	4 11%	3 7%	5 5%	3 20%	3 20%	- -	- -	3 7%	6 8%	2 13%	-	3 4%	8 16% a
Net At all (1+)	137 100%	70 100%	66 100%	2 100%	57 100%	37 100%	41 100%	101 100%	15 100%	15 100%	6 100%	2 100%	45 100%	74 100%	16 100%	-	85 100%	51 100%
Base for stats	137	70	66	2	57	37	41	101	15	15	6	2	45	74	16	-	85	51
Mean Score	7.37	10.67	3.97	2.50	7.79	10.89	3.85	5.50	21.87	7.67	2.00	1.00	7.60	5.14	17.88	-	5.55	10.53
Standard Deviation	24.661	33.761	6.194	.707	26.558	33.937	4.258	19.953	51.414	12.539	.894	-	29.610	9.340	48.678	-	21.708	29.084
Standard Error	2.107	4.035	.762	.500	3.518	5.579	.665	1.985	13.275	3.238	.365	-	4.414	1.086	12.170	-	2.355	4.073
Error variance	4.44	16.28	.58	.25	12.37	31.13	.44	3.94	176.23	10.48	.13	-	19.48	1.18	148.10	-	5.54	16.59

NES Eczema Parent Survey

PA\_Q15\_3. A pharmacist: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A pharmacist

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear flui	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			a	*b	c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
Total	137 100%	70 100%	16 100%	30 100%	10 100%	11 100%	8 100%		73 100%	118 100%	88 100%	102 100%	103 100%	47 100%	44 100%	73 100%	80 100%	104 100%
0	- -	- -	- -	- -	- -	- -	- -		- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
1	44 32%	24 34%	3 19%	7 23%	2 20%	3 27%	1 13%		19 26%	40 34%	23 26%	29 28%	32 31%	11 23%	9 20%	21 29%	21 26%	33 32%
2-4	55 40%	24 34%	7 44%	14 47%	3 30%	4 36%	2 25%		28 38%	44 37%	35 40%	42 41%	44 43%	19 40%	18 41%	29 40%	33 41%	43 41%
5-10	27 20%	17 24%	5 31%	7 23%	3 30%	3 27%	1 13%		19 26%	24 20%	21 24%	22 22%	21 20%	11 23%	12 27%	17 23%	19 24%	20 19%
11+	11 8%	5 7%	1 6%	2 7%	2 20%	1 9%	4 50%		7 10%	10 8%	9 10%	9 9%	6 6%	6 13%	5 11%	6 8%	7 9%	8 8%
Net At all (1+)	137 100%	70 100%	16 100%	30 100%	10 100%	11 100%	8 100%		73 100%	118 100%	88 100%	102 100%	103 100%	47 100%	44 100%	73 100%	80 100%	104 100%
Base for stats	137	70	16	30	10	11	8		73	118	88	102	103	47	44	73	80	104
Mean Score	7.37	6.80	15.88	10.33	28.50	21.73	59.13		7.86	7.94	9.70	8.77	7.74	13.94	14.30	7.89	7.34	7.67
Standard Deviation	24.661	24.008	49.132	36.018	62.431	59.178	88.171		23.950	26.461	30.392	28.363	27.825	40.655	41.724	24.509	22.950	27.517
Standard Error	2.107	2.870	12.283	6.576	19.742	17.843	31.173		2.803	2.436	3.240	2.808	2.742	5.930	6.290	2.869	2.566	2.698
Error variance	4.44	8.23	150.87	43.24	389.76	318.37	971.77		7.86	5.93	10.50	7.89	7.52	35.17	39.57	8.23	6.58	7.28

## NES Eczema Parent Survey

### PA\_Q15\_3. A pharmacist: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A pharmacist

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	*c	*a	*b	a	*b	a	b	a	*b
Total	137	37	64	21	-	10	137	-	103	33	133	4
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
0	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
1	44	20	15	3	-	5	44	-	26	17	41	3
	32%	54%	23%	14%	-	50%	32%	-	25%	52%	31%	75%
		b								a		
2-4	55	14	29	5	-	3	55	-	42	13	54	1
	40%	38%	45%	24%	-	30%	40%	-	41%	39%	41%	25%
5-10	27	3	17	5	-	2	27	-	26	1	27	-
	20%	8%	27%	24%	-	20%	20%	-	25%	3%	20%	-
			a						b			
11+	11	-	3	8	-	-	11	-	9	2	11	-
	8%	-	5%	38%	-	-	8%	-	9%	6%	8%	-
Net At all (1+)	137	37	64	21	-	10	137	-	103	33	133	4
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
Base for stats	137	37	64	21	-	10	137	-	103	33	133	4
Mean Score	7.37	1.89	4.09	30.48	-	2.50	7.37	-	8.66	3.55	7.56	1.25
			a									
Standard Deviation	24.661	1.370	4.649	58.259	-	1.900	24.661	-	27.996	8.035	25.008	.500
Standard Error	2.107	.225	.581	12.713	-	.601	2.107	-	2.759	1.399	2.168	.250
Error variance	4.44	.05	.34	161.62	-	.36	4.44	-	7.61	1.96	4.70	.06

NES Eczema Parent Survey

PA\_Q15\_4. Telephone support worker (e.g. NHS 111/NHS 24): To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted Telephone support worker (e.g. NHS 111/NHS 24)

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%																		
		*a	*b	*a	*b	*c	*d	a	*b	*c	*d	*a	*b	*c	*d	*e	*a	*b
Total	49 100%	25 100%	24 100%	2 100%	16 100%	13 100%	18 100%	41 100%	4 100%	4 100%	- -	- -	13 100%	22 100%	14 100%	- -	25 100%	24 100%
0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
1	21 43%	8 32%	13 54%	1 50%	7 44%	6 46%	7 39%	19 46%	1 25%	1 25%	- -	- -	5 38%	12 55%	4 29%	- -	11 44%	10 42%
2-4	14 29%	8 32%	6 25%	1 50%	5 31%	3 23%	5 28%	11 27%	- -	3 75%	- -	- -	5 38%	6 27%	3 21%	- -	8 32%	6 25%
5-10	7 14%	4 16%	3 13%	- -	2 13%	1 8%	4 22%	5 12%	2 50%	- -	- -	- -	1 8%	2 9%	4 29%	- -	3 12%	4 17%
11+	7 14%	5 20%	2 8%	- -	2 13%	3 23%	2 11%	6 15%	1 25%	- -	- -	- -	2 15%	2 9%	3 21%	- -	3 12%	4 17%
Net At all (1+)	49 100%	25 100%	24 100%	2 100%	16 100%	13 100%	18 100%	41 100%	4 100%	4 100%	- -	- -	13 100%	22 100%	14 100%	- -	25 100%	24 100%
Base for stats	49	25	24	2	16	13	18	41	4	4	-	-	13	22	14	-	25	24
Mean Score	18.27	21.40	15.00	1.50	15.50	28.92	14.89	18.59	31.25	2.00	-	-	19.08	4.32	39.43	-	16.24	20.38
Standard Deviation	46.376	48.142	45.257	.707	49.298	60.229	35.048	48.217	53.231	.816	-	-	40.834	9.428	73.798	-	44.694	48.938
Standard Error	6.625	9.628	9.238	.500	12.324	16.705	8.261	7.530	26.616	.408	-	-	11.325	2.010	19.723	-	8.939	9.989
Error variance	43.89	92.71	85.34	.25	151.89	279.04	68.24	56.70	708.40	.17	-	-	128.26	4.04	389.01	-	79.90	99.79

NES Eczema Parent Survey

PA\_Q15\_4. Telephone support worker (e.g. NHS 111/NHS 24): To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted Telephone support worker (e.g. NHS 111/NHS 24)

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			*a	*b	*c	*d	*e	*f	a	b	c	d	a	b	*c	d	e	f
Total		49 100%	20 100%	14 100%	20 100%	12 100%	8 100%	9 100%	36 100%	43 100%	39 100%	38 100%	39 100%	32 100%	28 100%	30 100%	32 100%	36 100%
0		- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
1		21 43%	9 45%	5 36%	7 35%	4 33%	2 25%	2 22%	15 42%	17 40%	17 44%	14 37%	17 44%	13 41%	10 36%	12 40%	11 34%	14 39%
2-4		14 29%	5 25%	4 29%	8 40%	4 33%	1 13%	3 33%	10 28%	13 30%	8 21%	12 32%	10 26%	6 19%	6 21%	8 27%	12 38%	12 33%
5-10		7 14%	5 25%	2 14%	3 15%	3 25%	2 25%	2 22%	6 17%	6 14%	7 18%	6 16%	6 15%	6 19%	5 18%	6 20%	6 19%	5 14%
11+		7 14%	1 5%	3 21%	2 10%	1 8%	3 38%	2 22%	5 14%	7 16%	7 18%	6 16%	6 15%	7 22%	7 25%	4 13%	3 9%	5 14%
Net At all (1+)		49 100%	20 100%	14 100%	20 100%	12 100%	8 100%	9 100%	36 100%	43 100%	39 100%	38 100%	39 100%	32 100%	28 100%	30 100%	32 100%	36 100%
Base for stats		49	20	14	20	12	8	9	36	43	39	38	39	32	28	30	32	36
Mean Score		18.27	12.80	25.00	17.90	19.50	57.63	37.22	18.00	20.47	22.38	20.11	19.62	26.84	30.39	16.97	9.94	18.33
Standard Deviation		46.376	44.127	58.054	49.255	56.880	89.068	70.682	48.750	49.160	51.293	49.817	49.256	55.767	58.869	44.146	26.652	43.836
Standard Error		6.625	9.867	15.516	11.014	16.420	31.490	23.561	8.125	7.497	8.213	8.081	7.887	9.858	11.125	8.060	4.711	7.306
Error variance		43.89	97.36	240.74	121.30	269.61	991.64	555.10	66.02	56.20	67.46	65.31	62.21	97.19	123.77	64.96	22.20	53.38



## NES Eczema Parent Survey

### PA\_Q15\_4. Telephone support worker (e.g. NHS 111/NHS 24): To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted Telephone support worker (e.g. NHS 111/NHS 24)

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	b	*c	*a	*b	a	*b	a	*b	a	*b
Total	49	3	30	12	-	2	49	-	45	4	48	1
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
0	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
1	21	3	12	3	-	2	21	-	18	3	20	1
	43%	100%	40%	25%	-	100%	43%	-	40%	75%	42%	100%
2-4	14	-	10	4	-	-	14	-	13	1	14	-
	29%	-	33%	33%	-	-	29%	-	29%	25%	29%	-
5-10	7	-	5	1	-	-	7	-	7	-	7	-
	14%	-	17%	8%	-	-	14%	-	16%	-	15%	-
11+	7	-	3	4	-	-	7	-	7	-	7	-
	14%	-	10%	33%	-	-	14%	-	16%	-	15%	-
Net At all (1+)	49	3	30	12	-	2	49	-	45	4	48	1
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
Base for stats	49	3	30	12	-	2	49	-	45	4	48	1
Mean Score	18.27	1.00	7.87	53.92	-	1.00	18.27	-	19.78	1.25	18.63	1.00
Standard Deviation	46.376	-	21.091	79.715	-	-	46.376	-	48.141	.500	46.797	-
Standard Error	6.625	-	3.851	23.012	-	-	6.625	-	7.176	.250	6.755	-
Error variance	43.89	-	14.83	529.54	-	-	43.89	-	51.50	.06	45.62	-

NES Eczema Parent Survey

PA\_Q15\_5. An NHS dermatologist: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An NHS dermatologist

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	*b	*c	*d	*a	b	c	*d	*e	a	b
Total	135 100%	74 100%	60 100%	2 100%	48 100%	37 100%	48 100%	107 100%	14 100%	8 100%	6 100%	- -	39 100%	80 100%	15 100%	1 100%	79 100%	53 100%
0	2 1%	1 1%	1 2%	- -	- -	1 3%	1 2%	1 1%	1 7%	- -	- -	- -	1 3%	1 1%	- -	- -	2 3%	- -
1	53 39%	28 38%	24 40%	2 100%	17 35%	18 49%	16 33%	37 35%	7 50%	5 63%	4 67%	- -	20 51%	29 36%	4 27%	- -	33 42%	20 38%
2-4	51 38%	28 38%	23 38%	- -	16 33%	14 38%	21 44%	48 45%	1 7%	- -	2 33%	- -	12 31%	32 40%	7 47%	- -	30 38%	19 36%
5-10	22 16%	11 15%	11 18%	- -	13 27% c	3 8%	6 13%	16 15%	3 21%	3 38%	- -	- -	4 10%	14 18%	3 20%	1 100%	13 16%	9 17%
11+	7 5%	6 8%	1 2%	- -	2 4%	1 3%	4 8%	5 5%	2 14%	- -	- -	- -	2 5%	4 5%	1 7%	- -	1 1%	5 9% a
Net At all (1+)	133 99%	73 99%	59 98%	2 100%	48 100%	36 97%	47 98%	106 99%	13 93%	8 100%	6 100%	- -	38 97%	79 99%	15 100%	1 100%	77 97%	53 100%
Base for stats	135	74	60	2	48	37	48	107	14	8	6	-	39	80	15	1	79	53
Mean Score	7.61	11.15	3.35	1.00	9.52	7.68	5.92	7.03	17.00	3.50	1.50	-	8.15	6.80	10.40	9.00	5.03	8.02
Standard Deviation	27.111	35.981	5.707	-	32.207	32.559	15.419	23.904	52.767	3.546	.837	-	32.255	24.609	27.938	-	22.327	20.569
Standard Error	2.333	4.183	.737	-	4.649	5.353	2.226	2.311	14.102	1.254	.342	-	5.165	2.751	7.214	-	2.512	2.825
Error variance	5.44	17.49	.54	-	21.61	28.65	4.95	5.34	198.88	1.57	.12	-	26.68	7.57	52.04	-	6.31	7.98

NES Eczema Parent Survey

PA\_Q15\_5. An NHS dermatologist: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An NHS dermatologist

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear flui	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			a	*b	c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
Total	135 100%	76 100%	20 100%	42 100%	22 100%	11 100%	9 100%		78 100%	120 100%	98 100%	105 100%	111 100%	57 100%	47 100%	77 100%	88 100%	98 100%
0	2 1%	2 3%	- -	- -	- -	- -	- -		1 1%	1 1%	1 1%	1 1%	1 1%	- -	- -	2 3%	1 1%	1 1%
1	53 39%	28 37%	6 30%	14 33%	4 18%	2 18%	3 33%		25 32%	47 39%	36 37%	37 35%	39 35%	16 28%	14 30%	24 31%	28 32%	35 36%
2-4	51 38%	30 39%	7 35%	19 45%	10 45%	5 45%	3 33%		32 41%	45 38%	38 39%	43 41%	45 41%	25 44%	18 38%	33 43%	37 42%	41 42%
5-10	22 16%	12 16%	5 25%	6 14%	6 27%	1 9%	1 11%		16 21%	21 18%	17 17%	19 18%	19 17%	11 19%	10 21%	14 18%	16 18%	14 14%
11+	7 5%	4 5%	2 10%	3 7%	2 9%	3 27%	2 22%		4 5%	6 5%	6 6%	5 5%	7 6%	5 9%	5 11%	4 5%	6 7%	7 7%
Net At all (1+)	133 99%	74 97%	20 100%	42 100%	22 100%	11 100%	9 100%		77 99%	119 99%	97 99%	104 99%	110 99%	57 100%	47 100%	75 97%	87 99%	97 99%
Base for stats	135	76	20	42	22	11	9		78	120	98	105	111	57	47	77	88	98
Mean Score	7.61	6.07	13.15	12.36	12.73	22.91	36.56		5.96	6.64	9.22	8.70	8.71	14.37	16.34	9.45	9.25	9.47
Standard Deviation	27.111	17.305	31.693	37.079	30.135	41.254	71.027		16.592	22.621	31.427	30.397	29.774	40.812	44.451	33.344	31.438	31.623
Standard Error	2.333	1.985	7.087	5.721	6.425	12.439	23.676		1.879	2.065	3.175	2.966	2.826	5.406	6.484	3.800	3.351	3.194
Error variance	5.44	3.94	50.22	32.73	41.28	154.72	560.53		3.53	4.26	10.08	8.80	7.99	29.22	42.04	14.44	11.23	10.20

## NES Eczema Parent Survey

### PA\_Q15\_5. An NHS dermatologist: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An NHS dermatologist

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	*c	*a	*b	a	*b	a	*b	a	*b
Total	135	34	73	18	-	4	135	-	134	-	134	1
	100%	100%	100%	100%	-	100%	100%	-	100%	-	100%	100%
0	2	1	1	-	-	-	2	-	2	-	2	-
	1%	3%	1%	-	-	-	1%	-	1%	-	1%	-
1	53	23	19	7	-	3	53	-	53	-	53	-
	39%	68%	26%	39%	-	75%	39%	-	40%	-	40%	-
		b										
2-4	51	10	30	8	-	1	51	-	51	-	50	1
	38%	29%	41%	44%	-	25%	38%	-	38%	-	37%	100%
5-10	22	-	18	1	-	-	22	-	21	-	22	-
	16%	-	25%	6%	-	-	16%	-	16%	-	16%	-
		a										
11+	7	-	5	2	-	-	7	-	7	-	7	-
	5%	-	7%	11%	-	-	5%	-	5%	-	5%	-
Net At all (1+)	133	33	72	18	-	4	133	-	132	-	132	1
	99%	97%	99%	100%	-	100%	99%	-	99%	-	99%	100%
Base for stats	135	34	73	18	-	4	135	-	134	-	134	1
Mean Score	7.61	1.47	8.23	19.22	-	1.25	7.61	-	7.63	-	7.65	2.00
Standard Deviation	27.111	.929	26.003	51.891	-	.500	27.111	-	27.211	-	27.208	-
Standard Error	2.333	.159	3.043	12.231	-	.250	2.333	-	2.351	-	2.350	-
Error variance	5.44	.03	9.26	149.59	-	.06	5.44	-	5.53	-	5.52	-

NES Eczema Parent Survey

PA\_Q15\_6. A private dermatologist: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A private dermatologist

	Gender of child			Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		*a	*b	*a	*b	*c	*d	a	*b	*c	*d	*a	*b	c	*d	*e	*a	*b
Significance Level: 95%																		
Total	50 100%	25 100%	24 100%	3 100%	14 100%	17 100%	16 100%	37 100%	8 100%	4 100%	1 100%	- -	9 100%	32 100%	8 100%	1 100%	26 100%	23 100%
0	5 10%	2 8%	3 13%	1 33%	- -	3 18%	1 6%	4 11%	- -	- -	1 100%	- -	1 11%	4 13%	- -	- -	2 8%	3 13%
1	14 28%	10 40%	4 17%	- -	4 29%	3 18%	7 44%	12 32%	1 13%	1 25%	- -	- -	1 11%	11 34%	1 13%	1 100%	10 38%	4 17%
2-4	17 34%	6 24%	10 42%	2 67%	4 29%	6 35%	5 31%	12 32%	3 38%	2 50%	- -	- -	4 44%	11 34%	2 25%	- -	9 35%	8 35%
5-10	8 16%	3 12%	5 21%	- -	4 29%	3 18%	1 6%	5 14%	2 25%	1 25%	- -	- -	2 22%	4 13%	2 25%	- -	3 12%	4 17%
11+	6 12%	4 16%	2 8%	- -	2 14%	2 12%	2 13%	4 11%	2 25%	- -	- -	- -	1 11%	2 6%	3 38%	- -	2 8%	4 17%
Net At all (1+)	45 90%	23 92%	21 88%	2 67%	14 100%	14 82%	15 94%	33 89%	8 100%	4 100%	- -	- -	8 89%	28 88%	8 100%	1 100%	24 92%	20 87%
Base for stats	50	25	24	3	14	17	16	37	8	4	1	-	9	32	8	1	26	23
Mean Score	17.10	26.68	7.67	2.00	18.57	20.06	15.50	16.05	31.13	3.00	-	-	24.89	3.38	65.25	1.00	10.54	24.91
Standard Deviation	48.844	65.495	20.164	2.000	52.490	52.061	49.537	47.493	68.649	1.826	-	-	65.707	5.417	89.501	-	38.872	58.976
Standard Error	6.908	13.099	4.116	1.155	14.029	12.627	12.384	7.808	24.271	.913	-	-	21.902	.958	31.644	-	7.623	12.297
Error variance	47.72	171.58	16.94	1.33	196.80	159.43	153.37	60.96	589.09	.83	-	-	479.71	.92	1001.31	-	58.12	151.22

NES Eczema Parent Survey

PA\_Q15\_6. A private dermatologist: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A private dermatologist

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			*a	*b	*c	*d	*e	*f	a	b	c	d	a	*b	*c	d	e	f
Total		50 100%	22 100%	13 100%	18 100%	10 100%	7 100%	6 100%	32 100%	46 100%	37 100%	38 100%	42 100%	26 100%	22 100%	35 100%	36 100%	40 100%
0		5 10%	2 9%	1 8%	1 6%	3 30%	- -	- -	4 13%	5 11%	2 5%	4 11%	3 7%	2 8%	2 9%	3 9%	3 8%	4 10%
1		14 28%	8 36%	3 23%	4 22%	2 20%	1 14%	1 17%	9 28%	13 28%	13 35%	12 32%	11 26%	5 19%	4 18%	7 20%	9 25%	7 18%
2-4		17 34%	7 32%	6 46%	8 44%	4 40%	3 43%	- -	12 38%	16 35%	12 32%	13 34%	15 36%	8 31%	9 41%	15 43%	12 33%	16 40%
5-10		8 16%	3 14%	1 8%	2 11%	- -	2 29%	2 33%	5 16%	7 15%	5 14%	5 13%	7 17%	6 23%	3 14%	5 14%	8 22%	7 18%
11+		6 12%	2 9%	2 15%	3 17%	1 10%	1 14%	3 50%	2 6%	5 11%	5 14%	4 11%	6 14%	5 19%	4 18%	5 14%	4 11%	6 15%
Net At all (1+)		45 90%	20 91%	12 92%	17 94%	7 70%	7 100%	6 100%	28 88%	41 89%	35 95%	34 89%	39 93%	24 92%	20 91%	32 91%	33 92%	36 90%
Base for stats		50	22	13	18	10	7	6	32	46	37	38	42	26	22	35	36	40
Mean Score		17.10	12.00	32.62	20.00	21.00	31.57	73.17	14.72	17.85	21.68	20.47	20.02	30.19	30.32	17.77	12.11	20.98
Standard Deviation		48.844	42.225	74.301	50.591	62.900	74.321	98.546	48.644	50.827	56.157	55.611	52.874	65.471	69.185	48.596	36.329	54.033
Standard Error		6.908	9.002	20.607	11.924	19.891	28.091	40.231	8.599	7.494	9.232	9.021	8.159	12.840	14.750	8.214	6.055	8.543
Error variance		47.72	81.04	424.66	142.19	395.64	789.09	1618.56	73.95	56.16	85.23	81.38	66.56	164.86	217.57	67.47	36.66	72.99

## NES Eczema Parent Survey

### PA\_Q15\_6. A private dermatologist: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A private dermatologist

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		*a	*b	*c	*a	*b	a	*b	a	*b	a	*b
Total	50	7	24	14	-	3	50	-	48	-	50	-
	100%	100%	100%	100%	-	100%	100%	-	100%	-	100%	-
0	5	1	2	1	-	1	5	-	5	-	5	-
	10%	14%	8%	7%	-	33%	10%	-	10%	-	10%	-
1	14	3	6	2	-	1	14	-	13	-	14	-
	28%	43%	25%	14%	-	33%	28%	-	27%	-	28%	-
2-4	17	3	11	3	-	-	17	-	16	-	17	-
	34%	43%	46%	21%	-	-	34%	-	33%	-	34%	-
5-10	8	-	4	4	-	-	8	-	8	-	8	-
	16%	-	17%	29%	-	-	16%	-	17%	-	16%	-
11+	6	-	1	4	-	1	6	-	6	-	6	-
	12%	-	4%	29%	-	33%	12%	-	13%	-	12%	-
Net At all (1+)	45	6	22	13	-	2	45	-	43	-	45	-
	90%	86%	92%	93%	-	67%	90%	-	90%	-	90%	-
Base for stats	50	7	24	14	-	3	50	-	48	-	50	-
Mean Score	17.10	1.29	10.83	40.14	-	7.33	17.10	-	17.75	-	17.10	-
Standard Deviation	48.844	.756	40.362	72.440	-	11.846	48.844	-	49.764	-	48.844	-
Standard Error	6.908	.286	8.239	19.360	-	6.839	6.908	-	7.183	-	6.908	-
Error variance	47.72	.08	67.88	374.82	-	46.78	47.72	-	51.59	-	47.72	-

NES Eczema Parent Survey

PA\_Q15\_7. An NHS paediatrician: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An NHS paediatrician

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	*d	a	*b	*c	*d	*a	b	c	*d	*e	a	b
98 100%	46 100%	51 100%	1 100%	38 100%	30 100%	29 100%	74 100%	9 100%	12 100%	3 100%	1 100%	33 100%	48 100%	15 100%	1 100%	58 100%	38 100%
2 2%	2 4%	- -	- -	- -	1 3%	1 3%	1 1%	- -	1 8%	- -	- -	1 3%	1 2%	- -	- -	2 3%	- -
31 32%	14 30%	17 33%	1 100%	10 26%	15 50% b	5 17%	23 31%	4 44%	3 25%	1 33%	1 100%	12 36%	15 31%	3 20%	- -	25 43% b	6 16%
47 48%	21 46%	25 49%	- -	18 47%	12 40%	17 59%	35 47%	4 44%	6 50%	2 67%	- -	17 52%	22 46%	7 47%	1 100%	21 36%	24 63% a
15 15%	7 15%	8 16%	- -	9 24% c	1 3%	5 17%	12 16%	1 11%	2 17%	- -	- -	3 9%	9 19%	3 20%	- -	9 16%	6 16%
3 3%	2 4%	1 2%	- -	1 3%	1 3%	1 3%	3 4%	- -	- -	- -	- -	- -	1 2%	2 13%	- -	1 2%	2 5%
96 98%	44 96%	51 100%	1 100%	38 100%	29 97%	28 97%	73 99%	9 100%	11 92%	3 100%	1 100%	32 97%	47 98%	15 100%	1 100%	56 97%	38 100%
98 5.07 20.246 2.045 4.18	46 7.43 29.407 4.336 18.80	51 3.00 2.683 .376 .14	1 1.00 - - -	38 8.13 32.032 5.196 27.00	30 2.80 5.702 1.041 1.08	29 3.55 3.042 .565 .32	74 5.92 23.251 2.703 7.31	9 2.11 1.364 .455 .21	12 2.58 2.275 .657 .43	3 3.00 1.732 1.000 1.00	1 1.00 - - -	33 2.39 2.076 .361 .13	48 3.27 4.662 .673 .45	15 17.20 50.693 13.089 171.32	1 2.00 - - -	58 2.88 4.317 .567 .32	38 8.53 32.028 5.196 27.00



NES Eczema Parent Survey

PA\_Q15\_7. An NHS paediatrician: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An NHS paediatrician

Significance Level: 95%		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
		Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear flui	Cracked ski	Flaking ski	Dry or rough skin
	Total																
		a	*b	*c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
Total	98 100%	60 100%	16 100%	24 100%	21 100%	11 100%	6 100%	60 100%	82 100%	58 100%	75 100%	77 100%	42 100%	39 100%	57 100%	62 100%	75 100%
0	2 2%	1 2%	- -	1 4%	- -	- -	- -	1 2%	2 2%	1 2%	2 3%	1 1%	- -	1 3%	1 2%	1 2%	1 1%
1	31 32%	21 35%	3 19%	4 17%	2 10%	1 9%	1 17%	15 25%	26 32%	15 26%	23 31%	26 34%	10 24%	8 21%	16 28%	17 27%	25 33%
2-4	47 48%	28 47%	9 56%	16 67%	15 71%	6 55%	3 50%	30 50%	38 46%	30 52%	33 44%	37 48%	19 45%	22 56%	33 58%	33 53%	35 47%
5-10	15 15%	8 13%	3 19%	2 8%	3 14%	2 18%	1 17%	11 18%	13 16%	9 16%	14 19%	10 13%	10 24%	5 13%	7 12%	11 18%	12 16%
11+	3 3%	2 3%	1 6%	1 4%	1 5%	2 18%	1 17%	3 5%	3 4%	3 5%	3 4%	3 4%	3 7% de	3 8% de	- -	- -	2 3%
Net At all (1+)	96 98%	59 98%	16 100%	23 96%	21 100%	11 100%	6 100%	59 98%	80 98%	57 98%	73 97%	76 99%	42 100%	38 97%	56 98%	61 98%	74 99%
Base for stats	98	60	16	24	21	11	6	60	82	58	75	77	42	39	57	62	75
Mean Score	5.07	5.88	15.19	10.71	12.29	23.36	35.50	6.77	5.54	6.72	5.89	5.62	8.86	8.69	2.49	2.66	5.63
Standard Deviation	20.246	25.591	49.321	40.350	43.041	59.249	80.600	25.763	22.103	26.206	23.099	22.808	30.661	31.878	1.560	1.717	23.082
Standard Error	2.045	3.304	12.330	8.236	9.392	17.864	32.905	3.326	2.441	3.441	2.667	2.599	4.731	5.105	.207	.218	2.665
Error variance	4.18	10.91	152.04	67.84	88.21	319.13	1082.72	11.06	5.96	11.84	7.11	6.76	22.38	26.06	.04	.05	7.10

## NES Eczema Parent Survey

### PA\_Q15\_7. An NHS paediatrician: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An NHS paediatrician

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		*a	b	*c	*a	*b	a	*b	a	*b	a	*b
Total	98	15	60	12	-	4	98	-	94	3	96	2
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
0	2	1	1	-	-	-	2	-	2	-	1	1
	2%	7%	2%	-	-	-	2%	-	2%	-	1%	50%
1	31	9	15	3	-	2	31	-	30	1	31	-
	32%	60%	25%	25%	-	50%	32%	-	32%	33%	32%	-
2-4	47	5	31	5	-	2	47	-	44	2	46	1
	48%	33%	52%	42%	-	50%	48%	-	47%	67%	48%	50%
5-10	15	-	11	3	-	-	15	-	15	-	15	-
	15%	-	18%	25%	-	-	15%	-	16%	-	16%	-
11+	3	-	2	1	-	-	3	-	3	-	3	-
	3%	-	3%	8%	-	-	3%	-	3%	-	3%	-
Net At all (1+)	96	14	59	12	-	4	96	-	92	3	95	1
	98%	93%	98%	100%	-	100%	98%	-	98%	100%	99%	50%
Base for stats	98	15	60	12	-	4	98	-	94	3	96	2
Mean Score	5.07	1.47	3.55	19.83	-	1.50	5.07	-	5.19	1.67	5.16	1.00
Standard Deviation	20.246	.990	4.590	56.767	-	.577	20.246	-	20.667	.577	20.449	1.414
Standard Error	2.045	.256	.593	16.387	-	.289	2.045	-	2.132	.333	2.087	1.000
Error variance	4.18	.07	.35	268.54	-	.08	4.18	-	4.54	.11	4.36	1.00

NES Eczema Parent Survey

PA\_Q15\_8. A private paediatrician: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A private paediatrician

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		*a	*b	*a	*b	*c	*d	*a	*b	*c	*d	*a	*b	*c	*d	*e	*a	*b
Total	34 100%	20 100%	12 100%	2 100%	10 100%	10 100%	12 100%	29 100%	3 100%	2 100%	- -	- -	3 100%	21 100%	9 100%	1 100%	14 100%	19 100%
0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
1	8 24%	4 20%	4 33%	- -	2 20%	3 30%	3 25%	6 21%	1 33%	1 50%	- -	- -	- -	4 19%	3 33%	1 100%	3 21%	5 26%
2-4	16 47%	8 40%	7 58%	1 50%	7 70%	4 40%	4 33%	15 52%	1 33%	- -	- -	- -	3 100%	9 43%	4 44%	- -	7 50%	9 47%
5-10	5 15%	3 15%	1 8%	1 50%	- -	2 20%	2 17%	4 14%	- -	1 50%	- -	- -	- -	5 24%	- -	- -	1 7%	3 16%
11+	5 15%	5 25%	- -	- -	1 10%	1 10%	3 25%	4 14%	1 33%	- -	- -	- -	- -	3 14%	2 22%	- -	3 21%	2 11%
Net At all (1+)	34 100%	20 100%	12 100%	2 100%	10 100%	10 100%	12 100%	29 100%	3 100%	2 100%	- -	- -	3 100%	21 100%	9 100%	1 100%	14 100%	19 100%
Base for stats	34	20	12	2	10	10	12	29	3	2	-	-	3	21	9	1	14	19
Mean Score	15.65	24.60	2.42	4.00	22.30	5.00	20.92	11.00	68.00	4.50	-	-	2.67	14.14	25.11	1.00	18.29	14.21
Standard Deviation	46.979	60.213	1.443	1.414	62.447	6.394	56.556	36.631	114.320	4.950	-	-	.577	42.869	65.672	-	52.447	45.242
Standard Error	8.057	13.464	.417	1.000	19.747	2.022	16.326	6.802	66.003	3.500	-	-	.333	9.355	21.891	-	14.017	10.379
Error variance	64.91	181.28	.17	1.00	389.96	4.09	266.55	46.27	4356.33	12.25	-	-	.11	87.51	479.21	-	196.48	107.73

# NES Eczema Parent Survey

## PA\_Q15\_8. A private paediatrician: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A private paediatrician

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear flui	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			*a	*b	*c	*d	*e	*f	*a	b	*c	d	*a	*b	*c	*d	*e	*f
Total		34 100%	17 100%	8 100%	13 100%	12 100%	8 100%	2 100%	27 100%	33 100%	28 100%	30 100%	27 100%	23 100%	14 100%	24 100%	25 100%	26 100%
0		- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
1		8 24%	5 29%	2 25%	3 23%	5 42%	3 38%	- -	6 22%	8 24%	8 29%	8 27%	7 26%	6 26%	5 36%	7 29%	8 32%	6 23%
2-4		16 47%	8 47%	3 38%	8 62%	3 25%	4 50%	1 50%	13 48%	15 45%	11 39%	12 40%	11 41%	8 35%	4 29%	12 50%	12 48%	12 46%
5-10		5 15%	1 6%	- -	1 8%	3 25%	- -	- -	3 11%	5 15%	4 14%	5 17%	5 19%	4 17%	3 21%	2 8%	3 12%	4 15%
11+		5 15%	3 18%	3 38%	1 8%	1 8%	1 13%	1 50%	5 19%	5 15%	5 18%	5 17%	4 15%	5 22%	2 14%	3 13%	2 8%	4 15%
Net At all (1+)		34 100%	17 100%	8 100%	13 100%	12 100%	8 100%	2 100%	27 100%	33 100%	28 100%	30 100%	27 100%	23 100%	14 100%	24 100%	25 100%	26 100%
Base for stats		34	17	8	13	12	8	2	27	33	28	30	27	23	14	24	25	26
Mean Score		15.65	26.24	30.50	17.92	19.42	26.88	101.50	18.89	16.00	18.25	17.37	18.33	21.78	17.79	12.08	11.04	19.31
Standard Deviation		46.979	65.474	68.879	54.724	56.915	69.960	139.300	52.416	47.662	51.549	49.853	52.460	56.462	52.571	40.301	39.469	53.390
Standard Error		8.057	15.880	24.352	15.178	16.430	24.735	98.500	10.087	8.297	9.742	9.102	10.096	11.773	14.050	8.226	7.894	10.471
Error variance		64.91	252.17	593.04	230.36	269.95	611.80	9702.25	101.76	68.84	94.90	82.84	101.93	138.61	197.41	67.67	62.31	109.63

## NES Eczema Parent Survey

### PA\_Q15\_8. A private paediatrician: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted A private paediatrician

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		*a	*b	*c	*a	*b	a	*b	a	*b	a	*b
Total	34	1	20	11	-	-	34	-	33	1	33	1
	100%	100%	100%	100%	-	-	100%	-	100%	100%	100%	100%
0	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
1	8	-	5	2	-	-	8	-	7	1	7	1
	24%	-	25%	18%	-	-	24%	-	21%	100%	21%	100%
2-4	16	-	12	3	-	-	16	-	16	-	16	-
	47%	-	60%	27%	-	-	47%	-	48%	-	48%	-
5-10	5	-	2	3	-	-	5	-	5	-	5	-
	15%	-	10%	27%	-	-	15%	-	15%	-	15%	-
11+	5	1	1	3	-	-	5	-	5	-	5	-
	15%	100%	5%	27%	-	-	15%	-	15%	-	15%	-
Net At all (1+)	34	1	20	11	-	-	34	-	33	1	33	1
	100%	100%	100%	100%	-	-	100%	-	100%	100%	100%	100%
Base for stats	34	1	20	11	-	-	34	-	33	1	33	1
Mean Score	15.65	200.00	3.70	23.09	-	-	15.65	-	16.09	1.00	16.09	1.00
Standard Deviation	46.979	-	4.520	58.838	-	-	46.979	-	47.635	-	47.635	-
Standard Error	8.057	-	1.011	17.740	-	-	8.057	-	8.292	-	8.292	-
Error variance	64.91	-	1.02	314.72	-	-	64.91	-	68.76	-	68.76	-

NES Eczema Parent Survey

PA\_Q15\_9. An NHS A&E or out-of-hours service worker: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An NHS A&E or out-of-hours service worker

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		*a	*b	*a	*b	*c	*d	a	*b	*c	*d	*a	*b	c	*d	*e	*a	*b
Total	50 100%	25 100%	24 100%	1 100%	14 100%	16 100%	19 100%	38 100%	7 100%	3 100%	2 100%	- -	7 100%	34 100%	9 100%	- -	24 100%	25 100%
0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
1	18 36%	4 16%	14 58%	1 100%	7 50%	5 31%	5 26%	13 34%	3 43%	1 33%	1 50%	- -	3 43%	12 35%	3 33%	- -	12 50%	6 24%
2-4	16 32%	11 44%	5 21%	- -	3 21%	5 31%	8 42%	13 34%	1 14%	1 33%	1 50%	- -	1 14%	12 35%	3 33%	- -	5 21%	11 44%
5-10	13 26%	7 28%	5 21%	- -	3 21%	5 31%	5 26%	11 29%	1 14%	1 33%	- -	- -	2 29%	9 26%	2 22%	- -	6 25%	6 24%
11+	3 6%	3 12%	- -	- -	1 7%	1 6%	1 5%	1 3%	2 29%	- -	- -	- -	1 14%	1 3%	1 11%	- -	1 4%	2 8%
Net At all (1+)	50 100%	25 100%	24 100%	1 100%	14 100%	16 100%	19 100%	38 100%	7 100%	3 100%	2 100%	- -	7 100%	34 100%	9 100%	- -	24 100%	25 100%
Base for stats	50	25	24	1	14	16	19	38	7	3	2	-	7	34	9	-	24	25
Mean Score	9.68	16.68	2.54	1.00	16.79	10.13	4.53	8.37	21.57	4.00	1.50	-	19.43	3.71	24.67	-	7.29	12.16
Standard Deviation	32.046	44.589	2.502	-	52.786	28.563	5.631	32.029	42.895	4.359	.707	-	43.127	4.435	65.776	-	23.473	39.442
Standard Error	4.532	8.918	.511	-	14.108	7.141	1.292	5.196	16.213	2.517	.500	-	16.301	.761	21.925	-	4.791	7.888
Error variance	20.54	79.53	.26	-	199.02	50.99	1.67	27.00	262.85	6.33	.25	-	265.71	.58	480.72	-	22.96	62.23

NES Eczema Parent Survey

PA\_Q15\_9. An NHS A&E or out-of-hours service worker: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An NHS A&E or out-of-hours service worker

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear flui	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			*a	*b	*c	*d	*e	*f	a	b	c	d	a	b	*c	d	e	f
Total		50 100%	28 100%	10 100%	19 100%	10 100%	10 100%	8 100%	38 100%	45 100%	39 100%	40 100%	44 100%	31 100%	23 100%	35 100%	36 100%	38 100%
0		- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
1		18 36%	11 39%	2 20%	5 26%	3 30%	1 10%	1 13%	13 34%	18 40%	13 33%	14 35%	17 39%	13 42%	6 26%	13 37%	13 36%	13 34%
2-4		16 32%	11 39%	7 70%	8 42%	6 60%	6 60%	3 38%	14 37%	14 31%	13 33%	13 33%	14 32%	9 29%	9 39%	12 34%	12 33%	12 32%
5-10		13 26%	5 18%	- -	4 21%	- -	2 20%	1 13%	10 26%	11 24%	10 26%	11 28%	10 23%	6 19%	5 22%	8 23%	9 25%	10 26%
11+		3 6%	1 4%	1 10%	2 11%	1 10%	1 10%	3 38%	1 3%	2 4%	3 8%	2 5%	3 7%	3 10%	3 13%	2 6%	2 6%	3 8%
Net At all (1+)		50 100%	28 100%	10 100%	19 100%	10 100%	10 100%	8 100%	38 100%	45 100%	39 100%	40 100%	44 100%	31 100%	23 100%	35 100%	36 100%	38 100%
Base for stats		50	28	10	19	10	10	8	38	45	39	40	44	31	23	35	36	38
Mean Score		9.68	9.75	22.00	14.79	21.70	22.60	44.25	8.18	9.87	11.64	10.88	10.52	13.52	17.35	6.60	6.67	11.76
Standard Deviation		32.046	37.361	62.550	45.174	62.653	62.351	74.300	32.045	33.700	36.119	35.650	34.113	40.407	46.504	19.656	19.377	36.584
Standard Error		4.532	7.061	19.780	10.364	19.812	19.717	26.269	5.198	5.024	5.784	5.637	5.143	7.257	9.697	3.322	3.230	5.935
Error variance		20.54	49.85	391.24	107.41	392.53	388.76	690.06	27.02	25.24	33.45	31.77	26.45	52.67	94.03	11.04	10.43	35.22

# NES Eczema Parent Survey

## PA\_Q15\_9. An NHS A&E or out-of-hours service worker: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An NHS A&E or out-of-hours service worker

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	*b	*c	*a	*b	a	*b	a	*b	a	*b
Total	50	4	26	14	-	2	50	-	48	1	50	-
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	-
0	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
1	18	2	11	1	-	1	18	-	18	-	18	-
	36%	50%	42%	7%	-	50%	36%	-	38%	-	36%	-
2-4	16	2	8	5	-	-	16	-	14	1	16	-
	32%	50%	31%	36%	-	-	32%	-	29%	100%	32%	-
5-10	13	-	7	5	-	1	13	-	13	-	13	-
	26%	-	27%	36%	-	50%	26%	-	27%	-	26%	-
11+	3	-	-	3	-	-	3	-	3	-	3	-
	6%	-	-	21%	-	-	6%	-	6%	-	6%	-
Net At all (1+)	50	4	26	14	-	2	50	-	48	1	50	-
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	-
Base for stats	50	4	26	14	-	2	50	-	48	1	50	-
Mean Score	9.68	1.50	3.23	27.07	-	5.00	9.68	-	10.00	2.00	9.68	-
Standard Deviation	32.046	.577	2.889	58.288	-	5.657	32.046	-	32.681	-	32.046	-
Standard Error	4.532	.289	.567	15.578	-	4.000	4.532	-	4.717	-	4.532	-
Error variance	20.54	.08	.32	242.68	-	16.00	20.54	-	22.25	-	20.54	-



NES Eczema Parent Survey

PA\_Q15\_10. An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		*a	*b	*a	*b	*c	*d	*a	*b	*c	*d	*a	*b	*c	*d	*e	*a	*b
Total	33 100%	16 100%	17 100%	- -	14 100%	10 100%	9 100%	26 100%	5 100%	1 100%	1 100%	- -	7 100%	23 100%	3 100%	- -	14 100%	19 100%
0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
1	8 24%	4 25%	4 24%	- -	2 14%	3 30%	3 33%	7 27%	1 20%	- -	- -	- -	1 14%	7 30%	- -	- -	3 21%	5 26%
2-4	17 52%	7 44%	10 59%	- -	9 64%	5 50%	3 33%	15 58%	1 20%	- -	1 100%	- -	6 86%	10 43%	1 33%	- -	8 57%	9 47%
5-10	5 15%	2 13%	3 18%	- -	2 14%	1 10%	2 22%	3 12%	1 20%	1 100%	- -	- -	- -	4 17%	1 33%	- -	3 21%	2 11%
11+	3 9%	3 19%	- -	- -	1 7%	1 10%	1 11%	1 4%	2 40%	- -	- -	- -	- -	2 9%	1 33%	- -	- -	3 16%
Net At all (1+)	33 100%	16 100%	17 100%	- -	14 100%	10 100%	9 100%	26 100%	5 100%	1 100%	1 100%	- -	7 100%	23 100%	3 100%	- -	14 100%	19 100%
Base for stats	33	16	17	-	14	10	9	26	5	1	1	-	7	23	3	-	14	19
Mean Score	11.18	19.88	3.00	-	17.14	7.90	5.56	10.35	18.40	6.00	2.00	-	2.14	6.17	70.67	-	3.21	17.05
Standard Deviation	35.351	50.049	2.092	-	52.669	16.974	7.468	38.734	22.876	-	-	-	.690	11.919	112.024	-	2.486	46.168
Standard Error	6.154	12.512	.507	-	14.076	5.367	2.489	7.596	10.230	-	-	-	.261	2.485	64.677	-	.664	10.592
Error variance	37.87	156.56	.26	-	198.14	28.81	6.20	57.70	104.66	-	-	-	.07	6.18	4183.11	-	.44	112.18

# NES Eczema Parent Survey

PA\_Q15\_10. An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker: To the best of your knowledge, how many times have they been consulted in the last year?

BASE: All who say their child has consulted An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Significance Level: 95%			*a	*b	*c	*d	*e	*f	*a	*b	*c	*d	*a	*b	*c	*d	*e	*f
Total	33 100%	14 100%	8 100%	13 100%	14 100%	8 100%	7 100%	26 100%	25 100%	21 100%	26 100%	24 100%	16 100%	17 100%	19 100%	24 100%	24 100%	
0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
1	8 24%	5 36%	2 25%	5 38%	3 21%	2 25%	1 14%	7 27%	8 32%	3 14%	7 27%	7 29%	4 25%	3 18%	5 26%	7 29%	6 25%	
2-4	17 52%	7 50%	3 38%	3 23%	7 50%	4 50%	3 43%	13 50%	12 48%	10 48%	13 50%	12 50%	8 50%	9 53%	10 53%	11 46%	12 50%	
5-10	5 15%	1 7%	2 25%	3 23%	2 14%	1 13%	1 14%	5 19%	3 12%	5 24%	4 15%	3 13%	1 6%	3 18%	2 11%	5 21%	4 17%	
11+	3 9%	1 7%	1 13%	2 15%	2 14%	1 13%	2 29%	1 4%	2 8%	3 14%	2 8%	2 8%	3 19%	2 12%	2 11%	1 4%	2 8%	
Net At all (1+)	33 100%	14 100%	8 100%	13 100%	14 100%	8 100%	7 100%	26 100%	25 100%	21 100%	26 100%	24 100%	16 100%	17 100%	19 100%	24 100%	24 100%	
Base for stats	33	14	8	13	14	8	7	26	25	21	26	24	16	17	19	24	24	
Mean Score	11.18	16.79	28.75	19.92	20.71	27.38	34.57	10.73	12.80	16.52	12.54	11.83	19.50	16.29	6.74	4.08	12.17	
Standard Deviation	35.351	52.765	69.257	54.469	53.547	69.787	73.375	38.673	40.476	43.781	39.680	40.366	50.150	47.664	13.038	4.872	40.291	
Standard Error	6.154	14.102	24.486	15.107	14.311	24.674	27.733	7.584	8.095	9.554	7.782	8.240	12.538	11.560	2.991	.994	8.224	
Error variance	37.87	198.87	599.56	228.22	204.81	608.78	769.14	57.52	65.53	91.27	60.56	67.89	157.19	133.64	8.95	.99	67.64	

## NES Eczema Parent Survey

**PA\_Q15\_10. An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker: To the best of your knowledge, how many times have they been consulted in the last year?**

BASE: All who say their child has consulted An independent A&E or out-of-hours service worker e.g. a pharmacy out of hours service worker

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	*b	*c	*a	*b	a	*b	a	*b	a	*b
Total	33	2	19	9	-	-	33	-	32	-	33	-
	100%	100%	100%	100%	-	-	100%	-	100%	-	100%	-
0	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
1	8	1	3	2	-	-	8	-	8	-	8	-
	24%	50%	16%	22%	-	-	24%	-	25%	-	24%	-
2-4	17	1	12	4	-	-	17	-	16	-	17	-
	52%	50%	63%	44%	-	-	52%	-	50%	-	52%	-
5-10	5	-	4	-	-	-	5	-	5	-	5	-
	15%	-	21%	-	-	-	15%	-	16%	-	15%	-
11+	3	-	-	3	-	-	3	-	3	-	3	-
	9%	-	-	33%	-	-	9%	-	9%	-	9%	-
Net At all (1+)	33	2	19	9	-	-	33	-	32	-	33	-
	100%	100%	100%	100%	-	-	100%	-	100%	-	100%	-
Base for stats	33	2	19	9	-	-	33	-	32	-	33	-
Mean Score	11.18	1.50	3.37	32.44	-	-	11.18	-	11.47	-	11.18	-
Standard Deviation	35.351	.707	2.241	65.447	-	-	35.351	-	35.878	-	35.351	-
Standard Error	6.154	.500	.514	21.816	-	-	6.154	-	6.342	-	6.154	-
Error variance	37.87	.25	.26	475.92	-	-	37.87	-	40.23	-	37.87	-

## NES Eczema Parent Survey

**PA\_Q16. You mentioned a healthcare professional has not been consulted about your child's eczema in the last year. Which of the following statements, if any, are reasons for this?**

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		*a	*b	*a	*b	*c	*d	*a	*b	*c	*d	*a	*b	*c	*d	*e	*a	*b
Total	33 100%	15 100%	18 100%	- -	7 100%	8 100%	18 100%	29 100%	1 100%	2 100%	1 100%	2 100%	17 100%	11 100%	3 100%	- -	23 100%	10 100%
I/my child did not consider symptoms to be severe enough	19 58%	10 67%	9 50%	- -	5 71%	7 88%	7 39%	17 59%	1 100%	1 50%	- -	2 100%	13 76%	4 36%	- -	- -	15 65%	4 40%
I/my child were worried about contracting Covid-19	5 15%	2 13%	3 17%	- -	3 43%	1 13%	1 6%	3 10%	- -	1 50%	1 100%	- -	2 12%	2 18%	1 33%	- -	4 17%	1 10%
I/ my child did not want to waste the healthcare professional's time	2 6%	1 7%	1 6%	- -	2 29%	- -	- -	1 3%	- -	- -	1 100%	- -	1 6%	1 9%	- -	- -	2 9%	- -
I/my child did not believe a healthcare professional could help	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child have been previously unsatisfied by the care my child has received by healthcare professionals for eczema	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child did enquire, but the waiting times were too long	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child did not enquire because the waiting times are usually too long	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child tried to book an appointment, but were unable to	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/ my child did not want a patient who needs a consultation more to miss out because of their appointment	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
None of the above	10 30%	3 20%	7 39%	- -	- -	- -	10 56%	10 34%	- -	- -	- -	- -	3 18%	5 45%	2 67%	- -	5 22%	5 50%

## NES Eczema Parent Survey

**PA\_Q16. You mentioned a healthcare professional has not been consulted about your child's eczema in the last year. Which of the following statements, if any, are reasons for this?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
		*a	*b	*c	*d	*e	*f	*a	*b	*c	*d	*a	*b	*c	*d	*e	*f
Significance Level: 95%																	
Total	33 100%	12 100%	3 100%	7 100%	1 100%	2 100%	1 100%	14 100%	29 100%	16 100%	25 100%	18 100%	6 100%	3 100%	5 100%	7 100%	13 100%
I/my child did not consider symptoms to be severe enough	19 58%	7 58%	2 67%	2 29%	- -	- -	- -	9 64%	15 52%	9 56%	12 48%	7 39%	1 17%	- -	1 20%	1 14%	5 38%
I/my child were worried about contracting Covid-19	5 15%	3 25%	- -	- -	- -	1 50%	- -	2 14%	5 17%	3 19%	4 16%	2 11%	1 17%	- -	1 20%	- -	2 15%
I/ my child did not want to waste the healthcare professional's time	2 6%	2 17%	- -	- -	- -	- -	- -	- -	2 7%	1 6%	1 4%	- -	- -	- -	- -	- -	- -
I/my child did not believe a healthcare professional could help	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child have been previously unsatisfied by the care my child has received by healthcare professionals for eczema	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child did enquire, but the waiting times were too long	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child did not enquire because the waiting times are usually too long	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child tried to book an appointment, but were unable to	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/ my child did not want a patient who needs a consultation more to miss out because of their appointment	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
None of the above	10 30%	3 25%	1 33%	5 71%	1 100%	1 50%	1 100%	3 21%	10 34%	4 25%	9 36%	9 50%	4 67%	3 100%	3 60%	6 86%	6 46%

## NES Eczema Parent Survey

**PA\_Q16. You mentioned a healthcare professional has not been consulted about your child's eczema in the last year. Which of the following statements, if any, are reasons for this?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		*a	*b	*c	*a	*b	*a	b	*a	*b	*a	*b
Total	33 100%	20 100%	4 100%	1 100%	- -	6 100%	- -	33 100%	14 100%	15 100%	23 100%	10 100%
I/my child did not consider symptoms to be severe enough	19 58%	14 70%	2 50%	- -	- -	3 50%	- -	19 58%	9 64%	9 60%	14 61%	5 50%
I/my child were worried about contracting Covid-19	5 15%	1 5%	- -	- -	- -	2 33%	- -	5 15%	1 7%	4 27%	4 17%	1 10%
I/ my child did not want to waste the healthcare professional's time	2 6%	- -	- -	- -	- -	1 17%	- -	2 6%	- -	2 13%	2 9%	- -
I/my child did not believe a healthcare professional could help	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child have been previously unsatisfied by the care my child has received by healthcare professionals for eczema	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child did enquire, but the waiting times were too long	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child did not enquire because the waiting times are usually too long	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/my child tried to book an appointment, but were unable to	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
I/ my child did not want a patient who needs a consultation more to miss out because of their appointment	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
None of the above	10 30%	5 25%	2 50%	1 100%	- -	1 17%	- -	10 30%	4 29%	3 20%	6 26%	4 40%

## NES Eczema Parent Survey

**PA\_Q17. You mentioned a healthcare professional has only been consulted once about your child's eczema in the last year. Which of the following statements, if any, are reasons for this?**

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	*b	*c	*d	*a	b	c	*d	*e	a	b
Total	183 100%	94 100%	87 100%	5 100%	64 100%	60 100%	54 100%	131 100%	20 100%	21 100%	11 100%	6 100%	73 100%	95 100%	9 100%	- -	123 100%	59 100%
My child's symptoms were not bad enough	62 34%	33 35%	29 33%	1 20%	17 27%	27 45% b	17 31%	47 36%	6 30%	7 33%	2 18%	4 67%	26 36%	29 31%	3 33%	- -	44 36%	18 31%
My child did not require any further treatment after their first appointment	56 31%	27 29%	28 32%	2 40%	25 39%	14 23%	15 28%	39 30%	10 50%	4 19%	3 27%	2 33%	28 38%	24 25%	2 22%	- -	41 33%	15 25%
I/my child was worried about contracting Covid-19	25 14%	11 12%	14 16%	- -	9 14%	9 15%	7 13%	15 11%	2 10%	5 24%	3 27%	- -	10 14%	14 15%	1 11%	- -	14 11%	11 19%
I/my child tried to book more appointments, but was unable to	17 9%	9 10%	8 9%	- -	8 13%	5 8%	4 7%	13 10%	1 5%	- -	3 27%	- -	3 4%	13 14% b	1 11%	- -	10 8%	7 12%
I/my child have previously felt unsatisfied with the care they have received from healthcare professionals for their eczema	10 5%	7 7%	3 3%	- -	3 5%	2 3%	5 9%	9 7%	- -	1 5%	- -	- -	5 7%	5 5%	- -	- -	10 8% b	- -
I/my did not want to waste the healthcare professional's time	10 5%	5 5%	5 6%	- -	6 9%	3 5%	1 2%	8 6%	- -	1 5%	1 9%	- -	7 10%	3 3%	- -	- -	6 5%	4 7%
I/my child did not believe a healthcare professional could be of help	7 4%	4 4%	2 2%	- -	3 5%	3 5%	1 2%	7 5%	- -	- -	- -	- -	1 1%	5 5%	1 11%	- -	3 2%	3 5%
I/my child did enquire about booking more appointments, but the waiting times were too long	7 4%	3 3%	3 3%	- -	1 2%	4 7%	2 4%	6 5%	- -	- -	1 9%	- -	1 1%	6 6%	- -	- -	5 4%	2 3%
I/my child did not enquire about booking more appointments because the waiting times are usually too long	7 4%	5 5%	2 2%	1 20%	2 3%	3 5%	1 2%	6 5%	1 5%	- -	- -	- -	1 1%	6 6%	- -	- -	3 2%	4 7%

NES Eczema Parent Survey

PA\_Q17. You mentioned a healthcare professional has only been consulted once about your child's eczema in the last year. Which of the following statements, if any, are reasons for this?

BASE: All respondents

Significance Level: 95%

Total

I/my child did not want a patient who needs a consultation more to miss out because of their appointment

None of the above

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	*b	*c	*d	*a	b	c	*d	*e	a	b
183	94	87	5	64	60	54	131	20	21	11	6	73	95	9	-	123	59
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%
5	2	3	-	3	1	1	2	1	2	-	-	1	3	1	-	2	3
3%	2%	3%	-	5%	2%	2%	2%	5%	10%	-	-	1%	3%	11%	-	2%	5%
18	8	10	1	6	5	6	13	2	2	1	-	8	10	-	-	12	6
10%	9%	11%	20%	9%	8%	11%	10%	10%	10%	9%	-	11%	11%	-	-	10%	10%



## NES Eczema Parent Survey

**PA\_Q17. You mentioned a healthcare professional has only been consulted once about your child's eczema in the last year. Which of the following statements, if any, are reasons for this?**

BASE: All respondents

	Type of eczema							Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	*b	c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
Total	183 100%	83 100%	14 100%	34 100%	9 100%	8 100%	3 100%	83 100%	151 100%	96 100%	126 100%	106 100%	36 100%	39 100%	68 100%	56 100%	103 100%
My child's symptoms were not bad enough	62 34%	32 39%	- -	10 29%	1 11%	1 13%	- -	26 31%	45 30%	28 29%	41 33%	34 32%	9 25%	9 23%	17 25%	14 25%	33 32%
My child did not require any further treatment after their first appointment	56 31%	25 30%	4 29%	9 26%	1 11%	- -	2 67%	24 29%	47 31%	25 26%	38 30%	29 27% b	4 11%	5 13%	16 24%	13 23%	34 33% bc
I/my child was worried about contracting Covid-19	25 14%	14 17%	2 14%	2 6%	3 33%	1 13%	1 33%	8 10%	21 14%	13 14%	16 13%	19 18%	6 17%	6 15%	14 21%	12 21%	14 14%
I/my child tried to book more appointments, but was unable to	17 9%	11 13%	5 36%	5 15%	1 11%	1 13%	- -	9 11%	15 10%	9 9%	13 10%	10 9%	6 17%	7 18%	11 16%	7 13%	12 12%
I/my child have previously felt unsatisfied with the care they have received from healthcare professionals for their eczema	10 5%	3 4%	- -	2 6%	- -	- -	- -	4 5%	10 7%	4 4%	8 6%	8 8%	2 6%	1 3%	6 9%	5 9%	6 6%
I/my did not want to waste the healthcare professional's time	10 5%	6 7%	1 7%	1 3%	- -	2 25%	- -	4 5%	8 5%	6 6%	4 3%	8 8%	3 8%	4 10%	5 7%	6 11%	8 8%
I/my child did not believe a healthcare professional could be of help	7 4%	2 2%	1 7%	3 9%	- -	1 13%	- -	5 6%	7 5%	4 4%	6 5%	5 5%	5 14% f	5 13%	4 6%	2 4%	4 4%
I/my child did enquire about booking more appointments, but the waiting times were too long	7 4%	4 5%	- -	1 3%	1 11%	1 13%	- -	5 6%	5 3%	5 5%	6 5%	5 5%	4 11%	3 8%	5 7%	3 5%	5 5%
I/my child did not enquire about booking more appointments because the waiting times are usually too long	7 4%	5 6%	- -	1 3%	2 22%	- -	- -	6 7%	6 4%	6 6%	6 5%	5 5%	3 8%	4 10%	5 7%	4 7%	3 3%

NES Eczema Parent Survey

PA\_Q17. You mentioned a healthcare professional has only been consulted once about your child's eczema in the last year. Which of the following statements, if any, are reasons for this?

BASE: All respondents

Significance Level: 95%

Total

I/my child did not want a patient who needs a consultation more to miss out because of their appointment

None of the above

Type of eczema							Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	a	*b	c	*d	*e	*f	a	b	c	d	a	b	c	d	e	f
183	83	14	34	9	8	3	83	151	96	126	106	36	39	68	56	103
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
5	2	2	1	-	1	-	4	3	5	3	5	4	5	4	3	5
3%	2%	14%	3%	-	13%	-	5%	2%	5%	2%	5%	11%	13%	6%	5%	5%
18	7	1	3	1	1	-	8	15	11	11	9	5	4	6	6	9
10%	8%	7%	9%	11%	13%	-	10%	10%	11%	9%	8%	14%	10%	9%	11%	9%

## NES Eczema Parent Survey

**PA\_Q17. You mentioned a healthcare professional has only been consulted once about your child's eczema in the last year. Which of the following statements, if any, are reasons for this?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	*c	*a	*b	a	*b	a	b	a	*b
Total	183	79	61	9	-	24	183	-	103	74	170	13
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
My child's symptoms were not bad enough	62	34	13	4	-	10	62	-	30	31	59	3
	34%	43%	21%	44%	-	42%	34%	-	29%	42%	35%	23%
		b										
My child did not require any further treatment after their first appointment	56	30	9	2	-	12	56	-	30	25	52	4
	31%	38%	15%	22%	-	50%	31%	-	29%	34%	31%	31%
		b										
I/my child was worried about contracting Covid-19	25	7	11	1	-	2	25	-	16	8	24	1
	14%	9%	18%	11%	-	8%	14%	-	16%	11%	14%	8%
I/my child tried to book more appointments, but was unable to	17	3	9	2	-	-	17	-	14	2	17	-
	9%	4%	15%	22%	-	-	9%	-	14%	3%	10%	-
			a						b			
I/my child have previously felt unsatisfied with the care they have received from healthcare professionals for their eczema	10	6	4	-	-	1	10	-	6	4	8	2
	5%	8%	7%	-	-	4%	5%	-	6%	5%	5%	15%
I/my did not want to waste the healthcare professional's time	10	4	4	-	-	-	10	-	6	4	9	1
	5%	5%	7%	-	-	-	5%	-	6%	5%	5%	8%
I/my child did not believe a healthcare professional could be of help	7	2	5	-	-	1	7	-	6	1	6	1
	4%	3%	8%	-	-	4%	4%	-	6%	1%	4%	8%
I/my child did enquire about booking more appointments, but the waiting times were too long	7	1	5	-	-	-	7	-	7	-	7	-
	4%	1%	8%	-	-	-	4%	-	7%	-	4%	-
			a						b			

## NES Eczema Parent Survey

**PA\_Q17. You mentioned a healthcare professional has only been consulted once about your child's eczema in the last year. Which of the following statements, if any, are reasons for this?**

BASE: All respondents

Significance Level: 95%

Total

I/my child did not enquire about booking more appointments because the waiting times are usually too long

I/my child did not want a patient who needs a consultation more to miss out because of their appointment

None of the above

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	*c	*a	*b	a	*b	a	b	a	*b
	183	79	61	9	-	24	183	-	103	74	170	13
	100%	100%	100%	100%	-	100%	100%	-	100%	100%	100%	100%
	7	1	5	1	-	-	7	-	7	-	7	-
	4%	1%	8%	11%	-	-	4%	-	7%	-	4%	-
			a						b			
	5	-	4	1	-	-	5	-	5	-	5	-
	3%	-	7%	11%	-	-	3%	-	5%	-	3%	-
			a									
	18	5	9	-	-	3	18	-	6	10	15	3
	10%	6%	15%	-	-	13%	10%	-	6%	14%	9%	23%

NES Eczema Parent Survey

PA\_Q18. To the best of your knowledge, on the last occasion your child was referred to a dermatologist or paediatrician by their GP, how long did they have to wait for the appointment with the dermatologist or paediatrician?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Less than a month	93 18%	44 17%	49 19%	2 17%	34 18%	25 16%	32 18%	72 18%	12 23%	7 14%	2 9%	- -	35 20%	48 17%	9 19%	1 100%	61 19%	32 17%
Between 1 - 3 months	129 25%	65 25%	62 25%	2 17%	36 19%	41 27%	50 29% b	100 25%	11 21%	10 20%	8 35%	- -	38 21%	79 28%	12 25%	- -	70 22%	57 30% a
Between 4 - 6 months	114 22%	65 25%	46 18%	5 42%	45 24%	30 19%	34 20%	91 23%	10 19%	9 18%	4 17%	- -	34 19%	66 23%	14 29%	- -	64 20%	47 24%
Between 7 - 12 months	37 7%	21 8%	14 6%	- -	10 5%	14 9%	13 8%	28 7%	5 9%	3 6%	1 4%	- -	5 3%	24 8% b	8 17% b	- -	17 5%	19 10% a
More than a year	18 3%	11 4%	7 3%	- -	10 5% d	6 4%	2 1%	16 4%	- -	2 4%	- -	1 11%	4 2%	12 4%	1 2%	- -	8 2%	9 5%
My child has not been referred	121 23%	53 20%	68 27%	3 25%	48 26%	35 23%	35 20%	81 20%	14 26%	19 38% a	7 30%	8 89%	57 32% cd	52 18%	4 8%	- -	96 30% b	25 13%
Don't know	12 2%	6 2%	6 2%	- -	2 1%	3 2%	7 4%	10 3%	1 2%	- -	1 4%	- -	6 3%	6 2%	- -	- -	8 2%	4 2%
Net: Been referred	391 75%	206 78%	178 71%	9 75%	135 73%	116 75%	131 76%	307 77% c	38 72%	31 62%	15 65%	1 11%	116 65%	229 80% b	44 92% b	1 100%	220 68%	164 85% a
Net: A month or more	298 57%	162 61% b	129 51%	7 58%	101 55%	91 59%	99 57%	235 59%	26 49%	24 48%	13 57%	1 11%	81 45%	181 63% b	35 73% b	- -	159 49%	132 68% a

## NES Eczema Parent Survey

**PA\_Q18. To the best of your knowledge, on the last occasion your child was referred to a dermatologist or paediatrician by their GP, how long did they have to wait for the appointment with the dermatologist or paediatrician?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
93 18%	49 21% b	4 7%	22 17%	6 11%	5 13%	4 17%	53 19%	84 19%	61 19%	68 17%	72 20%	26 15%	24 16%	43 17%	54 21%	72 20%
129 25%	68 28%	15 26%	36 28%	14 26%	13 34%	4 17%	70 25%	109 24%	84 26%	92 24%	93 25%	46 27%	36 24%	70 28%	70 27%	88 25%
114 22%	50 21%	21 36% a	33 26%	18 34% a	9 24%	8 33%	65 23%	99 22%	76 24%	92 24%	89 24%	48 29%	50 33% af	71 28%	68 27%	78 22%
37 7%	16 7%	9 16% a	10 8%	7 13%	4 11%	3 13%	28 10%	33 7%	24 7%	33 8%	30 8%	22 13%	19 13%	24 9%	21 8%	32 9%
18 3%	4 2%	2 3%	3 2%	3 6%	3 8% a	1 4%	12 4%	13 3%	15 5%	15 4%	11 3%	6 4%	4 3%	8 3%	6 2%	12 3%
121 23%	45 19% d	7 12%	21 17%	4 8%	4 11%	4 17%	49 17%	100 22%	54 17%	82 21%	63 17% c	18 11%	15 10%	33 13%	32 13%	66 19% bce
12 2%	7 3%	- -	2 2%	1 2%	- -	- -	7 2%	11 2%	7 2%	8 2%	7 2%	2 1%	3 2%	4 2%	4 2%	4 1%
391 75%	187 78%	51 88%	104 82%	48 91% a	34 89%	20 83%	228 80%	338 75%	260 81%	300 77%	295 81%	148 88% af	133 88% af	216 85%	219 86%	282 80%
298 57%	138 58%	47 81% ac	82 65%	42 79% a	29 76% a	16 67%	175 62%	254 57%	199 62%	232 59%	223 61%	122 73% af	109 72% af	173 68% f	165 65%	210 60%

## NES Eczema Parent Survey

**PA\_Q18. To the best of your knowledge, on the last occasion your child was referred to a dermatologist or paediatrician by their GP, how long did they have to wait for the appointment with the dermatologist or paediatrician?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Less than a month	93 18%	22 14%	46 20%	12 20%	- -	10 22%	87 18%	6 18%	93 24% b	- -	89 18%	4 14%
Between 1 - 3 months	129 25%	41 26%	70 30% c	9 15%	- -	4 9%	126 26% b	3 9%	129 33% b	- -	124 25%	5 18%
Between 4 - 6 months	114 22%	17 11%	68 29% a	21 35% a	- -	2 4%	112 23% b	2 6%	114 29% b	- -	112 23%	2 7%
Between 7 - 12 months	37 7%	4 3%	21 9% a	10 17% a	- -	1 2%	35 7%	2 6%	37 9% b	- -	36 7%	1 4%
More than a year	18 3%	4 3%	7 3%	4 7%	- -	2 4%	17 3%	1 3%	18 5% b	- -	16 3%	2 7%
My child has not been referred	121 23%	66 42% bc	18 8%	3 5%	- -	25 56%	106 22%	15 45% a	- -	121 100% a	112 23%	9 32%
Don't know	12 2%	4 3%	4 2%	1 2%	- -	1 2%	8 2%	4 12% a	- -	- -	7 1%	5 18%
Net: Been referred	391 75%	88 56% a	212 91% a	56 93% a	- -	19 42%	377 77% b	14 42%	391 100% b	- -	377 76%	14 50%
Net: A month or more	298 57%	66 42%	166 71% a	44 73% a	- -	9 20%	290 59% b	8 24%	298 76% b	- -	288 58%	10 36%

NES Eczema Parent Survey

PA\_Q19. Does your child have a written care plan for their eczema, explaining what to do if their eczema gets worse or flares?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
197 38%	106 40%	88 35%	3 25%	67 36%	61 40%	66 38%	159 40%	15 28%	19 38%	4 17%	2 22%	44 25%	125 44% b	25 52% b	1 100%	102 31%	91 47% a
291 56%	137 52%	151 60%	8 67%	101 55%	85 55%	97 56%	217 55%	34 64%	24 48%	16 70%	7 78%	123 69% cd	140 49%	21 44%	- -	198 61% b	92 48%
36 7%	22 8%	13 5%	1 8%	17 9%	8 5%	10 6%	22 6%	4 8%	7 14% a	3 13%	- -	12 7%	22 8%	2 4%	- -	24 7%	10 5%



NES Eczema Parent Survey

PA\_Q19. Does your child have a written care plan for their eczema, explaining what to do if their eczema gets worse or flares?

BASE: All respondents

Significance Level: 95%

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
197 38%	83 35%	33 57% a	67 53% a	33 62% a	19 50%	12 50%	128 45%	172 38%	136 42%	154 39%	149 41%	90 54% af	78 52% af	112 44%	125 49% a	145 41%
291 56%	142 59% bcde	20 34%	51 40%	16 30%	13 34%	8 33%	136 48%	245 55%	156 49%	205 53%	192 53% bce	62 37%	58 38%	119 47% b	107 42%	184 52% bce
36 7%	14 6%	5 9%	9 7%	4 8%	6 16% a	4 17%	20 7%	32 7%	29 9%	31 8%	24 7%	16 10%	15 10%	22 9%	23 9%	23 7%

## NES Eczema Parent Survey

### PA\_Q19. Does your child have a written care plan for their eczema, explaining what to do if their eczema gets worse or flares?

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Yes	197	29	129	31	-	7	194	3	189	8	196	1
	38%	18%	55%	52%	-	16%	40%	9%	48%	7%	40%	4%
			a	a			b		b			
No	291	123	90	24	-	31	264	27	174	107	267	24
	56%	78%	38%	40%	-	69%	54%	82%	45%	88%	54%	86%
		bc					a		a			
Don't know	36	6	15	5	-	7	33	3	28	6	33	3
	7%	4%	6%	8%	-	16%	7%	9%	7%	5%	7%	11%

## NES Eczema Parent Survey

### PA\_Q20. To the best of your knowledge, which of these medical treatments, if any, has your child used in the past three months?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
298 57%	157 59%	139 55%	3 25%	94 51%	96 62% b	105 61%	216 54%	35 66%	32 64%	15 65%	8 89%	103 58%	163 57%	23 48%	1 100%	198 61% b	99 51%
278 53%	134 51%	144 57%	4 33%	97 52%	83 54%	94 54%	203 51%	30 57%	30 60%	15 65%	2 22%	90 50%	161 56%	24 50%	1 100%	174 54%	103 53%
113 22%	64 24%	47 19%	4 33%	35 19%	40 26%	34 20%	91 23% c	15 28% c	5 10%	2 9%	1 11%	20 11%	74 26% b	17 35% b	1 100%	61 19%	51 26% a
105 20%	55 21%	48 19%	2 17%	33 18%	37 24%	33 19%	85 21%	10 19%	7 14%	3 13%	- -	23 13%	63 22% b	18 38% bc	1 100%	57 18%	46 24%
45 9%	30 11% b	15 6%	1 8%	11 6%	11 7%	22 13% b	35 9%	5 9%	5 10%	- -	- -	5 3%	33 11% b	6 13% b	1 100%	20 6%	24 12% a
35 7%	18 7%	15 6%	1 8%	12 6%	10 6%	12 7%	26 7%	3 6%	6 12%	- -	- -	6 3%	23 8% b	6 13% b	- -	13 4%	20 10% a
31 6%	17 6%	14 6%	1 8%	10 5%	8 5%	12 7%	24 6%	3 6%	4 8%	- -	- -	8 4%	18 6%	4 8%	1 100%	13 4%	17 9% a
28 5%	12 5%	15 6%	- -	11 6%	9 6%	8 5%	25 6%	- -	2 4%	1 4%	- -	19 11% c	7 2%	2 4%	- -	20 6%	7 4%
496 95%	253 95%	237 94%	12 100%	174 94%	145 94%	165 95%	373 94%	53 100%	48 96%	22 96%	9 100%	160 89%	280 98% b	46 96%	1 100%	304 94%	186 96%

## NES Eczema Parent Survey

### PA\_Q20. To the best of your knowledge, which of these medical treatments, if any, has your child used in the past three months?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
298 57%	164 69% bcde	26 45%	63 50%	22 42%	15 39%	13 54%	147 52%	253 56%	177 55%	224 57%	209 57% c	82 49%	71 47%	137 54%	136 53%	206 59% bc
278 53%	147 62% d	34 59% d	72 57% d	19 36%	19 50%	14 58%	150 53%	246 55%	173 54%	206 53%	217 59%	98 58%	82 54%	142 56%	137 54%	202 57%
113 22%	56 23%	22 38% a	36 28%	21 40% a	14 37%	10 42%	65 23%	95 21%	81 25%	92 24%	85 23%	54 32% af	47 31%	69 27%	68 27%	82 23%
105 20%	48 20%	22 38% a	36 28%	22 42% a	16 42% a	10 42%	68 24%	97 22%	75 23%	84 22%	89 24%	53 32%	53 35% af	75 30%	69 27%	87 25%
45 9%	20 8%	16 28% ac	15 12%	15 28% ac	13 34% ac	9 38%	33 12%	43 10%	35 11%	39 10%	36 10%	19 11%	22 15%	33 13%	29 11%	39 11%
35 7%	11 5%	12 21% a	14 11% a	13 25% ac	14 37% ac	7 29%	25 9%	30 7%	25 8%	29 7%	26 7%	22 13% af	21 14% af	28 11%	26 10%	27 8%
31 6%	9 4%	9 16% a	14 11% a	8 15% a	7 18% a	5 21%	23 8%	28 6%	24 7%	23 6%	23 6%	14 8%	17 11%	24 9%	23 9%	24 7%
28 5%	7 3%	2 3%	5 4%	1 2%	2 5%	- -	12 4%	24 5%	13 4%	20 5%	13 4%	3 2%	4 3%	3 1%	8 3%	9 3%
496 95%	232 97%	56 97%	122 96%	52 98%	36 95%	24 100%	272 96%	425 95%	308 96%	370 95%	352 96%	165 98%	147 97%	250 99%	247 97%	343 97%

## NES Eczema Parent Survey

### PA\_Q20. To the best of your knowledge, which of these medical treatments, if any, has your child used in the past three months?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Emollients	298	113	120	22	-	28	282	16	206	89	298	-
	57%	72%	51%	37%	-	62%	57%	48%	53%	74%	60%	-
		bc	c							a		
Topical corticosteroids (steroids creams or ointments)	278	89	123	30	-	22	268	10	210	65	278	-
	53%	56%	53%	50%	-	49%	55%	30%	54%	54%	56%	-
							b					
Topical calcineurin inhibitors (non-steroid creams or ointments)	113	19	59	20	-	6	107	6	95	14	113	-
	22%	12%	25%	33%	-	13%	22%	18%	24%	12%	23%	-
			a	a					b			
Bandages and wet wraps	105	14	65	21	-	3	103	2	100	4	105	-
	20%	9%	28%	35%	-	7%	21%	6%	26%	3%	21%	-
			a	a			b		b			
Immunosuppressive medicines (taken orally or by injection)	45	5	27	11	-	1	45	-	44	1	45	-
	9%	3%	12%	18%	-	2%	9%	-	11%	1%	9%	-
			a	a					b			
Phototherapy	35	-	18	14	-	1	34	1	33	2	35	-
	7%	-	8%	23%	-	2%	7%	3%	8%	2%	7%	-
			a	ab					b			
Biologic medicines	31	2	19	6	-	2	31	-	31	-	31	-
	6%	1%	8%	10%	-	4%	6%	-	8%	-	6%	-
			a	a					b			
My child is not using any treatments	28	13	5	1	-	6	18	10	14	9	-	28
	5%	8%	2%	2%	-	13%	4%	30%	4%	7%	-	100%
		b					a					
Net: Using treatments	496	145	229	59	-	39	473	23	377	112	496	-
	95%	92%	98%	98%	-	87%	96%	70%	96%	93%	100%	-
			a				b					

## NES Eczema Parent Survey

### PAQ21. To what extent do you agree or disagree with each of the following statements? Summary

BASE: All respondents

Significance Level: 95%

Healthcare professionals take my child's eczema seriously enough

I do not have confidence in the abilities of healthcare professionals to treat my child's eczema

My child is normally unable to access the appropriate healthcare professional to treat their eczema (e.g. their GP where appropriate, a dermatologist where appropriate etc.)

I think healthcare professionals provide me and my child with clear information about how to treat eczema

I think healthcare professionals fully understand the impact eczema has on my child's mental wellbeing

I think my child always follows the advice of healthcare professionals when it comes to their eczema

I am unsatisfied with the level of care my child has received from healthcare professionals for their eczema

I think my child has let down by healthcare professionals when it comes to their eczema

Total	Options						
	Strongly agree	Tend to agree	Tend to disagree	Strongly disagree	Don't know	Net: Agree	Net: Disagree
	*a	*b	*c	*d	*e	*f	*g
524 100%	133 25%	243 46%	78 15%	38 7%	32 6%	376 72%	116 22%
524 100%	49 9%	111 21%	155 30%	177 34%	32 6%	160 31%	332 63%
524 100%	59 11%	135 26%	155 30%	139 27%	36 7%	194 37%	294 56%
524 100%	136 26%	252 48%	88 17%	29 6%	19 4%	388 74%	117 22%
524 100%	111 21%	236 45%	83 16%	40 8%	54 10%	347 66%	123 23%
524 100%	147 28%	238 45%	78 15%	22 4%	39 7%	385 73%	100 19%
524 100%	54 10%	116 22%	150 29%	174 33%	30 6%	170 32%	324 62%
524 100%	55 10%	106 20%	144 27%	186 35%	33 6%	161 31%	330 63%

## NES Eczema Parent Survey

### PAQ21. To what extent do you agree or disagree with each of the following statements? Net agree

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
388 74%	192 72%	193 77%	7 58%	140 76%	105 68%	136 79% c	294 74%	40 75%	36 72%	18 78%	8 89%	139 78% d	211 74%	29 60%	1 100%	236 73%	149 77%
385 73%	182 69%	201 80% a	5 42%	131 71%	111 72%	138 80%	290 73%	40 75%	35 70%	20 87%	6 67%	141 79% d	206 72%	31 65%	1 100%	235 73%	148 77%
376 72%	191 72%	181 72%	7 58%	127 69%	113 73%	129 75%	285 72%	38 72%	35 70%	18 78%	8 89%	138 77% d	202 70%	27 56%	1 100%	231 71%	142 74%
347 66%	177 67%	166 66%	6 50%	119 64%	105 68%	117 68%	266 67%	36 68%	29 58%	16 70%	7 78%	121 68%	188 66%	30 63%	1 100%	199 61%	144 75% a
194 37%	101 38%	91 36%	3 25%	66 36%	63 41%	62 36%	148 37%	18 34%	20 40%	8 35%	2 22%	44 25%	116 40% b	31 65% bc	1 100%	113 35%	79 41%
170 32%	95 36%	75 30%	2 17%	67 36%	48 31%	53 31%	137 34% b	11 21%	18 36%	4 17%	- -	39 22%	107 37% b	23 48% b	1 100%	99 31%	68 35%
161 31%	86 32%	72 29%	3 25%	60 32%	51 33%	47 27%	127 32%	15 28%	15 30%	4 17%	1 11%	30 17%	107 37% b	22 46% b	1 100%	90 28%	68 35%

NES Eczema Parent Survey

PAQ21. To what extent do you agree or disagree with each of the following statements? Net agree

BASE: All respondents

Significance Level: 95%

Total

I do not have confidence in the abilities of healthcare professionals to treat my child's eczema

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524	265	252	12	185	154	173	398	53	50	23	9	179	287	48	1	324	193
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
160	87	72	3	66	42	49	130	14	11	5	1	35	104	20	-	96	62
31%	33%	29%	25%	36%	27%	28%	33%	26%	22%	22%	11%	20%	36%	42%	-	30%	32%
													b	b			



## NES Eczema Parent Survey

### PAQ21. To what extent do you agree or disagree with each of the following statements? Net agree

BASE: All respondents

	Type of eczema							Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
I think healthcare professionals provide me and my child with clear information about how to treat eczema	388 74%	193 81%	41 71%	97 76%	42 79%	27 71%	21 88%	198 70%	329 73%	239 74%	282 72%	269 74%	114 68%	105 70%	179 71%	193 76%	266 76%
I think my child always follows the advice of healthcare professionals when it comes to their eczema	385 73%	182 76% e	40 69%	98 77% e	37 70%	23 61%	18 75%	194 68%	330 73%	234 73%	279 72%	272 75% b	108 64%	102 68%	175 69%	190 75% b	261 74% b
Healthcare professionals take my child's eczema seriously enough	376 72%	180 75%	40 69%	98 77%	43 81%	24 63%	18 75%	196 69%	319 71%	234 73%	270 69%	267 73%	110 65%	103 68%	176 70%	183 72%	256 73%
I think healthcare professionals fully understand the impact eczema has on my child's mental wellbeing	347 66%	166 69%	37 64%	90 71%	39 74%	22 58%	16 67%	182 64%	296 66%	220 69%	251 64%	240 66%	106 63%	103 68%	163 64%	170 67%	236 67%
My child is normally unable to access the appropriate healthcare professional to treat their eczema (e.g. their GP where appropriate, a dermatologist where appropriate etc.)	194 37%	91 38%	31 53% a	51 40%	31 58% ac	20 53%	15 63%	128 45%	170 38%	138 43%	155 40%	145 40%	94 56% adf	78 52% af	112 44%	120 47% f	135 38%
I am unsatisfied with the level of care my child has received from healthcare professionals for their eczema	170 32%	80 33%	23 40%	46 36%	26 49% a	20 53% a	10 42%	115 40%	151 34%	118 37%	136 35%	121 33%	80 48% af	75 50% af	109 43% af	102 40%	120 34%
I think my child has let down by healthcare professionals when it comes to their eczema	161 31%	77 32%	26 45%	39 31%	28 53% ac	20 53% ac	13 54%	107 38%	145 32%	112 35%	130 33%	122 33%	86 51% aef	75 50% aef	105 42% af	99 39%	113 32%

NES Eczema Parent Survey

PAQ21. To what extent do you agree or disagree with each of the following statements? Net agree

BASE: All respondents

Significance Level: 95%

Total

I do not have confidence in the abilities of healthcare professionals to treat my child's eczema

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524	239	58	127	53	38	24	284	449	321	390	365	168	151	253	255	352
100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
160	77	24	37	26	15	9	109	143	111	128	122	82	66	99	96	114
31%	32%	41%	29%	49%	39%	38%	38%	32%	35%	33%	33%	49%	44%	39%	38%	32%
				ac								aef	af			

## NES Eczema Parent Survey

### PAQ21. To what extent do you agree or disagree with each of the following statements? Net agree

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
I think healthcare professionals provide me and my child with clear information about how to treat eczema	388	127	164	40	-	35	366	22	294	87	374	14
	74%	80% bc	70%	67%	-	78%	75%	67%	75%	72%	75%	50%
I think my child always follows the advice of healthcare professionals when it comes to their eczema	385	131	167	38	-	31	366	19	291	88	369	16
	73%	83% bc	71%	63%	-	69%	75% b	58%	74%	73%	74%	57%
Healthcare professionals take my child's eczema seriously enough	376	128	169	31	-	31	356	20	290	81	361	15
	72%	81% bc	72% c	52%	-	69%	73%	61%	74%	67%	73%	54%
I think healthcare professionals fully understand the impact eczema has on my child's mental wellbeing	347	105	161	37	-	25	329	18	274	66	333	14
	66%	66%	69%	62%	-	56%	67%	55%	70% b	55%	67%	50%
My child is normally unable to access the appropriate healthcare professional to treat their eczema (e.g. their GP where appropriate, a dermatologist where appropriate etc.)	194	31	114	32	-	5	182	12	165	26	188	6
	37%	20%	49% a	53% a	-	11%	37%	36%	42% b	21%	38%	21%
I am unsatisfied with the level of care my child has received from healthcare professionals for their eczema	170	23	97	31	-	8	162	8	143	24	163	7
	32%	15%	41% a	52% a	-	18%	33%	24%	37% b	20%	33%	25%
I think my child has let down by healthcare professionals when it comes to their eczema	161	20	97	27	-	5	155	6	136	23	154	7
	31%	13%	41% a	45% a	-	11%	32%	18%	35% b	19%	31%	25%

NES Eczema Parent Survey

PAQ21. To what extent do you agree or disagree with each of the following statements? Net agree

BASE: All respondents

Significance Level: 95%

Total

I do not have confidence in the abilities of healthcare professionals to treat my child's eczema

	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
Total	0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
	a	b	c	*a	b	a	b	a	b	a	*b
524	158	234	60	-	45	491	33	391	121	496	28
100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
160	20	97	29	-	5	153	7	140	18	153	7
31%	13%	41%	48%	-	11%	31%	21%	36%	15%	31%	25%
		a	a					b			

## NES Eczema Parent Survey

### PA\_Q21\_1. Healthcare professionals take my child's eczema seriously enough: To what extent do you agree or disagree with each of the following statements?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
133 25%	61 23%	71 28%	- -	44 24%	40 26%	49 28%	91 23%	14 26%	18 36% a	10 43%	2 22%	38 21%	81 28%	11 23%	1 100%	75 23%	56 29%
243 46%	130 49%	110 44%	7 58%	83 45%	73 47%	80 46%	194 49% c	24 45%	17 34%	8 35%	6 67%	100 56% cd	121 42%	16 33%	- -	156 48%	86 45%
78 15%	39 15%	37 15%	5 42%	33 18% d	22 14%	18 10%	61 15%	6 11%	7 14%	4 17%	- -	20 11%	47 16%	11 23% b	- -	51 16%	25 13%
38 7%	22 8%	16 6%	- -	15 8%	10 6%	13 8%	29 7%	6 11%	3 6%	- -	- -	10 6%	22 8%	6 13%	- -	22 7%	15 8%
32 6%	13 5%	18 7%	- -	10 5%	9 6%	13 8%	23 6%	3 6%	5 10%	1 4%	1 11%	11 6%	16 6%	4 8%	- -	20 6%	11 6%
376 72%	191 72%	181 72%	7 58%	127 69%	113 73%	129 75%	285 72%	38 72%	35 70%	18 78%	8 89%	138 77% d	202 70%	27 56%	1 100%	231 71%	142 74%
116 22%	61 23%	53 21%	5 42%	48 26%	32 21%	31 18%	90 23%	12 23%	10 20%	4 17%	- -	30 17%	69 24%	17 35% b	- -	73 23%	40 21%

## NES Eczema Parent Survey

### PA\_Q21\_1. Healthcare professionals take my child's eczema seriously enough: To what extent do you agree or disagree with each of the following statements?

BASE: All respondents

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Strongly agree	133 25%	66 28%	9 16%	34 27%	12 23%	7 18%	8 33%	69 24%	114 25%	92 29%	97 25%	107 29%	49 29%	47 31%	72 28%	72 28%	97 28%
Tend to agree	243 46%	114 48%	31 53%	64 50%	31 58%	17 45%	10 42%	127 45%	205 46%	142 44%	173 44%	160 44%	61 36%	56 37%	104 41%	111 44%	159 45%
Tend to disagree	78 15%	28 12%	11 19%	18 14%	6 11%	8 21%	4 17%	42 15%	69 15%	46 14%	67 17%	56 15%	31 18%	29 19%	47 19%	37 15%	53 15%
Strongly disagree	38 7%	17 7%	5 9%	7 6%	3 6%	2 5%	- -	27 10%	33 7%	25 8%	31 8%	23 6%	18 11%	13 9%	20 8%	22 9%	25 7%
Don't know	32 6%	14 6%	2 3%	4 3%	1 2%	4 11%	2 8%	19 7%	28 6%	16 5%	22 6%	19 5%	9 5%	6 4%	10 4%	13 5%	18 5%
Net: Agree	376 72%	180 75%	40 69%	98 77%	43 81%	24 63%	18 75%	196 69%	319 71%	234 73%	270 69%	267 73%	110 65%	103 68%	176 70%	183 72%	256 73%
Net: Disagree	116 22%	45 19%	16 28%	25 20%	9 17%	10 26%	4 17%	69 24%	102 23%	71 22%	98 25%	79 22%	49 29%	42 28%	67 26%	59 23%	78 22%

## NES Eczema Parent Survey

### PA\_Q21\_1. Healthcare professionals take my child's eczema seriously enough: To what extent do you agree or disagree with each of the following statements?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Strongly agree	133 25%	46 29%	60 26%	14 23%	- -	10 22%	130 26% b	3 9%	111 28% b	20 17%	131 26%	2 7%
Tend to agree	243 46%	82 52% c	109 47% c	17 28%	- -	21 47%	226 46%	17 52%	179 46%	61 50%	230 46%	13 46%
Tend to disagree	78 15%	13 8%	38 16% a	14 23% a	- -	4 9%	76 15%	2 6%	52 13%	24 20%	74 15%	4 14%
Strongly disagree	38 7%	4 3%	18 8% a	11 18% ab	- -	3 7%	36 7%	2 6%	33 8%	5 4%	37 7%	1 4%
Don't know	32 6%	13 8%	9 4%	4 7%	- -	7 16%	23 5%	9 27% a	16 4%	11 9% a	24 5%	8 29%
Net: Agree	376 72%	128 81% bc	169 72% c	31 52%	- -	31 69%	356 73%	20 61%	290 74%	81 67%	361 73%	15 54%
Net: Disagree	116 22%	17 11%	56 24% a	25 42% ab	- -	7 16%	112 23%	4 12%	85 22%	29 24%	111 22%	5 18%

## NES Eczema Parent Survey

**PA\_Q21\_2. I do not have confidence in the abilities of healthcare professionals to treat my child's eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
49 9%	28 11%	21 8%	1 8%	23 12% c	9 6%	16 9%	44 11% c	4 8%	1 2%	- -	- -	11 6%	29 10%	9 19% b	- -	24 7%	24 12%
111 21%	59 22%	51 20%	2 17%	43 23%	33 21%	33 19%	86 22%	10 19%	10 20%	5 22%	1 11%	24 13%	75 26% b	11 23%	- -	72 22%	38 20%
155 30%	75 28%	77 31%	3 25%	48 26%	47 31%	57 33%	114 29%	19 36%	16 32%	6 26%	1 11%	51 28%	87 30%	16 33%	- -	90 28%	62 32%
177 34%	82 31%	93 37%	5 42%	63 34%	54 35%	55 32%	130 33%	18 34%	19 38%	10 43%	6 67%	75 42% cd	84 29%	11 23%	1 100%	118 36%	58 30%
32 6%	21 8%	10 4%	1 8%	8 4%	11 7%	12 7%	24 6%	2 4%	4 8%	2 9%	1 11%	18 10% c	12 4%	1 2%	- -	20 6%	11 6%
160 31%	87 33%	72 29%	3 25%	66 36%	42 27%	49 28%	130 33%	14 26%	11 22%	5 22%	1 11%	35 20%	104 36% b	20 42% b	- -	96 30%	62 32%
332 63%	157 59%	170 67%	8 67%	111 60%	101 66%	112 65%	244 61%	37 70%	35 70%	16 70%	7 78%	126 70% c	171 60%	27 56%	1 100%	208 64%	120 62%



## NES Eczema Parent Survey

**PA\_Q21\_2. I do not have confidence in the abilities of healthcare professionals to treat my child's eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
49 9%	24 10%	7 12%	10 8%	4 8%	4 11%	2 8%	38 13%	42 9%	33 10%	38 10%	39 11%	28 17% f	28 19% af	36 14%	35 14%	37 11%
111 21%	53 22%	17 29%	27 21%	22 42% ac	11 29%	7 29%	71 25%	101 22%	78 24%	90 23%	83 23%	54 32% af	38 25%	63 25%	61 24%	77 22%
155 30%	62 26%	20 34%	47 37% a	15 28%	11 29%	8 33%	79 28%	132 29%	90 28%	115 29%	111 30%	38 23%	46 30%	77 30%	73 29%	110 31% b
177 34%	89 37% d	14 24%	39 31%	11 21%	8 21%	6 25%	81 29%	149 33%	104 32%	126 32%	112 31% c	40 24%	32 21%	67 26%	73 29%	108 31% c
32 6%	11 5%	- -	4 3%	1 2% b	4 11%	1 4%	15 5%	25 6%	16 5%	21 5%	20 5%	8 5%	7 5%	10 4%	13 5%	20 6%
160 31%	77 32%	24 41%	37 29%	26 49% ac	15 39%	9 38%	109 38%	143 32%	111 35%	128 33%	122 33%	82 49% aef	66 44% af	99 39%	96 38%	114 32%
332 63%	151 63%	34 59%	86 68% de	26 49%	19 50%	14 58%	160 56%	281 63%	194 60%	241 62%	223 61% bc	78 46%	78 52%	144 57% b	146 57% b	218 62% bc

## NES Eczema Parent Survey

**PA\_Q21\_2. I do not have confidence in the abilities of healthcare professionals to treat my child's eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Strongly agree	49	6	27	12	-	2	47	2	45	3	47	2
	9%	4%	12%	20%	-	4%	10%	6%	12%	2%	9%	7%
			a	a					b			
Tend to agree	111	14	70	17	-	3	106	5	95	15	106	5
	21%	9%	30%	28%	-	7%	22%	15%	24%	12%	21%	18%
			a	a					b			
Tend to disagree	155	43	70	19	-	13	144	11	112	39	146	9
	30%	27%	30%	32%	-	29%	29%	33%	29%	32%	29%	32%
Strongly disagree	177	80	58	10	-	20	166	11	125	51	173	4
	34%	51%	25%	17%	-	44%	34%	33%	32%	42%	35%	14%
		bc							a			
Don't know	32	15	9	2	-	7	28	4	14	13	24	8
	6%	9%	4%	3%	-	16%	6%	12%	4%	11%	5%	29%
		b							a			
Net: Agree	160	20	97	29	-	5	153	7	140	18	153	7
	31%	13%	41%	48%	-	11%	31%	21%	36%	15%	31%	25%
			a	a					b			
Net: Disagree	332	123	128	29	-	33	310	22	237	90	319	13
	63%	78%	55%	48%	-	73%	63%	67%	61%	74%	64%	46%
		bc							a			

## NES Eczema Parent Survey

**PA\_Q21\_3. My child is normally unable to access the appropriate healthcare professional to treat their eczema (e.g. their GP where appropriate, a dermatologist where appropriate etc.): To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
59 11%	34 13%	25 10%	- -	21 11%	19 12%	19 11%	44 11%	6 11%	7 14%	2 9%	- -	10 6%	37 13% b	11 23% b	1 100%	30 9%	28 15%
135 26%	67 25%	66 26%	3 25%	45 24%	44 29%	43 25%	104 26%	12 23%	13 26%	6 26%	2 22%	34 19%	79 28% b	20 42% bc	- -	83 26%	51 26%
155 30%	74 28%	78 31%	7 58%	54 29%	43 28%	51 29%	122 31%	17 32%	12 24%	4 17%	- -	57 32% d	92 32% d	6 13%	- -	94 29%	60 31%
139 27%	73 28%	65 26%	2 17%	48 26%	41 27%	48 28%	102 26%	13 25%	15 30%	9 39%	6 67%	63 35% cd	62 22%	8 17%	- -	92 28%	45 23%
36 7%	17 6%	18 7%	- -	17 9%	7 5%	12 7%	26 7%	5 9%	3 6%	2 9%	1 11%	15 8%	17 6%	3 6%	- -	25 8%	9 5%
194 37%	101 38%	91 36%	3 25%	66 36%	63 41%	62 36%	148 37%	18 34%	20 40%	8 35%	2 22%	44 25%	116 40% b	31 65% bc	1 100%	113 35%	79 41%
294 56%	147 55%	143 57%	9 75%	102 55%	84 55%	99 57%	224 56%	30 57%	27 54%	13 57%	6 67%	120 67% cd	154 54% d	14 29%	- -	186 57%	105 54%

## NES Eczema Parent Survey

**PA\_Q21\_3. My child is normally unable to access the appropriate healthcare professional to treat their eczema (e.g. their GP where appropriate, a dermatologist where appropriate etc.): To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
59 11%	31 13%	6 10%	14 11%	10 19%	7 18%	4 17%	44 15%	49 11%	45 14%	48 12%	48 13%	34 20% af	28 19%	41 16%	47 18%	47 13%
135 26%	60 25%	25 43% a	37 29%	21 40% a	13 34%	11 46%	84 30%	121 27%	93 29%	107 27%	97 27%	60 36% af	50 33%	71 28%	73 29%	88 25%
155 30%	70 29%	14 24%	35 28%	12 23%	9 24%	7 29%	75 26%	132 29%	90 28%	113 29%	112 31%	39 23%	43 28%	81 32%	70 27%	113 32% b
139 27%	66 28%	12 21%	34 27%	8 15%	5 13%	1 4%	66 23%	118 26%	73 23%	97 25%	87 24% bc	27 16%	22 15%	48 19%	52 20%	85 24% bc
36 7%	12 5%	1 2%	7 6%	2 4%	4 11%	1 4%	15 5%	29 6%	20 6%	25 6%	21 6%	8 5%	8 5%	12 5%	13 5%	19 5%
194 37%	91 38%	31 53% a	51 40%	31 58% ac	20 53%	15 63%	128 45%	170 38%	138 43%	155 40%	145 40%	94 56% adf	78 52% af	112 44%	120 47% f	135 38%
294 56%	136 57% de	26 45%	69 54% d	20 38%	14 37%	8 33%	141 50%	250 56%	163 51%	210 54%	199 55% bc	66 39%	65 43%	129 51% b	122 48%	198 56% bce

## NES Eczema Parent Survey

**PA\_Q21\_3. My child is normally unable to access the appropriate healthcare professional to treat their eczema (e.g. their GP where appropriate, a dermatologist where appropriate etc.): To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Strongly agree	59 11%	8 5%	36 15% a	13 22% a	- -	2 4%	59 12% b	- -	56 14% b	3 2%	59 12%	- -
Tend to agree	135 26%	23 15%	78 33% a	19 32% a	- -	3 7%	123 25%	12 36%	109 28%	23 19%	129 26%	6 21%
Tend to disagree	155 30%	47 30%	74 32%	14 23%	- -	15 33%	148 30%	7 21%	116 30%	37 31%	149 30%	6 21%
Strongly disagree	139 27%	70 44% bc	34 15%	11 18%	- -	16 36%	130 26%	9 27%	91 23%	46 38% a	132 27%	7 25%
Don't know	36 7%	10 6%	12 5%	3 5%	- -	9 20%	31 6%	5 15%	19 5%	12 10% a	27 5%	9 32%
Net: Agree	194 37%	31 20%	114 49% a	32 53% a	- -	5 11%	182 37%	12 36%	165 42% b	26 21%	188 38%	6 21%
Net: Disagree	294 56%	117 74% bc	108 46%	25 42%	- -	31 69%	278 57%	16 48%	207 53%	83 69% a	281 57%	13 46%

## NES Eczema Parent Survey

**PA\_Q21\_4. I think healthcare professionals provide me and my child with clear information about how to treat eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
136 26%	69 26%	66 26%	1 8%	50 27%	39 25%	46 27%	96 24%	16 30%	17 34%	7 30%	3 33%	45 25%	78 27%	9 19%	1 100%	83 26%	53 27%
252 48%	123 46%	127 50%	6 50%	90 49%	66 43%	90 52%	198 50%	24 45%	19 38%	11 48%	5 56%	94 53%	133 46%	20 42%	- -	153 47%	96 50%
88 17%	44 17%	42 17%	2 17%	32 17%	33 21%	21 12%	66 17%	10 19%	9 18%	3 13%	1 11%	24 13%	51 18%	12 25%	- -	57 18%	28 15%
29 6%	20 8%	8 3%	2 17%	10 5%	8 5%	9 5%	23 6%	2 4%	4 8%	- -	- -	5 3%	19 7%	5 10%	- b	20 6%	9 5%
19 4%	9 3%	9 4%	1 8%	3 2%	8 5%	7 4%	15 4%	1 2%	1 2%	2 9%	- -	11 6%	6 2%	2 4%	- -	11 3%	7 4%
388 74%	192 72%	193 77%	7 58%	140 76%	105 68%	136 79%	294 74%	40 75%	36 72%	18 78%	8 89%	139 78%	211 74%	29 60%	1 100%	236 73%	149 77%
117 22%	64 24%	50 20%	4 33%	42 23%	41 27%	30 17%	89 22%	12 23%	13 26%	3 13%	1 11%	29 16%	70 24%	17 35%	- b	77 24%	37 19%

NES Eczema Parent Survey

PA\_Q21\_4. I think healthcare professionals provide me and my child with clear information about how to treat eczema: To what extent do you agree or disagree with each of the following statements?

BASE: All respondents

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms						
		Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy ski	Bleeding ski	Skin weeping or oozing clear fluid	Cracked ski	Flaking ski	Dry or rough ski
Significance Level: 95%			a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%		284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Strongly agree	136 26%	66 28%	13 22%	33 26%	15 28%	8 21%	6 25%		70 25%	119 27%	87 27%	101 26%	93 25%	43 26%	39 26%	64 25%	73 29%	93 26%
Tend to agree	252 48%	127 53%	28 48%	64 50%	27 51%	19 50%	15 63%		128 45%	210 47%	152 47%	181 46%	176 48%	71 42%	66 44%	115 45%	120 47%	173 49%
Tend to disagree	88 17%	31 13%	11 19%	23 18%	8 15%	7 18%	3 13%		58 20%	79 18%	53 17%	71 18%	68 19%	32 19%	31 21%	47 19%	44 17%	62 18%
Strongly disagree	29 6%	12 5%	4 7%	5 4%	2 4%	1 3%	- -		19 7%	26 6%	19 6%	27 7%	18 5%	15 9% f	10 7%	19 8%	13 5%	16 5%
Don't know	19 4%	3 1%	2 3%	2 2%	1 2%	3 8% ac	- -		9 3%	15 3%	10 3%	10 3%	10 3%	7 4%	5 3%	8 3%	5 2%	8 2%
Net: Agree	388 74%	193 81%	41 71%	97 76%	42 79%	27 71%	21 88%		198 70%	329 73%	239 74%	282 72%	269 74%	114 68%	105 70%	179 71%	193 76%	266 76%
Net: Disagree	117 22%	43 18%	15 26%	28 22%	10 19%	8 21%	3 13%		77 27%	105 23%	72 22%	98 25%	86 24%	47 28%	41 27%	66 26%	57 22%	78 22%

## NES Eczema Parent Survey

**PA\_Q21\_4. I think healthcare professionals provide me and my child with clear information about how to treat eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

		No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Strongly agree	136	46	57	13	-	13	132	4	108	25	133	3
	26%	29%	24%	22%	-	29%	27%	12%	28%	21%	27%	11%
Tend to agree	252	81	107	27	-	22	234	18	186	62	241	11
	48%	51%	46%	45%	-	49%	48%	55%	48%	51%	49%	39%
Tend to disagree	88	18	45	15	-	4	85	3	67	19	84	4
	17%	11%	19%	25%	-	9%	17%	9%	17%	16%	17%	14%
Strongly disagree	29	4	18	3	-	3	25	4	22	7	27	2
	6%	3%	8%	5%	-	7%	5%	12%	6%	6%	5%	7%
Don't know	19	9	7	2	-	3	15	4	8	8	11	8
	4%	6%	3%	3%	-	7%	3%	12%	2%	7%	2%	29%
			a	a				a		a		
Net: Agree	388	127	164	40	-	35	366	22	294	87	374	14
	74%	80%	70%	67%	-	78%	75%	67%	75%	72%	75%	50%
		bc										
Net: Disagree	117	22	63	18	-	7	110	7	89	26	111	6
	22%	14%	27%	30%	-	16%	22%	21%	23%	21%	22%	21%
			a	a								



NES Eczema Parent Survey

PA\_Q21\_5. I think healthcare professionals fully understand the impact eczema has on my child's mental wellbeing: To what extent do you agree or disagree with each of the following statements?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
111 21%	55 21%	55 22%	1 8%	37 20%	31 20%	42 24%	79 20%	13 25%	13 26%	6 26%	3 33%	35 20%	60 21%	12 25%	1 100%	58 18%	53 27% a
236 45%	122 46%	111 44%	5 42%	82 44%	74 48%	75 43%	187 47% c	23 43%	16 32%	10 43%	4 44%	86 48%	128 45%	18 38%	- -	141 44%	91 47%
83 16%	46 17%	35 14%	4 33%	31 17%	25 16%	23 13%	64 16%	10 19%	6 12%	3 13%	1 11%	18 10%	54 19% b	10 21% b	- -	56 17%	25 13%
40 8%	20 8%	20 8%	1 8%	15 8%	10 6%	14 8%	28 7%	5 9%	6 12%	1 4%	- -	12 7%	23 8%	5 10%	- -	29 9%	11 6%
54 10%	22 8%	31 12%	1 8%	20 11%	14 9%	19 11%	40 10%	2 4%	9 18% b	3 13%	1 11%	28 16% c	22 8%	3 6%	- -	40 12% b	13 7%
347 66%	177 67%	166 66%	6 50%	119 64%	105 68%	117 68%	266 67%	36 68%	29 58%	16 70%	7 78%	121 68%	188 66%	30 63%	1 100%	199 61%	144 75% a
123 23%	66 25%	55 22%	5 42%	46 25%	35 23%	37 21%	92 23%	15 28%	12 24%	4 17%	1 11%	30 17%	77 27% b	15 31% b	- -	85 26% b	36 19%

NES Eczema Parent Survey

PA\_Q21\_5. I think healthcare professionals fully understand the impact eczema has on my child's mental wellbeing: To what extent do you agree or disagree with each of the following statements?

BASE: All respondents

		Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Strongly agree	111 21%	52 22%	9 16%	29 23%	12 23%	6 16%	2 8%	56 20%	96 21%	68 21%	80 21%	86 24%	41 24%	38 25%	58 23%	62 24%	79 22%
Tend to agree	236 45%	114 48%	28 48%	61 48%	27 51%	16 42%	14 58%	126 44%	200 45%	152 47%	171 44%	154 42%	65 39%	65 43%	105 42%	108 42%	157 45%
Tend to disagree	83 16%	36 15%	10 17%	19 15%	11 21%	8 21%	2 8%	49 17%	69 15%	53 17%	65 17%	64 18%	31 18%	25 17%	49 19%	42 16%	57 16%
Strongly disagree	40 8%	18 8%	5 9%	9 7%	1 2%	3 8%	4 17%	23 8%	37 8%	20 6%	35 9%	26 7%	19 11%	12 8%	20 8%	21 8%	24 7%
Don't know	54 10%	19 8%	6 10%	9 7%	2 4%	5 13%	2 8%	30 11%	47 10%	28 9%	39 10%	35 10%	12 7%	11 7%	21 8%	22 9%	35 10%
Net: Agree	347 66%	166 69%	37 64%	90 71%	39 74%	22 58%	16 67%	182 64%	296 66%	220 69%	251 64%	240 66%	106 63%	103 68%	163 64%	170 67%	236 67%
Net: Disagree	123 23%	54 23%	15 26%	28 22%	12 23%	11 29%	6 25%	72 25%	106 24%	73 23%	100 26%	90 25%	50 30%	37 25%	69 27%	63 25%	81 23%

## NES Eczema Parent Survey

**PA\_Q21\_5. I think healthcare professionals fully understand the impact eczema has on my child's mental wellbeing: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Strongly agree	111	39	49	13	-	8	110	1	93	18	106	5
	21%	25%	21%	22%	-	18%	22%	3%	24%	15%	21%	18%
							b		b			
Tend to agree	236	66	112	24	-	17	219	17	181	48	227	9
	45%	42%	48%	40%	-	38%	45%	52%	46%	40%	46%	32%
Tend to disagree	83	18	43	13	-	5	80	3	65	17	81	2
	16%	11%	18%	22%	-	11%	16%	9%	17%	14%	16%	7%
Strongly disagree	40	9	16	6	-	4	37	3	30	10	39	1
	8%	6%	7%	10%	-	9%	8%	9%	8%	8%	8%	4%
Don't know	54	26	14	4	-	11	45	9	22	28	43	11
	10%	16%	6%	7%	-	24%	9%	27%	6%	23%	9%	39%
		b					a		a			
Net: Agree	347	105	161	37	-	25	329	18	274	66	333	14
	66%	66%	69%	62%	-	56%	67%	55%	70%	55%	67%	50%
									b			
Net: Disagree	123	27	59	19	-	9	117	6	95	27	120	3
	23%	17%	25%	32%	-	20%	24%	18%	24%	22%	24%	11%
				a								

NES Eczema Parent Survey

PA\_Q21\_6. I think my child always follows the advice of healthcare professionals when it comes to their eczema: To what extent do you agree or disagree with each of the following statements?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
147 28%	72 27%	74 29%	2 17%	51 28%	38 25%	56 32%	107 27%	14 26%	15 30%	11 48%	3 33%	54 30%	78 27%	11 23%	1 100%	84 26%	61 32%
238 45%	110 42%	127 50% a	3 25%	80 43%	73 47%	82 47%	183 46%	26 49%	20 40%	9 39%	3 33%	87 49%	128 45%	20 42%	- -	151 47%	87 45%
78 15%	50 19% b	26 10%	3 25%	28 15%	23 15%	24 14%	64 16%	6 11%	7 14%	1 4%	2 22%	16 9%	48 17% b	12 25% b	- -	45 14%	30 16%
22 4%	10 4%	11 4%	2 17%	10 5%	6 4%	4 2%	16 4%	4 8%	2 4%	- -	1 11%	4 2%	13 5%	4 8% b	- -	14 4%	7 4%
39 7%	23 9%	14 6%	2 17%	16 9%	14 9%	7 4%	28 7%	3 6%	6 12%	2 9%	- -	18 10%	20 7%	1 2%	- -	30 9% b	8 4%
385 73%	182 69%	201 80% a	5 42%	131 71%	111 72%	138 80%	290 73%	40 75%	35 70%	20 87%	6 67%	141 79% d	206 72%	31 65%	1 100%	235 73%	148 77%
100 19%	60 23% b	37 15%	5 42%	38 21%	29 19%	28 16%	80 20%	10 19%	9 18%	1 4%	3 33%	20 11%	61 21% b	16 33% b	- -	59 18%	37 19%

NES Eczema Parent Survey

PA\_Q21\_6. I think my child always follows the advice of healthcare professionals when it comes to their eczema: To what extent do you agree or disagree with each of the following statements?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Total	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
147 28%	69 29% b	9 16%	37 29% b	11 21%	8 21%	7 29%	77 27%	126 28%	93 29%	104 27%	103 28%	47 28%	43 28%	72 28%	74 29%	102 29%
238 45%	113 47%	31 53%	61 48%	26 49%	15 39%	11 46%	117 41%	204 45%	141 44%	175 45%	169 46% b	61 36%	59 39%	103 41%	116 45%	159 45%
78 15%	34 14%	11 19%	15 12%	8 15%	10 26% c	2 8%	50 18%	65 14%	49 15%	63 16%	57 16%	37 22%	28 19%	51 20%	39 15%	56 16%
22 4%	7 3%	3 5%	5 4%	6 11% a	2 5%	2 8%	18 6%	20 4%	14 4%	18 5%	14 4%	11 7%	11 7%	14 6%	14 5%	14 4%
39 7%	16 7%	4 7%	9 7%	2 4%	3 8%	2 8%	22 8%	34 8%	24 7%	30 8%	22 6%	12 7%	10 7%	13 5%	12 5%	21 6%
385 73%	182 76% e	40 69%	98 77% e	37 70%	23 61%	18 75%	194 68%	330 73%	234 73%	279 72%	272 75% b	108 64%	102 68%	175 69%	190 75% b	261 74% b
100 19%	41 17%	14 24%	20 16%	14 26%	12 32% ac	4 17%	68 24%	85 19%	63 20%	81 21%	71 19%	48 29% af	39 26%	65 26%	53 21%	70 20%

## NES Eczema Parent Survey

**PA\_Q21\_6. I think my child always follows the advice of healthcare professionals when it comes to their eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Strongly agree	147	50	59	21	-	13	142	5	116	29	143	4
	28%	32%	25%	35%	-	29%	29%	15%	30%	24%	29%	14%
Tend to agree	238	81	108	17	-	18	224	14	175	59	226	12
	45%	51%	46%	28%	-	40%	46%	42%	45%	49%	46%	43%
		c	c									
Tend to disagree	78	12	41	17	-	3	71	7	65	11	76	2
	15%	8%	18%	28%	-	7%	14%	21%	17%	9%	15%	7%
			a	a					b			
Strongly disagree	22	1	16	5	-	-	21	1	20	2	21	1
	4%	1%	7%	8%	-	-	4%	3%	5%	2%	4%	4%
			a	a								
Don't know	39	14	10	-	-	11	33	6	15	20	30	9
	7%	9%	4%	-	-	24%	7%	18%	4%	17%	6%	32%
		c						a		a		
Net: Agree	385	131	167	38	-	31	366	19	291	88	369	16
	73%	83%	71%	63%	-	69%	75%	58%	74%	73%	74%	57%
		bc					b					
Net: Disagree	100	13	57	22	-	3	92	8	85	13	97	3
	19%	8%	24%	37%	-	7%	19%	24%	22%	11%	20%	11%
			a	a					b			

## NES Eczema Parent Survey

**PA\_Q21\_7. I am unsatisfied with the level of care my child has received from healthcare professionals for their eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
54 10%	34 13%	20 8%	- -	17 9%	16 10%	21 12%	48 12%	3 6%	2 4%	1 4%	- -	9 5%	34 12% b	10 21% b	1 100%	29 9%	24 12%
116 22%	61 23%	55 22%	2 17%	50 27%	32 21%	32 18%	89 22%	8 15%	16 32% b	3 13%	- -	30 17%	73 25% b	13 27%	- -	70 22%	44 23%
150 29%	75 28%	72 29%	5 42%	46 25%	47 31%	52 30%	118 30%	13 25%	11 22%	8 35%	1 11%	50 28%	84 29%	15 31%	- -	90 28%	58 30%
174 33%	76 29%	95 38% a	5 42%	60 32%	51 33%	58 34%	122 31%	24 45% a	18 36%	10 43%	7 78%	78 44% cd	80 28%	9 19%	- -	118 36%	55 28%
30 6%	19 7%	10 4%	- -	12 6%	8 5%	10 6%	21 5%	5 9%	3 6%	1 4%	1 11%	12 7%	16 6%	1 2%	- -	17 5%	12 6%
170 32%	95 36%	75 30%	2 17%	67 36%	48 31%	53 31%	137 34% b	11 21%	18 36%	4 17%	- -	39 22%	107 37% b	23 48% b	1 100%	99 31%	68 35%
324 62%	151 57%	167 66% a	10 83%	106 57%	98 64%	110 64%	240 60%	37 70%	29 58%	18 78%	8 89%	128 72% cd	164 57%	24 50%	- -	208 64%	113 59%

## NES Eczema Parent Survey

**PA\_Q21\_7. I am unsatisfied with the level of care my child has received from healthcare professionals for their eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

	Type of eczema							Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
Significance Level: 95%		a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
Total	524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
Strongly agree	54 10%	29 12%	7 12%	14 11%	12 23% ac	7 18%	4 17%	42 15%	47 10%	39 12%	46 12%	41 11%	32 19% af	24 16%	39 15%	38 15%	38 11%
Tend to agree	116 22%	51 21%	16 28%	32 25%	14 26%	13 34%	6 25%	73 26%	104 23%	79 25%	90 23%	80 22%	48 29%	51 34% af	70 28%	64 25%	82 23%
Tend to disagree	150 29%	62 26%	22 38%	43 34%	17 32%	8 21%	7 29%	69 24%	129 29%	87 27%	116 30%	115 32% c	41 24%	34 23%	71 28%	72 28%	106 30%
Strongly disagree	174 33%	86 36% bde	11 19%	34 27%	9 17%	5 13%	6 25%	85 30%	146 33%	101 31%	116 30%	108 30% bc	34 20%	31 21%	62 25%	67 26%	108 31% bc
Don't know	30 6%	11 5%	2 3%	4 3%	1 2%	5 13% acd	1 4%	15 5%	23 5%	15 5%	22 6%	21 6%	13 8%	11 7%	11 4%	14 5%	18 5%
Net: Agree	170 32%	80 33%	23 40%	46 36%	26 49% a	20 53% a	10 42%	115 40%	151 34%	118 37%	136 35%	121 33%	80 48% af	75 50% af	109 43% af	102 40%	120 34%
Net: Disagree	324 62%	148 62% e	33 57% e	77 61% e	26 49%	13 34%	13 54%	154 54%	275 61%	188 59%	232 59%	223 61% bcd	75 45%	65 43%	133 53%	139 55% bc	214 61% bcd



## NES Eczema Parent Survey

**PA\_Q21\_7. I am unsatisfied with the level of care my child has received from healthcare professionals for their eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

Significance Level: 95%

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Strongly agree	54	7	28	13	-	2	52	2	47	6	53	1
	10%	4%	12%	22%	-	4%	11%	6%	12%	5%	11%	4%
			a	a					b			
Tend to agree	116	16	69	18	-	6	110	6	96	18	110	6
	22%	10%	29%	30%	-	13%	22%	18%	25%	15%	22%	21%
			a	a					b			
Tend to disagree	150	48	66	17	-	14	140	10	114	33	144	6
	29%	30%	28%	28%	-	31%	29%	30%	29%	27%	29%	21%
Strongly disagree	174	79	60	8	-	19	163	11	115	56	167	7
	33%	50%	26%	13%	-	42%	33%	33%	29%	46%	34%	25%
		bc	c						a			
Don't know	30	8	11	4	-	4	26	4	19	8	22	8
	6%	5%	5%	7%	-	9%	5%	12%	5%	7%	4%	29%
Net: Agree	170	23	97	31	-	8	162	8	143	24	163	7
	32%	15%	41%	52%	-	18%	33%	24%	37%	20%	33%	25%
			a	a					b			
Net: Disagree	324	127	126	25	-	33	303	21	229	89	311	13
	62%	80%	54%	42%	-	73%	62%	64%	59%	74%	63%	46%
		bc							a			

NES Eczema Parent Survey

PA\_Q21\_8. I think my child has let down by healthcare professionals when it comes to their eczema: To what extent do you agree or disagree with each of the following statements?

BASE: All respondents

Significance Level: 95%

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total																	
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
55 10%	32 12%	22 9%	- -	16 9%	16 10%	23 13%	45 11%	5 9%	3 6%	2 9%	- -	9 5%	36 13% b	9 19% b	1 100%	26 8%	26 13% a
106 20%	54 20%	50 20%	3 25%	44 24% d	35 23% d	24 14%	82 21%	10 19%	12 24%	2 9%	1 11%	21 12%	71 25% b	13 27% b	- -	64 20%	42 22%
144 27%	74 28%	67 27%	3 25%	56 30%	42 27%	43 25%	116 29%	15 28%	9 18%	4 17%	- -	46 26%	81 28%	17 35%	- -	90 28%	50 26%
186 35%	82 31%	103 41% a	5 42%	56 30%	51 33%	74 43% b	130 33%	20 38%	23 46%	13 57%	7 78%	89 50% cd	81 28%	9 19%	- -	121 37%	65 34%
33 6%	23 9% b	10 4%	1 8%	13 7%	10 6%	9 5%	25 6%	3 6%	3 6%	2 9%	1 11%	14 8% d	18 6%	- -	- -	23 7%	10 5%
161 31%	86 32%	72 29%	3 25%	60 32%	51 33%	47 27%	127 32%	15 28%	15 30%	4 17%	1 11%	30 17%	107 37% b	22 46% b	1 100%	90 28%	68 35%
330 63%	156 59%	170 67% a	8 67%	112 61%	93 60%	117 68%	246 62%	35 66%	32 64%	17 74%	7 78%	135 75% cd	162 56%	26 54%	- -	211 65%	115 60%

## NES Eczema Parent Survey

**PA\_Q21\_8. I think my child has let down by healthcare professionals when it comes to their eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
55 10%	24 10%	8 14%	15 12%	7 13%	7 18%	5 21%	41 14%	47 10%	42 13%	43 11%	45 12%	35 21% af	32 21% af	40 16%	40 16%	38 11%
106 20%	53 22%	18 31%	24 19%	21 40% ac	13 34% c	8 33%	66 23%	98 22%	70 22%	87 22%	77 21%	51 30% af	43 28%	65 26%	59 23%	75 21%
144 27%	59 25%	19 33%	41 32%	16 30%	10 26%	5 21%	72 25%	125 28%	86 27%	114 29%	112 31%	41 24%	39 26%	78 31%	70 27%	113 32%
186 35%	91 38% bde	12 21%	38 30% e	9 17%	5 13%	5 21%	85 30%	153 34%	106 33%	125 32%	114 31% bcd	31 18%	28 19%	60 24%	71 28% bc	105 30% bc
33 6%	12 5%	1 2%	9 7% d	- -	3 8% d	1 4%	20 7%	26 6%	17 5%	21 5%	17 5%	10 6%	9 6%	10 4%	15 6%	21 6%
161 31%	77 32%	26 45%	39 31%	28 53% ac	20 53% ac	13 54%	107 38%	145 32%	112 35%	130 33%	122 33%	86 51% aef	75 50% aef	105 42% af	99 39%	113 32%
330 63%	150 63% de	31 53%	79 62% e	25 47%	15 39%	10 42%	157 55%	278 62%	192 60%	239 61%	226 62% bc	72 43%	67 44%	138 55% bc	141 55% bc	218 62% bc

## NES Eczema Parent Survey

**PA\_Q21\_8. I think my child has let down by healthcare professionals when it comes to their eczema: To what extent do you agree or disagree with each of the following statements?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Strongly agree	55 10%	6 4%	36 15% a	11 18% a	- -	1 2%	54 11%	1 3%	52 13% b	2 2%	54 11%	1 4%
Tend to agree	106 20%	14 9%	61 26% a	16 27% a	- -	4 9%	101 21%	5 15%	84 21%	21 17%	100 20%	6 21%
Tend to disagree	144 27%	39 25%	67 29%	20 33%	- -	13 29%	133 27%	11 33%	115 29%	26 21%	138 28%	6 21%
Strongly disagree	186 35%	88 56% bc	55 24%	13 22%	- -	21 47%	173 35%	13 39%	119 30%	65 54% a	178 36%	8 29%
Don't know	33 6%	11 7% c	15 6% c	- -	- -	6 13%	30 6%	3 9%	21 5%	7 6%	26 5%	7 25%
Net: Agree	161 31%	20 13%	97 41% a	27 45% a	- -	5 11%	155 32%	6 18%	136 35% b	23 19%	154 31%	7 25%
Net: Disagree	330 63%	127 80% bc	122 52%	33 55%	- -	34 76%	306 62%	24 73%	234 60%	91 75% a	316 64%	14 50%

## NES Eczema Parent Survey

### PAQ22. How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema? Summary

BASE: All respondents

		Frequency									
		All the time or nearly all the time	Most of the time	Occasionally	Hardly ever	Never	I have not been prescribed this treatment	Don't know	Net Ever	Net Often	
Significance Level: 95%		Total	*a	*b	*c	*d	*e	*f	*g	*h	*i
Emollients	524 100%	75 14%	100 19%	80 15%	75 14%	142 27%	36 7%	16 3%	330 63%	175 33%	
Topical corticosteroids (steroids creams or ointments)	524 100%	50 10%	88 17%	124 24%	81 15%	119 23%	54 10%	8 2%	343 65%	138 26%	
Topical calcineurin inhibitors (non-steroid creams or ointments)	524 100%	38 7%	67 13%	102 19%	67 13%	107 20%	130 25%	13 2%	274 52%	105 20%	
Bandages and wet wraps	524 100%	22 4%	53 10%	84 16%	65 12%	110 21%	181 35%	9 2%	224 43%	75 14%	
Phototherapy	524 100%	20 4%	56 11%	62 12%	42 8%	115 22%	219 42%	10 2%	180 34%	76 15%	
Immunosuppressive medicines (taken orally or by injection)	524 100%	21 4%	47 9%	60 11%	65 12%	115 22%	204 39%	12 2%	193 37%	68 13%	
Biologic medicines	524 100%	19 4%	51 10%	61 12%	69 13%	100 19%	207 40%	17 3%	200 38%	70 13%	
My child is not using any treatments	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	

## NES Eczema Parent Survey

### PA\_Q22\_1. Emollients: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?

BASE: All respondents

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
All the time or nearly all the time	75 14%	42 16%	33 13%	- -	35 19%	18 12%	22 13%	53 13%	10 19%	8 16%	4 17%	- -	24 13%	42 15%	9 19%	- -	49 15%	26 13%
Most of the time	100 19%	56 21%	43 17%	1 8%	26 14%	37 24% b	36 21%	75 19%	13 25%	7 14%	5 22%	- -	24 13%	66 23% b	9 19%	1 100%	47 15%	52 27% a
Occasionally	80 15%	39 15%	39 15%	4 33%	27 15%	21 14%	28 16%	63 16%	7 13%	9 18%	1 4%	1 11%	27 15%	37 13%	15 31% bc	- -	45 14%	34 18%
Hardly ever	75 14%	39 15%	34 13%	1 8%	25 14%	23 15%	26 15%	59 15%	6 11%	7 14%	3 13%	1 11%	22 12%	47 16%	5 10%	- -	51 16%	22 11%
Never	142 27%	71 27%	70 28%	6 50%	44 24%	46 30%	46 27%	107 27%	14 26%	14 28%	7 30%	5 56%	58 32% d	72 25%	7 15%	- -	98 30% b	42 22%
I have not been prescribed this treatment	36 7%	12 5%	24 10% a	- -	22 12% cd	4 3%	10 6%	28 7%	3 6%	2 4%	3 13%	2 22%	18 10% c	14 5%	2 4%	- -	26 8%	10 5%
Don't know	16 3%	6 2%	9 4%	- -	6 3%	5 3%	5 3%	13 3%	- -	3 6%	- -	- -	6 3%	9 3%	1 2%	- -	8 2%	7 4%
Net Ever	330 63%	176 66%	149 59%	6 50%	113 61%	99 64%	112 65%	250 63%	36 68%	31 62%	13 57%	2 22%	97 54%	192 67% b	38 79% b	1 100%	192 59%	134 69% a
Net Often	175 33%	98 37%	76 30%	1 8%	61 33%	55 36%	58 34%	128 32%	23 43%	15 30%	9 39%	- -	48 27%	108 38% b	18 38%	1 100%	96 30%	78 40%

## NES Eczema Parent Survey

### PA\_Q22\_1. Emollients: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
75 14%	42 18%	5 9%	17 13%	7 13%	3 8%	2 8%	42 15%	60 13%	44 14%	59 15%	60 16%	31 18%	27 18%	48 19%	43 17%	58 16%
100 19%	45 19%	20 34% ac	26 20%	22 42% ac	13 34% a	9 38%	65 23%	94 21%	72 22%	79 20%	77 21%	44 26%	38 25%	51 20%	61 24%	73 21%
80 15%	35 15%	12 21%	28 22%	9 17%	5 13%	3 13%	52 18%	70 16%	53 17%	53 14%	62 17%	34 20%	32 21%	44 17%	51 20%	53 15%
75 14%	30 13%	6 10%	14 11%	9 17%	6 16%	4 17%	40 14%	63 14%	53 17%	59 15%	47 13%	25 15%	19 13%	44 17%	30 12%	46 13%
142 27%	68 28% d	13 22% d	28 22% d	4 8%	6 16%	4 17%	66 23%	121 27%	76 24%	106 27%	87 24% b	23 14%	26 17%	47 19%	48 19%	88 25% b
36 7%	16 7%	1 2%	12 9%	2 4%	3 8%	2 8%	11 4%	30 7%	15 5%	22 6%	24 7%	6 4%	5 3%	13 5%	13 5%	23 7%
16 3%	3 1%	1 2%	2 2%	- -	2 5%	- -	8 3%	11 2%	8 2%	12 3%	8 2%	5 3%	4 3%	6 2%	9 4%	11 3%
330 63%	152 64%	43 74%	85 67%	47 89% ace	27 71%	18 75%	199 70%	287 64%	222 69%	250 64%	246 67%	134 80% af	116 77% af	187 74% f	185 73%	230 65%
175 33%	87 36%	25 43%	43 34%	29 55% ac	16 42%	11 46%	107 38%	154 34%	116 36%	138 35%	137 38%	75 45%	65 43%	99 39%	104 41%	131 37%

## NES Eczema Parent Survey

**PA\_Q22\_1. Emollients: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
All the time or nearly all the time	75	18	33	16	-	2	73	2	58	14	75	-
	14%	11%	14%	27% ab	-	4%	15%	6%	15%	12%	15%	-
Most of the time	100	16	53	19	-	3	99	1	88	12	99	1
	19%	10%	23% a	32% a	-	7%	20% b	3%	23% b	10%	20%	4%
Occasionally	80	13	52	11	-	2	78	2	69	9	77	3
	15%	8%	22% a	18% a	-	4%	16%	6%	18% b	7%	16%	11%
Hardly ever	75	17	42	6	-	6	73	2	54	20	72	3
	14%	11%	18%	10%	-	13%	15%	6%	14%	17%	15%	11%
Never	142	75	39	7	-	19	124	18	91	48	133	9
	27%	47% bc	17%	12%	-	42%	25%	55% a	23%	40% a	27%	32%
I have not been prescribed this treatment	36	15	8	-	-	11	30	6	21	15	31	5
	7%	9% bc	3%	-	-	24%	6%	18% a	5%	12% a	6%	18%
Don't know	16	4	7	1	-	2	14	2	10	3	9	7
	3%	3%	3%	2%	-	4%	3%	6%	3%	2%	2%	25%
Net Ever	330	64	180	52	-	13	323	7	269	55	323	7
	63%	41%	77% a	87% a	-	29%	66% b	21%	69% b	45%	65%	25%
Net Often	175	34	86	35	-	5	172	3	146	26	174	1
	33%	22%	37% a	58% ab	-	11%	35% b	9%	37% b	21%	35%	4%



## NES Eczema Parent Survey

### PA\_Q22\_2. Topical corticosteroids (steroids creams or ointments): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?

BASE: All respondents

Significance Level: 95%		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
All the time or nearly all the time	50 10%	21 8%	29 12%	- -	16 9%	12 8%	22 13%	39 10%	6 11%	2 4%	3 13%	- -	13 7%	29 10%	8 17% b	- -	20 6%	29 15% a
Most of the time	88 17%	47 18%	41 16%	2 17%	27 15%	29 19%	30 17%	72 18%	7 13%	7 14%	2 9%	- -	15 8%	61 21% b	11 23% b	1 100%	45 14%	42 22% a
Occasionally	124 24%	69 26%	53 21%	2 17%	41 22%	42 27%	39 23%	93 23%	13 25%	13 26%	5 22%	- -	41 23%	70 24%	13 27%	- -	77 24%	46 24%
Hardly ever	81 15%	39 15%	39 15%	5 42%	36 19% d	20 13%	20 12%	63 16% b	3 6%	12 24% b	3 13%	1 11%	24 13%	47 16%	9 19%	- -	55 17%	23 12%
Never	119 23%	63 24%	56 22%	1 8%	38 21%	34 22%	46 27%	87 22%	17 32%	9 18%	6 26%	4 44%	52 29% cd	57 20%	6 13%	- -	86 27% b	33 17%
I have not been prescribed this treatment	54 10%	22 8%	31 12%	2 17%	24 13%	14 9%	14 8%	40 10%	5 9%	5 10%	4 17%	4 44%	30 17% cd	19 7%	1 2%	- -	37 11%	17 9%
Don't know	8 2%	4 2%	3 1%	- -	3 2%	3 2%	2 1%	4 1%	2 4%	2 4%	- -	- -	4 2%	4 1%	- -	- -	4 1%	3 2%
Net Ever	343 65%	176 66%	162 64%	9 75%	120 65%	103 67%	111 64%	267 67%	29 55%	34 68%	13 57%	1 11%	93 52%	207 72% b	41 85% b	1 100%	197 61%	140 73% a
Net Often	138 26%	68 26%	70 28%	2 17%	43 23%	41 27%	52 30%	111 28%	13 25%	9 18%	5 22%	- -	28 16%	90 31% b	19 40% b	1 100%	65 20%	71 37% a

## NES Eczema Parent Survey

**PA\_Q22\_2. Topical corticosteroids (steroids creams or ointments): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
50 10%	23 10%	8 14%	11 9%	4 8%	4 11%	6 25%	29 10%	38 8%	34 11%	35 9%	39 11%	30 18% af	21 14%	34 13%	31 12%	40 11%
88 17%	53 22%	16 28%	28 22%	16 30%	10 26%	7 29%	54 19%	84 19%	63 20%	68 17%	70 19%	41 24%	33 22%	49 19%	58 23%	67 19%
124 24%	48 20%	17 29%	35 28%	17 32%	11 29%	4 17%	73 26%	110 24%	80 25%	97 25%	93 25%	48 29%	47 31%	67 26%	63 25%	88 25%
81 15%	32 13%	6 10%	17 13%	9 17%	4 11%	1 4%	46 16%	66 15%	50 16%	64 16%	61 17%	23 14%	22 15%	44 17%	41 16%	52 15%
119 23%	62 26% bde	7 12%	24 19%	5 9%	4 11%	5 21%	57 20%	104 23%	65 20%	87 22%	75 21% b	18 11%	21 14%	39 15%	41 16%	70 20% b
54 10%	19 8% d	4 7%	11 9% d	- - d	3 8% d	1 4%	20 7%	41 9%	23 7%	33 8%	23 6%	4 2%	4 3%	15 6%	16 6%	29 8% bc
8 2%	2 1%	- -	1 1%	2 4%	2 5% a	- -	5 2%	6 1%	6 2%	6 2%	4 1%	4 2%	3 2%	5 2%	5 2%	6 2%
343 65%	156 65%	47 81% a	91 72%	46 87% ac	29 76%	18 75%	202 71%	298 66%	227 71%	264 68%	263 72%	142 85% aef	123 81% af	194 77%	193 76%	247 70%
138 26%	76 32%	24 41%	39 31%	20 38%	14 37%	13 54%	83 29%	122 27%	97 30%	103 26%	109 30%	71 42% adf	54 36%	83 33%	89 35%	107 30%

## NES Eczema Parent Survey

**PA\_Q22\_2. Topical corticosteroids (steroids creams or ointments): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
All the time or nearly all the time	50	8	28	12	-	1	50	-	44	6	50	-
	10%	5%	12%	20%	-	2%	10%	-	11%	5%	10%	-
			a	a					b			
Most of the time	88	16	47	14	-	2	86	2	77	9	86	2
	17%	10%	20%	23%	-	4%	18%	6%	20%	7%	17%	7%
			a	a					b			
Occasionally	124	24	69	13	-	7	122	2	104	19	123	1
	24%	15%	29%	22%	-	16%	25%	6%	27%	16%	25%	4%
			a				b		b			
Hardly ever	81	18	39	12	-	7	78	3	58	23	78	3
	15%	11%	17%	20%	-	16%	16%	9%	15%	19%	16%	11%
Never	119	64	37	5	-	17	103	16	78	37	109	10
	23%	41%	16%	8%	-	38%	21%	48%	20%	31%	22%	36%
		bc					a		a			
I have not been prescribed this treatment	54	27	10	3	-	10	45	9	25	26	45	9
	10%	17%	4%	5%	-	22%	9%	27%	6%	21%	9%	32%
		bc					a		a			
Don't know	8	1	4	1	-	1	7	1	5	1	5	3
	2%	1%	2%	2%	-	2%	1%	3%	1%	1%	1%	11%
Net Ever	343	66	183	51	-	17	336	7	283	57	337	6
	65%	42%	78%	85%	-	38%	68%	21%	72%	47%	68%	21%
			a	a			b		b			
Net Often	138	24	75	26	-	3	136	2	121	15	136	2
	26%	15%	32%	43%	-	7%	28%	6%	31%	12%	27%	7%
			a	a			b		b			

## NES Eczema Parent Survey

### PA\_Q22\_3. Topical calcineurin inhibitors (non-steroid creams or ointments): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
All the time or nearly all the time	38 7%	18 7%	20 8%	- -	14 8%	9 6%	15 9%	35 9%	2 4%	1 2%	- -	- -	7 4%	26 9% b	5 10%	- -	13 4%	24 12% a
Most of the time	67 13%	29 11%	36 14%	- -	22 12%	26 17%	19 11%	54 14%	4 8%	6 12%	3 13%	- -	14 8%	46 16% b	7 15%	- -	34 10%	32 17% a
Occasionally	102 19%	53 20%	47 19%	3 25%	35 19%	34 22%	30 17%	75 19%	13 25%	12 24%	2 9%	1 11%	25 14%	62 22% b	13 27% b	1 100%	60 19%	40 21%
Hardly ever	67 13%	34 13%	32 13%	1 8%	30 16% c	12 8%	24 14%	47 12%	9 17%	9 18%	2 9%	- -	23 13%	35 12%	9 19%	- -	39 12%	26 13%
Never	107 20%	57 22%	50 20%	3 25%	27 15%	42 27% b	35 20%	80 20%	9 17%	10 20%	8 35%	1 11%	40 22%	59 21%	7 15%	- -	68 21%	39 20%
I have not been prescribed this treatment	130 25%	68 26%	61 24%	5 42%	52 28% c	29 19%	44 25%	99 25%	13 25%	10 20%	8 35%	7 78%	62 35% cd	55 19%	6 13%	- -	102 31% b	28 15%
Don't know	13 2%	6 2%	6 2%	- -	5 3%	2 1%	6 3%	8 2%	3 6%	2 4%	- -	- -	8 4% c	4 1%	1 2%	- -	8 2%	4 2%
Net Ever	274 52%	134 51%	135 54%	4 33%	101 55%	81 53%	88 51%	211 53%	28 53%	28 56%	7 30%	1 11%	69 39%	169 59% b	34 71% b	1 100%	146 45%	122 63% a
Net Often	105 20%	47 18%	56 22%	- -	36 19%	35 23%	34 20%	89 22%	6 11%	7 14%	3 13%	- -	21 12%	72 25% b	12 25% b	- -	47 15%	56 29% a

## NES Eczema Parent Survey

**PA\_Q22\_3. Topical calcineurin inhibitors (non-steroid creams or ointments): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
38 7%	17 7%	5 9%	12 9%	10 19% a	7 18% a	3 13%	25 9%	29 6%	26 8%	31 8%	29 8%	24 14% a	16 11%	29 11%	28 11%	31 9%
67 13%	30 13%	11 19%	24 19%	10 19%	11 29% a	5 21%	39 14%	60 13%	48 15%	50 13%	52 14%	31 18%	31 21%	41 16%	36 14%	54 15%
102 19%	48 20%	15 26%	30 24%	16 30%	8 21%	9 38%	67 24%	90 20%	73 23%	80 21%	78 21%	46 27%	44 29%	66 26%	68 27%	75 21%
67 13%	30 13%	8 14%	15 12%	6 11%	5 13%	2 8%	37 13%	58 13%	45 14%	51 13%	51 14%	24 14%	22 15%	30 12%	36 14%	46 13%
107 20%	54 23% de	14 24% de	20 16% e	5 9%	1 3%	3 13%	49 17%	93 21%	60 19%	78 20%	73 20%	23 14%	21 14%	39 15%	44 17%	69 20%
130 25%	56 23% bd	5 9%	25 20% d	4 8%	4 11%	2 8%	60 21%	109 24%	61 19%	91 23%	73 20% bc	16 10%	13 9%	42 17% bc	36 14%	71 20% bc
13 2%	4 2%	- -	1 1%	2 4%	2 5%	- -	7 2%	10 2%	8 2%	9 2%	9 2%	4 2%	4 3%	6 2%	7 3%	6 2%
274 52%	125 52%	39 67% a	81 64% a	42 79% ac	31 82% ac	19 79%	168 59%	237 53%	192 60%	212 54%	210 58%	125 74% af	113 75% af	166 66% a	168 66% a	206 59%
105 20%	47 20%	16 28%	36 28%	20 38% a	18 47% ac	8 33%	64 23%	89 20%	74 23%	81 21%	81 22%	55 33% af	47 31% a	70 28%	64 25%	85 24%

## NES Eczema Parent Survey

**PA\_Q22\_3. Topical calcineurin inhibitors (non-steroid creams or ointments): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
All the time or nearly all the time	38	4	18	13	-	-	38	-	37	1	38	-
	7%	3%	8%	22%	-	-	8%	-	9%	1%	8%	-
			a	ab					b			
Most of the time	67	8	41	15	-	1	66	1	58	9	66	1
	13%	5%	18%	25%	-	2%	13%	3%	15%	7%	13%	4%
			a	a					b			
Occasionally	102	17	61	17	-	2	101	1	87	13	100	2
	19%	11%	26%	28%	-	4%	21%	3%	22%	11%	20%	7%
			a	a			b		b			
Hardly ever	67	10	35	9	-	5	64	3	55	12	63	4
	13%	6%	15%	15%	-	11%	13%	9%	14%	10%	13%	14%
			a	a								
Never	107	44	45	3	-	7	98	9	77	26	102	5
	20%	28%	19%	5%	-	16%	20%	27%	20%	21%	21%	18%
		bc	c									
I have not been prescribed this treatment	130	72	27	2	-	29	113	17	69	58	117	13
	25%	46%	12%	3%	-	64%	23%	52%	18%	48%	24%	46%
		bc					a		a			
Don't know	13	3	7	1	-	1	11	2	8	2	10	3
	2%	2%	3%	2%	-	2%	2%	6%	2%	2%	2%	11%
Net Ever	274	39	155	54	-	8	269	5	237	35	267	7
	52%	25%	66%	90%	-	18%	55%	15%	61%	29%	54%	25%
			a	ab			b		b			
Net Often	105	12	59	28	-	1	104	1	95	10	104	1
	20%	8%	25%	47%	-	2%	21%	3%	24%	8%	21%	4%
			a	ab			b		b			

## NES Eczema Parent Survey

### PA\_Q22\_4. Bandages and wet wraps: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
All the time or nearly all the time	22 4%	14 5%	7 3%	1 8%	12 6% c	3 2%	6 3%	18 5%	2 4%	2 4%	- -	1 11%	4 2%	13 5%	4 8% b	- -	11 3%	10 5%
Most of the time	53 10%	28 11%	25 10%	- -	15 8%	18 12%	20 12%	45 11%	4 8%	2 4%	2 9%	- -	12 7%	36 13% b	5 10%	- -	22 7%	30 16% a
Occasionally	84 16%	45 17%	38 15%	1 8%	26 14%	30 19%	27 16%	66 17%	5 9%	9 18%	4 17%	- -	21 12%	48 17%	14 29% bc	1 100%	39 12%	45 23% a
Hardly ever	65 12%	31 12%	33 13%	5 42%	24 13%	21 14%	15 9%	50 13%	8 15%	3 6%	4 17%	- -	17 9%	42 15%	6 13%	- -	44 14%	18 9%
Never	110 21%	53 20%	55 22%	3 25%	34 18%	33 21%	40 23%	83 21%	12 23%	12 24%	3 13%	1 11%	31 17%	67 23%	11 23%	- -	64 20%	46 24%
I have not been prescribed this treatment	181 35%	90 34%	90 36%	2 17%	72 39% c	43 28%	64 37%	131 33%	20 38%	20 40%	10 43%	7 78%	89 50% cd	78 27%	7 15%	- -	140 43% b	41 21%
Don't know	9 2%	4 2%	4 2%	- -	2 1%	6 4% d	1 1%	5 1%	2 4%	2 4%	- -	- -	5 3%	3 1%	1 2%	- -	4 1%	3 2%
Net Ever	224 43%	118 45%	103 41%	7 58%	77 42%	72 47%	68 39%	179 45%	19 36%	16 32%	10 43%	1 11%	54 30%	139 48% b	29 60% b	1 100%	116 36%	103 53% a
Net Often	75 14%	42 16%	32 13%	1 8%	27 15%	21 14%	26 15%	63 16%	6 11%	4 8%	2 9%	1 11%	16 9%	49 17% b	9 19%	- -	33 10%	40 21% a

## NES Eczema Parent Survey

**PA\_Q22\_4. Bandages and wet wraps: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
	Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
22 4%	9 4%	4 7%	8 6%	5 9%	7 18% ac	1 4%	16 6%	16 4%	17 5%	17 4%	20 5%	13 8%	13 9%	16 6%	18 7%	18 5%
53 10%	27 11%	12 21%	20 16%	15 28% a	6 16%	7 29%	42 15%	47 10%	39 12%	46 12%	40 11%	30 18% af	29 19% af	36 14%	32 13%	39 11%
84 16%	35 15%	22 38% ac	23 18%	18 34% ac	9 24%	7 29%	54 19%	76 17%	57 18%	61 16%	67 18%	45 27% af	39 26% f	57 23%	53 21%	61 17%
65 12%	22 9%	6 10%	22 17% a	6 11%	5 13%	2 8%	42 15%	55 12%	42 13%	49 13%	52 14%	27 16%	24 16%	41 16%	44 17%	48 14%
110 21%	61 26% bcd	4 7%	20 16%	6 11%	5 13%	2 8%	52 18%	99 22%	67 21%	86 22%	77 21% b	23 14%	26 17%	41 16%	56 22% b	75 21% b
181 35%	84 35% bde	10 17% d	32 25% d	2 4%	4 11%	4 17%	74 26%	149 33% a	94 29%	123 32%	103 28% bce	25 15%	17 11%	58 23% bc	45 18%	103 29% bce
9 2%	1 *	- -	2 2%	1 2%	2 5% a	1 4%	4 1%	7 2%	5 2%	8 2%	6 2%	5 3%	3 2%	4 2%	7 3%	8 2%
224 43%	93 39%	44 76% ac	73 57% a	44 83% ac	27 71% a	17 71%	154 54% bd	194 43%	155 48%	173 44%	179 49%	115 68% aef	105 70% adef	150 59% af	147 58% af	166 47%
75 14%	36 15%	16 28% a	28 22%	20 38% ac	13 34% a	8 33%	58 20% b	63 14%	56 17%	63 16%	60 16%	43 26% af	42 28% af	52 21%	50 20%	57 16%



## NES Eczema Parent Survey

### PA\_Q22\_4. Bandages and wet wraps: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
All the time or nearly all the time	22	1	13	7	-	-	22	-	22	-	22	-
	4%	1%	6%	12%	-	-	4%	-	6%	-	4%	-
			a	a					b			
Most of the time	53	2	40	8	-	2	53	-	52	-	53	-
	10%	1%	17%	13%	-	4%	11%	-	13%	-	11%	-
			a	a			b		b			
Occasionally	84	12	54	13	-	3	83	1	75	9	82	2
	16%	8%	23%	22%	-	7%	17%	3%	19%	7%	17%	7%
			a	a			b		b			
Hardly ever	65	9	35	15	-	2	65	-	61	3	62	3
	12%	6%	15%	25%	-	4%	13%	-	16%	2%	13%	11%
			a	a			b		b			
Never	110	30	52	11	-	4	104	6	85	21	106	4
	21%	19%	22%	18%	-	9%	21%	18%	22%	17%	21%	14%
I have not been prescribed this treatment	181	102	35	5	-	32	156	25	89	87	165	16
	35%	65%	15%	8%	-	71%	32%	76%	23%	72%	33%	57%
		bc						a		a		
Don't know	9	2	5	1	-	2	8	1	7	1	6	3
	2%	1%	2%	2%	-	4%	2%	3%	2%	1%	1%	11%
Net Ever	224	24	142	43	-	7	223	1	210	12	219	5
	43%	15%	61%	72%	-	16%	45%	3%	54%	10%	44%	18%
			a	a			b		b			
Net Often	75	3	53	15	-	2	75	-	74	-	75	-
	14%	2%	23%	25%	-	4%	15%	-	19%	-	15%	-
			a	a			b		b			

NES Eczema Parent Survey

PA\_Q22\_5. Phototherapy: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
All the time or nearly all the time	20 4%	10 4%	10 4%	- -	7 4%	4 3%	9 5%	17 4%	1 2%	2 4%	- -	- -	2 1%	15 5% b	3 6% b	- -	6 2%	14 7% a
Most of the time	56 11%	28 11%	26 10%	4 33%	20 11%	16 10%	16 9%	45 11%	5 9%	6 12%	- -	- -	8 4%	38 13% b	9 19% b	1 100%	29 9%	25 13%
Occasionally	62 12%	36 14%	25 10%	1 8%	23 12%	20 13%	18 10%	49 12%	5 9%	5 10%	3 13%	1 11%	11 6%	41 14% b	9 19% b	- -	29 9%	32 17% a
Hardly ever	42 8%	25 9%	16 6%	1 8%	17 9%	10 6%	14 8%	36 9%	3 6%	2 4%	1 4%	- -	11 6%	26 9%	5 10%	- -	21 6%	18 9%
Never	115 22%	60 23%	55 22%	4 33%	34 18%	44 29% bd	33 19%	80 20%	14 26%	15 30%	6 26%	- -	45 25%	58 20%	12 25%	- -	73 23%	42 22%
I have not been prescribed this treatment	219 42%	103 39%	115 46%	2 17%	81 44%	57 37%	79 46%	164 41%	25 47%	17 34%	13 57%	8 89%	98 55% cd	103 36% d	10 21%	- -	161 50% b	58 30%
Don't know	10 2%	3 1%	5 2%	- -	3 2%	3 2%	4 2%	7 2%	- -	3 6%	- -	- -	4 2%	6 2%	- -	- -	5 2%	4 2%
Net Ever	180 34%	99 37%	77 31%	6 50%	67 36%	50 32%	57 33%	147 37%	14 26%	15 30%	4 17%	1 11%	32 18%	120 42% b	26 54% b	1 100%	85 26%	89 46% a
Net Often	76 15%	38 14%	36 14%	4 33%	27 15%	20 13%	25 14%	62 16%	6 11%	8 16%	- -	- -	10 6%	53 18% b	12 25% b	1 100%	35 11%	39 20% a

## NES Eczema Parent Survey

**PA\_Q22\_5. Phototherapy: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
20 4%	8 3%	5 9%	3 2%	3 6%	5 13% ac	1 4%	15 5%	14 3%	14 4%	17 4%	15 4%	15 9% a	11 7%	16 6%	14 5%	17 5%
56 11%	24 10%	13 22% a	22 17% a	14 26% a	8 21% a	7 29%	47 17% b	50 11%	46 14%	46 12%	46 13%	30 18%	31 21% af	42 17%	40 16%	42 12%
62 12%	28 12%	16 28% a	21 17%	15 28% a	9 24% a	7 29%	50 18% b	55 12%	49 15%	48 12%	44 12%	32 19% af	33 22% aef	38 15%	36 14%	41 12%
42 8%	18 8%	6 10%	11 9%	7 13%	4 11%	1 4%	25 9%	35 8%	27 8%	31 8%	33 9%	20 12%	20 13%	29 11%	30 12%	32 9%
115 22%	56 23% b	6 10%	23 18%	6 11%	4 11%	3 13%	49 17%	102 23%	67 21%	87 22%	91 25% cd	33 20%	25 17%	45 18%	58 23%	80 23%
219 42%	103 43% bde	12 21%	46 36% bde	8 15%	5 13%	5 21%	93 33%	186 41% a	112 35%	152 39%	129 35% bce	34 20%	27 18%	77 30% bc	68 27% c	131 37% bce
10 2%	2 1%	- -	1 1%	- -	3 8% abcd	- -	5 2%	7 2%	6 2%	9 2%	7 2%	4 2%	4 3%	6 2%	9 4%	9 3%
180 34%	78 33%	40 69% ac	57 45% a	39 74% ac	26 68% ac	16 67%	137 48% bd	154 34%	136 42% b	142 36%	138 38%	97 58% aef	95 63% adeaf	125 49% af	120 47% af	132 38%
76 15%	32 13%	18 31% a	25 20%	17 32% a	13 34% a	8 33%	62 22% b	64 14%	60 19%	63 16%	61 17%	45 27% af	42 28% af	58 23%	54 21%	59 17%

## NES Eczema Parent Survey

**PA\_Q22\_5. Phototherapy: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
All the time or nearly all the time	20 4%	1 1%	11 5% a	5 8% a	- -	1 2%	19 4%	1 3%	20 5% b	- -	20 4%	- -
Most of the time	56 11%	1 1%	39 17% a	14 23% a	- -	1 2%	56 11% b	- -	54 14% b	2 2%	56 11%	- -
Occasionally	62 12%	2 1%	48 21% a	10 17% a	- -	- -	62 13% b	- -	58 15% b	3 2%	61 12%	1 4%
Hardly ever	42 8%	3 2%	25 11% a	12 20% a	- -	1 2%	42 9%	- -	41 10% b	1 1%	40 8%	2 7%
Never	115 22%	33 21%	53 23%	10 17%	- -	5 11%	110 22%	5 15%	91 23%	19 16%	111 22%	4 14%
I have not been prescribed this treatment	219 42%	115 73% bc	55 24% c	7 12%	- -	36 80%	193 39%	26 79% a	122 31%	92 76% a	201 41%	18 64%
Don't know	10 2%	3 2%	3 1%	2 3%	- -	1 2%	9 2%	1 3%	5 1%	4 3%	7 1%	3 11%
Net Ever	180 34%	7 4%	123 53% a	41 68% ab	- -	3 7%	179 36% b	1 3%	173 44% b	6 5%	177 36%	3 11%
Net Often	76 15%	2 1%	50 21% a	19 32% a	- -	2 4%	75 15%	1 3%	74 19% b	2 2%	76 15%	- -

NES Eczema Parent Survey

PA\_Q22\_6. Immunosuppressive medicines (taken orally or by injection): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
All the time or nearly all the time	21 4%	11 4%	10 4%	- -	7 4%	4 3%	10 6%	14 4%	2 4%	4 8%	1 4%	- -	3 2%	15 5%	3 6%	- -	8 2%	13 7% a
Most of the time	47 9%	24 9%	23 9%	1 8%	18 10%	14 9%	14 8%	40 10%	2 4%	4 8%	1 4%	- -	8 4%	34 12% b	4 8%	1 100%	20 6%	27 14% a
Occasionally	60 11%	36 14%	23 9%	1 8%	25 14%	18 12%	16 9%	51 13%	3 6%	5 10%	1 4%	1 11%	6 3%	47 16% b	6 13% b	- -	32 10%	27 14%
Hardly ever	65 12%	34 13%	27 11%	4 33%	20 11%	21 14%	20 12%	47 12%	10 19%	7 14%	1 4%	- -	16 9%	35 12%	14 29% bc	- -	35 11%	27 14%
Never	115 22%	59 22%	56 22%	3 25%	32 17%	46 30% bd	34 20%	82 21%	13 25%	13 26%	7 30%	- -	44 25%	59 21%	12 25%	- -	69 21%	44 23%
I have not been prescribed this treatment	204 39%	95 36%	108 43%	3 25%	79 43% c	47 31%	75 43% c	155 39%	22 42%	15 30%	12 52%	8 89%	95 53% cd	93 32% d	8 17%	- -	153 47% b	51 26%
Don't know	12 2%	6 2%	5 2%	- -	4 2%	4 3%	4 2%	9 2%	1 2%	2 4%	- -	- -	7 4%	4 1%	1 2%	- -	7 2%	4 2%
Net Ever	193 37%	105 40%	83 33%	6 50%	70 38%	57 37%	60 35%	152 38%	17 32%	20 40%	4 17%	1 11%	33 18%	131 46% b	27 56% b	1 100%	95 29%	94 49% a
Net Often	68 13%	35 13%	33 13%	1 8%	25 14%	18 12%	24 14%	54 14%	4 8%	8 16%	2 9%	- -	11 6%	49 17% b	7 15%	1 100%	28 9%	40 21% a

## NES Eczema Parent Survey

**PA\_Q22\_6. Immunosuppressive medicines (taken orally or by injection): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
21 4%	11 5%	1 2%	5 4%	5 9%	3 8%	3 13%	13 5%	15 3%	15 5%	17 4%	18 5%	15 9%	12 8%	15 6%	15 6%	17 5%
47 9%	22 9%	15 26% a	19 15%	13 25% a	10 26% a	6 25%	38 13%	42 9%	37 12%	39 10%	33 9%	25 15% a	27 18% adf	26 10%	34 13%	35 10%
60 11%	28 12%	13 22% a	16 13%	13 25% ac	10 26% ac	2 8%	44 15%	54 12%	46 14%	46 12%	40 11%	38 23% af	26 17%	49 19% af	42 16% a	46 13%
65 12%	25 10%	6 10%	17 13%	11 21% a	3 8%	3 13%	45 16%	58 13%	46 14%	51 13%	56 15%	24 14%	26 17%	36 14%	44 17%	44 13%
115 22%	51 21%	10 17%	30 24%	6 11%	5 13%	5 21%	48 17%	102 23%	69 21%	90 23%	89 24%	33 20%	33 22%	55 22%	52 20%	81 23%
204 39%	99 41% bcde	10 17%	38 30% de	4 8%	5 13%	5 21%	89 31%	168 37%	101 31%	139 36%	121 33% bce	28 17%	20 13%	67 26% bc	61 24% c	120 34% bcde
12 2%	3 1%	3 5%	2 2%	1 2%	2 5%	- -	7 2%	10 2%	7 2%	8 2%	8 2%	5 3%	7 5%	5 2%	7 3%	9 3%
193 37%	86 36%	35 60% a	57 45%	42 79% abc	26 68% ac	14 58%	140 49% bd	169 38%	144 45% b	153 39%	147 40%	102 61% adf	91 60% adf	126 50% af	135 53% af	142 40%
68 13%	33 14%	16 28% a	24 19%	18 34% ac	13 34% ac	9 38%	51 18%	57 13%	52 16%	56 14%	51 14%	40 24% af	39 26% adf	41 16%	49 19%	52 15%

## NES Eczema Parent Survey

**PA\_Q22\_6. Immunosuppressive medicines (taken orally or by injection): How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
All the time or nearly all the time	21 4%	1 1%	8 3%	11 18% ab	- -	1 2%	21 4%	- -	20 5% b	1 1%	21 4%	- -
Most of the time	47 9%	1 1%	38 16% a	7 12% a	- -	- -	47 10%	- -	46 12% b	1 1%	46 9%	1 4%
Occasionally	60 11%	2 1%	43 18% a	11 18% a	- -	1 2%	60 12% b	- -	60 15% b	- -	60 12%	- -
Hardly ever	65 12%	8 5%	39 17% a	14 23% a	- -	2 4%	65 13% b	- -	59 15% b	5 4%	62 13%	3 11%
Never	115 22%	35 22%	48 21%	11 18%	- -	5 11%	110 22%	5 15%	91 23%	20 17%	111 22%	4 14%
I have not been prescribed this treatment	204 39%	107 68% bc	52 22% c	5 8%	- -	35 78%	177 36%	27 82% a	107 27%	92 76% a	188 38%	16 57%
Don't know	12 2%	4 3%	6 3%	1 2%	- -	1 2%	11 2%	1 3%	8 2%	2 2%	8 2%	4 14%
Net Ever	193 37%	12 8%	128 55% a	43 72% ab	- -	4 9%	193 39% b	- -	185 47% b	7 6%	189 38%	4 14%
Net Often	68 13%	2 1%	46 20% a	18 30% a	- -	1 2%	68 14% b	- -	66 17% b	2 2%	67 14%	1 4%

## NES Eczema Parent Survey

### PA\_Q22\_7. Biologic medicines: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?

BASE: All respondents

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
19 4%	8 3%	10 4%	- -	11 6%	4 3%	4 2%	16 4%	1 2%	2 4%	- -	- -	2 1%	14 5% b	3 6% b	- -	8 2%	11 6%
51 10%	31 12%	19 8%	- -	19 10%	14 9%	18 10%	48 12% b	- -	2 4%	1 4%	1 11%	12 7%	32 11%	5 10%	1 100%	24 7%	27 14% a
61 12%	34 13%	26 10%	1 8%	25 14%	15 10%	20 12%	48 12%	5 9%	7 14%	1 4%	- -	8 4%	42 15% b	11 23% b	- -	28 9%	31 16% a
69 13%	35 13%	32 13%	4 33%	19 10%	24 16%	22 13%	50 13%	13 25% a	5 10%	1 4%	- -	15 8%	44 15% b	10 21% b	- -	36 11%	30 16%
100 19%	55 21%	45 18%	3 25%	29 16%	39 25% b	29 17%	70 18%	10 19%	13 26%	7 30%	- -	38 21%	55 19%	7 15%	- -	60 19%	40 21%
207 40%	93 35%	113 45% a	4 33%	77 42%	51 33%	75 43%	152 38%	23 43%	19 38%	13 57%	8 89%	97 54% cd	91 32%	11 23%	- -	158 49% b	48 25%
17 3%	9 3%	7 3%	- -	5 3%	7 5%	5 3%	14 4%	1 2%	2 4%	- -	- -	7 4%	9 3%	1 2%	- -	10 3%	6 3%
200 38%	108 41%	87 35%	5 42%	74 40%	57 37%	64 37%	162 41%	19 36%	16 32%	3 13%	1 11%	37 21%	132 46% b	29 60% b	1 100%	96 30%	99 51% a
70 13%	39 15%	29 12%	- -	30 16%	18 12%	22 13%	64 16% b	1 2%	4 8%	1 4%	1 11%	14 8%	46 16% b	8 17%	1 100%	32 10%	38 20% a



## NES Eczema Parent Survey

**PA\_Q22\_7. Biologic medicines: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
19 4%	4 2%	4 7% a	8 6% a	5 9% a	4 11% a	1 4%	17 6%	15 3%	14 4%	15 4%	15 4%	15 9% af	12 8%	13 5%	15 6%	16 5%
51 10%	22 9%	15 26% a	18 14%	14 26% a	10 26% a	5 21%	39 14%	44 10%	39 12%	38 10%	37 10%	32 19% af	34 23% ade	36 14%	35 14%	43 12%
61 12%	24 10%	12 21% a	13 10%	11 21% a	9 24% ac	6 25%	47 17%	53 12%	44 14%	53 14%	48 13%	28 17%	27 18%	39 15%	40 16%	44 13%
69 13%	32 13%	11 19%	25 20%	11 21%	6 16%	5 21%	41 14%	65 14%	50 16%	55 14%	56 15%	30 18%	31 21% f	47 19%	43 17%	47 13%
100 19%	52 22% be	5 9%	19 15%	8 15%	2 5%	1 4%	43 15%	85 19%	56 17%	74 19%	75 21% c	25 15%	19 13%	37 15%	44 17%	64 18%
207 40%	98 41% bde	11 19%	42 33% de	4 8%	5 13%	6 25%	88 31%	172 38% a	108 34%	142 36%	121 33% bce	31 18%	23 15%	72 28% bc	65 25% c	125 36% bce
17 3%	7 3%	- -	2 2%	- -	2 5%	- -	9 3%	15 3%	10 3%	13 3%	13 4%	7 4%	5 3%	9 4%	13 5%	13 4%
200 38%	82 34%	42 72% ac	64 50% a	41 77% ac	29 76% ac	17 71%	144 51% bd	177 39%	147 46%	161 41%	156 43%	105 63% aef	104 69% ade	135 53% af	133 52% af	150 43%
70 13%	26 11%	19 33% a	26 20% a	19 36% ac	14 37% ac	6 25%	56 20% bd	59 13%	53 17%	53 14%	52 14%	47 28% ade	46 30% ade	49 19%	50 20%	59 17%

## NES Eczema Parent Survey

**PA\_Q22\_7. Biologic medicines: How often, if ever, do you or your child have difficulty obtaining the following treatments on NHS prescription from their healthcare professional when they need them to manage eczema ?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
All the time or nearly all the time	19	2	12	4	-	-	19	-	19	-	19	-
	4%	1%	5%	7%	-	-	4%	-	5%	-	4%	-
			a	a					b			
Most of the time	51	-	36	12	-	1	50	1	50	1	51	-
	10%	-	15%	20%	-	2%	10%	3%	13%	1%	10%	-
			a	a					b			
Occasionally	61	4	39	16	-	1	61	-	57	4	59	2
	12%	3%	17%	27%	-	2%	12%	-	15%	3%	12%	7%
			a	a			b		b			
Hardly ever	69	9	42	13	-	2	69	-	65	2	68	1
	13%	6%	18%	22%	-	4%	14%	-	17%	2%	14%	4%
			a	a			b		b			
Never	100	29	46	9	-	5	95	5	77	19	94	6
	19%	18%	20%	15%	-	11%	19%	15%	20%	16%	19%	21%
I have not been prescribed this treatment	207	109	52	4	-	34	181	26	113	90	192	15
	40%	69%	22%	7%	-	76%	37%	79%	29%	74%	39%	54%
		bc	c					a		a		
Don't know	17	5	7	2	-	2	16	1	10	5	13	4
	3%	3%	3%	3%	-	4%	3%	3%	3%	4%	3%	14%
Net Ever	200	15	129	45	-	4	199	1	191	7	197	3
	38%	9%	55%	75%	-	9%	41%	3%	49%	6%	40%	11%
			a	ab			b		b			
Net Often	70	2	48	16	-	1	69	1	69	1	70	-
	13%	1%	21%	27%	-	2%	14%	3%	18%	1%	14%	-
			a	a					b			

## NES Eczema Parent Survey

**PA\_Q23. To the best of your knowledge, has an NHS doctor ever talked to you or your child about accessing emotional and psychological services (e.g. counselling) to support your child in coping with the impact of their eczema.**

BASE: All respondents

	Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	School age (5-16 years)
Total	a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
85 16%	42 16%	42 17%	1 8%	28 15%	24 16%	32 18%	69 17%	11 21%	5 10%	- -	- -	16 9%	52 18% b	17 35% bc	- -	37 11%	46 24% a
95 18%	49 18%	44 17%	3 25%	32 17%	32 21%	28 16%	74 19%	5 9%	10 20%	6 26%	- -	21 12%	63 22% b	10 21%	1 100%	45 14%	48 25% a
234 45%	115 43%	116 46%	3 25%	47 25%	81 53% b	103 60% b	176 44%	27 51%	20 40%	11 48%	6 67%	96 54% cd	115 40%	17 35%	- -	145 45%	86 45%
103 20%	55 21%	47 19%	5 42%	77 42% cd	14 9%	7 4%	73 18%	10 19%	14 28%	6 26%	3 33%	43 24% d	53 18%	4 8%	- -	93 29% b	10 5%
7 1%	4 2%	3 1%	- -	1 1%	3 2%	3 2%	6 2%	- -	1 2%	- -	- -	3 2%	4 1%	- -	- -	4 1%	3 2%
180 34%	91 34%	86 34%	4 33%	60 32%	56 36%	60 35%	143 36%	16 30%	15 30%	6 26%	- -	37 21%	115 40% b	27 56% bc	1 100%	82 25%	94 49% a

## NES Eczema Parent Survey

**PA\_Q23. To the best of your knowledge, has an NHS doctor ever talked to you or your child about accessing emotional and psychological services (e.g. counselling) to support your child in coping with the impact of their eczema.**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
85 16%	43 18%	14 24%	29 23%	18 34% a	14 37% a	8 33%	62 22%	75 17%	62 19%	64 16%	66 18%	45 27% af	43 28% af	57 23%	56 22%	61 17%
95 18%	41 17%	18 31% a	24 19%	19 36% ac	8 21%	7 29%	74 26% b	84 19%	72 22%	77 20%	72 20%	45 27%	42 28% af	61 24%	59 23%	68 19%
234 45%	100 42% d	20 34%	56 44% d	12 23%	13 34%	7 29%	94 33%	199 44% ac	117 36%	169 43% a	154 42% bc	53 32%	47 31%	92 36%	101 40%	145 41% bc
103 20%	52 22% cde	6 10%	16 13%	4 8%	2 5%	2 8%	50 18%	85 19%	65 20%	76 19%	68 19% c	21 13%	15 10%	41 16%	35 14%	73 21% bce
7 1%	3 1%	- -	2 2%	- -	1 3%	- -	4 1%	6 1%	5 2%	4 1%	5 1%	4 2%	4 3%	2 1%	4 2%	5 1%
180 34%	84 35%	32 55% a	53 42%	37 70% ac	22 58% a	15 63%	136 48% bd	159 35%	134 42%	141 36%	138 38%	90 54% af	85 56% aef	118 47% af	115 45% f	129 37%

## NES Eczema Parent Survey

**PA\_Q23. To the best of your knowledge, has an NHS doctor ever talked to you or your child about accessing emotional and psychological services (e.g. counselling) to support your child in coping with the impact of their eczema.**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524	158	234	60	-	45	491	33	391	121	496	28
	100%	100%	100%	100%	-	100%	100%	100%	100%	100%	100%	100%
Yes, within the last year	85	7	54	20	-	-	84	1	82	3	82	3
	16%	4%	23%	33%	-	-	17%	3%	21%	2%	17%	11%
			a	a			b		b			
Yes, more than a year ago	95	9	69	15	-	-	93	2	93	1	93	2
	18%	6%	29%	25%	-	-	19%	6%	24%	1%	19%	7%
			a	a					b			
No	234	114	83	20	-	4	211	23	149	78	222	12
	45%	72%	35%	33%	-	9%	43%	70%	38%	64%	45%	43%
		bc						a		a		
Not applicable as my child is too young	103	28	24	5	-	40	98	5	64	38	96	7
	20%	18%	10%	8%	-	89%	20%	15%	16%	31%	19%	25%
		b								a		
Don't know	7	-	4	-	-	1	5	2	3	1	3	4
	1%	-	2%	-	-	2%	1%	6%	1%	1%	1%	14%
								a				
Net: Yes	180	16	123	35	-	-	177	3	175	4	175	5
	34%	10%	53%	58%	-	-	36%	9%	45%	3%	35%	18%
			a	a			b		b			

NES Eczema Parent Survey

PA\_Q24. To the best of your knowledge, which emotional or psychological support services, if any, has your child ever been offered by an NHS doctor because of their eczema?

BASE: All respondents

		Gender of child		Child age				Region				Severity by EASI score					Age symptoms first developed	
	Total	Boy	Girl	0	1-5	6-10	11-16	England	Scotland	Wales	Northern Ireland	Almost clear (0.1-1)	Mild (1.1-7)	Moderate (7.1-21)	Severe (21.1-50)	Very severe (50.1-72)	Preschool (0-4 years)	Schooll age (5-16 years)
Significance Level: 95%		a	b	*a	b	c	d	a	b	c	*d	*a	b	c	d	*e	a	b
Total	524 100%	265 100%	252 100%	12 100%	185 100%	154 100%	173 100%	398 100%	53 100%	50 100%	23 100%	9 100%	179 100%	287 100%	48 100%	1 100%	324 100%	193 100%
Counselling sessions	103 20%	51 19%	51 20%	3 25%	34 18%	29 19%	37 21%	82 21%	10 19%	8 16%	3 13%	- -	22 12%	65 23% b	16 33% b	- -	52 16%	49 25% a
Psychodermatology	56 11%	30 11%	25 10%	1 8%	22 12%	16 10%	17 10%	43 11%	3 6%	7 14%	3 13%	1 11%	13 7%	37 13%	5 10%	- -	26 8%	30 16% a
Habit reversal therapy	52 10%	29 11%	21 8%	1 8%	18 10%	20 13%	13 8%	42 11%	2 4%	7 14%	1 4%	- -	8 4%	35 12% b	8 17% b	1 100%	19 6%	31 16% a
Psychotherapy	41 8%	20 8%	20 8%	- -	14 8%	12 8%	15 9%	38 10% b	- -	3 6%	- -	- -	5 3%	31 11% b	5 10% b	- -	13 4%	26 13% a
Other	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
My child has never been offered an emotional or psychological support service by an NHS doctor due to their eczema	211 40%	107 40%	103 41%	- -	32 17%	78 51% b	101 58% b	162 41%	22 42%	17 34%	10 43%	5 56%	88 49% cd	104 36%	14 29%	- -	120 37%	90 47% a
Not applicable as my child is too young	134 26%	65 25%	67 27%	7 58%	92 50% cd	22 14% d	13 8%	93 23%	18 34%	16 32%	7 30%	3 33%	56 31% d	67 23%	8 17%	- -	118 36% b	15 8%
Net: Any	179 34%	93 35%	82 33%	5 42%	61 33%	54 35%	59 34%	143 36%	13 25%	17 34%	6 26%	1 11%	35 20%	116 40% b	26 54% b	1 100%	86 27%	88 46% a

## NES Eczema Parent Survey

**PA\_Q24. To the best of your knowledge, which emotional or psychological support services, if any, has your child ever been offered by an NHS doctor because of their eczema?**

BASE: All respondents

	Type of eczema						Areas heavily affected (10%+)				Moderate or severe symptoms					
Total	Atopic eczema	Seborrhoeic eczema	Contact eczema	Asteatotic eczema	Discoid eczema	Pompholyx eczema	Head and neck	Arms, shoulders and hands	Chest, back and groin	Legs, feet and bum	Itchy skin	Bleeding skin	Skin weeping or oozing clear fluid	Cracked skin	Flaking skin	Dry or rough skin
	a	b	c	d	e	*f	a	b	c	d	a	b	c	d	e	f
524 100%	239 100%	58 100%	127 100%	53 100%	38 100%	24 100%	284 100%	449 100%	321 100%	390 100%	365 100%	168 100%	151 100%	253 100%	255 100%	352 100%
103 20%	50 21%	21 36% a	34 27%	17 32%	13 34%	8 33%	76 27% b	89 20%	71 22%	81 21%	81 22%	48 29%	44 29%	70 28%	69 27%	80 23%
56 11%	30 13%	13 22%	16 13%	17 32% ac	10 26% ac	9 38%	43 15%	47 10%	42 13%	43 11%	41 11%	29 17%	27 18% af	32 13%	36 14%	40 11%
52 10%	23 10%	15 26% a	22 17% a	16 30% a	12 32% a	8 33%	45 16% b	44 10%	42 13%	46 12%	43 12%	33 20% af	36 24% adef	37 15%	35 14%	38 11%
41 8%	18 8%	13 22% a	17 13%	12 23% a	12 32% ac	5 21%	36 13% b	35 8%	33 10%	33 8%	32 9%	29 17% af	27 18% af	31 12%	31 12%	31 9%
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
211 40%	99 41% d	16 28%	48 38% d	9 17%	11 29%	5 21%	73 26%	180 40% ac	105 33%	147 38% a	141 39% bc	49 29%	40 26%	81 32%	85 33%	132 38% c
134 26%	65 27% b	7 12%	26 20%	9 17%	5 13%	4 17%	71 25%	113 25%	88 27%	96 25%	89 24%	31 18%	25 17%	55 22%	55 22%	89 25% c
179 34%	75 31%	35 60% ac	53 42% a	35 66% ac	22 58% a	15 63%	140 49% bcd	156 35%	128 40%	147 38%	135 37%	88 52% af	86 57% adef	117 46% af	115 45% a	131 37%

## NES Eczema Parent Survey

**PA\_Q24. To the best of your knowledge, which emotional or psychological support services, if any, has your child ever been offered by an NHS doctor because of their eczema?**

BASE: All respondents

	Total	No. of days in last week that eczema interfered with their ability to do regular activities			Who they turn to for practical and emotional support to help manage eczema		Consultations with healthcare professionals in the last year		Referred to a dermatologist		Treatments in the past 3 months	
		0 days	1-4 days	5+ days	Anyone	No one	Any	None	Yes	No	Any	None
Significance Level: 95%		a	b	c	*a	b	a	b	a	b	a	*b
Total	524 100%	158 100%	234 100%	60 100%	- -	45 100%	491 100%	33 100%	391 100%	121 100%	496 100%	28 100%
Counselling sessions	103 20%	9 6%	75 32% a	19 32% a	- -	- -	100 20%	3 9%	101 26% b	2 2%	103 21%	- -
Psychodermatology	56 11%	2 1%	41 18% a	11 18% a	- -	- -	56 11% b	- -	53 14% b	2 2%	54 11%	2 7%
Habit reversal therapy	52 10%	1 1%	38 16% a	13 22% a	- -	- -	52 11% b	- -	51 13% b	1 1%	51 10%	1 4%
Psychotherapy	41 8%	2 1%	27 12% a	11 18% a	- -	- -	41 8%	- -	41 10% b	- -	41 8%	- -
Other	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
My child has never been offered an emotional or psychological support service by an NHS doctor due to their eczema	211 40%	110 70% bc	72 31%	15 25%	- -	3 7%	187 38%	24 73% a	134 34%	72 60% a	199 40%	12 43%
Not applicable as my child is too young	134 26%	36 23%	36 15%	7 12%	- -	42 93%	128 26%	6 18%	84 21%	44 36% a	121 24%	13 46%
Net: Any	179 34%	12 8%	126 54% a	38 63% a	- -	- -	176 36% b	3 9%	173 44% b	5 4%	176 35%	3 11%