

NCPC – PUBLIC OPINION ON DEATH AND DYING – DATA TABLES

Methodology: ComRes interviewed 2,054 British adults online between 7th and 9th April 2017. Data were weighted to be demographically representative of all British adults aged 18+. ComRes is a member of the British Polling Council and abides by its rules.

All press releases or other publications must be checked with ComRes before use. ComRes requires 48 hours to check a press release unless otherwise agreed.

For information about commissioning research please contact marc.hardwick@comresglobal.com or call +44 (0)20 7871 8660.

REPUTATION | COMMUNICATIONS | PUBLIC POLICY

Four Millbank | London | SW1P 3JA | T. +44 (0)20 7871 8660

Rond-Point Schuman / Schumanplein 6 | Box 5 | 1040 Bruxelles | T. +32 (0)2 234 63 82

51/F Raffles City | No.268 Xi Zang Middle Road | HuangPu District Shanghai | 200001 China | T. +86 (0)21 2312 7674

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 1
Q.1 To what extent do you agree or disagree with each of the following statements?
Summary
Base: All respondents

	Statements						
	I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement	I would expect my friends and neighbours to support me if I was caring for a relative dying at home	I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement	I would like my friends to be more comfortable talking about dying, death and bereavement	I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help	I think that caring for the dying is only a matter for professional health and social care services	There is currently enough support for people dealing with dying, death and bereavement
Unweighted base	2054	2054	2054	2054	2054	2054	2054
Weighted base	2054	2054	2054	2054	2054	2054	2054
NET: Agree	1514 74%	1256 61%	1178 57%	1332 65%	1594 78%	333 16%	331 16%
Strongly agree (4)	416 20%	272 13%	254 12%	323 16%	479 23%	73 4%	75 4%
Tend to agree (3)	1098 53%	984 48%	924 45%	1008 49%	1115 54%	261 13%	256 12%
Tend to disagree (2)	148 7%	334 16%	244 12%	212 10%	105 5%	846 41%	664 32%
Strongly disagree (1)	56 3%	92 4%	71 3%	58 3%	32 2%	591 29%	447 22%
NET: Disagree	204 10%	426 21%	315 15%	270 13%	137 7%	1437 70%	1111 54%
Don't know	335 16%	373 18%	561 27%	452 22%	323 16%	283 14%	612 30%
Mean	3.09	2.85	2.91	3.00	3.18	1.90	1.97
Standard deviation	0.67	0.75	0.72	0.69	0.62	0.80	0.83
Standard error	0.02	0.02	0.02	0.02	0.01	0.02	0.02

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 2

Q.1 To what extent do you agree or disagree with each of the following statements?

NET: Agree Summary

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help	1594 78%	771 77%	822 78%	176 74%	246 69%	258 77% ^d	272 74%	242 82% ^{cDF}	399 87% ^{CDEFg}	433 78%	437 79%	349 78%	374 75%	210 78%	665 74%
I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement	1514 74%	703 70%	812 77% ^A	176 74%	260 73%	247 73%	250 68%	231 78% ^F	351 76% ^F	424 77% ^k	409 74%	315 70%	367 73%	208 78% ⁿ	638 71%
I would like my friends to be more comfortable talking about dying, death and bereavement	1332 65%	645 64%	686 65%	134 56%	229 64%	194 58%	220 60%	216 73% ^{CDEF}	339 74% ^{CDEF}	376 68% ^k	357 65%	273 61%	326 65%	182 68%	553 62%
I would expect my friends and neighbours to support me if I was caring for a relative dying at home	1256 61%	602 60%	654 62%	163 68% ^F	216 61% ^f	204 60% ^F	191 52%	186 63% ^F	296 64% ^F	355 64%	330 60%	274 61%	296 59%	183 68% ^N	526 59%
I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement	1178 57%	557 56%	621 59%	132 55%	204 57%	193 57%	189 52%	177 60% ^f	283 61% ^F	339 61% ^{KL}	329 60% ^l	240 54%	270 54%	168 63% ^N	488 55%
I think that caring for the dying is only a matter for professional health and social care services	333 16%	168 17%	165 16%	62 26% ^{EFGH}	80 22% ^{EFGH}	48 14%	50 14%	39 13%	56 12%	95 17%	83 15%	72 16%	83 17%	49 18%	157 18%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 2

Q.1 To what extent do you agree or disagree with each of the following statements?

NET: Agree Summary

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Pri- vate (n)
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
There is currently enough support for people dealing with dying, death and bereavement	331 16%	167 17%	163 16%	56 23%EFGH	74 21%EFGH	45 13%	49 13%	41 14%	66 14%	87 16%	88 16%	78 17%	78 15%	39 15%	151 17%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 3
Q.1 To what extent do you agree or disagree with each of the following statements?
NET: Agree Summary
Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help	1594 78%	1362 77%	145 81%J	68 79%	182 77%	136 78%	140 76%	120 79%	86 83%J	154 77%	193 71%	226 79%j	144 80%j	875 75%	681 74%	194 80%nq	719 81%M	56 68%	150 78%	113 84%NQ	298 86%NOQR	102 76%U
I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement	1514 74%	1303 74%	131 74%j	60 70%	179 76%J	127 73%	128 69%	116 76%J	80 77%j	144 72%	177 65%	228 79%FJ	143 79%fJ	846 73%	664 72%	181 75%	669 75%	58 71%	143 74%	102 76%	266 77%n	99 74%
I would like my friends to be more comfortable talking about dying, death and bereavement	1332 65%	1140 64%	124 69%J	63 73%J	153 65%	116 66%	111 60%	107 70%J	68 65%	130 65%	158 58%	188 66%	114 63%	735 63%	566 61%	170 70%NRU	596 67%	55 67%	110 57%	94 70%nRu	259 75%NRU	78 58%
I would expect my friends and neighbours to support me if I was caring for a relative dying at home	1256 61%	1080 61%	110 62%l	54 62%i	160 68%efl	102 58%i	107 58%	94 62%l	66 63%l	97 49%	162 60%l	198 69%EFll	107 59%i	709 61%	560 61%	149 62%	546 61%	45 55%	118 61%	81 60%	230 66%nU	72 53%
I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement	1178 57%	1014 57%	107 60%	57 66%ef	135 57%	89 51%	96 52%	94 62%e	57 55%	110 55%	150 55%	175 61%e	107 59%	656 56%	506 55%	150 62%n	522 59%	45 55%	105 54%	74 55%	218 63%Nr	79 58%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
 Overlap formulae used. * small base



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 3
Q.1 To what extent do you agree or disagree with each of the following statements?
NET: Agree Summary
Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
I think that caring for the dying is only a matter for professional health and social care services	333 16%	314 18%BH	12 7%	22 25%BEH	49 21%BeH	22 13%b	31 17%Bh	24 16%Bh	8 7%	33 17%BH	57 21%BEH	50 17%BH	28 15%Bh	206 18%p	167 18%T	39 16%	127 14%	17 21%	31 16%	16 12%	42 12%	21 16%
There is currently enough support for people dealing with dying, death and bereavement	331 16%	299 17%b	20 11%	25 29%BdEF HIJKL	43 18%	25 14%	26 14%	28 19%	12 11%	37 18%b	42 15%	52 18%b	21 12%	191 16%	157 17%	34 14%	140 16%	11 14%	33 17%	24 18%	49 14%	23 17%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
 Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 4
Q.1 To what extent do you agree or disagree with each of the following statements?
NET: Agree Summary
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help	1594 78%	1226 79% ^{bd}	365 74%	322 75%	293 74%	134 76%	162 72%	148 77%	80 76%	454 73%	879 78% ^l	674 79% ^l	6 76%	199 77%	252 85% ^{lJK}	72 92% ^{lJK}	23 85%	157 83% ^l	389 82% ^W	145 82%	253 81% ^w	122 79%	21 88%	1178 76%	978 82% ^Y	604 73%
I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement	1514 74%	1151 74%	360 74%	319 74%	290 73%	126 72%	158 70%	147 77%	81 77%	449 72%	838 75%	648 76% ^q	7 87%	183 70%	220 75% ^Q	67 85% ^{lJK}	22 83%	131 69%	364 77%	136 77%	242 78%	119 77%	19 79%	1125 73%	947 79% ^Y	558 68%
I would like my friends to be more comfortable talking about dying, death and bereavement	1332 65%	1022 66%	307 63%	274 64%	253 64%	106 61%	139 62%	129 68% ^h	62 58%	352 57%	756 67% ^{lM}	591 69% ^{lJM}	7 87%	158 61%	217 74% ^{lJM}	61 78% ^{lJM}	19 71%	138 73% ^{lM}	343 72% ^W	130 74% ^W	232 75% ^W	109 70%	23 95%	968 63%	833 70% ^Y	492 60%
I would expect my friends and neighbours to support me if I was caring for a relative dying at home	1256 61%	968 62% ^{DH}	284 58% ^D	253 59% ^d	221 56%	111 63% ^h	127 56%	108 57%	54 51%	381 61%	689 61%	524 61%	6 68%	159 61%	180 61%	54 68%	12 46%	114 60%	296 63%	105 60%	190 61%	93 60%	18 78%	944 61%	774 65% ^Y	474 57%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 4
Q.1 To what extent do you agree or disagree with each of the following statements?
NET: Agree Summary
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status								Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?															
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/co habiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)												
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824												
I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement	1178	883	292	260	237	104	126	122	60	330	672	536	7	129	172	50	16	107	308	117	197	101	21	852	757	414												
	57%	57%	60%	60%	60%	59%	56%	64%	af	56%	53%	60%	IM	63%	IJM	87%	50%	58%	m	63%	M	59%	56%	65%	W	66%	W											
I think that caring for the dying is only a matter for professional health and social care services	333	226	107	99	85	41	59	37	12	113	181	136	4	41	38	8	2	28	64	26	41	18	2	268	184	147												
	16%	15%	22%	AH	23%	AH	21%	AH	23%	AH	26%	ABD	20%	h	11%	18%	no	16%	13%	10%	7%	15%	64	13%	26	15%	13%	12%	10%	2	268	17%	r	15%	184	15%	147	18%
There is currently enough support for people dealing with dying, death and bereavement	331	220	110	100	83	48	53	41	20	106	180	143	4	33	43	9	4	29	55	24	34	13	4	274	187	141												
	16%	14%	22%	Ad	23%	Ad	21%	A	27%	A	23%	A	22%	A	19%	17%	16%	17%	50%	13%	15%	12%	16%	15%	12%	13%	11%	9%	16%	274	18%	RTU	16%	187	16%	141	17%	

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 5
Q.1 To what extent do you agree or disagree with each of the following statements?
NET: Disagree Summary
Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
I think that caring for the dying is only a matter for professional health and social care services	1437 70%	698 70%	739 70%	124 52%	215 61%	242 72%CD	258 70%CD	235 79%CDEF	363 79%CDEF	397 72%	400 72%	303 68%	337 67%	193 72%	589 66%
There is currently enough support for people dealing with dying, death and bereavement	1111 54%	528 53%	583 55%	105 44%	185 52%	169 50%	199 54%c	181 61%CDEF	272 59%CdE	309 56%	296 54%	225 50%	281 56%	148 55%	453 51%
I would expect my friends and neighbours to support me if I was caring for a relative dying at home	426 21%	220 22%	206 20%	19 8%	74 21%C	68 20%C	94 26%Ch	78 26%Ch	93 20%C	105 19%	113 20%	99 22%	108 22%	49 18%	187 21%
I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement	315 15%	175 18%B	139 13%	32 13%	56 16%	65 19%H	56 15%	49 17%	58 13%	79 14%	80 14%	74 16%	83 17%	37 14%	146 16%
I would like my friends to be more comfortable talking about dying, death and bereavement	270 13%	140 14%	131 12%	43 18%gH	45 13%	54 16%gH	49 13%	32 11%	48 10%	65 12%	69 13%	76 17%il	60 12%	30 11%	134 15%
I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement	204 10%	127 13%B	77 7%	13 6%	38 11%	38 11%ch	45 12%CH	38 13%CH	32 7%	47 9%	55 10%	51 11%	51 10%	25 9%	99 11%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
 Overlap formulae used.

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 5
Q.1 To what extent do you agree or disagree with each of the following statements?
NET: Disagree Summary
Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help	137 7%	79 8%b	59 6%	16 7%H	36 10%eH	20 6%H	30 8%H	23 8%H	11 2%	43 8%j	27 5%	28 6%	40 8%j	24 9%	69 8%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 6
Q.1 To what extent do you agree or disagree with each of the following statements?
NET: Disagree Summary
Base: All respondents

	Region												Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (l)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
I think that caring for the dying is only a matter for professional health and social care services	1437 70%	1198 68%	157 88%ACDE FGHJKL	53 61%	165 70%J	125 72%J	116 63%	107 70%J	82 79%ACFJ	144 72%fJ	159 59%	204 71%J	126 70%J	782 67%	608 66%	174 72%	655 73%M	49 60%	131 67%	96 71%	286 83%NOQR SU	93 69%
There is currently enough support for people dealing with dying, death and bereavement	1111 54%	936 53%	109 61%acDI Jk	41 48%	112 48%	100 57%dj	97 52%	94 62%cDIJ k	66 63%acDI Jk	99 50%	131 49%	149 52%	113 62%cDIJ k	600 52%	457 50%	144 59%Ns	511 57%M	54 65%Ns	108 56%	67 49%	211 61%NS	72 53%
I would expect my friends and neighbours to support me if I was caring for a relative dying at home	426 21%	358 20%	45 25%djK	17 20%	40 17%	36 21%	43 23%	29 19%	22 21%	56 28%DgJK	48 18%	48 17%	42 23%	236 20%	187 20%	49 20%	190 21%	19 23%	30 15%	25 19%	76 22%	40 30%NoRs
I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement	315 15%	257 15%	34 19%K	11 13%	42 18%K	24 14%	34 18%K	20 13%	24 23%AegJ K	38 19%K	36 13%	28 10%	25 14%	183 16%	153 17%o	29 12%	132 15%	12 15%	29 15%	16 12%	53 15%	21 16%
I would like my friends to be more comfortable talking about dying, death and bereavement	270 13%	236 13%	21 12%	11 13%	44 18%EG	16 9%	28 15%	14 9%	13 13%	25 13%	39 14%	36 13%	23 13%	164 14%	139 15%oqt	26 11%	106 12%	5 6%	29 15%	13 10%	38 11%	21 16%q
I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement	204 10%	174 10%	17 10%	10 12%	29 12%	15 8%	16 9%	11 7%	12 12%	23 12%	25 9%	26 9%	20 11%	125 11%	105 11%	20 8%	79 9%	11 13%	16 8%	9 7%	29 9%	14 11%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
 Overlap formulae used. * small base

Prepared by ComRes



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 6

Q.1 To what extent do you agree or disagree with each of the following statements?

NET: Disagree Summary

Base: All respondents

	Region												Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help	137 7%	121 7%	11 6%	6 7%	23 10%	12 7%	10 5%	11 7%	5 5%	13 7%	17 6%	21 7%	9 5%	93 8%P	81 9%oST	13 5%	44 5%	5 6%	11 6%	4 3%	13 4%	12 9%st

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
 Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 7
Q.1 To what extent do you agree or disagree with each of the following statements?
NET: Disagree Summary
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?					
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (l)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
I think that caring for the dying is only a matter for professional health and social care services	1437 70%	1131 73%BCD EFG	303 62%F	262 61%f	245 62%F	109 62%	126 56%	119 63%	76 71%BCD F	395 64%	798 71%l	618 72%l	4 44%	176 68%	236 80%LJK M	65 82%LJK M	23 86%	148 78%lJM	364 77%W	133 75%w	242 78%W	120 77%W	21 88%	1048 68%	889 74%Y	535 65%
There is currently enough support for people dealing with dying, death and bereavement	1111 54%	870 56%BCE f	239 49%e	211 49%e	210 53%BCE	73 42%	109 48%	104 55%bcE	56 52%	310 50%	613 55%	469 55%	3 37%	141 54%	184 62%LJK m	53 68%LJK M	14 55%	116 61%l	319 67%W	122 69%W	209 67%W	108 70%W	18 76%	765 50%	687 57%Y	411 50%
I would expect my friends and neighbours to support me if I was caring for a relative dying at home	426 21%	314 20%	112 23%	98 23%	97 24%	32 18%	48 21%	49 26%	30 29%ae	101 16%	246 22%l	192 22%l	2 19%	53 20%	76 26%IO	13 17%	12 44%	51 27%lo	102 22%	48 27%Rw	69 22%	34 22%	3 14%	320 21%	231 19%	188 23%x

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 7
Q.1 To what extent do you agree or disagree with each of the following statements?
NET: Disagree Summary
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status								Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/co habiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Wid-owed/separated/div-orce (n)	Wid-owed (o)	Separated (p)	Div-orce (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement	315 15%	234 15%	80 16%	71 16%	67 17%	32 18%	42 19%	27 14%	18 17%	100 16%	169 15%	124 14%	-	45 17%	44 15%o	7 9%	7 25%	30 16%	65 14%	26 15%	48 15%	22 14%	1 4%	245 16%	158 13%	151 18%X
I would like my friends to be more comfortable talking about dying, death and bereavement	270 13%	203 13%	67 14%	56 13%	56 14%	27 16%	35 15%	23 12%	20 19%bg	99 16%jK	134 12%k	92 11%	-	41 16%jk	36 12%	8 10%	5 17%	24 13%	45 9%	18 10%	25 8%	14 9%	-	222 14%RT	159 13%	107 13%
I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement	204 10%	146 9%	58 12%	51 12%	48 12%	27 15%A	29 13%	21 11%	10 10%	51 8%	111 10%	86 10%	-	25 9%	41 14%lJO	5 7%	1 5%	34 18%LJK MNO	48 10%	22 13%	29 9%	13 8%	3 11%	155 10%	91 8%	108 13%X
I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help	137 7%	103 7%	35 7%	31 7%	31 8%	11 6%	20 9%	12 6%	6 6%	43 7%	73 7%	59 7%	1 11%	14 5%	19 7%o	2 2%	3 10%	15 8%o	30 6%	12 7%	19 6%	12 7%	3 12%	108 7%	66 6%	69 8%X

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 8

Q.1 To what extent do you agree or disagree with each of the following statements?

I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: Agree	1514 74%	703 70%	812 77%A	176 74%	260 73%	247 73%	250 68%	231 78%F	351 76%F	424 77%k	409 74%	315 70%	367 73%	208 78%n	638 71%
Strongly agree	(4) 416 20%	165 16%	251 24%A	40 17%	83 23%	65 19%	76 21%	67 23%	84 18%	114 21%	109 20%	78 17%	116 23%k	57 21%	172 19%
Tend to agree	(3) 1098 53%	538 54%	560 53%	136 57%f	177 50%	182 54%	173 47%	163 55%f	268 58%DF	310 56%l	300 54%	237 53%	251 50%	151 56%	466 52%
Tend to disagree	(2) 148 7%	87 9%B	62 6%	13 5%	26 7%	25 7%	33 9%H	27 9%H	34 5%	44 6%	44 8%	40 9%	30 6%	18 7%	73 8%
Strongly disagree	(1) 56 3%	41 4%B	15 1%	* *	11 3%c	13 4%Ch	12 3%C	11 4%Ch	8 2%	13 2%	11 2%	11 3%	21 4%j	7 3%	27 3%
NET: Disagree	204 10%	127 13%B	77 7%	13 6%	38 11%	38 11%ch	45 12%CH	38 13%CH	32 7%	47 9%	55 10%	51 11%	51 10%	25 9%	99 11%
Don't know	335 16%	171 17%	165 16%	49 21%G	58 16%G	53 16%G	71 19%G	27 9%	77 17%G	82 15%	88 16%	71 18%	84 17%	35 13%	158 18%
Mean	3.09	3.00	3.18A	3.14	3.12	3.05	3.07	3.07	3.11	3.11	3.09	3.04	3.11	3.11	3.06
Standard deviation	0.67	0.71	0.62	0.52	0.71	0.70	0.73	0.72	0.59	0.64	0.65	0.67	0.74	0.66	0.69
Standard error	0.02	0.02	0.02	0.05	0.05	0.04	0.04	0.04	0.03	0.03	0.03	0.04	0.04	0.04	0.03

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 9

Q.1 To what extent do you agree or disagree with each of the following statements?

I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement

Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
NET: Agree	1514 74%	1303 74%	131 74%j	60 70%	179 76%J	127 73%	128 69%	116 76%J	80 77%j	144 72%	177 65%	228 79%FJ	143 79%fJ	846 73%	664 72%	181 75%	669 75%	58 71%	143 74%	102 76%	266 77%n	99 74%
Strongly agree	(4) 416 20%	354 20%	40 22%G	17 19%	57 24%G	35 20%g	38 21%g	19 12%	22 21%	38 19%	53 20%	68 24%G	30 16%	229 20%	171 19%	59 24%nT	187 21%	19 23%	49 25%nT	31 23%t	54 16%	34 25%T
Tend to agree	(3) 1098 53%	948 54%	91 51%	44 51%	122 52%	92 53%	90 49%	97 64%BDDeF iJ	59 56%	106 53%	124 46%	160 56%J	114 63%bdeF iJ	616 53%	493 54%	123 51%	482 54%	40 48%	94 48%	71 53%	212 61%NOqR U	66 49%
Tend to disagree	(2) 148 7%	121 7%	15 9%	7 8%	17 7%	10 6%	12 6%	9 6%	12 11%j	17 8%	15 6%	20 7%	15 8%	91 8%	75 8%	16 6%	57 6%	5 7%	13 6%	5 4%	23 7%	11 8%
Strongly disagree	(1) 56 3%	53 3%	2 1%	3 3%	12 5%bgh	5 3%	5 2%	1 1%	1 1%	6 3%	10 4%	6 2%	5 3%	34 3%	29 3%	4 2%	22 2%	5 7%ot	3 2%	4 3%	6 2%	3 3%
NET: Disagree	204 10%	174 10%	17 10%	10 12%	29 12%	15 8%	16 9%	11 7%	12 12%	23 12%	25 9%	26 9%	20 11%	125 11%	105 11%	20 8%	79 9%	11 13%	16 8%	9 7%	29 9%	14 11%
Don't know	335 16%	293 17%	30 17%i	16 18%	28 12%	33 19%dKL	40 22%DhKL	25 16%	12 11%	32 16%	69 26%BDgH IKL	33 12%	17 10%	192 17%	151 16%	41 17%	143 16%	13 16%	35 18%	24 18%	50 15%	21 16%
Mean	3.09	3.09	3.14	3.05	3.07	3.11	3.12	3.05	3.09	3.05	3.09	3.14	3.03	3.07	3.05	3.17Nt	3.11	3.04	3.19nt	3.16	3.06	3.14
Standard deviation	0.67	0.68	0.64	0.71	0.77	0.66	0.68	0.52	0.63	0.70	0.72	0.65	0.63	0.68	0.69	0.66	0.66	0.82	0.66	0.67	0.59	0.71
Standard error	0.02	0.02	0.05	0.09	0.06	0.05	0.06	0.05	0.06	0.05	0.05	0.04	0.05	0.02	0.03	0.04	0.02	0.11	0.06	0.06	0.03	0.07

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 10

Q.1 To what extent do you agree or disagree with each of the following statements?
I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement
Base: All respondents

Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (l)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
NET: Agree	1514	1151	360	319	290	126	158	147	81	449	838	648	7	183	220	67	22	131	364	136	242	119	19	1125	947	558
	74%	74%	74%	74%	73%	72%	70%	77%	77%	72%	75%	76%q	87%	70%	75%Q	85%ljk	83%	69%	77%	77%	78%	77%	79%	73%	79%Y	68%
Strongly agree (4)	416	303	113	102	88	45	53	43	24	111	236	171	2	64	66	17	6	44	138	63	90	52	11	269	287	129
	20%	19%	23%	24%	22%	26%	23%	22%	23%	18%	21%	20%	22%	25%i	22%	21%	21%	23%	29%W	36%RtW	29%W	34%W	48%	17%	24%Y	16%
Tend to agree (3)	1098	848	247	217	202	80	105	104	57	338	602	478	5	119	154	50	17	87	226	72	152	67	7	856	660	430
	53%	55%ef	51%	50%	51%	46%	47%	55%f	54%	54%mq	54%Mq	56%JMQ	66%	46%	52%Q	64%jMN	62%	46%	48%S	41%	49%S	43%	31%	56%RSt	55%	52%
Tend to disagree (2)	148	107	41	37	39	17	23	17	6	32	84	67	-	17	31	5	1	25	36	18	22	11	3	112	68	78
	7%	7%	8%	9%	10%bh	10%	10%	9%	5%	5%	7%	8%	-	7%	10%l	7%	2%	13%lJKM	10%	10%	7%	7%	11%	7%	6%	9%X
Strongly disagree (1)	56	39	17	14	10	9	6	4	5	19	27	20	-	7	10	-	1	9	12	4	7	2	-	43	23	30
	3%	3%	3%D	3%	2%	5%a	3%	2%	4%	3%	2%	2%	-	3%	3%	-	2%	5%jknO	3%	2%	2%	1%	-	3%	2%	4%X
NET: Disagree	204	146	58	51	48	27	29	21	10	51	111	86	-	25	41	5	1	34	48	22	29	13	3	155	91	108
	10%	9%	12%	12%	12%	15%A	13%	11%	10%	8%	10%	10%	-	9%	14%lJO	7%	5%	18%lJK	10%	13%	9%	8%	11%	10%	8%	13%X

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 10

**Q.1 To what extent do you agree or disagree with each of the following statements?
I would be willing to offer practical help to friends and neighbours dealing with dying, death and bereavement**
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?					
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Don't know	335	259	71	61	60	23	38	23	15	122	175	122	1	52	34	6	3	24	61	18	40	23	2	259	159	158
	16%	17%	15%	14%	15%	13%	17%	12%	14%	20% _{jk}	16% _{ko}	14%	13%	20% _{jk}	12%	8%	12%	13%	13%	10%	13%	15%	10%	17% _{rS}	13%	19% _X
Mean	3.09	3.09	3.09	3.10	3.09	3.06	3.10	3.11	3.10	3.08	3.10	3.09	3.25	3.16 _q	3.06	3.16	3.16	3.00	3.19 _W	3.23 _W	3.20 _W	3.28 _W	3.41	3.06	3.17 _Y	2.99
Standard deviation	0.67	0.65	0.72	0.72	0.70	0.81	0.72	0.66	0.73	0.66	0.66	0.65	0.47	0.71	0.72	0.53	0.60	0.80	0.71	0.76	0.69	0.68	0.71	0.66	0.64	0.70
Standard error	0.02	0.02	0.04	0.04	0.04	0.07	0.06	0.05	0.08	0.03	0.02	0.02	0.19	0.05	0.04	0.06	0.12	0.06	0.03	0.06	0.04	0.06	0.15	0.02	0.02	0.03

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 11

Q.1 To what extent do you agree or disagree with each of the following statements?
I would expect my friends and neighbours to support me if I was caring for a relative dying at home
Base: All respondents

	Gender		Age							Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Pri- vate (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: Agree	1256 61%	602 60%	654 62%	163 68%F	216 61%f	204 60%F	191 52%	186 63%F	296 64%F	355 64%	330 60%	274 61%	296 59%	183 68%N	526 59%
Strongly agree	(4) 272 13%	112 11%	160 15%A	29 12%	68 19%FGH	52 15%H	45 12%	36 12%	41 9%	68 12%	78 14%	59 13%	68 14%	36 13%	135 15%
Tend to agree	(3) 984 48%	489 49%	494 47%	134 56%DeF	148 41%	152 45%	146 40%	149 50%DF	254 55%DEF	287 52%ijl	253 46%	215 48%	229 46%	148 55%N	391 44%
Tend to disagree	(2) 334 16%	168 17%	166 16%	18 7%	59 16%C	52 15%C	69 19%C	63 21%Ceh	74 16%C	87 16%	91 16%	78 18%	78 16%	38 14%	144 16%
Strongly disagree	(1) 92 4%	51 5%	40 4%	1 1%	15 4%c	16 5%C	24 7%C	15 5%C	19 4%C	19 3%	22 4%	21 5%	30 6%i	11 4%	43 5%
NET: Disagree	426 21%	220 22%	206 20%	19 8%	74 21%C	68 20%C	94 26%Ch	78 26%Ceh	93 20%C	105 19%	113 20%	99 22%	108 22%	49 18%	187 21%
Don't know	373 18%	179 18%	194 18%	56 23%Gh	66 19%G	65 19%G	81 22%GH	32 11%	72 16%g	92 17%	109 20%	75 17%	97 19%	35 13%	182 20%M
Mean	2.85	2.81	2.90A	3.05eFGH	2.93Fg	2.88f	2.74	2.78	2.82	2.88	2.87	2.84	2.83	2.90	2.87
Standard deviation	0.75	0.75	0.75	0.54	0.80	0.78	0.83	0.75	0.68	0.70	0.75	0.75	0.79	0.70	0.78
Standard error	0.02	0.03	0.03	0.05	0.05	0.05	0.05	0.04	0.03	0.03	0.04	0.05	0.04	0.05	0.03

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 12
Q.1 To what extent do you agree or disagree with each of the following statements?
I would expect my friends and neighbours to support me if I was caring for a relative dying at home
Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humber-side (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
NET: Agree	1256 61%	1080 61%	110 62%l	54 62%i	160 68%efl	102 58%i	107 58%	94 62%i	66 63%l	97 49%	162 60%i	198 69%EFJl	107 59%i	709 61%	560 61%	149 62%	546 61%	45 55%	118 61%	81 60%	230 66%nU	72 53%
Strongly agree	(4) 13%	272 14%	18 10%	11 12%	42 18%bi	25 15%	20 11%	19 13%	13 12%	20 10%	33 12%	45 16%	26 15%	171 15%p	138 15%ST	33 13%T	101 11%	10 12%	34 18%ST	10 8%	29 8%	19 14%t
Tend to agree	(3) 48%	984 47%	92 51%l	43 50%	119 50%l	76 44%	87 47%	75 49%i	53 51%i	77 39%	129 48%i	152 53%el	80 45%	538 46%	422 46%	117 48%	445 50%	36 43%	84 44%	70 52%u	201 58%NOqR	53 40%
Tend to disagree	(2) 16%	334 16%	281 16%	40 22%ADh K	14 16%	24 10%	28 16%	29 16%	27 18%d	13 12%	48 24%DefH JK	39 14%	41 17%d	182 16%	145 16%f	37 15%	152 17%	14 17%	19 10%	16 12%	66 19%Rs	36 27%NORSt
Strongly disagree	(1) 4%	92 4%	77 4%	5 3%	3 4%	16 7%Gk	8 4%	13 7%Gk	2 1%	9 9%abGJK	9 4%	7 3%	10 6%g	54 5%	42 5%	12 5%	38 4%	5 6%	11 5%	9 7%t	10 3%	4 3%
NET: Disagree	426 21%	358 20%	45 25%djK	17 20%	40 17%	36 21%	43 23%	29 19%	22 21%	56 28%DgJK	48 18%	48 17%	42 23%	236 20%	187 20%	49 20%	190 21%	19 23%	30 15%	25 19%	76 22%	40 30%NoRs
Don't know	373 18%	333 19%b	23 13%	15 18%	36 15%	37 21%bk	36 19%	29 19%	17 16%	46 23%BdK	61 23%BdK	42 14%	32 18%	217 19%	173 19%T	44 18%T	156 17%	18 22%t	46 24%T	29 22%T	40 12%	23 17%
Mean	2.85	2.86	2.79	2.86	2.93l	2.87i	2.76	2.91l	2.80	2.71	2.88l	2.96BFi	2.83	2.87	2.88	2.86	2.83	2.78	2.96t	2.78	2.81	2.77
Standard deviation	0.75	0.75	0.69	0.71	0.81	0.78	0.79	0.65	0.82	0.76	0.71	0.69	0.80	0.77	0.77	0.76	0.72	0.79	0.80	0.74	0.63	0.76
Standard error	0.02	0.02	0.06	0.09	0.06	0.06	0.07	0.06	0.08	0.06	0.05	0.04	0.07	0.03	0.03	0.05	0.03	0.11	0.07	0.07	0.03	0.07

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
 Overlap formulae used. * small base



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 13

Q.1 To what extent do you agree or disagree with each of the following statements?
I would expect my friends and neighbours to support me if I was caring for a relative dying at home
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?							Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?		
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
NET: Agree	1256 61%	968 62% ^{DH}	284 58% ^D	253 59% ^d	221 56%	111 63% ^h	127 56%	108 57%	54 51%	381 61%	689 61%	524 61%	6 68%	159 61%	180 61%	54 68%	12 46%	114 60%	296 63%	105 60%	190 61%	93 60%	18 78%	944 61%	774 65% ^Y	474 57%
Strongly agree	(4) 272 13%	183 12%	89 18% ^A	80 19% ^A	67 17% ^A	38 22% ^A	40 18% ^A	35 18% ^A	21 20% ^A	77 12%	159 14% ^o	114 13% ^o	- -	45 17% ^{nO}	34 11%	5 7%	4 15%	25 13%	79 17% ^W	40 23% ^{RtU}	52 17% ^w	23 14%	9 36%	189 12%	176 15% ^y	96 12%
Tend to agree	(3) 984 48%	785 50% ^{BCD} eFGH	196 40% ^h	174 40% ^h	155 39% ^h	73 41%	88 39%	73 38%	33 31%	304 49%	530 47%	410 48%	6 68%	114 44%	146 50%	48 62% ^{IJK} MNQ	8 31%	90 47%	217 46% ^S	65 37%	138 45% ^s	71 46% ^s	10 41%	755 49% ^S	598 50%	378 46%
Tend to disagree	(2) 334 16%	246 16%	88 18%	78 18%	75 19%	28 16%	39 17%	38 20%	23 22%	78 12%	195 17% ^l	158 18% ^l	2 19%	35 14%	59 20% ^{lmO}	9 11%	10 38%	40 21% ^{lmo}	77 16%	36 21% ^r	53 17%	23 15%	2 10%	253 16%	187 16%	143 17%
Strongly disagree	(1) 92 4%	68 4%	24 5%	20 5%	22 6%	4 2%	10 4%	11 6%	7 7%	24 4%	51 5% ^k	34 4%	- -	18 7% ^k	16 6%	4 6%	2 6%	11 6%	24 5%	12 7%	16 5%	11 7%	1 4%	66 4%	44 4%	45 5% ^x
NET: Disagree	426 21%	314 20%	112 23%	98 23%	97 24%	32 18%	48 21%	49 26%	30 29% ^{ae}	101 16%	246 22% ^l	192 22% ^l	2 19%	53 20%	76 26% ^{lO}	13 17%	12 44%	51 27% ^{lo}	102 22%	48 27% ^{Rw}	69 22%	34 22%	3 14%	320 21%	231 19%	188 23% ^x
Don't know	373 18%	274 18%	94 19%	80 19%	81 20%	33 19%	50 22%	34 18%	21 20%	140 23% ^{JKN}	189 17%	141 16%	1 13%	47 18%	39 13%	12 15%	3 10%	25 13%	75 16%	23 13%	52 17%	28 18%	2 8%	276 18%	192 16%	162 20% ^x

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Prepared by ComRes



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 13

Q.1 To what extent do you agree or disagree with each of the following statements?
I would expect my friends and neighbours to support me if I was caring for a relative dying at home
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/co habiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Wid-owed/separated/div-orce (n)	Wid-owed (o)	Separated (p)	Div-orce (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Mean	2.85	2.85	2.88d	2.89d	2.84	3.01Ab cD	2.89	2.84	2.81	2.90N	2.85	2.84	2.78	2.88	2.77	2.81	2.62	2.78	2.88	2.87	2.87	2.82	3.20	2.84	2.90Y	2.79
Standard deviation	0.75	0.72	0.82	0.82	0.83	0.77	0.81	0.85	0.91	0.71	0.76	0.74	0.44	0.84	0.76	0.67	0.85	0.78	0.79	0.89	0.80	0.82	0.82	0.73	0.73	0.77
Standard error	0.02	0.02	0.04	0.05	0.05	0.07	0.06	0.07	0.10	0.03	0.02	0.03	0.18	0.06	0.04	0.07	0.16	0.06	0.04	0.07	0.05	0.07	0.17	0.02	0.02	0.03

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 14

Q.1 To what extent do you agree or disagree with each of the following statements?

I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: Agree	1178 57%	557 56%	621 59%	132 55%	204 57%	193 57%	189 52%	177 60%f	283 61%F	339 61%KL	329 60%l	240 54%	270 54%	168 63%N	488 55%
Strongly agree	(4) 254 12%	104 10%	150 14%A	26 11%	58 16%fH	49 15%h	41 11%	33 11%	47 10%	67 12%	60 11%	56 12%	72 14%	39 15%	107 12%
Tend to agree	(3) 924 45%	452 45%	471 45%	106 44%	146 41%	144 43%	149 41%	144 49%f	235 51%DEF	272 49%KL	270 49%kL	184 41%	198 39%	129 48%	381 43%
Tend to disagree	(2) 244 12%	134 13%b	110 10%	21 9%	38 11%	50 15%c	44 12%	40 14%	50 11%	58 10%	63 11%	56 13%	66 13%	29 11%	107 12%
Strongly disagree	(1) 71 3%	41 4%	29 3%	11 5%h	17 5%H	14 4%H	12 3%	9 3%	8 2%	21 4%	16 3%	18 4%	16 3%	8 3%	39 4%
NET: Disagree	315 15%	175 18%B	139 13%	32 13%	56 16%	65 19%H	56 15%	49 17%	58 13%	79 14%	80 14%	74 16%	83 17%	37 14%	146 16%
Don't know	561 27%	268 27%	293 28%	75 31%	96 27%	80 24%	121 33%EGH	70 24%	120 26%	135 24%	144 26%	134 30%	149 30%i	63 24%	261 29%
Mean	2.91	2.85	2.98A	2.90	2.94	2.88	2.89	2.89	2.95	2.92	2.91	2.89	2.92	2.97	2.88
Standard deviation	0.72	0.73	0.70	0.74	0.80	0.77	0.72	0.69	0.61	0.70	0.67	0.76	0.76	0.70	0.75
Standard error	0.02	0.03	0.03	0.07	0.06	0.05	0.04	0.04	0.03	0.03	0.03	0.05	0.04	0.05	0.03

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 15

Q.1 To what extent do you agree or disagree with each of the following statements?

I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement

Base: All respondents

	Region												Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
NET: Agree	1178 57%	1014 57%	107 60%	57 66%ef	135 57%	89 51%	96 52%	94 62%e	57 55%	110 55%	150 55%	175 61%e	107 59%	656 56%	506 55%	150 62%n	522 59%	45 55%	105 54%	74 55%	218 63%Nr	79 58%
Strongly agree	(4) 254 12%	221 13%	22 12%	9 11%	39 16%f	19 11%	17 9%	18 12%	10 10%	24 12%	38 14%	39 14%	19 10%	146 13%	111 12%	35 14%T	108 12%	11 14%	27 14%	17 12%	32 9%	22 16%T
Tend to agree	(3) 924 45%	792 45%	85 47%	48 55%dej	96 41%	71 40%	80 43%	76 50%	47 45%	86 43%	112 41%	136 47%	88 49%	510 44%	395 43%	115 47%	413 46%	34 41%	78 40%	57 43%	187 54%NRSU	57 42%
Tend to disagree	(2) 244 12%	195 11%	31 17%AdgJK	7 8%	24 10%	19 11%	28 15%k	14 9%	18 17%agjK	30 15%jk	25 9%	26 9%	22 12%	135 12%	112 12%	23 9%	109 12%	12 14%	20 10%	14 10%	46 13%	17 12%
Strongly disagree	(1) 71 3%	62 3%	3 2%	4 5%k	18 7%BeKL	5 3%	6 3%	6 4%k	6 6%KI	7 4%k	11 4%K	3 1%	3 2%	47 4%	41 4%T	6 3%	23 3%	1 1%	9 5%	3 2%	7 2%	4 3%
NET: Disagree	315 15%	257 15%	34 19%K	11 13%	42 18%K	24 14%	34 18%K	20 13%	24 23%AegJK	38 19%K	36 13%	28 10%	25 14%	183 16%	153 17%o	29 12%	132 15%	12 15%	29 15%	16 12%	53 15%	21 16%
Don't know	561 27%	500 28%b	38 21%	18 21%	59 25%	61 35%BcdgHi	54 29%	38 25%	24 23%	51 26%	85 31%B	84 29%b	49 27%	324 28%	260 28%T	64 26%	237 27%	24 30%	59 30%t	44 33%T	75 22%	35 26%
Mean	2.91	2.92h	2.90	2.92	2.88	2.91	2.82	2.93	2.77	2.86	2.96h	3.04bdFHI	2.93	2.90	2.87	3.00nt	2.93	2.97	2.92	2.97	2.90	2.96
Standard deviation	0.72	0.72	0.67	0.69	0.86	0.71	0.71	0.70	0.77	0.74	0.75	0.61	0.63	0.74	0.76	0.68	0.69	0.67	0.79	0.68	0.61	0.75
Standard error	0.02	0.02	0.06	0.08	0.07	0.06	0.07	0.06	0.08	0.06	0.05	0.04	0.06	0.03	0.03	0.04	0.03	0.10	0.07	0.07	0.03	0.08

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 16

Q.1 To what extent do you agree or disagree with each of the following statements?

I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement

Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/co habiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
NET: Agree	1178 57%	883 57%	292 60%	260 60%	237 60%	104 59%	126 56%	122 64%af	60 56%	330 53%	672 60%IM	536 63%IJM	7 87%	129 50%	172 58% <i>m</i>	50 63%M	16 59%	107 56%	308 65%W	117 66%W	197 63%W	101 65%w	21 90%	852 55%	757 63%Y	414 50%
Strongly agree	(4) 254 12%	173 11%	81 17%A	75 17%A	65 16%A	34 19%A	41 18%A	35 18%A	15 14%	70 11%	150 13%	117 14%	-	33 13%	32 11%	7 9%	2 8%	23 12%	87 18%W	44 25%RTW	58 19%W	29 18%W	7 30%	164 11%	182 15%Y	72 9%
Tend to agree	(3) 924 45%	710 46% <i>f</i>	211 43% <i>f</i>	184 43% <i>f</i>	173 43% <i>F</i>	70 40%	85 38%	88 46% <i>f</i>	45 43%	260 42%	521 46%M	418 49%IJM	7 87%	96 37%	140 47%M	42 54% <i>iM</i>	13 51%	84 44%	221 47%	73 42%	139 45%	72 46%	14 61%	687 45%	574 48%Y	343 42%
Tend to disagree	(2) 244 12%	181 12%	63 13%	56 13%	54 14%	25 14%	34 15%	22 12%	12 12%	76 12%	131 12%	103 12%	-	28 11%	36 12%	6 7%	6 23%	24 13%	53 11%	21 12%	40 13%	18 11%	1 4%	189 12%	122 10%	121 15%X
Strongly disagree	(1) 71 3%	53 3%	18 4%	15 3%	13 3%	7 4%	8 4%	5 2%	5 5%	24 4%	38 3%K	21 2%	-	17 7%JKn	9 3%	2 2%	1 2%	6 3%	13 3%	6 3%	8 3%	4 3%	-	57 4%	36 3%	31 4%
NET: Disagree	315 15%	234 15%	80 16%	71 16%	67 17%	32 18%	42 19%	27 14%	18 17%	100 16%	169 15%	124 14%	-	45 17%	44 15% <i>o</i>	7 9%	7 25%	30 16%	65 14%	26 15%	48 15%	22 14%	1 4%	245 16%	158 13%	151 18%X
Don't know	561 27%	438 28% <i>c</i>	118 24%	101 23%	95 24%	40 23%	57 25%	41 22%	28 27%	193 31%JK	283 25%K	197 23%	1 13%	85 33%JK	78 27%	22 28%	4 16%	52 28%	100 21%	33 19%	66 21%	33 21%	1 6%	443 29% <i>RST</i>	282 24%	258 31%X
Mean	2.91	2.90	2.95	2.97	2.95	2.96	2.95	3.02 ^a	2.89	2.87	2.93 ^m	2.96 ^{jm}	3.00	2.83	2.91	2.97	2.77	2.90	3.02 ^W	3.08 ^W	3.01 ^W	3.03 ^w	3.27	2.87	2.99 ^Y	2.80
Standard deviation	0.72	0.71	0.76	0.76	0.75	0.80	0.80	0.71	0.79	0.74	0.72	0.68	0.00	0.85	0.68	0.59	0.67	0.72	0.71	0.78	0.73	0.71	0.54	0.72	0.70	0.72

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 16

Q.1 To what extent do you agree or disagree with each of the following statements?

I would like my friends and neighbours to talk more about supporting people in practical ways when dealing with dying, death and bereavement

Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?					
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Standard error	0.02	0.02	0.04	0.04	0.04	0.07	0.06	0.06	0.09	0.04	0.02	0.03	0.00	0.07	0.04	0.07	0.13	0.06	0.04	0.07	0.05	0.06	0.11	0.02	0.02	0.03

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 17

Q.1 To what extent do you agree or disagree with each of the following statements?
I would like my friends to be more comfortable talking about dying, death and bereavement
Base: All respondents

	Total	Gender		Age						Social Grade				Employment Sector	
		Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Pri- vate (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: Agree	1332 65%	645 64%	686 65%	134 56%	229 64%	194 58%	220 60%	216 73%CDEF	339 74%CDEF	376 68%k	357 65%	273 61%	326 65%	182 68%	553 62%
Strongly agree	(4) 323 16%	131 13%	192 18%A	25 10%	65 18%c	52 15%	60 16%	50 17%c	72 16%	78 14%	93 17%	66 15%	87 17%	44 17%	133 15%
Tend to agree	(3) 1008 49%	514 51%b	494 47%	109 46%	163 46%	142 42%	160 44%	166 56%cDEF	267 58%CDEF	298 54%jkl	264 48%	207 46%	239 48%	138 52%	420 47%
Tend to disagree	(2) 212 10%	106 11%	106 10%	27 11%	34 9%	43 13%h	42 12%	27 9%	40 9%	52 9%	57 10%	55 12%	49 10%	26 10%	103 12%
Strongly disagree	(1) 58 3%	34 3%	25 2%	16 7%FGH	11 3%	11 3%	7 2%	6 2%	8 2%	13 2%	12 2%	21 5%j	12 2%	5 2%	31 3%
NET: Disagree	270 13%	140 14%	131 12%	43 18%gH	45 13%	54 16%gH	49 13%	32 11%	48 10%	65 12%	69 13%	76 17%il	60 12%	30 11%	134 15%
Don't know	452 22%	216 22%	236 22%	62 26%GH	83 23%GH	89 27%GH	97 26%GH	47 16%	74 16%	111 20%	127 23%	99 22%	115 23%	55 21%	208 23%
Mean	3.00	2.95	3.04A	2.80	3.03C	2.95	3.01C	3.05C	3.04C	3.00	3.03k	2.91	3.04k	3.04	2.95
Standard deviation	0.69	0.69	0.70	0.79	0.72	0.74	0.70	0.63	0.61	0.65	0.68	0.76	0.69	0.65	0.72
Standard error	0.02	0.02	0.03	0.08	0.05	0.05	0.04	0.04	0.03	0.03	0.03	0.05	0.04	0.04	0.03

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 18

**Q.1 To what extent do you agree or disagree with each of the following statements?
I would like my friends to be more comfortable talking about dying, death and bereavement**
Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East of London (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
NET: Agree	1332 65%	1140 64%	124 69%J	63 73%J	153 65%	116 66%	111 60%	107 70%J	68 65%	130 65%	158 58%	188 66%	114 63%	735 63%	566 61%	170 70%NRU	596 67%	55 67%	110 57%	94 70%nrU	259 75%NRU	78 58%
Strongly agree	(4) 323 16%	281 16%	28 16%	13 15%	37 15%	27 15%	24 13%	36 24%deFh IK	15 14%	28 14%	46 17%	42 15%	29 16%	177 15%	134 15%	43 18%	146 16%	12 15%	37 19%	24 17%	45 13%	29 22%nrT
Tend to agree	(3) 1008 49%	859 49%	95 53%J	49 57%J	116 49%	89 51%j	88 48%	71 47%	54 52%	102 51%j	112 41%	146 51%j	85 47%	559 48%	431 47%rU	127 52%RU	450 50%	43 52%u	74 38%	71 53%RU	214 62%NORs U	49 36%
Tend to disagree	(2) 212 10%	181 10%	18 10%	8 9%	30 13%e	12 7%	16 8%	12 8%	13 13%	23 11%	35 13%e	30 10%	15 8%	129 11%	109 12%	20 8%	83 9%	4 5%	19 10%	11 8%	31 9%	18 14%
Strongly disagree	(1) 58 3%	55 3%h	4 2%	3 4%h	13 6%GHIJK 2%	4 2%	12 7%beGHI Jk	1 1%	- -	3 1%	4 2%	6 2%	8 4%h	35 3%	29 3%	6 3%	23 3%	1 1%	10 5%t	2 2%	7 2%	3 2%
NET: Disagree	270 13%	236 13%	21 12%	11 13%	44 18%EG	16 9%	28 15%	14 9%	13 13%	25 13%	39 14%	36 13%	23 13%	164 14%	139 15%oqt	26 11%	106 12%	5 6%	29 15%	13 10%	38 11%	21 16%q
Don't know	452 22%	396 22%	34 19%	12 14%	40 17%	43 25%d	46 25%	31 21%	23 22%	43 22%	74 27%bCD	63 22%	44 24%	263 23%	216 23%T	47 19%	189 21%	23 28%T	54 28%oT	27 20%	50 14%	35 26%T
Mean	3.00	2.99	3.02	2.98	2.90	3.05df	2.88	3.18bDF ijKl	3.01	3.00	3.01	3.00	2.99	2.97	2.95	3.05n	3.02	3.11	2.98	3.08	3.00	3.05
Standard deviation	0.69	0.70	0.65	0.69	0.78	0.64	0.79	0.65	0.59	0.63	0.70	0.66	0.75	0.70	0.71	0.67	0.68	0.55	0.83	0.64	0.59	0.78
Standard error	0.02	0.02	0.05	0.08	0.06	0.05	0.07	0.06	0.06	0.05	0.05	0.04	0.07	0.02	0.03	0.04	0.02	0.08	0.08	0.06	0.03	0.08

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 19

Q.1 To what extent do you agree or disagree with each of the following statements?
I would like my friends to be more comfortable talking about dying, death and bereavement
Base: All respondents

	Total	Do you have any children aged 18 or under? If so, how old are they?								Marital Status								Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
		No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
NET: Agree	1332 65%	1022 66%	307 63%	274 64%	253 64%	106 61%	139 62%	129 68%h	62 58%	352 57%	756 67%IM	591 69%IJM	7 87%	158 61%	217 74%IJM	61 78%IJM	19 71%	138 73%IM	343 72%W	130 74%W	232 75%W	109 70%	23 95%	968 63%	833 70%Y	492 60%
Strongly agree	(4) 323 16%	238 15%	84 17%	76 18%	73 18%	27 15%	42 19%	42 22%Abc	21 20%	80 13%	190 17%i	142 17%i	-	48 19%i	52 18%i	14 17%	3 13%	35 18%i	120 25%W	53 30%W	85 27%W	49 31%rW	14 60%	197 13%	215 18%Y	108 13%
Tend to agree	(3) 1008 49%	784 50%FH	223 45%	198 46%	180 45%	80 45%	97 43%	87 45%	41 39%	272 44%	566 50%IM	449 52%IJM	7 87%	110 42%	165 56%IJM	47 60%IJM	15 58%	103 54%IM	223 47%U	77 44%	147 47%u	60 39%	8 36%	771 50%U	618 52%y	384 47%
Tend to disagree	(2) 212 10%	157 10%	55 11%	45 10%	48 12%	22 13%	31 14%c	19 10%	17 16%abc	73 12%	111 10%	80 9%	-	31 12%	28 9%	6 8%	5 17%	17 9%	35 7%	12 7%	20 6%	13 8%	-	174 11%RT	129 11%	81 10%
Strongly disagree	(1) 58 3%	46 3%	12 2%	11 3%	8 2%	5 3%	4 2%	4 2%	3 3%	26 4%JK	23 2%K	12 1%	-	11 4%JK	9 3%	1 1%	-	8 4%K	10 2%	6 3%u	5 2%	1 1%	-	48 3%	29 2%	27 3%
NET: Disagree	270 13%	203 13%	67 14%	56 13%	56 14%	27 16%	35 15%	23 12%	20 19%bg	99 16%jK	134 12%k	92 11%	-	41 16%jk	36 12%	8 10%	5 17%	24 13%	45 9%	18 10%	25 8%	14 9%	-	222 14%RT	159 13%	107 13%
Don't know	452 22%	331 21%	116 24%	101 23%	89 22%	42 24%	52 23%	39 21%	24 22%	171 28%JKN	235 21%Noq	173 20%Nq	1 13%	60 23%NoQ	41 14%	10 13%	3 12%	28 15%	86 18%	29 16%	54 17%	33 21%	1 5%	349 23%rst	205 17%	225 27%X

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 19

Q.1 To what extent do you agree or disagree with each of the following statements?
I would like my friends to be more comfortable talking about dying, death and bereavement
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Mean	3.00	2.99	3.01	3.03	3.03	2.96	3.02	3.10b	2.97	2.90	3.04i	3.05i	3.00	2.98	3.03i	3.07i	2.95	3.02	3.17W	3.20W	3.21W	3.28rW	3.63	2.94	3.03y	2.96
Standard deviation	0.69	0.69	0.71	0.71	0.70	0.72	0.71	0.71	0.79	0.75	0.66	0.63	0.00	0.78	0.67	0.60	0.60	0.71	0.69	0.75	0.67	0.68	0.49	0.69	0.68	0.70
Standard error	0.02	0.02	0.04	0.04	0.04	0.07	0.06	0.06	0.09	0.04	0.02	0.02	0.00	0.06	0.04	0.07	0.11	0.05	0.03	0.06	0.04	0.06	0.10	0.02	0.02	0.03

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 20

Q.1 To what extent do you agree or disagree with each of the following statements?

I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Pri- vate (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: Agree	1594 78%	771 77%	822 78%	176 74%	246 69%	258 77% ^d	272 74%	242 82% ^{cDF}	399 87% ^{CDEFg}	433 78%	437 79%	349 78%	374 75%	210 78%	665 74%
Strongly agree	(4) 479 23%	218 22%	261 25%	53 22%	94 26%	78 23%	82 22%	68 23%	105 23%	119 22%	131 24%	103 23%	126 25%	66 24%	190 21%
Tend to agree	(3) 1115 54%	553 55%	562 53%	123 52%	152 43%	180 53% ^D	191 52% ^D	174 59% ^D	294 64% ^{CDEF}	314 57% ^L	306 55%	247 55%	249 50%	144 54%	475 53%
Tend to disagree	(2) 105 5%	61 6%	45 4%	15 6% ^H	29 8% ^H	17 5% ^H	23 6% ^H	16 5% ^H	5 1%	31 6%	23 4%	19 4%	33 6%	18 7%	54 6%
Strongly disagree	(1) 32 2%	18 2%	14 1%	1 *	7 2%	3 1%	7 2%	7 2%	6 1%	11 2%	5 1%	9 2%	7 1%	6 2%	15 2%
NET: Disagree	137 7%	79 8% ^b	59 6%	16 7% ^H	36 10% ^{eH}	20 6% ^H	30 8% ^H	23 8% ^H	11 2%	43 8% ^j	27 5%	28 6%	40 8% ^j	24 9%	69 8%
Don't know	323 16%	151 15%	172 16%	46 19% ^{GH}	73 21% ^{GH}	59 17% ^{GH}	64 17% ^{GH}	31 10%	50 11%	77 14%	88 16%	71 16%	87 17%	34 13%	161 18% ^m
Mean	3.18	3.14	3.21 ^A	3.19	3.18	3.20	3.15	3.14	3.21	3.14	3.21 ⁱ	3.18	3.19	3.15	3.14
Standard deviation	0.62	0.63	0.60	0.59	0.71	0.59	0.64	0.64	0.53	0.63	0.57	0.62	0.65	0.67	0.63
Standard error	0.01	0.02	0.02	0.05	0.05	0.04	0.04	0.04	0.02	0.03	0.03	0.04	0.03	0.04	0.02

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 21

Q.1 To what extent do you agree or disagree with each of the following statements?

I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help

Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
NET: Agree	1594 78%	1362 77%	145 81%J	68 79%	182 77%	136 78%	140 76%	120 79%	86 83%J	154 77%	193 71%	226 79%j	144 80%j	875 75%	681 74%	194 80%nq	719 81%M	56 68%	150 78%	113 84%NQ	298 86%NOQR	102 76%U
Strongly agree	(4) 23%	479 23%	413 22%	40 20%	17 20%	60 25%	36 21%	49 26%	36 24%	25 18%	37 24%	66 25%	41 23%	255 22%	196 21%	59 24%	223 25%	14 16%	69 36%NOQs	32 24%	72 21%	37 28%
Tend to agree	(3) 54%	1115 54%	949 59%J	51 59%	122 52%	100 57%j	91 49%	84 55%	61 58%j	117 59%J	127 47%	153 53%	103 57%j	619 53%	485 53%R	134 55%R	495 56%	42 52%	81 42%	81 60%Ru	226 65%NOQR	65 48%U
Tend to disagree	(2) 5%	105 5%	93 5%	10 6%	5 7%	16 5%	8 4%	8 5%	3 3%	10 5%	15 5%	18 6%	5 3%	72 6%P	63 7%oST	8 3%S	34 4%	4 5%S	10 5%S	1 *	8 2%	10 8%ST
Strongly disagree	(1) 2%	32 2%	29 2%	1 1%	1 2%	7 3%	2 1%	3 2%	2 2%	3 2%	3 1%	4 1%	4 2%	21 2%	17 2%	4 2%	11 1%	1 1%	1 *	3 2%	5 1%	1 1%
NET: Disagree	137 7%	121 7%	11 6%	6 7%	23 10%	12 7%	10 5%	11 7%	5 5%	13 7%	17 6%	21 7%	9 5%	93 8%P	81 9%oST	13 5%	44 5%	5 6%	11 6%	4 3%	13 4%	12 9%st
Don't know	323 16%	287 16%	22 13%	12 14%	31 13%	27 15%	35 19%	21 14%	13 13%	32 16%	61 22%BDeg	40 14%	27 15%	195 17%	158 17%T	36 15%t	128 14%	21 26%oS	32 17%t	18 14%	35 10%	21 16%
Mean	3.18	3.18	3.18	3.13	3.15	3.15	3.25	3.16	3.20	3.12	3.22	3.19	3.19	3.15	3.13	3.21	3.22M	3.13	3.35NOq	3.22	3.17	3.21
Standard deviation	0.62	0.62	0.57	0.60	0.69	0.59	0.61	0.64	0.60	0.58	0.62	0.62	0.60	0.64	0.64	0.61	0.59	0.57	0.62	0.58	0.54	0.65
Standard error	0.01	0.02	0.05	0.07	0.05	0.04	0.05	0.05	0.06	0.04	0.04	0.04	0.05	0.02	0.03	0.04	0.02	0.08	0.05	0.05	0.03	0.06

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
 Overlap formulae used. * small base



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 22

Q.1 To what extent do you agree or disagree with each of the following statements?
I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help
Base: All respondents

	Total	Do you have any children aged 18 or under? If so, how old are they?								Marital Status								Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
		No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)		No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822	
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824	
NET: Agree	1594	1226	365	322	293	134	162	148	80	454	879	674	6	199	252	72	23	157	389	145	253	122	21	1178	978	604	
	78%	79% ^{bd} F	74%	75%	74%	76%	72%	77%	76%	73%	78% ^l	79% ^l	76%	77%	85% ^l JJKM	92% ^l JJKMNQ	85%	83% ^l	82% ^W	82%	81% ^w	79%	88%	76%	82% ^Y	73%	
Strongly agree	(4)	479	360	119	107	96	43	55	55	27	148	247	182	1	64	80	19	53	141	69	95	47	10	332	303	172	
		23%	23%	24%	25%	24%	24%	24%	29% ^d	25%	24%	22%	21%	10%	25%	27% ^{jk}	24%	31%	28% ^{jk}	30% ^W	39% ^{RTU} W	31% ^W	30% ^W	41%	22%	25% ^Y	21%
Tend to agree	(3)	1115	866	246	215	197	91	107	93	53	306	632	491	5	135	171	54	14	104	248	76	158	75	11	846	675	432
		54%	56% ^{bcd} F	50%	50%	50%	52%	47%	49%	50%	49%	56% ^l	57% ^l	66%	52%	58% ^l	68% ^l JJKMNQ	54%	55%	52% ^S	43%	51% ^s	48%	48%	55% ^S	56%	52%
Tend to disagree	(2)	105	78	28	24	24	10	16	9	5	39	49	39	1	9	17	1	3	13	23	11	15	8	2	83	49	54
		5%	5%	6%	6%	6%	5%	7%	5%	5%	6% ^o	4%	5%	11%	4%	6% ^O	1%	10%	7% ^O	5%	6%	5%	9%	5%	5%	4%	7% ^X
Strongly disagree	(1)	32	25	7	7	6	1	4	3	1	4	25	20	-	5	3	1	-	2	7	1	4	3	1	25	17	14
		2%	2%	1%	2%	2%	1%	2%	2%	1%	1%	2% ⁱ	2% ^l	-	2%	1%	1%	-	1%	1%	*	1%	2%	3%	2%	1%	2%
NET: Disagree		137	103	35	31	31	11	20	12	6	43	73	59	1	14	19	2	3	15	30	12	19	12	3	108	66	69
		7%	7%	7%	7%	8%	6%	9%	6%	6%	7%	7%	7%	11%	5%	7% ^o	2%	10%	8% ^o	6%	7%	6%	7%	12%	7%	6%	8% ^X
Don't know		323	227	90	78	75	31	44	31	19	125	172	124	1	47	23	4	1	18	55	20	38	21	-	255	153	152
		16%	15%	18% ^a	18%	19% ^a	18%	19%	16%	18%	20% ^{JKN} OQ	15% ^{NOQ}	14% ^{NOq}	13%	18% ^{NOQ}	8%	6%	5%	9%	12%	11%	12%	14%	-	17% ^{Rt}	13%	18% ^X

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Prepared by ComRes



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 22

**Q.1 To what extent do you agree or disagree with each of the following statements?
I think caring for someone dying at home would be easier if family, friends and neighbours offered practical help**
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status								Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Mean	3.18	3.18	3.19	3.20	3.18	3.22	3.17	3.25	3.22	3.20	3.16	3.14	2.99	3.22	3.21	3.21	3.23	3.21	3.25W	3.36Rt	3.26W	3.24	3.25	3.15	3.21Y	3.13
Standard deviation	0.62	0.61	0.63	0.64	0.65	0.59	0.67	0.64	0.63	0.61	0.62	0.63	0.53	0.62	0.60	0.53	0.63	0.62	0.63	0.63	0.63	0.67	0.76	0.61	0.60	0.64
Standard error	0.01	0.02	0.03	0.04	0.04	0.05	0.05	0.05	0.07	0.03	0.02	0.02	0.22	0.04	0.03	0.06	0.12	0.04	0.03	0.05	0.04	0.06	0.15	0.02	0.02	0.02

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 23

Q.1 To what extent do you agree or disagree with each of the following statements?
I think that caring for the dying is only a matter for professional health and social care services
Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: Agree	333 16%	168 17%	165 16%	62 26% <small>EFGH</small>	80 22% <small>EFGH</small>	48 14%	50 14%	39 13%	56 12%	95 17%	83 15%	72 16%	83 17%	49 18%	157 18%
Strongly agree	(4) 73 4%	43 4%	30 3%	5 2%	29 8% <small>CEFGH</small>	12 4%	8 2%	10 4%	8 2%	19 3%	16 3%	16 4%	21 4%	6 2%	47 5% <small>m</small>
Tend to agree	(3) 261 13%	126 13%	135 13%	57 24% <small>DEFGH</small>	51 14%	36 11%	41 11%	28 10%	47 10%	76 14%	67 12%	55 12%	62 12%	43 16%	111 12%
Tend to disagree	(2) 846 41%	430 43%	416 39%	80 34%	129 36%	147 43% <small>c</small>	142 39%	134 45% <small>CD</small>	214 46% <small>CDF</small>	240 43% <small>L</small>	237 43% <small>L</small>	190 42%	180 36%	111 42%	346 39%
Strongly disagree	(1) 591 29%	268 27%	323 31% <small>a</small>	43 18%	86 24%	96 28% <small>C</small>	116 32% <small>Cd</small>	101 34% <small>CD</small>	149 32% <small>CD</small>	157 28%	163 30%	113 25%	157 31% <small>k</small>	82 31%	243 27%
NET: Disagree	1437 70%	698 70%	739 70%	124 52%	215 61%	242 72% <small>CD</small>	258 70% <small>CD</small>	235 79% <small>CDEF</small>	363 79% <small>CDEF</small>	397 72%	400 72%	303 68%	337 67%	193 72%	589 66%
Don't know	283 14%	134 13%	150 14%	53 22% <small>eGH</small>	61 17% <small>GH</small>	47 14% <small>GH</small>	59 16% <small>GH</small>	22 7%	42 9%	60 11%	69 13%	73 16% <small>l</small>	81 16% <small>l</small>	26 10%	148 17% <small>M</small>
Mean	1.90	1.93 ^b	1.86	2.12 ^{EFGH}	2.08 ^{EFGH}	1.88	1.81	1.81	1.80	1.91	1.87	1.93	1.87	1.89	1.95
Standard deviation	0.80	0.81	0.79	0.79	0.92	0.78	0.77	0.77	0.71	0.79	0.77	0.79	0.84	0.78	0.85
Standard error	0.02	0.03	0.03	0.07	0.06	0.05	0.04	0.04	0.03	0.03	0.03	0.05	0.04	0.05	0.03

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 24

Q.1 To what extent do you agree or disagree with each of the following statements?
I think that caring for the dying is only a matter for professional health and social care services
Base: All respondents

	Region													Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)	
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137	
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135	
NET: Agree	333 16%	314 18%BH	12 7%	22 25%BEH	49 21%BeH	22 13%b	31 17%Bh	24 16%Bh	8 7%	33 17%BH	57 21%BEH	28 17%BH	28 15%Bh	206 18%p	167 18%T	39 16%	127 14%	17 21%	31 16%	16 12%	42 12%	21 16%	
Strongly agree	(4) 4%	73 4%B	70 4%B	- -	14 6%Bcl	4 2%B	9 5%Bc	7 4%B	2 2%b	6 3%B	12 4%B	16 6%Bcl	3 1%	53 5%p	48 5%ORT	5 2%	20 2%	1 1%	2 1%	5 3%t	3 1%	9 7%ORT	
Tend to agree	(3) 13%	261 14%BH	244 14%BH	12 7%	22 25%BdEF GHJKL	34 15%BH	18 10%	21 12%	17 11%	5 5%	27 14%BH	34 17%BeH	25 12%h	154 13%	120 13%	34 14%	107 12%	16 20%su	29 15%	11 8%	39 11%	12 9%	
Tend to disagree	(2) 41%	846 40%	701 40%	98 55%ACDE FJKL	25 29%	89 38%	72 42%c	67 36%	71 47%Cj	48 46%C	91 46%Cj	97 36%	117 41%	72 40%	457 39%	363 39%	94 39%	389 44% m	32 39%	70 36%	61 45% u	181 52% NOQR U	45 33%
Strongly disagree	(1) 29%	591 28%	497 28%	59 33%gJ	28 32%	76 32%J	53 30%	49 27%	36 24%	35 33%j	53 27%	62 23%	87 30%j	54 30%	325 28%	245 27%	80 33% n	266 30%	17 21%	60 31%	35 26%	105 30%	49 36% Nq
NET: Disagree	1437 70%	1198 68%	157 88%ACDE FGHJKL	53 61%	165 70%J	125 72%J	116 63%	107 70%J	82 79%ACFJ	144 72%fJ	159 59%	204 71%J	126 70%J	782 67%	608 66%	174 72%	655 73%M	49 60%	131 67%	96 71%	286 83% NOQR SU	93 69%	
Don't know	283 14%	259 15%B	10 6%	12 14%b	22 9%	27 16%Bd	38 20%BDIK	21 14%B	15 14%B	22 11%b	55 20%BDIK	34 12%b	27 15%B	174 15%	145 16%T	29 12%T	110 12%	16 19%T	32 17%T	23 17%T	18 5%	20 15%T	
Mean	1.90	1.93BH	1.72	1.92b	1.94Bh	1.82	1.94Bh	1.96BH	1.73	1.92Bh	2.03BEH	1.92Bh	1.85	1.93p	1.96oT	1.83	1.85	2.02t	1.83	1.87	1.82	1.84	
Standard deviation	0.80	0.82	0.59	0.82	0.88	0.75	0.86	0.78	0.69	0.76	0.85	0.85	0.75	0.83	0.85	0.78	0.75	0.76	0.76	0.75	0.67	0.91	
Standard error	0.02	0.02	0.05	0.10	0.07	0.06	0.07	0.07	0.07	0.05	0.06	0.05	0.06	0.03	0.03	0.05	0.03	0.10	0.07	0.07	0.03	0.09	

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
 Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 25

Q.1 To what extent do you agree or disagree with each of the following statements?
I think that caring for the dying is only a matter for professional health and social care services
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status								Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Wid-owed/separated/divorced (n)	Wid-owed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
NET: Agree	333 16%	226 15%	107 22% ^{AH}	99 23% ^{AH}	85 21% ^{AH}	41 23% ^{AH}	59 26% ^{AbD}	37 20% ^{gh}	12 11%	113 18% ^{no}	181 16%	136 16%	4 43%	41 16%	38 13%	8 10%	2 7%	28 15%	64 13%	26 15%	41 13%	18 12%	2 10%	268 17% ^r	184 15%	147 18%
Strongly agree	(4) 4%	73 3%	39 7% ^{Ah}	34 7% ^{Adh}	24 6% ^A	19 11% ^{ABcD}	18 8% ^A	12 6% ^A	3 3%	14 2%	51 5% ^{lo}	39 4% ^{io}	3 31%	10 4% ^o	8 3%	-	-	8 4% ^{no}	9 2%	2 1%	7 2%	2 1%	-	64 4% ^{Rs}	36 3%	35 4%
Tend to agree	(3) 13%	261 12%	187 15% ^h	67 16% ^{ah}	61 15% ^H	21 12%	41 18% ^{AeH}	25 13%	9 9%	99 16% ^{JKN}	130 12%	97 11%	1 11%	32 12%	30 10%	8 10%	2 7%	21 11%	54 12%	24 13%	34 11%	17 11%	2 10%	204 13%	148 12%	112 14%
Tend to disagree	(2) 41%	846 41%	678 44% ^{BCD}	167 34% ^F	142 33% ^F	58 33% ^F	76 34% ^F	69 36% ^F	38 36%	234 38%	478 43% ⁱ	372 43% ⁱ	4 44%	103 40%	127 43%	29 37%	12 47%	86 45% ⁱ	183 39%	63 36%	123 40%	54 35%	7 30%	652 42%	499 42%	338 41%
Strongly disagree	(1) 29%	591 29%	453 29% ^f	136 28% ^{dF}	119 28% ^F	103 26%	51 29%	50 22%	50 26%	37 35% ^{bDF}	161 26%	320 28%	247 29%	73 28%	108 37% ^{IJK}	36 46% ^{IJK}	10 39%	62 33% ⁱ	181 38% ^W	70 40% ^W	119 38% ^W	66 42% ^W	14 58%	396 26%	390 33% ^Y	197 24%
NET: Disagree	1437 70%	1131 73% ^{BCD}	303 62% ^F	262 61% ^f	245 62% ^F	109 62%	126 56%	119 63%	76 71% ^{BCD}	395 64%	798 71% ⁱ	618 72% ⁱ	4 44%	176 68%	236 80% ^{IJK}	65 82% ^{IJK}	23 86%	148 78% ^{IJK}	364 77% ^W	133 75% ^w	242 78% ^W	120 77% ^W	21 88%	1048 68%	889 74% ^Y	535 65%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 25

Q.1 To what extent do you agree or disagree with each of the following statements?
I think that caring for the dying is only a matter for professional health and social care services
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Don't know	283	199	79	70	68	25	40	34	18	114	146	103	1	42	21	6	2	13	46	18	28	17	*	224	124	142
	14%	13%	16%a	16%	17%a	14%	18%a	18%a	17%	18%JKN	13%kNQ	12%Nq	13%	16%NoQ	7%	8%	7%	7%	10%	10%	9%	11%	1%	15%RT	10%	17%X
Mean	1.90	1.86	2.01AH	2.03AH	2.02AH	2.06AH	2.14AB	2.00aH	1.74	1.93NO	1.91NO	1.90NO	2.85	1.90O	1.77O	1.61	1.66	1.85NO	1.75	1.74	1.75	1.67	1.51	1.95RS	1.84	1.98X
Standard deviation	0.80	0.75	0.92	0.94	0.89	1.00	0.93	0.89	0.77	0.79	0.81	0.81	0.99	0.81	0.76	0.67	0.63	0.79	0.76	0.76	0.76	0.73	0.69	0.80	0.78	0.81
Standard error	0.02	0.02	0.05	0.05	0.05	0.09	0.07	0.07	0.08	0.04	0.03	0.03	0.40	0.06	0.04	0.07	0.12	0.06	0.04	0.06	0.04	0.06	0.14	0.02	0.02	0.03

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 26

Q.1 To what extent do you agree or disagree with each of the following statements?
There is currently enough support for people dealing with dying, death and bereavement
Base: All respondents

	Gender		Age							Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: Agree	331 16%	167 17%	163 16%	56 23% <i>EF</i> G <i>H</i>	74 21% <i>EF</i> G <i>H</i>	45 13%	49 13%	41 14%	66 14%	87 16%	88 16%	78 17%	78 15%	39 15%	151 17%
Strongly agree	(4) 75 4%	37 4%	38 4%	8 3%	30 8% <i>c</i> <i>EF</i> G <i>H</i>	11 3%	11 3%	3 1%	12 3%	20 4%	12 2%	25 5% <i>J</i>	19 4%	11 4%	36 4%
Tend to agree	(3) 256 12%	130 13%	126 12%	48 20% <i>d</i> <i>EF</i> <i>g</i> <i>H</i>	44 12%	34 10%	38 10%	38 13%	54 12%	67 12%	77 14%	53 12%	59 12%	28 10%	115 13%
Tend to disagree	(2) 664 32%	315 31%	350 33%	68 29%	101 28%	102 30%	103 28%	108 36% <i>d</i> <i>F</i>	182 40% <i>CDEF</i>	191 35%	173 31%	139 31%	162 32%	89 33%	269 30%
Strongly disagree	(1) 447 22%	214 21%	233 22%	37 16%	84 24% <i>c</i>	67 20%	96 26% <i>Ce</i> <i>H</i>	73 25% <i>Ch</i>	89 19%	118 21%	124 22%	86 19%	119 24%	58 22%	184 21%
NET: Disagree	1111 54%	528 53%	583 55%	105 44%	185 52%	169 50%	199 54% <i>c</i>	181 61% <i>CDEF</i>	272 59% <i>CdE</i>	309 56%	296 54%	225 50%	281 56%	148 55%	453 51%
Don't know	612 30%	305 30%	307 29%	77 32%	97 27%	124 37% <i>DGH</i>	118 32% <i>gh</i>	74 25%	122 27%	156 28%	168 30%	145 32%	143 28%	81 30%	290 32%
Mean	1.97	1.99	1.96	2.16 <i>e</i> <i>F</i> <i>G</i> <i>H</i>	2.08 <i>F</i> <i>G</i>	1.95	1.85	1.87	1.97	1.97	1.94	2.05	1.94	1.96	2.01
Standard deviation	0.83	0.84	0.83	0.84	0.98	0.82	0.84	0.74	0.76	0.82	0.80	0.89	0.84	0.84	0.86
Standard error	0.02	0.03	0.03	0.08	0.07	0.06	0.05	0.05	0.04	0.04	0.04	0.06	0.04	0.06	0.04

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 27
Q.1 To what extent do you agree or disagree with each of the following statements?
There is currently enough support for people dealing with dying, death and bereavement
Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humber (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East of England (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
NET: Agree	331 16%	299 17%b	20 11%	25 29%BdEF HiJKL	43 18%	25 14%	26 14%	28 19%	12 11%	37 18%b	42 15%	52 18%b	21 12%	191 16%	157 17%	34 14%	140 16%	11 14%	33 17%	24 18%	49 14%	23 17%
Strongly agree	(4) 75 4%	73 4%B	1 1%	4 5%bL	9 4%bL	5 3%L	9 5%BL	8 5%BhL	1 1%	11 5%BhL	15 5%BhL	12 4%bL	-	48 4%	44 5%Ot	3 1%	27 3%	-	3 2%	4 3%	8 2%	12 9%nOQRST
Tend to agree	(3) 256 12%	226 13%	19 11%	21 24%BdEFg HiJKL	34 14%	20 11%	17 9%	20 13%	11 10%	26 13%	27 10%	40 14%	21 12%	143 12%	112 12%	30 13%	113 13%	11 14%	30 15%u	21 15%u	40 12%	10 8%
Tend to disagree	(2) 664 32%	568 32%	60 33%	25 28%	62 26%	59 34%	64 35%	58 38%Dk	37 35%	63 32%	96 35%d	81 28%	60 33%	358 31%	275 30%	84 34%	306 34%	31 38%	53 27%	42 31%	139 40%NRsu	41 30%
Strongly disagree	(1) 447 22%	368 21%	50 28%AfJ	16 19%	50 21%J	41 23%J	33 18%	36 24%J	29 28%fjJ	36 18%	35 13%	68 24%J	53 29%FIJ	242 21%	182 20%	60 25%n	205 23%	22 27%	55 29%Nst	25 19%	71 21%	31 23%
NET: Disagree	1111 54%	936 53%	109 61%acDI Jk	41 48%	112 48%	100 57%dj	97 52%	94 62%cDIJ k	66 63%acDI Jk	99 50%	131 49%	149 52%	113 62%cDIJ k	600 52%	457 50%	144 59%Ns	511 57%M	54 65%Ns	108 56%	67 49%	211 61%NS	72 53%
Don't know	612 30%	536 30%	49 27%	20 24%	81 34%G	49 28%g	62 34%G	29 19%	27 26%	64 32%G	98 36%bcGh I	86 30%G	47 26%	372 32%P	307 33%oqT	65 27%	240 27%	17 21%	53 27%	44 32%	87 25%	40 30%
Mean	1.97	2.00Bh	1.78	2.19BeH L	2.01BL	1.91	2.02BhL	2.00bL	1.79	2.09BHL	2.12BEH L	1.98bL	1.76	1.99	2.03O	1.87	1.94	1.83	1.86	2.03	1.94	2.04
Standard deviation	0.83	0.85	0.73	0.89	0.88	0.80	0.84	0.85	0.72	0.87	0.83	0.88	0.71	0.85	0.88	0.76	0.81	0.70	0.82	0.82	0.75	0.98
Standard error	0.02	0.02	0.06	0.11	0.08	0.07	0.08	0.08	0.08	0.07	0.06	0.06	0.07	0.03	0.04	0.05	0.03	0.10	0.08	0.09	0.04	0.10

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 28

Q.1 To what extent do you agree or disagree with each of the following statements?
There is currently enough support for people dealing with dying, death and bereavement
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (l)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
NET: Agree	331 16%	220 14%	110 22%Ad	100 23%Ad	83 21%A	48 27%A	53 23%A	41 22%A	20 19%	106 17%	180 16%	143 17%	4 50%	33 13%	43 15%	9 12%	4 16%	29 15%	55 12%	24 13%	34 11%	13 9%	4 16%	274 18%RTU	187 16%	141 17%
Strongly agree	(4) 75 4%	32 2%	43 9%A	40 9%A	34 9%A	17 10%A	25 11%Ad	20 10%A	6 5%A	15 2%	52 5%i	40 5%i	3 31%	9 4%	8 3%	1 1%	-	7 4%	8 2%	6 3%	5 2%	3 2%	-	66 4%Rt	41 3%	34 4%
Tend to agree	(3) 256 12%	188 12%	67 14%d	60 14%	49 12%	31 17%a	27 12%	22 11%	14 13%	91 15% <i>m</i>	128 11%	103 12%	2 19%	24 9%	35 12%	9 11%	4 16%	22 12%	46 10%	18 10%	28 9%	10 7%	4 16%	208 14% <i>r</i> U	146 12%	107 13%
Tend to disagree	(2) 664 32%	527 34%BCE	136 28%e	119 27%e	123 31%BCE	38 22%	63 28%	60 26%	28 31%e	188 30%	369 33%	293 34% <i>j</i>	3 37%	73 28%	103 35%	29 36%	8 31%	66 35%	153 32%	50 29%	98 31%	51 33%	2 9%	497 32%	399 33%	256 31%
Strongly disagree	(1) 447 22%	343 22%	103 21%	92 21%	87 22%	36 20%	46 21%	45 23%	28 26%	121 19%	244 22%	177 21%	-	68 26% <i>i</i>	81 28% <i>l</i> JK	25 31% <i>J</i> K	6 24%	50 27% <i>ik</i>	166 35% <i>W</i>	72 41% <i>r</i> W	111 36% <i>W</i>	57 37% <i>W</i>	16 66%	268 17%	288 24% <i>Y</i>	155 19%
NET: Disagree	1111 54%	870 56%BCE	239 49%e	211 49%e	210 53%BCE	73 42%	109 48%	104 55% <i>bc</i> e	56 52%	310 50%	613 55%	469 55%	3 37%	141 54%	184 62% <i>l</i> JK	53 68% <i>J</i> K	14 55%	116 61% <i>l</i>	319 67% <i>W</i>	209 69% <i>W</i>	108 67% <i>W</i>	18 70% <i>W</i>	765 76%	687 50%	411 57% <i>Y</i>	50%
Don't know	612 30%	466 30%	140 29% <i>dg</i>	121 28%	106 27%	54 31%	64 28%	45 24%	31 29%	206 33% <i>NOQ</i>	331 29% <i>No</i>	244 28% <i>n</i>	1 13%	86 33% <i>NOQ</i>	68 23%	16 20%	8 29%	44 23%	99 21%	31 17%	68 22%	33 22%	2 8%	500 32% <i>RST</i>	322 27%	272 33% <i>X</i>

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 28

Q.1 To what extent do you agree or disagree with each of the following statements?
There is currently enough support for people dealing with dying, death and bereavement
Base: All respondents

Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Mean	1.97	1.92	2.14A	2.16A	2.10A	2.24A	2.20A	2.11A	1.97	2.00mn	1.98mn	2.01mN	2.94	1.85	1.86	1.77	1.89	1.90	1.73	1.71	1.70	1.66	1.45	2.07RS	1.93	2.04X
Standard deviation	0.83	0.77	0.98	0.99	0.96	1.03	1.03	0.99	0.93	0.81	0.86	0.85	0.95	0.85	0.80	0.73	0.77	0.83	0.76	0.83	0.76	0.74	0.79	0.84	0.82	0.85
Standard error	0.02	0.02	0.05	0.06	0.06	0.10	0.09	0.08	0.11	0.04	0.03	0.03	0.39	0.07	0.05	0.08	0.16	0.06	0.04	0.07	0.05	0.07	0.17	0.03	0.03	0.04

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 29

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Summary**Base: All respondents**

		Scenarios			
		Giving an injection after receiving training and with no additional support	Giving an injection after receiving training and with doctor or nurse supervision the first few times	Giving an injection after receiving training and with phone support available from a nurse	Giving approved doses of prescription medicine in tablet, liquid or patch form
Unweighted base		2054	2054	2054	2054
Weighted base		2054	2054	2054	2054
Very comfortable	(10)	211 10%	368 18%	273 13%	697 34%
	(9)	74 4%	185 9%	128 6%	260 13%
	(8)	158 8%	304 15%	233 11%	261 13%
	(7)	171 8%	239 12%	208 10%	221 11%
	(6)	188 9%	149 7%	165 8%	118 6%
	(5)	312 15%	219 11%	280 14%	203 10%
	(4)	120 6%	60 3%	95 5%	39 2%
	(3)	122 6%	74 4%	114 6%	29 1%
	(2)	105 5%	57 3%	94 5%	18 1%
	(1)	99 5%	60 3%	81 4%	24 1%
Very uncomfortable	(0)	200 10%	110 5%	138 7%	46 2%

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 29

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Summary**Base: All respondents**

	Scenarios			
	Giving an injection after receiving training and with no additional support	Giving an injection after receiving training and with doctor or nurse supervision the first few times	Giving an injection after receiving training and with phone support available from a nurse	Giving approved doses of prescription medicine in tablet, liquid or patch form
Weighted base	2054	2054	2054	2054
NET: 6-10	802 39%	1245 61%	1008 49%	1557 76%
NET: 0-4	646 31%	361 18%	522 25%	157 8%
I would not be willing to do this	294 14%	228 11%	244 12%	138 7%
Mean	5.16	6.62	5.85	7.81
Standard deviation	3.09	2.94	3.05	2.46
Standard error	0.07	0.07	0.07	0.06

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 30

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Not Willing Summary

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: I would not be willing to give injections	223 11%	100 10%	124 12%	25 11%	43 12%	33 10%	42 11%	35 12%	45 10%	64 12%	56 10%	46 10%	57 11%	26 10%	89 10%
NET: I would not be willing to give injections or approved doses of prescription medicine in tablet, liquid or patch form	137 7%	56 6%	81 8%	22 9%H	26 7%h	25 7%H	30 8%H	16 5%	18 4%	42 8%	38 7%	24 5%	33 6%	16 6%	63 7%
NET: I would not be willing to give injections but would be willing to give approved doses of prescription medicine in tablet, liquid or patch form	86 4%	43 4%	43 4%	3 1%	17 5%	8 2%	12 3%	18 6%CEf	27 6%CE	22 4%	18 3%	22 5%	24 5%	10 4%	26 3%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 31

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Not Willing Summary
Base: All respondents

	Region												Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
NET: I would not be willing to give injections	223 11%	197 11%b	11 6%	9 11%	26 11%	14 8%	25 14%b	17 11%	15 14%b	21 11%	34 12%b	35 12%b	18 10%	115 10%	85 9%	30 12%	108 12%	11 13%	22 11%	17 12%	37 11%	22 16%N
NET: I would not be willing to give injections or approved doses of prescription medicine in tablet, liquid or patch form	137 7%	117 7%	8 5%	3 4%	15 6%	8 4%	17 9%	7 5%	12 11%abcEg il	9 5%	27 10%bEil	23 8%	8 5%	79 7%	62 7%t	17 7%t	58 7%	9 11%T	15 8%t	8 6%	13 4%	13 10%T
NET: I would not be willing to give injections but would be willing to give approved doses of prescription medicine in tablet, liquid or patch form	86 4%	80 5%	3 2%	6 7%bj	11 4%	6 4%	8 5%	9 6%bj	3 3%	12 6%bj	7 2%	12 4%	9 5%	36 3%	24 3%	13 5%N	50 6%M	2 2%	7 4%	9 7%N	24 7%N	8 6%n

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
 Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 32

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Not Willing Summary
Base: All respondents

	Total	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
		No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 18-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
NET: I would not be willing to give injections	223	173	50	47	39	18	24	22	5	75	112	84	-	28	35	8	4	22	47	16	32	16	1	170	112	103
	11%	11%h	10%h	11%h	10%h	10%	11%	11%h	5%	12%	10%	10%	-	11%	12%	10%	16%	12%	10%	9%	10%	10%	5%	11%	9%	12% ^x
NET: I would not be willing to give injections or approved doses of prescription medicine in tablet, liquid or patch form	137	102	35	34	30	12	18	16	2	51	65	49	-	16	19	3	3	13	20	8	11	9	*	112	62	67
	7%	7%h	7% ^H	8% ^H	7% ^H	7%	8%h	9% ^H	2%	8%	6%	6%	-	6%	6%	4%	10%	7%	4%	4%	4%	6%	1%	7% ^{RT}	5%	8% ^X
NET: I would not be willing to give injections but would be willing to give approved doses of prescription medicine in tablet, liquid or patch form	86	71	15	13	10	6	6	5	3	24	47	35	-	12	16	5	2	9	27	8	21	7	1	58	50	36
	4%	5%	3%	3%	2%	4%	3%	3%	3%	4%	4%	4%	-	5%	5%	6%	6%	5%	6% ^w	5%	7% ^W	4%	4%	4%	4%	

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 33

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

NET: Comfortable Summary

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
Giving approved doses of prescription medicine in tablet, liquid or patch form	1557 76%	758 76%	799 76%	171 72%	250 70%	243 72%	281 77% ^d	238 81% ^{cDE}	372 81% ^{CDE}	426 77%	418 76%	342 76%	371 74%	203 76%	687 77%
Giving an injection after receiving training and with doctor or nurse supervision the first few times	1245 61%	593 59%	652 62%	149 62%	203 57%	210 62%	211 58%	189 64%	284 62%	319 58%	328 59%	289 64% ⁱ	309 62%	147 55%	553 62% ^m
Giving an injection after receiving training and with phone support available from a nurse	1008 49%	483 48%	525 50%	112 47%	171 48%	149 44%	177 48%	162 55% ^E	237 51% ^e	261 47%	267 48%	229 51%	249 50%	113 42%	453 51% ^M
Giving an injection after receiving training and with no additional support	802 39%	392 39%	410 39%	81 34%	129 36%	121 36%	148 40%	129 44% ^{ce}	194 42%	217 39%	211 38%	180 40%	195 39%	89 33%	357 40% ^m

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 34

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

NET: Comfortable Summary

Base: All respondents

	Region												Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
Giving approved doses of prescription medicine in tablet, liquid or patch form	1557 76%	1342 76%	133 75%	73 85% _{JK}	180 76% _k	141 81% _K	144 78% _k	116 76%	82 78% _k	154 77% _K	200 74%	196 68%	139 77% _k	890 77%	699 76% _r	190 79% _{qR}	667 75%	55 67%	132 68%	102 75%	280 81% _{nQR}	99 73%
Giving an injection after receiving training and with doctor or nurse supervision the first few times	1245 61%	1070 60%	116 65% _k	57 66%	149 63%	99 57%	123 67% _{eK}	94 62%	59 57%	117 59%	158 58%	158 55%	114 63%	700 60%	556 60%	144 59%	546 61%	46 56%	123 63%	73 54%	219 63% _s	84 62%
Giving an injection after receiving training and with phone support available from a nurse	1008 49%	857 48%	100 56% _{aik}	45 52%	115 49%	86 50%	91 49%	78 51%	51 49%	89 45%	130 48%	124 43%	99 55% _K	566 49%	450 49%	116 48%	442 50%	32 39%	100 52%	56 41%	184 53% _{qS}	69 51%
Giving an injection after receiving training and with no additional support	802 39%	675 38%	88 49% _{ADEF} hijk	37 43%	83 35%	63 36%	65 35%	60 40%	39 37%	77 38%	99 37%	116 40%	75 42%	446 38%	362 39%	83 34%	356 40%	26 31%	78 40%	52 39%	148 43% _O	52 39%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 35

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

NET: Comfortable Summary
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?					
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Giving approved doses of prescription medicine in tablet, liquid or patch form	1557 76%	1182 76%	373 76%	327 76%	304 76%	134 76%	168 75%	149 78%	85 80%	440 71%	881 78% _{iq}	669 78% _l	7 87%	205 79% _l	228 77% _{iq}	69 87% _{ljk}	22 84%	137 72%	387 82% _W	146 83% _W	255 82% _W	123 79%	21 91%	1146 74%	960 80% _Y	586 71%
Giving an injection after receiving training and with doctor or nurse supervision the first few times	1245 61%	939 60%	305 62%	267 62%	244 61%	113 65%	131 58%	120 63%	69 65%	361 58%	698 62%	533 62%	6 76%	159 61%	180 61% _Q	54 69% _{inq}	20 77%	106 56%	319 67% _W	125 71% _W	203 65% _w	108 69% _W	19 81%	908 59%	791 66% _Y	446 54%
Giving an injection after receiving training and with phone support available from a nurse	1008 49%	753 48%	254 52%	226 52%	205 51%	91 52%	114 50%	100 52%	55 52%	269 43%	588 52% _{IQ}	448 52% _{IQ}	6 76%	134 52% _l	148 50% _{IQ}	48 61% _{INQ}	18 68%	82 43%	274 58% _W	104 59% _W	180 58% _W	97 62% _W	16 70%	723 47%	653 55% _Y	351 43%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 35

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

NET: Comfortable Summary
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?					
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Giving an injection after receiving training and with no additional support	802	582	219	194	178	83	98	94	47	194	483	378	5	100	121	38	11	72	218	82	144	72	13	575	522	277
	39%	37%	45%A	45%A	45%A	48%A	43%	49%A	45%	31%	43%l	44%l	55%	39%l	41%l	48%l	41%	38%	46%W	47%W	46%W	46%w	56%	37%	44%Y	34%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 36

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

NET: Uncomfortable Summary
Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
Giving an injection after receiving training and with no additional support	646 31%	323 32%	323 31%	77 32%	109 31%	116 34%	121 33%	90 30%	133 29%	188 34%k	182 33%	123 27%	153 31%	103 38%n	282 32%
Giving an injection after receiving training and with phone support available from a nurse	522 25%	262 26%	260 25%	62 26%	85 24%	99 29%G	99 27%g	63 21%	115 25%	150 27%	152 28%	107 24%	113 23%	97 36%N	226 25%
Giving an injection after receiving training and with doctor or nurse supervision the first few times	361 18%	183 18%	178 17%	43 18%	62 18%	56 17%	69 19%	48 16%	83 18%	107 19%k	110 20%k	64 14%	80 16%	59 22%	155 17%
Giving approved doses of prescription medicine in tablet, liquid or patch form	157 8%	89 9%b	68 6%	19 8%	38 11%GH	29 8%	28 8%	16 5%	27 6%	47 8%	39 7%	34 7%	37 7%	30 11%n	65 7%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 37

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

**NET: Uncomfortable Summary
Base: All respondents**

	Region												Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
Giving an injection after receiving training and with no additional support	646 31%	574 32% ^b	46 26%	20 23%	78 33%	69 39% ^{BCFH}	47 25%	56 37% ^{bcfn}	26 25%	71 36% ^{bcfn}	87 32%	90 31%	58 32%	385 33%	293 32%	92 38% ^{nT}	261 29%	22 26%	57 29%	40 30%	99 29%	44 33%
Giving an injection after receiving training and with phone support available from a nurse	522 25%	458 26%	41 23%	17 20%	63 27%	57 33% ^{bcfn}	43 23%	37 25%	23 22%	58 29% ^j	58 21%	83 29% ^j	43 24%	323 28% ^P	257 28% ^{Qrt}	66 27% ^q	199 22%	11 14%	39 20%	42 31% ^{Qrtu}	79 23%	27 20%
Giving an injection after receiving training and with doctor or nurse supervision the first few times	361 18%	316 18%	26 15%	8 9%	36 15%	45 26% ^{BCDF}	22 12%	27 17%	19 18%	43 22% ^{CF}	45 17%	57 20% ^{cf}	33 18%	214 18%	174 19%	39 16%	148 17%	9 11%	29 15%	31 23% ^q	56 16%	23 17%
Giving approved doses of prescription medicine in tablet, liquid or patch form	157 8%	142 8% ^H	14 8% ^h	5 6%	21 9% ^H	15 9% ^H	13 7% ^h	15 10% ^H	2 2%	12 6%	14 5%	25 9% ^H	21 12% ^{Hij}	95 8%	83 9% ^{Ot}	12 5%	62 7%	2 2%	16 8%	11 8%	20 6%	13 10% ^o

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 38

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

NET: Uncomfortable Summary
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Giving an injection after receiving training and with no additional support	646 31%	497 32%g	147 30%g	124 29%	124 31%G	51 29%	71 31%	48 25%	42 40%BCd	213 34%O	345 31%O	253 30%o	1 11%	91 35%O	83 28%O	16 20%	5 17%	63 33%NO	133 28%	56 32%u	84 27%	37 24%	6 27%	498 32%tu	338 28%	292 35%X
Giving an injection after receiving training and with phone support available from a nurse	522 25%	395 25%	126 26%	109 25%	100 25%	51 29%	55 24%	47 25%	31 29%	162 26%	285 25%	216 25%	1 11%	68 26%	73 25%	16 20%	3 11%	54 29%n	89 19%	30 17%	57 18%	22 14%	3 13%	422 27%RST	268 22%U	239 29%X
Giving an injection after receiving training and with doctor or nurse supervision the first few times	361 18%	277 18%	83 17%	75 17%	71 18%	30 17%	40 18%	32 17%	20 19%	101 16%	207 18%	154 18%	1 11%	52 20%	49 17%	9 12%	1 4%	39 20%N	65 14%U	20 11%	51 16%RsU	14 9%	2 10%	290 19%RSU	170 14%	181 22%X

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 38

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

**NET: Uncomfortable Summary
Base: All respondents**

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?						
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)	
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824	
Giving approved doses of prescription medicine in tablet, liquid or patch form	157	115	41	37	31	18	16	14	9	47	86	62	-	23	23	2	-	21	23	10	14	5	1	131	66	85	
		8%	7%	8%	9%	8%	10%	7%	7%	9%	8%	8%	7%	-	9%o	8%O	3%	-	11%NO	5%	6%	5%	3%	4%	9%RTU	6%	10%X

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 39

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with no additional support
Base: All respondents

	Total	Gender		Age						Social Grade				Employment Sector	
		Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
Very comfortable	(10) 211 10%	109 11%	102 10%	10 4%	29 8%	25 8%	53 14% ^{CDE}	40 13% ^{CdE}	54 12% ^{Ce}	50 9%	56 10%	42 9%	62 12%	22 8%	81 9%
(9)	74 4%	38 4%	36 3%	4 2%	16 5%	9 3%	17 5%	11 4%	16 4%	23 4% ^l	16 3%	23 5% ^L	10 2%	9 3%	38 4%
(8)	158 8%	84 8%	74 7%	22 9%	17 5%	29 9% ^d	26 7%	27 9% ^d	37 8%	43 8%	39 7%	37 8%	38 8%	16 6%	76 8%
(7)	171 8%	76 8%	95 9%	19 8%	30 8%	28 8%	24 7%	28 9%	42 9%	49 9%	44 8%	45 10% ^l	32 6%	21 8%	77 9%
(6)	188 9%	85 9%	103 10%	26 11%	38 11%	29 9%	27 7%	24 8%	44 10%	51 9%	54 10%	31 7%	52 10%	21 8%	85 10%
(5)	312 15%	165 16%	147 14%	42 18%	66 19% ^{fg}	53 16%	48 13%	37 12%	66 14%	69 12%	90 16%	77 17% ⁱ	76 15%	43 16%	132 15%
(4)	120 6%	56 6%	64 6%	17 7%	24 7%	22 7%	19 5%	20 7% ^h	17 4%	39 7%	30 6%	19 4%	32 6%	21 8%	51 6%
(3)	122 6%	76 8% ^B	47 4%	16 7%	23 6% ^g	24 7% ^G	26 7% ^G	9 3%	26 6%	34 6%	33 6%	31 7%	24 5%	12 5%	73 8% ^m
(2)	105 5%	56 6%	49 5%	12 5%	10 3%	21 6% ^d	25 7% ^D	16 5%	21 5%	32 6%	36 6%	17 4%	20 4%	26 10% ^N	45 5%
(1)	99 5%	44 4%	55 5%	7 3%	25 7%	13 4%	20 5%	13 4%	32 5%	31 6% ^K	31 6% ^K	9 2%	26 5% ^K	18 7%	41 5%
Very uncomfortable	(0) 200 10%	92 9%	108 10%	26 11%	27 8%	36 11%	31 9%	32 11%	47 10%	51 9%	51 9%	45 10%	52 10%	26 10%	72 8%
NET: 6-10	802 39%	392 39%	410 39%	81 34%	129 36%	121 36%	148 40%	129 44% ^{ce}	194 42%	217 39%	211 38%	180 40%	195 39%	89 33%	357 40% ^m

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Prepared by ComRes

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 39

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with no additional support

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: 0-4	646	323	323	77	109	116	121	90	133	188	182	123	153	103	282
	31%	32%	31%	32%	31%	34%	33%	30%	29%	34%k	33%	27%	31%	38%n	32%
I would not be willing to do this	294	121	173	39	51	47	49	40	68	78	70	68	77	33	124
	14%	12%	16%A	16%	14%	14%	13%	14%	15%	14%	13%	15%	15%	12%	14%
Mean	5.16	5.20	5.12	4.77	5.07	4.90	5.34	5.41ce	5.31	5.08	5.05	5.37	5.19	4.72	5.22m
Standard deviation	3.09	3.07	3.12	2.78	2.91	2.99	3.27	3.26	3.18	3.09	3.07	3.05	3.16	3.05	2.99
Standard error	0.07	0.10	0.11	0.24	0.19	0.18	0.18	0.19	0.15	0.13	0.14	0.19	0.15	0.20	0.11

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 40

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with no additional support
Base: All respondents

	Region													Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)	
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137	
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135	
Very comfortable	(10)	211	171	30	9	19	17	19	15	11	16	18	30	28	104	82	22	107	9	24	14	39	22
		10%	10%	17%ADel Jk	10%	8%	10%	10%	10%	10%	8%	10%	15%dj	9%	9%	9%	12%M	11%	12%	10%	11%	16%No	
(9)	74	62	7	3	8	5	8	6	5	7	13	6	5	47	37	10	27	1	6	4	12	4	
	4%	3%	4%	3%	3%	3%	4%	4%	5%	4%	5%	2%	3%	4%	4%	4%	3%	1%	3%	3%	3%	3%	
(8)	158	133	16	14	14	15	16	7	8	16	15	23	13	91	74	18	66	1	20	11	28	6	
	8%	8%	9%	17%DGIJK L	6%	9%	9%	5%	8%	8%	5%	8%	7%	8%	8%q	7%	7%	1%	11%Qu	8%q	8%q	4%	
(7)	171	153	9	7	27	10	14	19	9	17	22	25	11	98	76	22	73	3	10	14	35	12	
	8%	9%	5%	9%	11%be	6%	8%	12%Be	9%	9%	8%	9%	6%	8%	8%	9%	8%	4%	5%	11%	10%r	9%	
(6)	188	157	26	4	15	15	7	13	5	20	31	33	18	106	94	12	82	11	18	9	35	10	
	9%	9%	15%ACDFH	5%	7%	9%f	4%	9%	5%	10%F	11%Fh	11%F	10%f	9%	10%O	5%	9%	14%O	9%	7%	10%O	7%	
(5)	312	261	29	12	38	22	33	19	23	26	42	44	25	175	146	29	137	23	34	13	52	16	
	15%	15%	16%	14%	16%	13%	18%	12%	22%aegi	13%	16%	15%	14%	15%	16% s	12%	15%	28%NOST U	17% s	10%	15%	12%	
(4)	120	109	7	4	11	13	10	15	4	11	23	11	9	72	55	18	48	6	10	7	17	8	
	6%	6%	4%	4%	5%	8%	6%	10%bK	4%	6%	9%bK	4%	5%	6%	6%	7%	5%	7%	5%	5%	5%	6%	
(3)	122	111	8	6	13	10	10	12	4	13	15	22	10	85	69	16	37	3	10	4	15	5	
	6%	6%	5%	7%	5%	6%	6%	8%	3%	6%	5%	8%	6%	7%P	8%st	7%	4%	4%	5%	3%	4%	4%	
(2)	105	93	5	3	19	9	8	9	7	10	12	15	8	71	51	19	35	4	6	1	19	4	
	5%	5%	3%	3%	8%b	5%	4%	6%	7%	5%	4%	5%	5%	6%p	6% s	8%rSu	4%	5%	3%	1%	6% S	3%	
(1)	99	84	9	3	12	10	5	7	6	13	12	11	10	59	46	13	40	2	7	9	14	8	
	5%	5%	5%	3%	5%	6%	3%	5%	5%	7%	4%	4%	6%	5%	5%	5%	4%	2%	3%	7%	4%	6%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 40

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with no additional support
Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
Very uncomfortable	(0) 200 10%	178 10%	16 9%	4 5%	23 10%	26 15%CF	13 7%	12 8%	6 5%	24 12%h	25 9%	30 11%	20 11%	98 8%	71 8%	26 11%	102 11%M	6 8%	25 13%n	19 14%N	34 10%	18 14%N
NET: 6-10	802 39%	675 38%	88 49% hijk	37 43% ADEF	83 35%	63 36%	65 35%	60 40%	39 37%	77 38%	99 37%	116 40%	75 42%	446 38%	362 39%	83 34%	356 40%	26 31%	78 40%	52 39%	148 43%O	52 39%
NET: 0-4	646 31%	574 32%b	46 26%	20 23%	78 33%	69 39%BCF	47 25%	56 37%bcfh	26 25%	71 36%bcfh	87 32%	90 31%	58 32%	385 33%	293 32%	92 38%nT	261 29%	22 26%	57 29%	40 30%	99 29%	44 33%
I would not be willing to do this	294 14%	261 15%b	16 9%	17 20%B	37 16%b	20 12%	40 22%BEGI	17 11%	17 16%	25 13%	43 16%b	38 13%	23 13%	157 13%	119 13%	37 15%	137 15%	12 15%	25 13%	30 22%NrT	47 14%	22 17%
Mean	5.16	5.08	5.70ADE IJK	5.85dEI j	4.91	4.72	5.48e	5.11	5.45	4.85	5.01	5.10	5.28	5.10	5.17	4.85	5.24	5.10	5.26	5.08	5.33o	5.17
Standard deviation	3.09	3.09	3.16	2.92	3.05	3.28	3.02	3.00	2.96	3.15	2.90	3.07	3.32	3.01	2.96	3.19	3.20	2.76	3.23	3.42	3.11	3.51
Standard error	0.07	0.08	0.25	0.35	0.24	0.24	0.27	0.26	0.29	0.22	0.19	0.19	0.28	0.10	0.11	0.19	0.11	0.37	0.27	0.33	0.16	0.32

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 41

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with no additional support
Base: All respondents

	Total	Do you have any children aged 18 or under? If so, how old are they?								Marital Status								Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
		No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Wid-owed/separated/divorced (n)	Wid-owed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Very comfortable	(10) 211	151	60	51	56	18	26	35	20	38	126	99	4	23	47	13	6	28	88	36	57	35	7	118	138	73
	10%	10%	12%	12%	14%Abc	10%	11%	18%ABC	19%ABce	6%	11%l	12%l	43%	9%	16%Jk	17%lm	22%	15%lm	19%w	21%w	18%w	22%w	32%	8%	12%y	9%
(9)	74	46	28	25	20	12	14	9	7	13	56	41	-	14	5	4	-	2	20	7	12	7	-	54	46	28
	4%	3%	6%A	6%A	5%a	7%A	6%A	5%	7%a	2%	5%INQ	5%INQ	-	6%INQ	2%	5%NQ	-	1%	4%	4%	4%	4%	-	4%	4%	3%
(8)	158	120	37	29	30	12	13	12	11	37	99	77	-	22	22	10	3	8	31	13	23	12	2	125	109	49
	8%	8%	8%c	8%c	8%	7%	6%	7%	10%	6%	9%iq	9%iq	-	8%	7%Q	13%INQ	13%	4%	7%	7%	8%	11%	8%	8%	9%Y	6%
(7)	171	133	38	36	28	19	18	13	3	48	99	73	1	25	22	8	1	13	32	13	19	8	1	137	110	61
	8%	9%h	8%H	8%H	7%H	11%H	8%	7%	3%	8%	9%	9%	11%	9%	8%	11%	6%	7%	8%	8%	6%	5%	6%	9%	9%	7%
(6)	188	132	56	52	44	23	28	25	7	58	104	88	-	17	24	2	-	21	46	12	33	11	2	142	119	67
	9%	9%	11%h	12%A	11%h	13%a	12%	13%ah	6%	9%o	9%o	10%jO	-	7%	8%O	3%	-	11%NO	10%	7%	11%	7%	8%	9%	10%	8%
(5)	312	240	67	59	52	20	29	25	10	114	152	121	1	30	45	14	6	25	61	16	41	27	3	241	187	119
	15%	15%	14%	14%	13%	11%	13%	13%	10%	18%JkM	14%	14%	13%	11%	15%	18%	23%	13%	13% _s	9%	13%	17% _{rS}	11%	16% _S	16%	14%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 41

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with no additional support
Base: All respondents

	Total	Do you have any children aged 18 or under? If so, how old are they?								Marital Status								Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
		No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/co habiting (l)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)	
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824	
(4)	120 6%	90 6%	31 6%	24 6%	26 6%g	9 5%	15 7%	8 4%	8 8%	43 7%No	67 6%Kn	42 5%	-	25 9%JKNO	9 3%	1 2%	-	7 4%	25 5%	12 7%	17 5%	7 5%	-	93 6%	75 6%	42 5%	
(3)	122 6%	95 6%g	27 6%G	21 5%g	22 6%G	15 8%CG	11 5%	5 3%	8 8%G	47 8%	60 5%	46 5%	-	14 5%	16 5%	2 3%	2 9%	11 6%	20 4%T	12 7%T	7 2%	5 4%	*	102 7%rT	61 5%	58 7%	
(2)	105 5%	83 5%	22 5%	20 5%	20 5%	5 3%	11 5%	9 5%	7 6%	36 6%	59 5%	47 6%	-	11 4%	10 3%	2 2%	1 4%	7 4%	26 6%	8 4%	17 5%	9 6%	3 13%	75 5%	54 4%	50 6%	
(1)	99 5%	64 4%	33 7%A	29 7%a	29 7%A	11 7%	19 8%A	10 5%	7 7%	27 4%	57 5%	44 5%	-	13 5%	12 4%	3 4%	*	9 5%	16 3%u	4 2%	10 3%	1 1%	1 6%	78 5%U	44 4%	51 6%X	
Very uncomfortable	(0)	200 10%	165 11%BCdf	34 7%	29 7%	28 7%	11 6%	14 6%	16 8%	12 11%cd	60 10%	102 9%	74 9%	1 11%	27 11%	37 12%k	7 9%	1 3%	29 15%jK	46 10%	21 12%	33 11%	14 9%	2 7%	150 10%	104 9%	92 11%
NET: 6-10	802 39%	582 37%	219 45%A	194 45%A	178 45%A	83 48%A	98 43%	94 49%A	47 45%	194 31%	483 43%l	378 44%l	5 55%	100 39%i	121 41%l	38 48%l	11 41%	72 38%	218 46%W	82 47%W	144 46%W	72 46%w	13 56%	575 37%	522 44%Y	277 34%	
NET: 0-4	646 31%	497 32%g	147 30%g	124 29%	124 31%G	51 29%	71 31%	48 25%	42 40%BCd	213 34%O	345 31%O	253 30%o	1 11%	91 35%O	83 28%O	16 20%	5 17%	63 33%NO	133 28%	56 32%u	84 27%	37 24%	6 27%	498 32%tu	338 28%	292 35%X	

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 41

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with no additional support
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
I would not be willing to do this	294 14%	237 15%bdH	57 12%h	54 12%h	44 11%h	21 12%	27 12%	24 13%h	7 6%	101 16%k	144 13%	104 12%	2 21%	38 15%	45 15%	12 15%	5 18%	29 15%	61 13%	22 12%	42 14%	19 13%	1 5%	226 15%	150 13%	135 16%X
Mean	5.16	5.06	5.47A	5.48A	5.47a	5.52	5.34	5.80A	5.42	4.71	5.36I	5.41I	7.31	5.12	5.36IQ	6.04Ij MNQ	6.36	4.94	5.70W	5.70W	5.69W	6.05W	6.16	5.01	5.46Y	4.77
Standard deviation	3.09	3.09	3.09	3.07	3.15	2.98	3.07	3.26	3.53	2.84	3.13	3.11	3.86	3.16	3.37	3.24	3.03	3.41	3.32	3.47	3.34	3.28	3.60	3.00	3.03	3.14
Standard error	0.07	0.08	0.15	0.16	0.17	0.26	0.23	0.26	0.36	0.13	0.10	0.11	1.57	0.22	0.20	0.36	0.62	0.25	0.16	0.28	0.20	0.27	0.75	0.08	0.09	0.12

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 42

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with doctor or nurse supervision the first few times

Base: All respondents

	Total	Gender		Age						Social Grade				Employment Sector	
		Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
Very comfortable	(10) 368 18%	166 17%	202 19%	28 12%	66 18%	52 16%	71 19% ^c	66 22% ^{Ce}	85 19% ^c	91 16%	92 17%	74 17%	111 22% ^{ljk}	41 15%	144 16%
(9)	185 9%	86 9%	100 9%	24 10%	21 6%	22 7%	38 10% ^d	32 11% ^{de}	48 10% ^{de}	51 9%	41 7%	47 10%	46 9%	23 9%	83 9%
(8)	304 15%	160 16%	144 14%	35 15%	62 17%	49 14%	46 12%	44 15%	70 15%	80 15%	77 14%	74 17%	73 14%	37 14%	144 16%
(7)	239 12%	116 12%	122 12%	28 12%	43 12%	55 16% ^{FGH}	32 9%	29 10%	52 11%	59 11%	77 14% ^l	54 12%	49 10%	28 11%	115 13%
(6)	149 7%	65 7%	84 8%	35 14% ^{DFGH}	11 3%	32 9% ^D	25 7% ^d	19 6% ^d	29 6% ^d	38 7%	41 7%	39 9%	31 6%	18 7%	67 8%
(5)	219 11%	122 12% ^b	97 9%	21 9%	46 13% ^g	38 11%	42 12%	24 8%	47 10%	62 11%	57 10%	49 11%	51 10%	36 13%	95 11%
(4)	60 3%	27 3%	33 3%	5 2%	10 3%	12 4%	12 3%	5 2%	16 3%	15 3%	26 5% ^{iKl}	8 2%	12 2%	9 3%	27 3%
(3)	74 4%	37 4%	37 4%	14 6%	14 4%	8 2%	15 4%	8 3%	15 3%	19 3%	28 5%	13 3%	14 3%	11 4%	40 5%
(2)	57 3%	37 4% ^B	19 2%	3 1%	6 2%	13 4%	9 2%	12 4%	13 3%	24 4% ^{jl}	12 2%	11 2%	10 2%	13 5% ⁿ	23 3%
(1)	60 3%	28 3%	32 3%	4 2%	18 5% ^{Gh}	9 3%	16 4% ^G	3 1%	11 2%	15 3% ^k	25 5% ^K	4 1%	16 3% ^k	13 5%	28 3%
Very uncomfortable	(0) 110 5%	54 5%	56 5%	16 7%	14 4%	14 4%	18 5%	19 7%	28 6%	33 6% ^{ej}	20 4%	28 6%	29 6%	13 5%	36 4%
NET: 6-10	1245 61%	593 59%	652 62%	149 62%	203 57%	210 62%	211 58%	189 64%	284 62%	319 58%	328 59%	289 64% ^l	309 62%	147 55%	553 62% ^m

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Prepared by ComRes

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 42

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with doctor or nurse supervision the first few times

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: 0-4	361	183	178	43	62	56	69	48	83	107	110	64	80	59	155
	18%	18%	17%	18%	18%	17%	19%	16%	18%	19%k	20%k	14%	16%	22%	17%
I would not be willing to do this	228	102	126	25	45	33	44	35	47	65	57	46	60	27	92
	11%	10%	12%	11%	13%	10%	12%	12%	10%	12%	10%	10%	12%	10%	10%
Mean	6.62	6.51	6.72	6.35	6.59	6.53	6.59	6.90	6.68	6.44	6.48	6.76	6.83i	6.22	6.63m
Standard deviation	2.94	2.94	2.95	2.83	2.95	2.75	3.04	3.05	2.99	3.03	2.86	2.84	3.03	3.02	2.82
Standard error	0.07	0.09	0.10	0.25	0.19	0.16	0.16	0.17	0.13	0.12	0.13	0.17	0.14	0.20	0.10

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 43

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with doctor or nurse supervision the first few times
Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humber (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East of London (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
Very comfortable	(10) 368 18%	304 17%	47 26% AeGh IJ	15 18% j	44 19% J	31 18% J	34 19% J	21 14%	17 16% j	27 14%	25 9%	60 21% J	45 25% GIJ	185 16%	135 15%	50 21% N	183 21% M	19 23% N	45 23% N	20 15%	65 19% n	34 25% Ns
(9)	185 9%	162 9%	12 7%	4 5%	28 12% j	13 8%	18 10% j	18 12% j	10 10% j	17 9%	29 11% j	22 8%	13 7%	106 9%	90 10% j	15 6%	79 9%	4 5%	11 6%	12 9%	38 11% or	15 11%
(8)	304 15%	264 15%	25 14%	20 23% DeKl	29 12% j	23 13% j	35 19% K	31 20% dK	15 14%	34 17% K	43 16% K	26 9%	23 13%	180 16%	146 16% j	35 14%	124 14%	7 8%	27 14%	20 14%	56 16% j	14 10%
(7)	239 12%	202 11%	23 13%	13 15%	21 9%	16 9%	19 10% j	18 12% j	14 13%	23 11% j	36 13% j	33 11% j	23 13% j	144 12%	119 13% j	25 10% j	95 11% j	7 9%	20 10% j	15 11% j	38 11% j	15 11% j
(6)	149 7%	138 8%	8 5%	5 6%	28 12% BGHkl 9%gh	16 9% gh	17 9% g	5 4%	3 3%	15 8%	24 9% gh	17 6%	10 6%	85 7%	65 7% j	20 8% j	64 7% j	9 11% j	19 10% j	7 5% j	23 7% j	6 4% j
(5)	219 11%	182 10%	25 14% f	11 13% f	21 9% j	16 9% j	14 8% j	15 10% j	11 11% j	18 9% j	34 12% j	37 13% j	16 9% j	131 11% j	102 11% U	28 12% U	88 10% j	16 20% nstU	20 11% u	13 9% j	34 10% u	6 4% j
(4)	60 3%	50 3%	5 3%	1 1%	5 2% j	7 4% j	5 3% j	2 2% j	6 5% l	10 5% l	9 3% j	9 3% j	2 1% j	36 3% j	31 3% u	5 2% j	24 3% j	2 2% j	5 3% j	7 6% U	9 3% j	1 * j
(3)	74 4%	62 4%	8 5% d	2 2% j	3 1% j	9 5% D	3 2% D	9 6% D	4 4% j	7 3% j	10 4% j	14 5% D	6 3% j	51 4% p	44 5% j	7 3% j	23 3% j	- 3% j	6 3% j	4 3% j	11 3% j	3 2% j
(2)	57 3%	50 3%	4 2% j	- 2% j	8 3% c	8 4% c	4 2% j	5 3% j	2 2% j	5 3% j	8 3% j	10 3% j	3 2% j	36 3% j	29 3% j	7 3% j	21 2% j	3 3% j	2 1% j	3 2% j	10 3% j	3 2% j
(1)	60 3%	53 3%	1 1% j	2 2% j	6 3% j	7 4% b	3 1% j	5 3% j	6 5% Bf	6 3% j	6 2% j	10 3% j	8 4% b	41 4% j	33 4% j	9 4% j	19 2% j	2 2% j	4 2% j	5 4% j	6 2% j	3 2% j

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 43

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with doctor or nurse supervision the first few times

Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
Very uncomfortable	(0) 110 5%	101 6%	8 4%	3 4%	15 6%	14 8% ^H	7 4%	5 4%	2 2%	15 8% ^h	12 4%	16 6%	13 7% ^h	49 4%	37 4%	12 5%	61 7% ^M	3 3%	12 6%	11 8% ⁿ	20 6%	15 11% ^{NOT}
NET: 6-10	1245 61%	1070 60%	116 65% ^k	57 66%	149 63%	99 57%	123 67% ^{eK}	94 62%	59 57%	117 59%	158 58%	158 55%	114 63%	700 60%	556 60%	144 59%	546 61%	46 56%	123 63%	73 54%	219 63% ^s	84 62%
NET: 0-4	361 18%	316 18%	26 15%	8 9%	36 15%	45 26% ^{BCDF}	22 12%	27 17%	19 18%	43 22% ^{CF}	45 17%	57 20% ^{cf}	33 18%	214 18%	174 19%	39 16%	148 17%	9 11%	29 15%	31 23% ^q	56 16%	23 17%
I would not be willing to do this	228 11%	202 11% ^b	11 6%	10 11%	29 12% ^b	14 8%	25 14% ^b	17 11%	15 14% ^b	22 11%	34 12% ^b	35 12% ^b	18 10%	118 10%	88 10%	31 13%	110 12%	11 13%	22 11%	18 14%	37 11%	22 16% ^N
Mean	6.62	6.57	7.01 ^{aEI}	7.03 ^e	6.71	6.11	7.09 ^{EIJ}	6.70	6.67	6.30	6.41	6.46	6.72	6.54	6.51	6.66	6.72	6.75	6.83	6.22	6.80	6.85
Standard deviation	2.94	2.96	2.80	2.55	3.02	3.23	2.67	2.84	2.83	3.04	2.69	3.09	3.21	2.87	2.84	2.97	3.04	2.77	2.94	3.18	2.94	3.46
Standard error	0.07	0.08	0.22	0.30	0.23	0.24	0.23	0.24	0.28	0.21	0.17	0.19	0.27	0.09	0.11	0.17	0.11	0.37	0.25	0.30	0.15	0.32

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 44

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with doctor or nurse supervision the first few times
Base: All respondents

	Total	Do you have any children aged 18 or under? If so, how old are they?								Marital Status								Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
		No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 18 (d)	Any aged 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/co habiting (l)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Wid-owed/separated/divorced (n)	Wid-owed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)	
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822	
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824	
Very comfortable	(10)	368 18%	262 17%	106 22%A	94 22%A	90 23%A	36 21%	49 22%	53 28%ABC	28 27%A	76 12%	218 19%I	165 19%I	4 54%	49 19%I	74 25%IJK	23 30%JK	10 37%	41 22%I	134 28%W	59 33%rW	90 29%W	48 31%W	11 48%	231 15%	247 21%Y	121 15%
	(9)	185 9%	138 9%	47 10%	43 10%	41 10%	13 7%	24 11%	22 11%	10 9%	52 8%	108 10%	85 10%	2 21%	21 8%	24 8%	10 12%q	3 11%	12 6%	41 9%	16 9%	22 7%	17 11%	1 3%	143 9%	131 11%Y	54 7%
	(8)	304 15%	245 16%bCD	58 12%f	48 11%	43 11%	26 15%f	20 9%	17 9%	14 13%	102 16%q	165 15%	126 15%	-	39 15%	36 12%	10 13%	6 23%	20 10%	63 13%	23 13%	47 15%	22 14%	3 14%	238 15%	202 17%Y	101 12%
	(7)	239 12%	171 11%	67 14%D	62 14%aD	47 12%	29 16%a	27 12%	21 9%	9 11%	77 12%	132 12%	108 13%	-	24 9%	27 9%	7 9%	1 4%	19 10%	49 10%S	12 7%	29 9%	15 10%	2 7%	184 12%S	124 10%	112 14%x
	(6)	149 7%	123 8%cg	26 5%	21 5%	23 6%	10 6%	11 5%	7 4%	8 7%	54 9%k	75 7%K	49 6%	-	27 10%JK	19 7%	4 5%	1 2%	14 8%	33 7%T	14 8%	15 5%	7 4%	2 8%	112 7%	87 7%	59 7%
	(5)	219 11%	162 10%	51 11%	43 10%	44 11%	14 8%	31 14%Ce	18 9%	12 12%	84 14%JKM	104 9%	83 10%	1 13%	20 8%	30 10%	7 9%	1 3%	22 12%	41 9%	15 9%	24 8%	18 11%	4 4%	168 11%	122 10%	91 11%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 44

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with doctor or nurse supervision the first few times
Base: All respondents

	Total	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
		No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Wid-owed/separated/divorced (n)	Wid-owed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
(4)	60 3%	50 3%	10 2%	10 2%	8 2%	3 2%	5 2%	3 2%	2 2%	16 3%	36 3%	26 3%	-	10 4%	9 3%	1 1%	-	8 4%	11 2%	2 1%	8 3%	2 2%	1 5%	49 3%	29 2%	31 4%
(3)	74 4%	54 3%	20 4%	16 4%	17 4%g	9 5%	10 4%	4 2%	5 4%	26 4%	39 3%	31 4%	1 11%	8 3%	7 2%	2 2%	-	6 3%	10 2%u	3 2%	8 2%	* *	-	63 4%rU	39 3%	32 4%
(2)	57 3%	40 3%	17 3%	16 4%	15 4%	7 4%	7 3%	8 4%	6 5%	13 2%	36 3%	27 3%	-	9 4%	6 2%	-	-	6 3%	7 2%	2 1%	4 1%	3 2%	-	48 3%rt	28 2%	28 3%
(1)	60 3%	41 3%	19 4%	18 4%	17 4%h	8 5%	11 5%	8 4%	1 4%	17 3%	36 3%	25 3%	-	11 4%	6 3%	3 2%	* 2%	3 2%	10 2%	3 2%	9 3%	3 2%	-	49 3%	22 2%	33 4%X
Very uncomfortable	(0)	110 5%	93 6%bcde	17 4%	15 3%	14 3%	4 2%	7 3%	8 4%	7 6%	59 5%	45 5%	-	15 6%	21 7%	5 6%	1 3%	16 8%i	27 6%	10 6%	23 7%Ru	5 3%	1 4%	81 5%	52 4%	57 7%X
NET: 6-10	1245 61%	939 60%	305 62%	267 62%	244 61%	113 65%	131 58%	120 63%	69 65%	361 58%	698 62%	533 62%	6 76%	159 61%	180 61%Q	54 69%inq	20 77%	106 56%	319 67%W	125 71%W	203 65%w	108 69%W	19 81%	908 59%	791 66%Y	446 54%
NET: 0-4	361 18%	277 18%	83 17%	75 17%	71 18%	30 17%	40 18%	32 17%	20 19%	101 16%	207 18%	154 18%	1 11%	52 20%	49 17%	9 12%	1 4%	39 20%N	65 14%U	20 11%	51 16%RsU	14 9%	2 10%	290 19%RSU	170 14%	181 22%X

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 44

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with doctor or nurse supervision the first few times

Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?					
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
I would not be willing to do this	228 11%	178 11%h	50 10%h	47 11%h	39 10%h	18 10%	24 11%	22 11%h	5 5%	76 12%	116 10%	87 10%	-	28 11%	35 12%	8 10%	4 16%	23 12%	48 10%	17 9%	33 11%	16 10%	1 5%	174 11%	114 10%	106 13%X
Mean	6.62	6.57	6.80	6.80	6.77	6.82	6.70	7.04a	6.81	6.43	6.68	6.71	8.35	6.51	6.84iQ	7.35lj kmnQ	8.41	6.41	7.17W	7.45W	7.04W	7.57rt W	8.09	6.46	7.00Y	6.12
Standard deviation	2.94	2.95	2.93	2.96	2.99	2.85	2.99	3.10	3.10	2.76	2.99	2.97	2.67	3.07	3.13	3.02	2.33	3.19	2.96	2.93	3.18	2.69	2.63	2.92	2.79	3.07
Standard error	0.07	0.08	0.14	0.16	0.16	0.24	0.22	0.24	0.31	0.13	0.09	0.10	1.01	0.21	0.18	0.33	0.47	0.23	0.14	0.23	0.18	0.22	0.55	0.08	0.08	0.11

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 45

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with phone support available from a nurse

Base: All respondents

	Total	Gender		Age						Social Grade				Employment Sector	
		Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
Very comfortable	(10) 273 13%	128 13%	144 14%	12 5%	48 13% ^C	37 11% ^c	63 17% ^{CE}	52 18% ^{CE}	12 13% ^C	61 11%	68 12%	62 14%	82 16% ^l	31 12%	105 12%
(9)	128 6%	61 6%	67 6%	14 6%	23 6%	19 6%	23 6%	14 5%	36 8% ^g	36 6%	29 5%	35 8%	28 6%	14 5%	62 7%
(8)	233 11%	115 12%	118 11%	38 16% ^{dEF}	32 9%	29 9%	32 9%	42 14% ^{dEF}	61 13% ^{eF}	65 12%	64 12%	44 10%	60 12%	20 8%	104 12%
(7)	208 10%	96 10%	111 11%	23 9%	39 11%	40 12%	31 9%	33 11%	42 9%	54 10%	59 11%	52 12%	42 8%	29 11%	100 11%
(6)	165 8%	81 8%	84 8%	26 11%	29 8%	24 7%	29 8%	21 7%	36 8%	46 8%	46 8%	36 8%	37 7%	19 7%	81 9%
(5)	280 14%	145 15%	135 13%	40 17%	56 16%	53 16%	45 12%	33 11%	54 12%	74 13%	73 13%	62 14%	72 14%	32 12%	118 13%
(4)	95 5%	52 5%	43 4%	10 4%	21 6%	17 5%	17 5%	11 4%	20 4%	31 6% ^l	29 5%	19 4%	16 3%	24 9% ^N	39 4%
(3)	114 6%	60 6%	54 5%	15 6%	18 5%	23 7% ^g	19 5%	10 4%	29 6%	36 6% ^l	39 7% ^L	21 5%	18 4%	19 7%	57 6%
(2)	94 5%	55 6% ^b	39 4%	7 3%	11 3%	26 8% ^{cDGh}	21 6%	10 3%	19 4%	23 4%	27 5%	20 5%	24 5%	21 8%	46 5%
(1)	81 4%	32 3%	49 5%	12 5%	17 5%	10 3%	19 5% ^h	10 3%	12 3%	21 4%	26 5%	11 2%	22 4%	17 6%	32 4%
Very uncomfortable	(0) 138 7%	63 6%	75 7%	17 7%	17 5%	23 7%	24 6%	22 7%	35 8%	38 7%	31 6%	35 8%	33 7%	16 6%	52 6%
NET: 6-10	1008 49%	483 48%	525 50%	112 47%	171 48%	149 44%	177 48%	162 55% ^E	237 51% ^e	261 47%	267 48%	229 51%	249 50%	113 42%	453 51% ^M

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Prepared by ComRes

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 45

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with phone support available from a nurse

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: 0-4	522	262	260	62	85	99	99	63	115	150	152	107	113	97	226
	25%	26%	25%	26%	24%	29%G	27%g	21%	25%	27%	28%	24%	23%	36%N	25%
I would not be willing to do this	244	110	133	25	45	37	45	38	54	68	60	50	66	26	98
	12%	11%	13%	11%	13%	11%	12%	13%	12%	12%	11%	11%	13%	10%	11%
Mean	5.85	5.82	5.88	5.49	5.93	5.52	5.87	6.23CE	5.97e	5.72	5.75	5.95	6.03	5.33	5.87M
Standard deviation	3.05	2.99	3.10	2.82	2.93	2.98	3.21	3.12	3.09	3.01	2.99	3.06	3.14	3.06	2.95
Standard error	0.07	0.10	0.11	0.24	0.19	0.17	0.17	0.18	0.14	0.12	0.13	0.18	0.15	0.20	0.11

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 46

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with phone support available from a nurse
Base: All respondents

	Region												Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
Very comfortable	(10) 273 13%	221 13%	39 22% fghJ	10 AcDE 12%	25 11%	23 13% J	24 13% j	20 13% j	13 12%	23 12% j	18 7%	44 15% J	35 19% DiJ	136 12%	102 11%	35 14%	136 15% M	15 18%	30 15%	17 13%	45 13%	30 22% NosT
(9)	128 6%	102 6%	18 10% AIKI	7 8%	14 6%	12 7%	11 6%	10 7%	8 7%	8 4%	20 7%	12 4%	8 4%	76 7%	60 7% S	16 7% S	52 6%	1 1%	12 6% s	2 1%	31 9% qS	6 5%
(8)	233 11%	198 11%	20 11%	12 14%	24 10%	16 9%	31 17% eijk	22 15% k	15 14%	19 9%	27 10%	24 8%	25 14%	125 11%	102 11%	23 9%	109 12%	4 5%	29 15% q	18 13%	46 13% q	11 8%
(7)	208 10%	186 10%	14 8%	11 13%	34 15% bhk	17 10%	16 9%	15 10%	7 7%	21 11%	31 11%	25 9%	15 8%	129 11%	107 12%	22 9%	79 9%	4 5%	13 7%	11 8%	35 10%	15 11%
(6)	165 8%	149 8% b	8 4%	4 5%	18 8%	19 11% Bf	9 5%	12 8%	8 8%	18 9%	35 13% BcFK	20 7%	16 9%	100 9%	79 9%	21 9%	66 7%	8 10%	17 9%	8 6%	27 8%	6 5%
(5)	280 14%	240 14%	25 14%	14 16%	32 14%	15 9%	19 10%	19 12%	15 14%	29 15%	46 17% E	44 15% e	21 12%	150 13%	121 13%	29 12%	130 15%	27 33% NORS TU	31 16%	15 11%	42 12%	16 12%
(4)	95 5%	84 5%	7 4%	3 4%	11 5%	9 5%	15 8% g	3 2%	5 5%	11 5%	14 5%	12 4%	6 3%	63 5% p	53 6%	11 4%	32 4%	3 4%	5 2%	7 5%	14 4%	3 2%
(3)	114 6%	95 5%	11 6%	6 7%	9 4%	12 7% j	10 5%	8 5%	8 7% j	13 7% j	8 3%	21 7% J	9 5%	76 7% p	65 7% U	12 5%	38 4%	1 1%	6 3%	6 5%	22 6% u	2 2%
(2)	94 5%	87 5%	4 2%	3 3%	12 5%	10 6% j	6 3%	13 9% BfJ	4 3%	9 4%	7 3%	19 7% bj	9 5%	67 6% P	52 6% rt	15 6% RT	27 3%	3 3%	3 1%	8 6% r	10 3%	4 3%
(1)	81 4%	68 4%	10 5% F	4 4%	12 5% f	7 4% f	2 1%	6 4%	3 3%	9 4% f	11 4% f	12 4% f	5 3%	49 4%	38 4%	11 5%	32 4%	2 3%	11 5% t	7 5%	8 2%	4 3%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 46

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with phone support available from a nurse
Base: All respondents

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
Very uncomfortable	(0) 138	125	10	2	18	19	10	7	3	17	18	19	15	67	50	18	71	3	15	14	25	13
	7%	7%	6%	2%	8%	11%bCgH	6%	5%	3%	8%	7%	6%	8%	6%	5%	7%	8% ^m	3%	8%	10% ^N	7%	10% ⁿ
NET: 6-10	1008	857	100	45	115	86	91	78	51	89	130	124	99	566	450	116	442	32	100	56	184	69
	49%	48%	56% ^{aik}	52%	49%	50%	49%	51%	49%	45%	48%	43%	55% ^K	49%	49%	48%	50%	39%	52%	41%	53% ^{qS}	51%
NET: 0-4	522	458	41	17	63	57	43	37	23	58	58	83	43	323	257	66	199	11	39	42	79	27
	25%	26%	23%	20%	27%	33% ^{bcfh}	23%	25%	22%	29% ^j	21%	29% ^j	24%	28% ^P	28% ^{Qrt}	27% ^q	22%	14%	20%	31% ^{Qrtu}	23%	20%
I would not be willing to do this	244	216	12	10	26	16	31	18	16	23	37	37	18	124	92	31	120	11	24	22	41	22
	12%	12% ^b	7%	12%	11%	9%	17% ^{Be}	12%	15% ^B	12%	14% ^B	13% ^b	10%	11%	10%	13%	13% ^m	13%	12%	17% ^N	12%	17% ^N
Mean	5.85	5.77	6.41 ^{ADE}	6.24	5.64	5.47	6.22 ^{ei}	5.97	6.15	5.48	5.70	5.61	6.11	5.74	5.74	5.75	6.00	6.02	6.06	5.31	6.12 ^{nS}	6.26 ^s
Standard deviation	3.05	3.04	3.18	2.74	3.04	3.28	2.92	3.03	2.82	3.06	2.77	3.13	3.21	2.98	2.93	3.18	3.13	2.72	3.14	3.31	3.02	3.40
Standard error	0.07	0.08	0.25	0.32	0.23	0.24	0.26	0.26	0.28	0.22	0.18	0.19	0.27	0.10	0.11	0.19	0.11	0.36	0.26	0.31	0.15	0.31

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 47

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with phone support available from a nurse
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Very comfortable	(10) 273	190	83	72	72	24	34	41	26	51	168	126	5	37	53	16	7	30	113	48	80	41	11	156	176	97
	13%	12%	17%A	17%A	18%A	14%	15%	22% _{ef}	25% _{ABC}	8%	15% _l	15% _l	57%	14% _l	18% _l	21% _l	25%	16% _l	24% _W	27% _W	26% _W	26% _W	48%	10%	15% _y	12%
(9)	128	100	28	28	22	12	18	10	4	31	69	51	-	18	28	9	6	14	32	15	19	14	1	94	85	42
	6%	6%	6%	7%	6%	7%	8% _d	5%	4%	5%	6%	6%	-	7%	10% _{ljk}	11% _{ljk}	22%	7%	7%	9%	6%	9%	3%	6%	7%	5%
(8)	233	173	61	50	46	26	23	23	13	64	138	114	1	23	32	17	3	12	54	18	33	18	1	177	170	63
	11%	11%	12%	12%	12%	15%	10%	12%	12%	10%	12% _Q	13% _{jQ}	8%	9%	11% _Q	21% _{Jk}	12%	6%	11%	10%	11%	11%	4%	11%	14% _Y	8%
(7)	208	163	44	42	33	19	20	15	6	69	119	90	1	28	18	2	2	13	44	13	28	13	2	163	121	86
	10%	10%	9%	10%	8%	11%	9%	8%	6%	11% _{NO}	11% _{NO}	10% _{NO}	11%	11% _{nO}	6%	3%	9%	7%	9%	7%	9%	8%	6%	11%	10%	10%
(6)	165	127	38	34	32	10	19	11	5	53	94	67	-	27	17	4	-	13	30	10	20	11	2	133	101	62
	8%	8%	8%	8%	8%	6%	9%	6%	5%	9%	8%	8%	-	10% _n	6%	6%	-	7%	6%	6%	6%	7%	7%	9%	8%	6%
(5)	280	215	59	49	54	16	33	22	15	113	127	101	1	26	36	5	1	29	59	26	38	19	3	209	155	119
	14%	14%	12%	11%	14% _{bc}	9%	15% _{ce}	11%	14%	18% _{JkM}	11%	12%	13%	10%	12% _o	7%	5%	16% _{No}	13%	15%	12%	12%	12%	14%	13%	14%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Prepared by ComRes



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 47

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with phone support available from a nurse

Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status								Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?			
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/co habiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
(4)	95 5%	67 4%	29 6%G	26 6%G	20 5%g	17 10%ABCD	16 7%cdG	5 3%	3 3%	24 4%	59 5%	44 5%	1 11%	14 5%	13 4%	3 4%	2 7%	8 4%	9 2% s	1 *	7 2%	2 1%	-	85 5%RSTu	45 4%	48 6% x
(3)	114 6%	95 6%bCfG	19 4%CG	12 3%	15 4%G	8 5%	6 3%	3 1%	7 7% cG	44 7% MnO	57 5% mO	51 6% JmO	-	6 2%	11 4% o	-	-	11 6% NO	11 2%	4 2%	6 2%	3 2%	*	99 6% RSTU	65 5%	48 6%
(2)	94 5%	68 4%	26 5%e	24 6%E	25 6%be	4 2%	13 6%e	14 7%e	8 7%e	28 4%	58 5% K	35 4%	-	23 9% IJKN	9 3%	2 3%	-	7 4%	22 5% t	7 4%	10 3%	9 6%	1 4%	71 5%	55 5%	36 4%
(1)	81 4%	52 3%	27 6%a	25 6%a	21 5%	14 8% A	11 5%	11 6%	5 5%	28 5%	39 3%	29 3%	-	10 4%	13 4%	4 5%	*	9 5%	15 3% T	6 3%	6 2%	3 2%	1 3%	64 4% t	36 3%	40 5% x
Very uncomfortable	(0)	138 7%	112 7%	25 5%	22 5%	20 5%	7 4%	9 4%	14 7% df	8 8%	38 6%	57 7%	-	16 6%	27 9%	7 9%	1 3%	19 10% i	33 7% u	13 7%	29 9% RU	6 4%	1 4%	103 7%	68 6%	68 8% X
NET: 6-10	1008 49%	753 48%	254 52%	226 52%	205 51%	91 52%	114 50%	100 52%	55 52%	269 43%	588 52% IQ	448 52% IQ	6 76%	134 52% i	148 50% iQ	48 61% iNQ	18 68%	82 43%	274 58% W	104 59% W	180 58% W	97 62% W	16 70%	723 47%	653 55% Y	351 43%
NET: 0-4	522 25%	395 25%	126 26%	109 25%	100 25%	51 29%	55 24%	47 25%	31 29%	162 26%	285 25%	216 25%	1 11%	68 26%	73 25%	16 20%	3 11%	54 29% n	89 19%	30 17%	57 18%	22 14%	3 13%	422 27% RST	268 22%	239 29% X

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Prepared by ComRes



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 47

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving an injection after receiving training and with phone support available from a nurse
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
I would not be willing to do this	244	193	51	48	40	18	24	22	5	79	124	92	-	32	38	9	4	24	51	16	36	18	1	187	121	115
	12%	12%H	10%H	11%h	10%H	10%	11%	12%H	5%	13%	11%	11%	-	12%	13%	12%	16%	13%	11%	9%	12%	11%	5%	12%	10%	14%X
Mean	5.85	5.80	6.04	6.06	6.05	6.00	6.06	6.12	6.06	5.49	6.00i	6.01i	8.18	5.88	6.09iQ	6.66ij kmnQ	7.88	5.61	6.55W	6.69W	6.58W	6.99W	7.51	5.65	6.16Y	5.46
Standard deviation	3.05	3.03	3.11	3.11	3.11	3.04	2.96	3.39	3.39	2.85	3.06	3.05	2.46	3.11	3.35	3.38	2.59	3.33	3.21	3.27	3.30	2.96	3.21	2.97	2.97	3.10
Standard error	0.07	0.08	0.15	0.16	0.17	0.26	0.22	0.27	0.34	0.13	0.10	0.11	0.93	0.21	0.19	0.37	0.52	0.24	0.15	0.26	0.19	0.25	0.67	0.08	0.09	0.12

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 48

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving approved doses of prescription medicine in tablet, liquid or patch form

Base: All respondents

	Total	Gender		Age						Social Grade				Employment Sector	
		Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	2054	1082	972	148	272	336	390	353	555	665	566	317	506	261	840
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
Very comfortable	(10) 697 34%	319 32%	378 36%a	55 23%	114 32%c	96 29%	121 33%C	132 45%CDEF	178 39%CdE	180 33%	183 33%	143 32%	192 38%i	75 28%	272 30%
(9)	260 13%	128 13%	132 12%	22 9%	32 9%	38 11%	49 13%	46 16%cD	72 16%CD	64 12%	65 12%	59 13%	73 14%	25 9%	120 13%
(8)	261 13%	139 14%	122 12%	33 14%	43 12%	36 11%	56 15%	33 11%	60 13%	85 15%L	71 13%l	60 13%l	44 9%	47 17%	118 13%
(7)	221 11%	112 11%	109 10%	39 16%fGH	44 12%Gh	51 15%FGH	35 9%	18 6%	35 8%	65 12%i	62 11%	54 12%i	40 8%	34 13%	120 13%
(6)	118 6%	61 6%	57 5%	23 10%G	17 5%	21 6%g	21 6%	9 3%	27 6%g	32 6%	37 7%	26 6%	23 5%	22 8%	57 6%
(5)	203 10%	96 10%	106 10%	26 11%	40 11%	41 12%f	27 7%	26 9%	42 9%	38 7%	57 10%i	48 11%i	60 12%i	18 7%	81 9%
(4)	39 2%	23 2%	16 2%	6 2%	6 2%	6 2%	5 2%	7 2%	9 2%	8 1%	13 2%	9 2%	7 2%	6 2%	20 2%
(3)	29 1%	18 2%	11 1%	2 1%	16 5%cEFGH	4 1%g	5 1%g	- *	2 *	7 1%	11 2%	5 1%	7 1%	3 1%	18 2%
(2)	18 1%	13 1%	6 1%	2 1%	2 1%	8 2%dFH	1 *	2 1%	3 1%	11 2%JL	2 *	3 1%	2 *	8 3%N	5 1%
(1)	24 1%	13 1%	11 1%	1 *	6 2%	4 1%	8 2%G	1 *	5 1%	7 1%	8 1%	3 1%	6 1%	12 1%	
Very uncomfortable	(0) 46 2%	22 2%	23 2%	8 3%	9 2%	7 2%	8 2%	6 2%	9 2%	14 2%ej	5 1%	14 3%j	13 3%j	8 3%n	10 1%
NET: 6-10	1557 76%	758 76%	799 76%	171 72%	250 70%	243 72%	281 77%d	238 81%cDE	372 81%CDE	426 77%	418 76%	342 76%	371 74%	203 76%	687 77%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Prepared by ComRes

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 48

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving approved doses of prescription medicine in tablet, liquid or patch form

Base: All respondents

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Weighted base	2054	1000	1054	239	356	337	366	296	460	553	553	448	501	268	895
NET: 0-4	157	89	68	19	38	29	28	16	27	47	39	34	37	30	65
	8%	9%b	6%	8%	11%GH	8%	8%	5%	6%	8%	7%	7%	7%	11%n	7%
I would not be willing to do this	138	57	81	22	27	25	30	16	18	42	39	24	33	17	63
	7%	6%	8%	9%H	8%h	7%H	8%H	5%	4%	8%	7%	5%	6%	6%	7%
Mean	7.81	7.70	7.92a	7.32	7.50	7.50	7.87ce	8.37CDEF	8.11CDE	7.78	7.82	7.73	7.91	7.42	7.79m
Standard deviation	2.46	2.50	2.42	2.43	2.65	2.50	2.48	2.25	2.32	2.51	2.32	2.47	2.56	2.66	2.30
Standard error	0.06	0.08	0.08	0.21	0.17	0.14	0.13	0.12	0.10	0.10	0.10	0.14	0.12	0.17	0.08

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used.

Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 49

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving approved doses of prescription medicine in tablet, liquid or patch form
Base: All respondents

	Region												Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	2054	1756	180	85	196	207	157	157	118	231	275	291	157	1101	770	331	953	67	158	135	456	137
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
Very comfortable	(10) 697 34%	579 33%	74 41%AdFG ij	37 43%fgJ	74 31%	63 36%J	53 29%	42 28%	44 42%aFGi J	62 31%	72 26%	99 35%j	78 43%DFGI J	347 30%	263 29%	84 35%n	350 39%M	29 35%	73 37%n	45 33%	146 42%Nos	58 43%N
(9)	260 13%	227 13%	20 11%	10 11%	35 15%k	22 13%	27 15%	26 17%K	12 12%	25 12%	38 14%k	26 9%	19 11%	145 12%	120 13%q	25 10%	115 13%	3 4%	22 11%	21 15%Q	52 15%oQ	17 13%q
(8)	261 13%	214 12%	27 15%d	7 8%	20 8%	20 12%	27 15%	23 15%d	20 19%acDK L	36 18%cDKL	37 13%	29 10%	16 9%	165 14%P	124 13%U	41 17%U	96 11%	7 9%	25 13%U	15 11%	42 12%U	7 5%
(7)	221 11%	207 12%BH	11 6%	16 18%BgH	30 13%BH	22 13%BH	21 11%h	14 9%	4 4%	21 11%h	35 13%BH	29 10%h	18 10%h	154 13%P	127 14%RT	27 11%Rt	68 8%	10 12%	9 5%	12 9%	24 7%	13 9%
(6)	118 6%	114 6%B	2 1%	4 4%	21 9%BHk	14 8%Bh	16 8%Bh	12 8%Bh	2 2%	10 5%B	18 7%B	12 4%b	9 5%b	79 7%P	66 7%Rt	14 6%r	39 4%	6 8%r	4 2%	10 7%r	15 4%	4 3%
(5)	203 10%	170 10%	24 13%EFi	5 6%	21 9%	10 6%	11 6%	14 9%	9 9%	23 11%e	29 11%e	44 15%cdEFL	12 7%	99 9%	76 8%	23 10%	104 12%M	16 20%NotU	30 16%NotU	14 11%	34 10%	9 7%
(4)	39 2%	30 2%	8 4%AdK	1 1%	2 1%	3 2%	4 2%	5 3%k	2 2%	3 2%	5 2%	2 1%	4 2%	26 2%	24 3%o	1 1%	13 2%	*	3 1%	4 3%	6 2%	1 1%
(3)	29 1%	27 2%	2 1%	4 5%dfHIJ	2 1%	3 2%	2 1%	3 2%	-	1 *	2 1%	5 2%	4 2%	20 2%	19 2%t	1 1%	9 1%	1 1%	2 1%	-	2 1%	4 3%st
(2)	18 1%	18 1%	*	-	5 2%	2 1%	2 1%	1 *	-	1 *	2 1%	6 2%	1 *	13 1%	11 1%	2 1%	6 1%	-	1 1%	-	4 1%	-
(1)	24 1%	23 1%	1 1%	-	3 1%	4 2%j	1 *	4 3%j	-	2 1%	1 *	5 2%	2 1%	17 1%	14 2%	3 1%	7 1%	-	1 *	2 2%	2 1%	1 1%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
 Overlap formulae used. * small base



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 49

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving approved doses of prescription medicine in tablet, liquid or patch form
Base: All respondents

	Region												Which of the following best describes your current working status?									
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not work-ing (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Weighted base	2054	1771	179	86*	236	174	185	152	105*	199	271	287	181	1163	920	242	891	82*	194	135	346	135
Very uncomfortable	(0) 46 2%	44 3%	1 1%	- -	9 4%bh	4 2%	5 3%	2 1%	- -	6 3%	4 1%	6 2%	10 5%BcgHJ	18 2%	4 2%	28 3%M	1 1%	9 5%Nt	5 4%	6 2%	7 5%NoT	
NET: 6-10	1557 76%	1342 76%	133 75%	73 85%jK	180 76%k	141 81%K	144 78%k	116 76%	82 78%k	154 77%K	200 74%	196 68%	139 77%k	890 77%	699 76%r	190 79%qR	667 75%	55 67%	132 68%	102 75%	280 81%nQR	99 73%
NET: 0-4	157 8%	142 8%H	14 8%h	5 6%	21 9%H	15 9%H	13 7%h	15 10%H	2 2%	12 6%	14 5%	25 9%H	21 12%HiJ	95 8%	83 9%Ot	12 5%	62 7%	2 2%	16 8%	11 8%	20 6%	13 10%o
I would not be willing to do this	138 7%	118 7%	8 5%	3 4%	15 6%	8 4%	17 9%	7 5%	12 11%abcEg il	10 5%	27 10%bEil	23 8%	8 5%	79 7%	62 7%t	17 7%t	58 7%	9 11%T	15 8%t	8 6%	13 4%	13 10%T
Mean	7.81	7.74	8.09dk	8.25k	7.59	7.84	7.81	7.63	8.62AbD EFGIJKL	7.79	7.76	7.55	7.79	7.70	7.64	7.96n	7.95m	7.71	7.74	7.72	8.21Nrs	7.95
Standard deviation	2.46	2.50	2.31	2.07	2.66	2.54	2.35	2.46	1.73	2.39	2.21	2.67	2.89	2.39	2.41	2.31	2.55	2.25	2.75	2.62	2.32	2.89
Standard error	0.06	0.06	0.18	0.23	0.20	0.18	0.20	0.20	0.17	0.16	0.14	0.16	0.24	0.07	0.09	0.13	0.09	0.29	0.23	0.23	0.11	0.26

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 50

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving approved doses of prescription medicine in tablet, liquid or patch form
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/co habiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	2054	1582	467	406	383	154	206	182	105	555	1145	897	7	241	342	95	31	216	496	180	331	161	25	1522	1201	822
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
Very comfortable	(10) 697	532	164	137	130	57	65	64	46	178	398	309	4	85	120	33	13	75	222	91	154	75	14	467	461	232
	34%	34%	34%cf	32%	33%	33%	29%	33%	44%aBCDFg	29%	35%l	36%l	54%	33%	41%lm	42%l	48%	40%l	47%W	52%W	50%W	48%W	58%	30%	39%Y	28%
(9)	260	201	58	54	50	22	24	31	14	63	155	121	1	33	40	17	3	20	65	17	37	27	3	191	157	102
	13%	13%	12%	12%	13%	13%	11%	16%bcd	13%	10%	14%i	14%i	10%	13%	13%Q	21%ljk	13%	10%	14%st	10%	12%	18%St	13%	12%	13%	12%
(8)	261	198	61	53	50	21	26	24	12	78	146	107	2	36	34	11	6	17	52	21	32	11	3	206	151	108
	13%	13%	13%	12%	13%	12%	12%	13%	12%	13%	13%	13%	23%	14%	12%q	14%	23%	9%	11%u	12%	10%	7%	11%	13%U	13%	13%
(7)	221	162	59	56	49	21	34	23	9	77	119	90	-	29	23	6	-	17	30	12	18	5	2	190	121	98
	11%	10%	12%	13%	12%	12%	15%a	12%	8%	12%n	11%	10%	-	11%	8%	7%	-	9%	6%	7%	6%	4%	10%	12%RST	10%	12%
(6)	118	88	30	28	25	13	19	8	3	43	63	42	-	21	11	3	-	9	19	5	14	5	-	93	70	45
	6%	6%	6%	6%	6%	8%	8%g	4%	3%	7%	6%k	5%	-	8%jkn	4%	4%	-	4%	4%	3%	4%	3%	-	6%	6%	5%
(5)	203	156	41	33	34	12	23	11	10	84	92	76	1	15	25	4	2	18	43	13	30	17	1	149	109	86
	10%	10%	8%	8%	9%	7%	10%	6%	9%	13%JKMN	8%	9%	13%	6%	8%	6%	7%	10%	9%	7%	10%	11%	4%	10%	9%	10%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Prepared by ComRes



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 50

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving approved doses of prescription medicine in tablet, liquid or patch form
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?										Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?										
	Total	No children aged 18 or under (a)	NET: Under 16 (c)		NET: Any 5-18 (d)		Any aged under 5 (e)		Any aged 5-10 (f)		Any aged 11-15 (g)		Any aged 16-18 (h)		Single (i)	NET: Married/Civil partnership/co habiting (l)		Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Wid-owed/separated/div-orce (n)		Wid-owed (o)	Separated (p)	Div-orce (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
			Yes (b)	NET: 16 (c)	NET: 18 (d)	Any aged 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Married (j)	Co Habiting (m)	Wid-owed (n)	Separated (p)	Div-orce (q)		Yes - mental condition (s)	Yes - physical condition (t)				Yes - disability (u)	Yes - other (v)											
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824							
(4)	39 2%	30 2%	9 2%g	9 2%G	7 2%g	5 3%	7 3%G	1 *	-	10 2%	19 2%k	11 1%	-	8 3%k	10 3%jK	2 3%	-	8 4%ijK	8 2%	2 1%	5 2%	1 1%	-	30 2%	17 1%	22 3%x							
(3)	29 1%	20 1%	10 2%D	10 2%d	5 1%	5 3%	3 2%	2 1%	-	15 2%Nq	14 1%	10 1%	-	4 1%	* *	-	-	* *	4 1%	2 1%	3 1%	1 1%	-	26 2%	12 1%	16 2%							
(2)	18 1%	12 1%	7 1%	7 2%	7 2%	1 1%	3 1%	5 3%A	3 3%a	4 1%	12 1%	9 1%	-	3 1%	3 1%	-	-	3 2%	1 *	1 -	1 *	1 *	-	17 1%r	10 1%	8 1%							
(1)	24 1%	15 1%	8 2%	7 2%	8 2%	3 2%	3 1%	5 3%	3 2%	4 1%	18 2%	16 2%in	-	2 1%	1 *	-	-	1 1%	5 1%	2 1%	2 1%	2 1%	-	18 1%	14 1%	7 1%							
Very uncomfortable	(0)	46 2%	39 2%DF	7 1%CD	5 1%	4 2%f	3 -	-	1 1%	4 3%CCDFg	23 2%	17 2%	-	6 2%	8 3%	-	-	8 4%jkno	6 1%	3 2%	3 1%	2 2%	1 4%	40 3%	13 1%	32 4%X							
NET: 6-10	1557 76%	1182 76%	373 76%	327 76%	304 76%	134 76%	168 75%	149 78%	85 80%	440 71%	881 78%lq	669 78%l	7 87%	205 79%l	228 77%iQ	69 87%jkl	22 84%	137 72%	387 82%W	146 83%W	255 82%W	123 79%	21 91%	1146 74%	960 80%Y	586 71%							
NET: 0-4	157 8%	115 7%	41 8%	37 9%	31 8%	18 10%	16 7%	14 7%	9 9%	47 8%	86 8%	62 7%	-	23 9%o	23 8%O	2 3%	-	21 11%NO	23 5%	10 6%	14 5%	5 3%	1 4%	131 9%RTU	66 6%	85 10%X							

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 50

Q.2 End of life care can involve a relative, friend, or neighbour giving a pain-relief injection to a dying person at home to keep them comfortable and to improve the quality of their life as an alternative to waiting for a doctor or nurse to administer it. If you were caring for someone who was dying and wanted to stay at home, how comfortable or uncomfortable would you feel about each of the following scenarios?

Giving approved doses of prescription medicine in tablet, liquid or patch form
Base: All respondents

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status						Do you have a longstanding physical or mental condition or disability?						Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?					
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)		Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)
Weighted base	2054	1556	490	431	399	175	226	191	106*	622	1124	857	8**	259	295	79*	26**	189	473	176	311	155	24**	1540	1197	824
I would not be willing to do this	138 7%	102 7%h	35 7%h	34 8%h	30 7%h	12 7%	18 8%h	16 9%h	2 2%	51 8%	66 6%	50 6%	-	16 6%	19 6%	3 4%	3 10%	13 7%	20 4%	8 4%	11 4%	9 6%	* 1%	113 7%RT	62 5%	68 8%X
Mean	7.81	7.83	7.79	7.77	7.80	7.72	7.66	8.00	7.98	7.51	7.911	7.931	8.80	7.80	8.091Q	8.64J KMNQ	8.98	7.73	8.39W	8.44W	8.43W	8.53W	8.75	7.65	8.09Y	7.47
Standard deviation	2.46	2.46	2.45	2.41	2.41	2.51	2.24	2.39	2.74	2.45	2.45	2.46	1.78	2.45	2.48	1.68	1.43	2.79	2.21	2.35	2.19	2.17	2.30	2.51	2.27	2.65
Standard error	0.06	0.06	0.12	0.12	0.13	0.21	0.16	0.18	0.27	0.11	0.07	0.08	0.67	0.16	0.14	0.18	0.28	0.20	0.10	0.18	0.12	0.17	0.47	0.07	0.07	0.10

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 51

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Unweighted base	225	117	108	15	34	37	45	42	52	75	53	35	62	24	89
Weighted base	223	100*	124*	25**	43**	33**	42*	35*	45*	64*	56*	46**	57*	26**	89*
I am uncomfortable with injections/ needles generally	47 21%	20 20%	27 22%	- -	13 30%	7 21%	3 7%	12 36%F	12 26%F	10 16%	11 20%	12 27%	14 24%	7 28%	18 20%
I am not a health care professional/ it is the job of health care professionals to do this	28 12%	13 13%	15 12%	3 11%	4 9%	4 12%	4 10%	6 18%	7 15%	10 15%	5 8%	7 14%	6 11%	6 22%	5 5%
I would feel uncomfortable/ uneasy doing this	21 9%	9 9%	11 9%	3 13%	5 12%	5 16%	3 7%	1 2%	3 7%	9 14%	2 4%	4 10%	5 9%	2 7%	12 13%
I would be worried about making a mistake	19 9%	7 7%	12 10%	2 9%	- -	3 9%	7 18%	2 5%	5 11%	3 5%	2 4%	6 13%	8 14%	1 3%	3 4%
It is too much responsibility/ it is not my responsibility/ not up to me to be in that position/ role	18 8%	5 5%	12 10%	5 19%	1 3%	- -	4 9%	2 7%	6 12%	9 14%	3 6%	1 2%	5 8%	- -	10 11%
I do not agree with it/ do not like the idea	14 6%	9 9%	6 5%	2 7%	3 7%	1 2%	5 13%h	3 8%	1 2%	6 10%	6 11%	1 1%	2 3%	1 4%	11 13%
I would not want to end someone's life	13 6%	5 5%	8 7%	4 15%	- -	1 2%	2 5%	1 2%	6 13%g	3 4%	6 10%	3 5%	3 4%	1 4%	4 5%
I have no training/ would want training before doing this	13 6%	4 4%	9 7%	5 19%	5 10%	- -	2 5%	2 5%	* 1%	3 5%	4 7%	5 12%	1 2%	- -	3 3%
I lack the confidence to do it	13 6%	5 5%	8 7%	1 4%	5 12%	1 2%	1 3%	3 10%	2 4%	6 9%	5 9%	- -	2 4%	1 5%	2 2%
I would not want to cause pain/ harm to the patient	9 4%	4 4%	5 4%	- -	1 2%	- -	4 9%	2 7%	2 5%	- -	2 4%	2 4%	5 9%l	1 3%	5 5%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 51

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Weighted base	223	100*	124*	25**	43**	33**	42*	35*	45*	64*	56*	46**	57*	26**	89*
I could not do it/ I am not capable	9 4%	3 3%	6 5%	2 8%	1 3%	3 8%	-	2 5%	1 2%	3 5%	4 7%	1 3%	* 1%	3 13%	3 3%
I would be held responsible if anything went wrong/ I could face prosecution	7 3%	5 5%	2 1%	-	1 3%	-	1 2%	-	5 10%g	-	1 1%	1 2%	5 9%lj	-	2 2%
I would find this too upsetting/ emotionally difficult	6 3%	2 2%	5 4%	-	2 5%	2 6%	2 4%	-	1 1%	1 2%	-	2 4%	3 6%	3 12%	1 1%
Feelings of guilt/ I would be unable to forgive myself if anything bad happened	6 3%	2 2%	4 4%	1 4%	-	-	3 8%	-	2 5%	* 1%	2 4%	3 7%	-	1 4%	1 2%
I am squeamish/ feel nauseous/ dislike blood	5 2%	2 2%	3 2%	1 4%	2 4%	1 2%	* 1%	-	1 1%	1 2%	2 4%	-	1 1%	1 3%	3 4%
I would be too afraid (non-specific)	3 1%	* *	3 2%	-	2 4%	1 2%	-	-	1 3%	* 1%	2 4%	-	1 1%	1 2%	2 2%
I lack the experience	2 1%	-	2 2%	-	1 2%	-	-	-	2 3%	-	-	2 3%	1 1%	-	-
I have had bad experiences/ have bad memories of dying loved ones to get too involved again	2 1%	1 1%	1 1%	-	-	-	-	1 2%	1 3%	1 2%	1 2%	-	-	-	1 1%
I am not physically able to/ unsteady hands etc	2 1%	-	2 2%	-	-	2 6%	-	-	-	-	-	-	2 3%	-	-
I do not think I could bring myself to do it	1 1%	1 1%	1 1%	-	-	1 3%	-	1 2%	-	1 1%	-	-	1 1%	1 2%	1 1%
There could be negative repercussions/ a bad outcome	1 *	-	1 1%	-	-	-	-	-	1 2%	-	-	-	1 1%	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Prepared by ComRes

Death & Dying Survey
ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 51

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Gender		Age						Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	AB (i)	C1 (j)	C2 (k)	DE (l)	Public (m)	Private (n)
Weighted base	223	100*	124*	25**	43**	33**	42*	35*	45*	64*	56*	46**	57*	26**	89*
Other answers	9	6	4	2	-	*	4	1	2	3	3	1	2	1	4
	4%	6%	3%	7%	-	1%	10%	3%	4%	5%	5%	2%	4%	3%	4%
Nothing/ no reason in particular	9	7	2	2	3	2	1	1	1	2	4	2	1	-	5
	4%	7%B	1%	6%	6%	5%	3%	3%	1%	3%	7%	4%	2%	-	6%
Don't know	15	8	7	4	1	4	4	-	2	5	1	4	6	1	7
	7%	8%	6%	16%	2%	13%	10%g	-	4%	8%	1%	8%	10%j	6%	8%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k/l - m/n
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 52

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Unweighted base	225	200	11	10	25	19	22	20	14	26	33	30	15	113	78	35	112	10	16	18	49	19
Weighted base	223	197	11**	9**	26**	14**	25**	17**	15**	21**	34**	35**	18**	115*	85*	30**	108*	11**	22**	17**	37*	22**
I am uncomfortable with injections/ needles generally	47 21%	40 20%	1 7%	5 50%	8 33%	1 10%	4 17%	4 26%	6 42%	2 12%	3 8%	10 29%	2 12%	25 22%	17 20%	8 27%	22 20%	5 44%	4 19%	1 6%	10 28%	2 7%
I am not a health care professional/ it is the job of health care professionals to do this	28 12%	24 12%	2 15%	- -	- -	1 6%	5 19%	3 19%	2 13%	4 21%	- -	5 13%	6 36%	10 9%	9 11%	1 3%	17 16%	- -	3 15%	3 19%	7 18%	4 19%
I would feel uncomfortable/ uneasy doing this	21 9%	20 10%	1 7%	1 7%	4 14%	1 4%	1 3%	- -	- -	* 2%	4 12%	5 14%	5 26%	13 12%	8 9%	6 19%	7 7%	1 7%	1 3%	2 9%	2 5%	3 12%
I would be worried about making a mistake	19 9%	18 9%	1 6%	1 8%	2 9%	2 14%	7 26%	1 3%	1 7%	3 15%	1 3%	1 4%	- -	4 3%	1 2%	3 9%	15 14%M	1 7%	7 32%	4 24%	3 7%	1 5%
It is too much responsibility/ it is not my responsibility/ not up to me to be in that position/ role	18 8%	14 7%	3 29%	- -	* 2%	1 7%	1 6%	- -	* 3%	1 4%	3 9%	4 12%	3 16%	10 9%	5 6%	5 16%	8 7%	- -	1 3%	3 16%	5 12%	- -
I do not agree with it/ do not like the idea	14 6%	12 6%	2 18%	- -	1 4%	* 3%	1 4%	- -	- -	1 2%	4 12%	2 7%	3 16%	12 11%P	12 14%T	1 2%	2 2%	- -	2 8%	- -	* 1%	- -
I would not want to end someone's life	13 6%	12 6%	2 16%	- -	1 5%	- -	1 5%	- -	- -	1 5%	3 8%	5 15%	- -	5 5%	5 3%	8 7%	- -	1 6%	3 15%	4 11%	- -	
I have no training/ would want training before doing this	13 6%	13 7%	- -	* 5%	1 2%	- -	6 25%	5 28%	- -	- -	- -	2 4%	- -	3 3%	3 3%	* 1%	10 9%m	- -	5 21%	- -	1 3%	4 20%
I lack the confidence to do it	13 6%	9 5%	2 18%	- -	1 2%	1 7%	1 4%	- -	2 11%	2 10%	4 11%	- -	1 6%	4 3%	3 4%	1 2%	9 9%	3 29%	2 11%	- -	4 10%	- -

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 52

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Working (m)	Working full time (n)	Working part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Weighted base	223	197	11**	9**	26**	14**	25**	17**	15**	21**	34**	35**	18**	115*	85*	30**	108*	11**	22**	17**	37*	22**
I would not want to cause pain/ harm to the patient	9 4%	8 4%	-	1 11%	1 3%	1 4%	2 9%	-	1 8%	1 3%	1 2%	1 3%	1 5%	5 5%	3 3%	3 9%	4 3%	-	2 7%	2 13%	-	-
I could not do it/ I am not capable	9 4%	9 4%	-	-	3 10%	-	1 3%	-	-	1 5%	1 2%	1 4%	2 14%	6 6%	5 6%	2 6%	2 2%	-	-	-	2 5%	1 3%
I would be held responsible if anything went wrong/ I could face prosecution	7 3%	4 2%	2 16%	-	-	1 9%	1 6%	-	1 7%	-	1 3%	-	-	2 2%	2 2%	-	5 4%	-	-	4 23%	1 2%	-
I would find this too upsetting/ emotionally difficult	6 3%	6 3%	-	-	-	-	2 8%	-	-	-	2 5%	2 6%	1 5%	4 3%	1 2%	3 9%	3 2%	-	-	-	1 2%	2 9%
Feelings of guilt/ I would be unable to forgive myself if anything bad happened	6 3%	6 3%	-	-	-	-	2 7%	-	* 3%	1 5%	1 4%	2 5%	-	2 2%	2 3%	-	4 4%	-	-	* 3%	2 4%	2 8%
I am squeamish/ feel nauseous/ dislike blood	5 2%	3 2%	-	-	-	1 6%	-	* 2%	1 7%	1 2%	1 3%	1 2%	-	4 3%	4 4%	* 1%	1 *	-	-	-	1 1%	-
I would be too afraid (non-specific)	3 1%	3 2%	-	-	-	* 3%	-	-	-	-	1 4%	2 5%	-	2 2%	-	2 7%	1 1%	-	-	1 4%	* 1%	-
I lack the experience	2 1%	2 1%	-	-	-	1 6%	-	-	-	2 7%	-	-	-	-	-	-	2 2%	-	-	-	2 4%	1 4%
I have had bad experiences/ have bad memories of dying loved ones to get too involved again	2 1%	2 1%	-	-	1 3%	* 3%	-	1 5%	-	-	-	-	-	1 1%	1 1%	-	1 1%	-	-	-	1 4%	-
I am not physically able to/ unsteady hands etc	2 1%	2 1%	-	-	-	-	-	-	-	-	-	2 6%	-	-	-	-	2 2%	-	-	-	-	2 9%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Prepared by ComRes

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 52

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Region													Which of the following best describes your current working status?								
	Total	England (a)	Scotland (b)	North East (c)	North West (d)	Yorkshire & Humberside (e)	West Midlands (f)	East Midlands (g)	Wales (h)	East-ern (i)	London (j)	South East (k)	South West (l)	NET: Work-ing (m)	Work-ing full time (n)	Work-ing part time (o)	NET: Not working (p)	Not working seeking work (q)	Not working and not seeking work (r)	Retired on a state pension only (s)	Retired with a private pension (t)	House person (u)
Weighted base	223	197	11**	9**	26**	14**	25**	17**	15**	21**	34**	35**	18**	115*	85*	30**	108*	11**	22**	17**	37*	22**
I do not think I could bring myself to do it	1 1%	1 1%	-	-	-	-	-	1 3%	* 2%	-	1 2%	-	-	1 1%	1 1%	1 3%	-	-	-	-	-	-
There could be negative repercussions/ a bad outcome	1 *	1 *	-	-	-	-	-	-	-	-	1 2%	-	-	-	-	-	1 1%	-	-	1 4%	-	-
Other answers	9 4%	9 5%	-	1 7%	1 2%	1 7%	1 5%	1 9%	-	2 8%	2 5%	1 2%	-	4 4%	3 3%	2 6%	5 4%	-	2 8%	1 4%	1 3%	1 5%
Nothing/ no reason in particular	9 4%	7 4%	-	-	1 3%	-	-	1 7%	2 11%	-	5 15%	1 2%	-	5 5%	4 5%	1 4%	4 3%	1 8%	1 4%	-	1 3%	1 3%
Don't know	15 7%	15 7%	1 7%	2 19%	4 14%	4 27%	1 3%	1 4%	-	3 13%	1 2%	-	1 4%	9 8%	9 10%	-	7 6%	1 5%	3 12%	1 7%	1 2%	1 7%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - a/h - b/c/d/e/f/g/h/i/j/k/l - m/p - n/o/q/r/s/t/u
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 53

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?					
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/ Civil partnership/ co-habiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Unweighted base	225	177	48	44	40	16	24	19	6	68	116	89	-	27	40	10	6	24	44	17	27	13	2	174	114	103
Weighted base	223	173	50*	47*	39*	18**	24**	22**	5**	75*	112*	84*	***	28**	35*	8**	4**	22**	47*	16**	32**	16**	1**	170	112*	103*
I am uncomfortable with injections/ needles generally	47 21%	35 20%	12 25%	12 24%	9 22%	5 26%	4 16%	4 19%	2 30%	8 11%	27 24% _i	21 25% _l	-	6 21%	12 34% _l	1 15%	1 26%	9 42%	16 35% _W	4 23%	14 42%	5 29%	-	29 17%	26 23%	21 20%
I am not a health care professional/ it is the job of health care professionals to do this	28 12%	24 14%	4 7%	4 8%	2 5%	2 10%	2 7%	-	-	12 16%	14 12%	11 13%	-	3 11%	2 5%	-	-	2 8%	6 13%	2 11%	6 20%	3 20%	-	20 12%	14 12%	14 14%
I would feel uncomfortable/ uneasy doing this	21 9%	18 10%	3 5%	2 4%	3 7%	1 7%	2 8%	1 4%	1 17%	5 7%	11 10% _K	4 5%	-	7 25%	2 7%	-	1 12%	2 8%	1 1%	-	1 2%	-	-	20 12% _r	12 11%	8 8%
I would be worried about making a mistake	19 9%	17 10%	2 4%	2 4%	2 5%	-	1 4%	1 5%	-	9 12%	9 8%	7 9%	-	2 6%	1 3%	1 8%	1 14%	-	6 13%	4 25%	2 6%	-	-	11 7%	12 10%	8 8%
It is too much responsibility/ it is not my responsibility/ not up to me to be in that position/ role	18 8%	15 9%	2 5%	2 5%	2 6%	-	1 5%	1 5%	-	8 10%	5 4%	5 6%	-	-	5 15% _J	2 23%	1 20%	3 11%	6 13%	-	5 16%	-	1 72%	12 7%	11 9%	7 7%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 53

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Do you have any children aged 18 or under? If so, how old are they?								Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?					
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	223	173	50*	47*	39*	18**	24**	22**	5**	75*	112*	84*	-**	28**	35*	8**	4**	22**	47*	16**	32**	16**	1**	170	112*	103*
I do not agree with it/ do not like the idea	14 6%	11 6%	4 7%	4 8%	2 5%	4 20%	2 8%	-	-	6 7%	6 6%	6 7%	-	-	3 8%	-	-	3 12%	-	-	-	-	-	14 8%	8 7%	7 7%
I would not want to end someone's life	13 6%	12 7%	1 3%	1 3%	1 3%	1 7%	1 6%	-	-	2 2%	8 7%	5 6%	-	3 10%	4 11%	3 37%	-	1 4%	3 6%	-	3 9%	-	-	10 6%	7 6%	7 6%
I have no training/ would want training before doing this	13 6%	9 5%	4 8%	4 8%	4 10%	-	3 14%	4 18%	-	8 10%	5 5%	5 6%	-	-	*	-	-	*	-	-	-	-	-	12 7%	8 7%	5 5%
I lack the confidence to do it	13 6%	11 6%	2 4%	2 4%	-	2 11%	-	-	-	7 9%	6 5%	5 6%	-	1 2%	-	-	-	-	3 6%	3 18%	2 7%	1 8%	-	10 6%	8 7%	2 2%
I would not want to cause pain/ harm to the patient	9 4%	8 5%	1 2%	1 2%	-	1 5%	-	-	-	4 5%	5 4%	4 5%	-	1 4%	1 2%	1 8%	-	-	2 3%	2 10%	-	-	-	8 4%	4 4%	5 5%
I could not do it/ I am not capable	9 4%	7 4%	2 4%	1 3%	2 5%	-	1 6%	1 6%	2 42%	3 4%	4 3%	2 2%	-	2 7%	2 7%	1 9%	1 14%	1 5%	1 1%	1 4%	1 2%	1 4%	-	8 5%	5 4%	4 4%
I would be held responsible if anything went wrong/ I could face prosecution	7 3%	5 3%	1 2%	1 2%	1 3%	-	1 5%	-	-	2 3%	2 2%	1 1%	-	1 2%	2 7%	2 31%	-	-	4 8%W	-	4 12%	-	-	3 2%	5 4%	2 2%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing



Death & Dying Survey

ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 53

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	223	173	50*	47*	39*	18**	24**	22**	5**	75*	112*	84*	-**	28**	35*	8**	4**	22**	47*	16**	32**	16**	1**	170	112*	103*
I would find this too upsetting/ emotionally difficult	6 3%	6 3%	1 2%	1 2%	-	1 5%	-	-	-	4 5%j	1 1%	1 1%	-	-	2 6%j	-	-	2 9%	2 4%	-	-	2 12%	-	3 2%	1 1%	4 4%
Feelings of guilt/ I would be unable to forgive myself if anything bad happened	6 3%	5 3%	2 4%	2 4%	2 5%	-	-	2 8%	-	1 1%	5 5%	5 6%	-	-	-	-	-	-	1 3%	1 9%	-	-	-	5 3%	5 5%	1 1%
I am squeamish/ feel nauseous/ dislike blood	5 2%	3 2%	2 4%	2 4%	2 5%	1 6%	2 8%	-	-	1 2%	3 3%	2 3%	-	1 3%	-	-	-	-	1 2%	1 7%	1 3%	-	-	3 2%	3 2%	2 2%
I would be too afraid (non-specific)	3 1%	3 2%	1 1%	1 1%	1 1%	1 3%	1 2%	-	-	2 2%	1 1%	1 1%	-	-	1 3%	6%	12%	-	-	-	-	-	-	3 2%	3 3%	-
I lack the experience	2 1%	2 1%	1 2%	1 2%	1 2%	-	-	1 4%	-	-	2 2%	2 2%	-	1 3%	-	-	-	-	-	-	-	-	-	2 1%	2 1%	1 1%
I have had bad experiences/ have bad memories of dying loved ones to get too involved again	2 1%	2 1%	-	-	-	-	-	-	-	1 1%	-	-	-	-	1 4%jk	1 17%	-	-	1 2%	1 5%	-	-	-	1 1%	1 1%	1 1%
I am not physically able to/ unsteady hands etc	2 1%	2 1%	-	-	-	-	-	-	-	-	-	-	-	-	2 6%jK	-	-	2 9%	2 4%W	-	-	2 12%	-	-	-	2 2%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
 Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Prepared by ComRes



Death & Dying Survey ONLINE Fieldwork: 7th-9th April 2017

Absolutes/col percents

Table 53

Q.3 You mentioned that you would not be willing to give injections to a dying person at home. Could you tell us why this is in the space below?

Base: All respondents who would be unwilling to give injections to a dying person at home

	Do you have any children aged 18 or under? If so, how old are they?									Marital Status							Do you have a longstanding physical or mental condition or disability?					Q.6 Has someone close to you, such as a friend or family member, died in the last 5 years?				
	Total	No children aged 18 or under (a)	NET: Yes (b)	NET: Under 16 (c)	NET: Any 5-18 (d)	Any aged under 5 (e)	Any aged 5-10 (f)	Any aged 11-15 (g)	Any aged 16-18 (h)	Single (i)	NET: Married/Civil partnership/cohabiting (j)	Married (k)	Civil Partnership (l)	Co Habiting (m)	NET: Widowed/separated/divorced (n)	Widowed (o)	Separated (p)	Divorced (q)	NET: Yes (r)	Yes - mental condition (s)	Yes - physical condition (t)	Yes - disability (u)	Yes - other (v)	No (w)	Yes (x)	No (y)
Weighted base	223	173	50*	47*	39*	18**	24**	22**	5**	75*	112*	84*	-**	28**	35*	8**	4**	22**	47*	16**	32**	16**	1**	170	112*	103*
I do not think I could bring myself to do it	1 1%	1 1%	1 1%	1 1%	1 2%	- -	1 3%	- -	- -	* *	1 1%	1 1%	- -	- -	1 2%	- -	- -	1 2%	1 2%	1 3%	- -	- -	* 28%	1 *	1 1%	1 1%
There could be negative repercussions/ a bad outcome	1 *	1 *	- -	- -	- -	- -	- -	- -	- -	- -	1 1%	1 1%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 *	1 1%	- -
Other answers	9 4%	6 4%	3 6%	3 6%	3 7%	1 7%	3 12%	1 4%	- -	4 5%	5 4%	4 5%	- -	1 2%	1 2%	1 7%	- -	- -	1 1%	- -	1 2%	- -	- -	9 5%	5 5%	4 4%
Nothing/ no reason in particular	9 4%	6 4%	2 5%	2 5%	2 4%	2 8%	1 3%	1 4%	- -	4 6%	4 3%	3 4%	- -	1 2%	1 2%	- -	- -	1 2%	1 1%	- -	- -	1 3%	- -	8 5%	1 1%	5 5% ^x
Don't know	15 7%	10 6%	5 10%	5 10%	5 13%	1 5%	3 12%	5 22%	1 11%	6 8%	7 7%	4 5%	- -	4 13%	2 7%	1 7%	1 14%	1 5%	4 8%	- -	3 8%	4 24%	- -	11 6%	5 5%	8 8%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b/c/d/e/f/g/h - i/j/k/l/m/n/o/p/q - r/s/t/u/v/w - x/y
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

