

NRAS and Lilly – Patient Experiences of Rheumatoid Arthritis

METHODOLOGY NOTE

ComRes surveyed 590 rheumatoid arthritis sufferers online, recruited through the NRAS member and non-member database as well as outreach on social media, between 13th November and 1st December 2015. Data have been weighted by gender and age to reflect the wider patient population of rheumatoid arthritis sufferers, using statistics compiled by [Arthritis Research UK](#). It should be noted that recruitment through a charity database causes the sample to be inevitably skewed towards those who have sought help or support for their condition, and this should be borne in mind when interpreting the results.

ComRes is a member of the British Polling Council and abides by its rules. All press releases or other publications must be checked with ComRes before use. ComRes requires 48 hours to check a press release unless otherwise agreed.

To commission a voting intention poll or a public opinion survey please contact Tom Mludzinski: tom.mludzinski@comres.co.uk

To register for Pollwatch, a monthly newsletter update on the polls, please email: pollwatch@comres.co.uk

Survey of Rheumatoid Arthritis Sufferers

Q4. For how long have you been diagnosed with rheumatoid arthritis?	1
Base: All respondents	
Q5. How many different healthcare professionals did you see about your symptoms before you were diagnosed with rheumatoid arthritis? If unsure, please give your best estimate.	3
Base: All respondents	
Q6. Which of the following types of healthcare professionals did you see about your symptoms before you were diagnosed with rheumatoid arthritis?	4
Base: All respondents	
Q7. Which of the following best describes your GP's initial response to your symptoms?	5
Base: All respondents	
Q8. Which of the following best describes your HCP's initial response to your symptoms?	7
Base: All who initially visited a healthcare professional other than their GP with symptoms of rheumatoid arthritis	
Q9. How long did it take to receive a diagnosis of rheumatoid arthritis from onset of symptoms to formal diagnosis?	8
Base: All respondents	
Q10. How long after your initial visit to the GP did it take for you to be referred to and visit a rheumatology specialist?	10
Base: All respondents	
Q11. At the time of your diagnosis, what specifically did your healthcare professional discuss with you?	11
Base: All respondents	
Q12. After diagnosis with rheumatoid arthritis, how comfortable if at all did you feel discussing your diagnosis with the healthcare professional who diagnosed you?	12
Base: All respondents	
Q13. Which of the following best explains why you didn't feel comfortable discussing your initial diagnosis?	13
Base: All who were not comfortable discussing their initial diagnosis with the healthcare professional who diagnosed them	
Q14. How would you describe the quality of information you received from your healthcare professional when you were diagnosed?	14
Base: All respondents	
Q15. How long after your initial diagnosis were you put on treatment?	15
Base: All respondents	
Q16. Since diagnosis, how many different drug treatments have you been prescribed for your rheumatoid arthritis?	16
Base: All who were put on treatment for their rheumatoid arthritis	
Q16a_SUM. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis SUMMARY TABLE	17
Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis	
Q16a. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis Currently take	19
Base: All who are currently taking any prescribed medicines for treating their rheumatoid arthritis	
Q16a. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis Taken in past	21
Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis	
Q16a. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis Currently take or taken in past	23
Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis	
Q17. After your diagnosis with rheumatoid arthritis, how long was it before your treatment resulted in an improvement in your condition?	25
Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis	
Q18. To what extent do you agree or disagree with the statement 'The treatment(s) that have been prescribed for me work well in treating my RA?'	28
Base: All respondents	
Q19. How comfortable are you in discussing the treatment(s) that work best for you with your healthcare professional?	30
Base: All respondents	
Q20_SUM. To what extent, if at all, would you say that each of the following apply to you? SUMMARY TABLE	31
Base: All respondents	
Q20. To what extent, if at all, would you say that each of the following apply to you? I play an active role in shaping my treatment plan with my rheumatologist	32
Base: All respondents	
Q20. To what extent, if at all, would you say that each of the following apply to you? I feel able to have effective conversations with my rheumatologist about symptoms and treatment	33

Survey of Rheumatoid Arthritis Sufferers

Base: All respondents

Q20. To what extent, if at all, would you say that each of the following apply to you? I feel comfortable discussing my condition with my friends	34
Base: All respondents	
Q20. To what extent, if at all, would you say that each of the following apply to you? I feel comfortable discussing my condition with my family	35
Base: All respondents	
Q21. As a result of having been diagnosed with RA which types of health care professionals do you now interact with on at least a yearly basis to help manage your RA?	36
Base: All respondents who have been diagnosed with rheumatoid arthritis for a year or more	
Q22_SUM. To what extent do you agree or disagree with each of the following statements? SUMMARY TABLE	38
Base: All respondents	
Q22. To what extent do you agree or disagree with each of the following statements? I feel like my rheumatoid arthritis is a hidden condition which makes it difficult to talk about with others	39
Base: All respondents	
Q22. To what extent do you agree or disagree with each of the following statements? My family and friends don't understand my condition well enough to be able to offer me adequate support	40
Base: All respondents	
Q22. To what extent do you agree or disagree with each of the following statements? My family and friends have a good understanding of my condition	41
Base: All respondents	
Q1. Which of the following age groups do you fall into?	42
Base: All respondents	
Q2. Are you...?	44
Base: All respondents	
Q3. Which of these UK regions do you live in?	45
Base: All respondents	

Survey of Rheumatoid Arthritis Sufferers

Q4. For how long have you been diagnosed with rheumatoid arthritis?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Less than 3 months	4	4	-	-	*	4	-	4	1	2	1	*	1	2	2	2	2	2
	1%	2%	-	-	*	1%	-	1%	*	2%	*	*	*	2%	*	2%	*	3%
		c																p
3 months or more, but less than 6 months	11	11	-	-	5	6	-	11	2	5	3	1	7	1	10	1	11	-
	2%	6%	-	-	4%	1%	-	2%	2%	3%	1%	1%	2%	1%	2%	*	2%	-
		bc			e													-
6 months or more, but less than 1 year	22	22	-	-	10	12	7	15	3	7	8	4	14	6	17	5	21	1
	4%	12%	-	-	8%	3%	4%	4%	2%	5%	3%	6%	4%	5%	4%	4%	4%	2%
		bc			e													
1 year or more, but less than 2 years	42	42	-	-	17	25	13	28	9	8	19	6	20	13	31	10	37	4
	7%	23%	-	-	14%	5%	8%	7%	7%	6%	7%	9%	5%	11%	7%	8%	7%	6%
		bc			e									l				
2 years or more, but less than 5 years	103	103	-	-	21	82	18	85	21	23	47	12	54	24	81	23	85	18
	18%	57%	-	-	17%	18%	11%	20%	17%	16%	19%	17%	15%	20%	18%	19%	16%	28%
		bc																p
5 years or more, but less than 10 years	173	-	173	-	33	140	65	109	39	44	75	15	113	35	138	34	149	23
	29%	-	100%	-	28%	30%	40%	25%	32%	30%	30%	22%	31%	30%	30%	28%	28%	35%
			ac				g											
10 years or more	235	-	-	235	35	200	59	176	48	56	100	31	158	38	175	46	219	17
	40%	-	-	100%	29%	43%	37%	41%	39%	38%	40%	45%	43%	32%	39%	38%	42%	26%
			ab		d								m				q	
NETS																		
Net: less than one year	37	37	-	-	15	21	7	30	5	15	11	6	22	9	29	7	34	3
	6%	20%	-	-	13%	5%	4%	7%	4%	10%	4%	8%	6%	8%	6%	6%	6%	5%
		bc			e					j								

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q4. For how long have you been diagnosed with rheumatoid arthritis?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Net: less than 5 years	182	182	-	-	53	129	38	143	35	46	77	23	96	46	141	40	156	25
	31%	100%	-	-	44%	27%	23%	33%	29%	32%	30%	33%	26%	39%	31%	33%	30%	39%
		bc			e								l					
Net less than 10 years	355	182	173	-	86	268	102	252	74	91	151	39	209	81	279	74	304	48
	60%	100%	100%	-	71%	57%	63%	59%	61%	62%	60%	55%	57%	68%	61%	62%	58%	74%
		c	c		e								l				p	

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q5. How many different healthcare professionals did you see about your symptoms before you were diagnosed with rheumatoid arthritis? If unsure, please give your best estimate.

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
1-3	445	124	129	191	93	352	116	327	93	102	199	51	287	81	357	77	400	43
	75%	68%	75%	81%	76%	75%	72%	77%	76%	70%	79%	72%	78%	68%	79%	64%	76%	67%
			a							i			m		o			
3-6	125	46	42	38	22	103	37	89	26	39	46	14	73	32	85	36	112	13
	21%	25%	24%	16%	18%	22%	23%	21%	22%	27%	18%	20%	20%	27%	19%	30%	21%	20%
		c	c												n			
7-10	14	7	2	5	5	10	5	9	2	4	2	6	5	5	8	7	10	4
	2%	4%	1%	2%	4%	2%	3%	2%	2%	3%	1%	8%	1%	4%	2%	5%	2%	7%
											hj			l		n		p
Over 10	6	4	*	1	2	4	3	3	1	1	4	-	2	1	4	1	2	4
	1%	2%	*	*	2%	1%	2%	1%	*	1%	2%	-	1%	*	1%	1%	*	6%
																		p

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q6. Which of the following types of healthcare professionals did you see about your symptoms before you were diagnosed with rheumatoid arthritis?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
GP	576	180	169	228	120	456	161	414	122	142	242	70	355	117	441	121	509	64
	98%	99%	97%	97%	99%	97%	100%	97%	100%	97%	96%	100%	97%	98%	97%	100%	97%	100%
Rheumatologist	325	108	98	119	71	254	97	228	59	77	144	44	200	63	251	66	284	38
	55%	59%	57%	51%	58%	54%	60%	53%	49%	53%	57%	63%	55%	53%	55%	55%	54%	59%
Physiotherapist	110	39	35	36	18	91	31	78	18	35	47	10	60	35	76	30	94	16
	19%	21%	20%	15%	15%	19%	19%	18%	15%	24%	19%	14%	16%	29%	17%	25%	18%	25%
Alternative practitioner	55	20	12	23	10	45	13	43	10	17	20	8	35	15	38	16	51	4
	9%	11%	7%	10%	9%	10%	8%	10%	8%	12%	8%	12%	10%	13%	8%	13%	10%	6%
Occupational therapist	24	7	7	10	4	20	9	15	6	7	6	5	10	6	15	6	18	5
	4%	4%	4%	4%	3%	4%	5%	4%	5%	5%	2%	7%	3%	5%	3%	5%	4%	8%
Pharmacist	19	11	4	4	6	14	5	14	3	2	11	3	14	2	15	5	16	4
	3%	6%	2%	2%	5%	3%	3%	3%	2%	2%	4%	4%	4%	2%	3%	4%	3%	6%
Dietician	9	1	3	4	1	8	3	6	1	4	4	1	3	3	6	2	6	2
	2%	1%	2%	2%	1%	2%	2%	1%	*	3%	2%	1%	1%	2%	1%	2%	1%	4%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q7. Which of the following best describes your GP's initial response to your symptoms?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Immediately suspected RA and referred me to specialist care at the hospital	209 35%	69 38%	65 38%	75 32%	49 40%	160 34%	56 35%	152 36%	44 36%	51 35%	90 36%	24 34%	123 34%	44 37%	171 38%	29 24%	189 36%	20 31%
Diagnosed other condition(s) with no relation to rheumatology	164 28%	53 29%	55 32%	56 24%	36 30%	128 27%	42 26%	123 29%	27 22%	47 32%	70 28%	21 30%	97 26%	39 33%	123 27%	40 33%	138 26%	26 41%
Suspected rheumatoid arthritis but did not refer immediately to specialist care	97 16%	27 15%	26 15%	44 19%	16 14%	80 17%	37 23%	58 14%	19 15%	23 16%	45 18%	9 14%	67 18%	17 14%	72 16%	22 18%	89 17%	7 11%
Suspected other rheumatic conditions (e.g. osteoarthritis, ankylosing spondylitis)	54 9%	14 8%	19 11%	21 9%	5 4%	50 11%	16 10%	39 9%	20 16%	12 8%	14 6%	8 11%	32 9%	11 9%	37 8%	17 14%	48 9%	5 7%
I visited a healthcare professional other than my GP with symptoms	24 4%	11 6%	1 1%	12 5%	3 2%	21 4%	3 2%	21 5%	2 1%	9 6%	12 5%	1 2%	20 5%	* *	23 5%	1 *	23 4%	1 1%
GP immediately diagnosed rheumatoid arthritis	20 3%	4 2%	1 *	16 7%	4 3%	17 4%	- -	20 5%	3 3%	2 2%	12 5%	3 5%	16 4%	4 4%	17 4%	4 3%	20 4%	1 1%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q7. Which of the following best describes your GP's initial response to your symptoms?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Don't know / can't remember	21	4	6	12	9	13	7	14	8	2	9	3	12	3	12	8	17	5
	4%	2%	3%	5%	7%	3%	4%	3%	6%	1%	4%	4%	3%	2%	3%	7%	3%	7%
				e				i							n			

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q8. Which of the following best describes your HCP's initial response to your symptoms?

Base: All who initially visited a healthcare professional other than their GP with symptoms of rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	*a	*b	*c	*d	*e	*f	*g	*h	*i	*j	*k	*l	*m	*n	*o	*p	*q	
Significance Level: 95%																		
Unweighted Total	22	11	2	9	6	16	1	21	3	7	10	2	17	1	21	1	21	1
Weighted Total	24	11	1	12	3	21	3	21	2	9	12	1	20	*	23	1	23	1
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Immediately suspected RA and referred me to specialist care at the hospital	12	5	1	7	1	11	3	9	-	7	5	-	12	-	12	1	12	-
	51%	42%	50%	59%	50%	51%	100%	43%	-	84%	38%	-	61%	-	50%	100%	52%	-
Immediately diagnosed with rheumatoid arthritis	4	3	1	-	1	3	-	4	-	-	4	-	4	-	4	-	4	-
	15%	28%	50%	-	21%	15%	-	18%	-	-	30%	-	18%	-	16%	-	16%	-
Suspected rheumatoid arthritis but did not refer immediately	2	1	-	2	-	2	-	2	-	1	2	-	2	-	2	-	2	-
	10%	5%	-	16%	-	12%	-	12%	-	7%	16%	-	10%	-	11%	-	11%	-
Diagnosed other condition(s) with no relation to rheumatology	2	2	-	1	-	2	-	2	-	-	2	1	1	-	2	-	2	-
	10%	17%	-	5%	-	12%	-	12%	-	-	16%	50%	3%	-	11%	-	11%	-
Referred to GP	2	-	-	2	1	1	-	2	1	1	-	1	1	-	2	-	2	-
	7%	-	-	15%	21%	6%	-	8%	33%	7%	-	50%	6%	-	7%	-	7%	-
Suspected other rheumatic conditions (e.g. osteoarthritis, ankylosing spondylitis)	1	1	-	1	*	1	-	1	1	*	-	-	1	*	1	-	1	1
	6%	8%	-	5%	9%	6%	-	7%	67%	3%	-	-	3%	100%	6%	-	4%	100%
Don't know / can't remember	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q9. How long did it take to receive a diagnosis of rheumatoid arthritis from onset of symptoms to formal diagnosis?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Less than one week	13	3	2	8	-	13	3	10	1	4	6	2	11	1	13	-	13	-
	2%	2%	1%	3%	-	3%	2%	2%	1%	2%	2%	3%	3%	1%	3%	-	2%	-
						d												
1 week or more, but less than 3 weeks	47	5	14	27	6	40	13	33	15	14	17	1	38	4	44	2	43	4
	8%	3%	8%	12%	5%	9%	8%	8%	12%	9%	7%	2%	10%	4%	10%	2%	8%	6%
			a	a					k	k			m		o			
3 weeks or more, but less than 6 weeks	78	18	27	33	10	67	34	43	11	18	42	7	51	12	67	7	73	5
	13%	10%	16%	14%	9%	14%	21%	10%	9%	12%	17%	9%	14%	10%	15%	6%	14%	8%
						d	g				h				o			
6 weeks or more, but less than 8 weeks	58	22	17	19	11	48	10	48	8	20	20	9	26	18	44	12	53	6
	10%	12%	10%	8%	9%	10%	6%	11%	7%	14%	8%	13%	7%	15%	10%	10%	10%	9%
													l					
2 months or more, but less than 4 months	108	33	27	49	20	89	41	67	21	19	58	10	68	21	80	24	98	11
	18%	18%	16%	21%	16%	19%	25%	16%	17%	13%	23%	14%	19%	17%	18%	20%	19%	17%
							g				i							
4 months or more, but less than 6 months	49	26	13	11	16	33	7	42	9	12	21	7	33	9	41	9	48	1
	8%	14%	7%	5%	13%	7%	4%	10%	8%	8%	9%	10%	9%	8%	9%	7%	9%	2%
		bc			e												q	
6 months or more, but less than 1 year	86	34	28	24	22	64	21	65	22	25	26	13	60	10	64	18	75	11
	15%	19%	16%	10%	18%	14%	13%	15%	18%	17%	10%	18%	16%	8%	14%	15%	14%	17%
		c							j	j			m					
1 year or more	151	41	46	64	36	114	32	119	34	34	60	22	80	44	102	48	122	27
	26%	23%	26%	27%	30%	24%	20%	28%	28%	24%	24%	31%	22%	37%	22%	40%	23%	42%
													l	n			p	

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q9. How long did it take to receive a diagnosis of rheumatoid arthritis from onset of symptoms to formal diagnosis?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
NETS																		
Net: less than 6 weeks	137 23%	26 14%	43 25%	68 29%	17 14%	120 26%	51 31%	87 20%	27 22%	35 24%	66 26%	9 14%	100 27%	17 15%	123 27%	9 8%	128 25%	9 14%
		a	a	a		d	g			k		m		o				
Net: less than 4 months	304 52%	81 45%	87 50%	136 58%	47 39%	257 55%	101 63%	202 47%	57 46%	75 51%	144 57%	29 41%	194 53%	56 47%	248 55%	46 38%	279 53%	25 40%
		a	a	a		d	g			hk		q						
Net: less than 6 months	353 60%	107 59%	100 58%	147 63%	63 52%	290 62%	108 67%	244 57%	66 54%	87 59%	165 66%	36 51%	227 62%	66 55%	288 63%	54 45%	327 62%	27 41%
						d				hk		q						

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q10. How long after your initial visit to the GP did it take for you to be referred to and visit a rheumatology specialist?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Less than 3 months	287	86	86	115	61	226	86	202	54	67	138	29	180	46	238	41	259	27
	49%	48%	49%	49%	50%	48%	53%	47%	44%	45%	55%	41%	49%	39%	52%	34%	49%	41%
										k			m		o			
3 months or more, but less than 6 months	120	42	43	34	22	98	32	87	25	34	47	14	66	36	90	27	105	15
	20%	23%	25%	15%	18%	21%	20%	20%	21%	23%	19%	19%	18%	30%	20%	22%	20%	23%
		c	c										l					
6 months or more, but less than 1 year	83	31	20	31	16	66	22	60	20	20	30	13	57	13	55	26	68	15
	14%	17%	12%	13%	13%	14%	14%	14%	16%	14%	12%	18%	16%	11%	12%	21%	13%	23%
															n		p	
1 year or more	79	21	22	36	17	62	16	64	17	21	28	14	45	24	54	25	71	8
	13%	12%	13%	15%	14%	13%	10%	15%	14%	14%	11%	19%	12%	20%	12%	21%	14%	12%
													l		n			
Don't know / can't remember	21	1	2	18	5	16	6	15	6	5	8	2	18	-	18	2	21	1
	4%	*	1%	8%	4%	3%	4%	3%	5%	4%	3%	2%	5%	-	4%	1%	4%	1%
			ab										m					

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q11. At the time of your diagnosis, what specifically did your healthcare professional discuss with you?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Potential treatments and how to manage side effects	353	117	119	116	79	274	107	246	74	79	155	45	252	50	309	40	329	24
	60%	65%	69%	49%	65%	59%	67%	57%	61%	54%	62%	64%	69%	42%	68%	33%	63%	38%
		c	c										m		o		q	
How effective potential treatments would be	275	93	86	95	59	215	82	192	46	67	128	33	194	46	236	38	255	19
	47%	51%	50%	40%	49%	46%	51%	45%	38%	46%	51%	47%	53%	39%	52%	31%	49%	30%
		c								h			m		o		q	
Where to go for additional information and support	176	77	47	51	39	137	55	121	31	41	91	13	105	41	140	34	161	15
	30%	43%	27%	22%	32%	29%	34%	28%	25%	28%	36%	19%	29%	34%	31%	28%	31%	23%
		bc								hk								
How to manage the impact on the rest of my life	99	25	28	45	24	75	35	64	17	24	42	15	73	17	88	10	95	4
	17%	14%	16%	19%	20%	16%	22%	15%	14%	17%	17%	22%	20%	14%	19%	8%	18%	6%
															o		q	
The level of pain to expect	88	24	35	29	13	75	37	51	15	19	44	10	60	11	81	7	86	1
	15%	13%	20%	12%	11%	16%	23%	12%	12%	13%	18%	14%	16%	9%	18%	6%	16%	1%
			c				g								o		q	
Don't know / can't remember	99	19	15	66	18	81	23	75	25	22	43	9	53	23	64	27	81	17
	17%	10%	9%	28%	15%	17%	15%	17%	20%	15%	17%	13%	15%	19%	14%	22%	15%	27%
			ab												n		p	

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q12. After diagnosis with rheumatoid arthritis, how comfortable if at all did you feel discussing your diagnosis with the healthcare professional who diagnosed you?

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS	
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
Significance Level: 95%		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Very comfortable	(4) 266 45%	78 43%	82 47%	106 45%	51 42%	215 46%	86 53%	181 42%	42 34%	64 44%	129 51%	31 45%	207 56%	34 29%	266 59%	-	261 50%	5 8%
Fairly comfortable	(3) 188 32%	63 34%	57 33%	69 29%	46 38%	142 30%	55 34%	132 31%	49 40%	40 28%	71 28%	28 40%	113 31%	29 24%	188 41%	-	175 33%	13 20%
Not very comfortable	(2) 80 14%	25 14%	27 16%	27 12%	13 11%	67 14%	7 5%	72 17%	21 17%	21 15%	30 12%	7 10%	25 7%	36 30%	-	80 66%	48 9%	30 47%
Not at all comfortable	(1) 41 7%	15 8%	7 4%	19 8%	9 8%	32 7%	8 5%	33 8%	6 5%	11 7%	20 8%	4 5%	18 5%	19 16%	-	41 34%	27 5%	14 21%
Don't know / can't remember	15 2%	1 *	1 *	14 6% ab	2 1%	13 3%	5 3%	10 2%	3 2%	10 7% jk	2 1%	-	4 1%	1 1%	-	-	12 2%	2 4%
NETS																		
Net: Comfortable	454 77%	141 78%	138 80%	175 75%	97 80%	357 76%	141 87%	313 73%	91 75%	104 71%	199 79%	59 85%	320 87%	63 53%	454 100%	-	436 83%	18 28%
Net: Uncomfortable	121 20%	40 22%	34 20%	46 20%	23 19%	98 21%	16 10%	105 25%	28 23%	32 22%	50 20%	11 15%	43 12%	55 46%	-	121 100%	75 14%	44 68%
Mean score	3.18	3.13	3.23	3.18	3.16	3.19	3.39 g	3.10	3.06	3.16	3.23	3.24	3.40 m	2.67	3.59 o	1.66	3.31 q	2.15
Standard deviation	.92	.94	.86	.96	.91	.93	.81	.95	.87	.96	.95	.85	.82	1.06	.49	.48	.85	.86
Standard error	.04	.06	.07	.07	.06	.05	.10	.04	.08	.08	.06	.10	.04	.10	.02	.04	.04	.11

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q13. Which of the following best explains why you didn't feel comfortable discussing your initial diagnosis?

Base: All who were not comfortable discussing their initial diagnosis with the healthcare professional who diagnosed them

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	*f	g	*h	i	j	*k	l	m	*n	o	p	q	
Significance Level: 95%																		
Unweighted Total	131	49	34	48	49	82	9	122	27	36	54	14	50	53	-	131	83	47
Weighted Total	121	40	34	46	23	98	16	105	28	32	50	11	43	55	-	121	75	44
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%
I didn't feel like I knew enough about the condition	56	14	22	20	11	45	7	49	18	14	16	8	19	27	-	56	32	22
	46%	34%	64%	44%	51%	45%	47%	46%	65%	42%	32%	76%	44%	49%	-	46%	43%	50%
			a															
I was just pleased that I had received a diagnosis	19	14	1	5	1	18	4	15	2	5	9	2	3	11	-	19	10	9
	16%	34%	2%	10%	5%	18%	22%	15%	9%	16%	19%	16%	7%	20%	-	16%	14%	20%
		bc				d												
I felt embarrassed to start that conversation	6	5	*	1	1	4	-	6	1	2	2	-	2	3	-	6	2	3
	5%	12%	1%	1%	6%	4%	-	5%	5%	7%	4%	-	6%	5%	-	5%	3%	7%
		c																
I trusted my doctor enough not to question the diagnosis	3	-	*	3	1	2	*	3	*	2	*	*	2	1	-	3	3	*
	3%	-	1%	7%	6%	2%	2%	3%	1%	8%	*	2%	5%	2%	-	3%	4%	1%
Other	51	19	11	20	10	41	5	46	8	11	31	1	20	23	-	51	36	15
	42%	47%	33%	44%	45%	41%	31%	44%	30%	36%	61%	5%	46%	42%	-	42%	47%	35%
										i								
Don't know / can't remember	4	-	2	2	-	4	-	4	2	-	2	-	2	-	-	4	2	2
	3%	-	6%	4%	-	4%	-	4%	7%	-	4%	-	4%	-	-	3%	3%	4%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q14. How would you describe the quality of information you received from your healthcare professional when you were diagnosed?

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable	
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																			
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69	
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
Very useful	(4)	188	65	56	67	35	153	65	123	41	46	79	22	149	22	185	3	183	5
		32%	36%	32%	29%	33%	40%	29%	34%	31%	31%	31%	41%	18%	41%	2%	35%	7%	
							g						m		o		q		
Fairly useful	(3)	251	75	76	99	60	191	66	185	48	56	113	33	157	38	204	38	232	18
		42%	41%	44%	42%	49%	41%	43%	40%	38%	45%	47%	43%	31%	45%	32%	44%	29%	
					e								m		o		q		
Not very useful	(2)	89	26	34	30	14	75	19	69	21	28	36	4	39	30	42	47	60	27
		15%	14%	19%	13%	12%	16%	12%	16%	17%	19%	15%	6%	11%	26%	9%	39%	11%	42%
										k	k			l		n		p	
Not at all useful	(1)	49	14	4	30	6	43	8	41	6	14	20	10	13	30	14	31	36	13
		8%	8%	3%	13%	5%	9%	5%	9%	5%	9%	8%	14%	4%	25%	3%	26%	7%	20%
			b		b								h		l		n		p
Don't know / can't remember		13	1	3	9	6	7	3	10	6	3	3	1	9	-	9	2	11	2
		2%	*	2%	4%	5%	2%	2%	2%	5%	2%	1%	1%	3%	-	2%	2%	2%	3%
					a	e				j									
NETS																			
Net: Useful		439	140	132	166	95	343	131	308	89	102	192	55	305	59	390	41	416	23
		74%	77%	76%	71%	78%	73%	81%	72%	73%	70%	76%	79%	83%	50%	86%	34%	79%	36%
														m		o		q	
Net: Not useful		138	40	38	60	21	118	28	110	26	42	56	14	52	60	56	78	96	40
		23%	22%	22%	25%	17%	25%	17%	26%	22%	28%	22%	20%	14%	50%	12%	65%	18%	62%
					d									l		n		p	
Mean score		3.00	3.06	3.08	2.90	3.07	2.98	3.18	2.93	3.07	2.93	3.01	2.97	3.23	2.43	3.26	2.10	3.10	2.23
								g					m		o		q		
Standard deviation		.91	.91	.79	.98	.80	.93	.85	.92	.86	.95	.89	.98	.79	1.06	.75	.81	.87	.86
Standard error		.04	.06	.06	.07	.05	.05	.10	.04	.08	.08	.06	.12	.04	.10	.04	.07	.04	.11

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q15. How long after your initial diagnosis were you put on treatment?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Less than 3 months	463	156	149	158	100	363	122	341	89	111	204	59	296	91	374	86	420	40
	78%	86%	86%	67%	82%	78%	76%	80%	73%	76%	81%	84%	81%	76%	82%	71%	80%	63%
		c	c												o	q		
3 months or more, but less than 6 months	66	18	12	35	9	57	23	42	17	17	27	4	41	13	50	14	56	10
	11%	10%	7%	15%	8%	12%	14%	10%	14%	12%	11%	6%	11%	11%	11%	11%	11%	16%
				b														
6 months or more, but less than 1 year	30	3	8	19	5	25	9	21	12	8	6	3	18	5	18	7	25	5
	5%	2%	4%	8%	4%	5%	6%	5%	10%	6%	3%	5%	5%	4%	4%	6%	5%	7%
				a					j									
1 year or more	13	4	4	6	3	10	3	10	2	4	6	2	4	5	8	5	9	4
	2%	2%	2%	3%	2%	2%	2%	2%	1%	2%	2%	2%	1%	4%	2%	4%	2%	7%
													l				p	
Don't know / can't remember	12	-	*	12	4	8	5	7	-	4	6	2	5	2	3	5	10	2
	2%	-	*	5%	4%	2%	3%	2%	-	3%	3%	3%	1%	2%	1%	4%	2%	3%
				ab											n			
I wasn't put on a treatment	6	1	1	5	1	5	-	6	2	2	1	-	2	2	2	4	3	3
	1%	*	*	2%	1%	1%	-	1%	2%	2%	*	-	1%	2%	*	3%	1%	5%
															n		p	

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q16. Since diagnosis, how many different drug treatments have you been prescribed for your rheumatoid arthritis?

Base: All who were put on treatment for their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	584	219	157	208	235	349	75	508	127	151	233	73	358	121	443	126	516	66
Weighted Total	584	181	173	231	121	463	161	422	120	144	250	70	365	117	453	117	520	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
I no longer take any medications for my RA	9	5	4	1	1	8	5	4	1	2	5	1	2	7	4	5	7	2
	2%	3%	2%	*	1%	2%	3%	1%	*	1%	2%	1%	*	6%	1%	4%	1%	3%
		c												l		n		
1-3	199	99	59	40	36	162	50	148	40	51	90	18	144	23	171	27	185	12
	34%	55%	34%	18%	30%	35%	31%	35%	33%	36%	36%	25%	39%	20%	38%	23%	36%	19%
		bc	c										m		o		q	
4-6	203	64	72	67	52	152	52	152	46	49	78	30	127	43	155	46	173	30
	35%	36%	42%	29%	43%	33%	32%	36%	39%	34%	31%	43%	35%	37%	34%	40%	33%	49%
			c		e												p	
7-9	111	12	25	74	19	93	41	70	25	22	50	15	58	23	83	20	101	10
	19%	7%	15%	32%	15%	20%	25%	17%	20%	15%	20%	21%	16%	20%	18%	17%	19%	16%
			a	ab														
10-12	30	-	8	22	5	25	6	24	6	12	11	-	18	9	22	5	25	5
	5%	-	5%	10%	5%	5%	4%	6%	5%	9%	5%	-	5%	7%	5%	5%	5%	8%
			a	a					k	k								
13+	28	1	4	23	7	21	8	20	2	8	11	7	16	10	16	12	25	3
	5%	*	2%	10%	5%	5%	5%	5%	2%	5%	5%	9%	4%	9%	3%	10%	5%	5%
			ab									h				n		
Don't know / can't remember	4	1	-	3	1	3	-	4	*	-	4	-	1	2	2	2	4	-
	1%	*	-	1%	1%	1%	-	1%	*	-	1%	-	*	2%	*	2%	1%	-
														l				

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q16a_SUM. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis

SUMMARY TABLE

Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis

	Current	Past	Current or Past
Unweighted Total	579	579	579
Weighted Total	580	580	580
	100%	100%	100%
Methotrexate Oral	238 41%	315 54%	522 90%
Hydroxychloroquine	173 30%	178 31%	335 58%
Sulphasalazine	142 25%	286 49%	405 70%
Methotrexate Injection	120 21%	131 23%	246 42%
Leflunomide	72 12%	112 19%	179 31%
Rituximab (Mabthera)	61 11%	61 11%	117 20%
Etanercept (Enbrel)	58 10%	97 17%	155 27%
Adalimumab (Humira)	44 8%	86 15%	130 22%
Tocilizumab (Actemra)	39 7%	24 4%	62 11%
Certolizumab Pegol (Cimzia)	32 5%	45 8%	76 13%
Abatacept (Orencia)	31 5%	22 4%	53 9%
Gold Injections	6 1%	70 12%	76 13%
Azathioprine	4 1%	32 6%	36 6%
Golimumab (Simponi)	2 *	9 1%	11 2%

Survey of Rheumatoid Arthritis Sufferers

Q16a_SUM. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis

SUMMARY TABLE

Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis

	Current	Past	Current or Past
Unweighted Total	579	579	579
Weighted Total	580	580	580
	100%	100%	100%
Ciclosporin	1 *	27 5%	28 5%
Infliximab (Remicade)	1 *	35 6%	35 6%
Cyclophosphamide	- -	1 *	1 *
Other	74 13%	163 28%	223 38%
Not applicable	9 2%	- -	- -

Survey of Rheumatoid Arthritis Sufferers

Q16a. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis

Currently take

Base: All who are currently taking any prescribed medicines for treating their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	571	213	155	203	230	341	73	497	125	149	226	71	355	112	435	122	504	65
Weighted Total	571	176	169	227	119	453	157	414	119	142	241	69	362	107	447	110	509	59
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Methotrexate Oral	238 42%	78 44%	69 41%	91 40%	44 37%	194 43%	61 39%	175 42%	43 36%	67 47%	106 44%	22 32%	169 47%	33 31%	191 43%	41 38%	220 43%	17 29%
Hydroxychloroquine	173 30%	74 42% bc	45 27%	55 24%	41 35%	132 29%	45 29%	128 31%	30 25%	49 34%	72 30%	22 32%	110 30%	39 36%	138 31%	30 27%	159 31%	15 25%
Sulphasalazine	142 25%	55 31% c	47 28% c	41 18% e	38 32%	105 23%	53 34% g	89 22%	22 19%	38 27%	68 28%	14 21%	83 23%	32 30%	112 25%	28 25%	124 24%	18 31%
Methotrexate Injection	120 21%	37 21%	46 27% c	37 16%	28 24%	92 20%	24 16%	96 23%	32 27% k	29 20%	50 21%	9 13%	81 22% m	13 12%	96 22%	22 20%	110 22%	8 14%
Leflunomide	72 13%	22 12%	24 14%	26 11%	15 12%	57 13%	26 16%	46 11%	12 10%	20 14%	28 11%	12 17%	33 9%	21 20% l	51 11%	21 19% n	60 12%	12 20%
Rituximab (Mabthera)	61 11%	5 3%	16 10% a	40 18% ab	6 5%	55 12% d	21 13%	41 10%	14 12%	21 15% j	19 8%	7 10%	39 11%	11 10%	43 10%	11 10%	61 12% q	1 1%
Etanercept (Enbrel)	58 10%	12 7%	20 12%	26 11%	15 13%	43 10%	12 8%	46 11%	18 15% i	7 5%	28 12% i	6 8%	42 11% m	5 5%	48 11%	10 9%	54 11%	4 7%
Adalimumab (Humira)	44 8%	4 2%	14 8% a	26 12% a	11 9%	33 7%	12 8%	32 8%	3 3%	17 12% h	17 7%	7 10% h	36 10% m	4 4%	35 8%	6 6%	37 7%	7 12%
Tocilizumab (Actemra)	39 7%	5 3%	12 7%	22 10% a	8 7%	31 7%	13 8%	26 6%	10 8%	8 6%	20 8%	2 3%	21 6%	12 11%	30 7%	8 8%	33 6%	6 10%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q16a. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis

Currently take

Base: All who are currently taking any prescribed medicines for treating their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	571	213	155	203	230	341	73	497	125	149	226	71	355	112	435	122	504	65
Weighted Total	571	176	169	227	119	453	157	414	119	142	241	69	362	107	447	110	509	59
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Certolizumab Pegol (Cimzia)	32 6%	10 6%	12 7%	10 4%	6 5%	25 6%	10 6%	22 5%	2 2%	11 8% h	16 7%	2 4%	23 6%	2 2%	22 5%	9 9%	29 6%	- -
Abatacept (Orencia)	31 5%	8 5%	9 5%	14 6%	5 4%	26 6%	6 4%	25 6%	12 10% ij	4 3%	9 4%	7 10% i	18 5%	6 5%	22 5%	8 7%	26 5%	5 8%
Gold Injections	6 1%	* *	2 1%	4 2%	1 1%	5 1%	2 1%	4 1%	4 3% ij	* *	1 *	1 1%	2 *	2 2%	5 1%	* *	4 1%	2 4% p
Azathioprine	4 1%	1 *	- -	4 2%	1 *	4 1%	- -	4 1%	- -	- -	2 1%	2 3% i	- -	4 4% l	2 1%	2 2%	4 1%	- -
Golimumab (Simponi)	2 *	* *	1 *	1 1%	2 1%	1 *	- -	2 1%	- -	* *	1 1%	1 1%	2 *	- -	2 *	* *	2 *	- -
Ciclosporin	1 *	- -	- -	1 1%	1 *	1 *	- -	1 *	1 *	- -	1 *	- -	1 *	1 1%	1 *	1 1%	1 *	- -
Infliximab (Remicade)	1 *	- -	- -	1 *	- -	1 *	- -	1 *	- -	- -	- -	1 1%	1 *	- -	1 *	- -	1 *	- -
Cyclophosphamide	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other	74 13%	25 14%	25 15%	25 11%	16 13%	58 13%	26 16%	48 12%	13 11%	16 11%	33 14%	12 18%	39 11%	26 24% l	64 14%	10 9%	66 13%	8 13%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q16a. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis

Taken in past

Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	579	218	157	204	233	346	75	503	126	151	229	73	356	119	440	125	511	66
Weighted Total	580	180	173	227	120	460	161	418	120	144	247	70	364	114	451	115	516	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Methotrexate Oral	315 54%	89 49%	101 59%	124 55%	69 58%	245 53%	88 55%	226 54%	62 51%	78 54%	131 53%	45 64%	179 49%	80 70%	234 52%	70 61%	270 52%	42 69%
Sulphasalazine	286 49%	47 26%	92 53%	147 65%	53 44%	233 51%	89 55%	197 47%	63 53%	70 49%	113 46%	39 56%	174 48%	64 56%	215 48%	62 54%	253 49%	32 52%
Hydroxychloroquine	178 31%	44 25%	62 36%	72 32%	44 37%	134 29%	44 27%	134 32%	45 37%	44 30%	73 29%	17 24%	109 30%	26 22%	139 31%	33 28%	155 30%	21 34%
Methotrexate Injection	131 23%	16 9%	51 30%	64 28%	30 25%	101 22%	52 32%	80 19%	32 27%	24 17%	51 21%	24 34%	74 20%	32 28%	103 23%	26 22%	116 22%	15 25%
Leflunomide	112 19%	21 12%	27 16%	64 28%	25 21%	87 19%	32 20%	80 19%	24 20%	24 17%	48 20%	16 22%	65 18%	26 23%	86 19%	23 20%	104 20%	9 14%
Etanercept (Enbrel)	97 17%	6 3%	35 20%	56 25%	21 17%	76 17%	27 17%	70 17%	28 23%	16 11%	32 13%	22 31%	40 11%	40 35%	69 15%	23 20%	89 17%	8 13%
Adalimumab (Humira)	86 15%	8 4%	30 17%	49 22%	13 11%	73 16%	21 13%	65 16%	24 20%	13 9%	33 13%	16 23%	45 12%	21 18%	56 12%	22 19%	79 15%	8 12%
Gold Injections	70 12%	1 *	6 3%	64 28%	16 13%	55 12%	16 10%	55 13%	13 11%	18 13%	25 10%	14 21%	38 10%	18 16%	54 12%	14 12%	67 13%	3 6%
Rituximab (Mabthera)	61 11%	1 1%	18 10%	42 18%	13 11%	48 10%	17 10%	44 11%	16 13%	12 8%	28 11%	5 8%	24 7%	17 15%	41 9%	17 14%	55 11%	6 10%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q16a. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis

Taken in past

Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	579	218	157	204	233	346	75	503	126	151	229	73	356	119	440	125	511	66
Weighted Total	580	180	173	227	120	460	161	418	120	144	247	70	364	114	451	115	516	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Certolizumab Pegol (Cimzia)	45 8%	9 5%	18 11% a	18 8%	11 9%	34 7%	15 9%	30 7%	11 9%	5 4%	26 11% i	3 4%	22 6%	13 12% l	37 8%	8 7%	39 8%	6 9%
Infliximab (Remicade)	35 6%	1 1%	7 4% a	26 11% ab	8 6%	27 6%	7 4%	28 7%	5 4%	9 6%	14 6%	7 10%	11 3%	13 11% l	17 4%	14 12% n	31 6%	4 7%
Azathioprine	32 6%	2 1%	9 5% a	21 9% a	9 7%	23 5%	7 4%	25 6%	9 8%	4 3%	12 5%	7 10% i	10 3%	11 9% l	18 4%	11 9% n	29 6%	3 4%
Ciclosporin	27 5%	* *	4 2% a	23 10% ab	8 7%	19 4%	7 5%	20 5%	6 5%	7 5%	5 2%	9 12% ij	11 3%	11 10% l	16 4%	8 7%	24 5%	3 4%
Tocilizumab (Actemra)	24 4%	1 1%	15 9% ac	7 3%	8 6%	16 4%	13 8% g	11 3%	6 5%	3 2%	12 5%	3 4%	4 1%	10 8% l	21 5%	3 2%	23 4%	1 1%
Abatacept (Orencia)	22 4%	1 1%	13 8% a	7 3%	4 4%	18 4%	15 9% g	7 2%	4 3%	4 3%	11 4%	3 4%	5 1%	9 8% l	18 4%	3 2%	22 4%	* *
Golimumab (Simponi)	9 1%	* *	4 3% a	4 2%	2 1%	7 1%	- -	9 2%	* *	1 1%	7 3%	1 1%	7 2%	- -	6 1%	3 2%	6 1%	2 3%
Cyclophosphamide	1 *	* *	1 *	1 *	1 1% e	- -	- *	1 *	- -	1 1%	1 *	- -	1 *	- -	- -	1 1% n	1 *	* *
Other	163 28%	63 35% b	39 23%	61 27%	30 25%	133 29%	43 26%	119 29%	29 24%	49 34%	68 27%	18 25%	117 32% m	20 17%	119 26%	39 34%	138 27%	26 42% p

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q16a. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis

Currently take or taken in past

Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	579	218	157	204	233	346	75	503	126	151	229	73	356	119	440	125	511	66
Weighted Total	580	180	173	227	120	460	161	418	120	144	247	70	364	114	451	115	516	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Methotrexate Oral	522	154	157	211	108	414	140	381	98	134	225	65	326	107	401	107	463	56
	90%	86%	91%	93%	90%	90%	87%	91%	82%	93%	91%	93%	90%	94%	89%	93%	90%	92%
			a							h	h	h						
Sulphasalazine	405	99	122	185	87	318	129	277	81	98	173	53	241	92	307	87	356	48
	70%	55%	71%	81%	73%	69%	80%	66%	68%	68%	70%	76%	66%	80%	68%	76%	69%	79%
			a	ab			g							l				
Hydroxychloroquine	335	112	98	125	80	255	86	249	71	86	140	38	207	63	262	61	299	34
	58%	62%	57%	55%	67%	55%	53%	60%	59%	60%	57%	55%	57%	55%	58%	53%	58%	55%
				e														
Methotrexate Injection	246	51	96	99	55	191	74	172	64	53	98	31	150	46	193	47	220	24
	42%	28%	56%	43%	46%	41%	46%	41%	54%	37%	40%	44%	41%	40%	43%	41%	43%	39%
			ac	a					ij									
Leflunomide	179	43	46	90	40	139	53	126	34	44	73	28	97	47	133	42	158	21
	31%	24%	27%	40%	33%	30%	33%	30%	29%	31%	30%	39%	27%	41%	29%	36%	31%	34%
				ab										l				
Etanercept (Enbrel)	155	18	55	82	36	119	39	116	45	23	60	28	81	45	117	34	143	12
	27%	10%	32%	36%	30%	26%	24%	28%	38%	16%	24%	39%	22%	39%	26%	29%	28%	20%
			a	a					ij			ij		l				
Adalimumab (Humira)	130	11	43	75	24	106	33	97	27	30	50	23	81	25	91	28	115	15
	22%	6%	25%	33%	20%	23%	20%	23%	23%	21%	20%	33%	22%	22%	20%	25%	22%	24%
			a	a								j						
Rituximab (Mabthera)	117	6	32	78	19	98	38	79	28	31	45	12	59	28	83	25	110	7
	20%	3%	19%	34%	16%	21%	23%	19%	24%	22%	18%	17%	16%	25%	18%	22%	21%	11%
			a	ab										l				
Certolizumab Pegol (Cimzia)	76	18	30	28	17	59	25	51	14	16	41	5	44	15	58	18	68	6
	13%	10%	17%	12%	14%	13%	15%	12%	11%	11%	17%	8%	12%	13%	13%	16%	13%	9%
			a															

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q16a. Please tick the treatments that you have taken in the past or currently take for your RA since diagnosis

Currently take or taken in past

Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	579	218	157	204	233	346	75	503	126	151	229	73	356	119	440	125	511	66
Weighted Total	580	180	173	227	120	460	161	418	120	144	247	70	364	114	451	115	516	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Gold Injections	76 13%	1 *	8 4% a	67 30% ab	16 13%	60 13%	17 11%	59 14%	17 14%	18 13%	26 10%	15 21% j	39 11%	20 17%	60 13%	14 12%	71 14%	5 9%
Tocilizumab (Actemra)	62 11%	6 4%	26 15% a	30 13% a	16 13%	47 10%	26 16% g	36 9%	16 13%	10 7%	32 13%	5 7%	25 7%	21 18% l	50 11%	11 10%	56 11%	7 11%
Abatacept (Orencia)	53 9%	9 5%	22 13% a	21 9% a	9 8%	44 9%	20 13%	33 8%	16 13%	8 6%	20 8%	10 14% i	23 6%	14 12% l	40 9%	11 9%	48 9%	5 8%
Azathioprine	36 6%	3 2%	9 5%	25 11% ab	9 8%	27 6%	7 4%	29 7%	9 8%	4 3%	14 6%	9 13% ij	10 3%	15 13% l	21 5%	13 11% n	34 7%	3 4%
Infliximab (Remicade)	35 6%	1 1%	7 4% a	27 12% ab	8 6%	28 6%	7 4%	29 7%	5 4%	9 6%	14 6%	7 10%	12 3%	13 11% l	18 4%	14 12% n	31 6%	4 7%
Ciclosporin	28 5%	* *	4 2% a	24 11% ab	9 7%	20 4%	7 5%	21 5%	7 6%	7 5%	6 2%	9 12% ij	11 3%	12 10% l	17 4%	9 7%	26 5%	3 4%
Golimumab (Simponi)	11 2%	1 *	5 3% a	5 2%	3 3%	7 2%	- -	11 3%	* *	1 1%	8 3%	1 2%	9 2%	- -	8 2%	3 3%	9 2%	2 3%
Cyclophosphamide	1 *	* *	1 *	1 *	1 1% e	- -	- *	1 *	- -	1 1%	1 *	- -	1 *	- -	- -	1 1% n	1 *	* *
Other	223 38%	81 45% b	60 35%	83 36%	42 35%	181 39%	65 40%	157 38%	37 31%	60 41%	100 40%	27 38%	147 40%	43 38%	172 38%	46 40%	193 37%	30 49%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q17. After your diagnosis with rheumatoid arthritis, how long was it before your treatment resulted in an improvement in your condition?

Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	579	218	157	204	233	346	75	503	126	151	229	73	356	119	440	125	511	66
Weighted Total	580	180	173	227	120	460	161	418	120	144	247	70	364	114	451	115	516	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Less than 1 month	39	14	14	11	6	33	19	19	3	11	14	11	36	2	39	-	37	2
	7%	8%	8%	5%	5%	7%	12%	5%	2%	8%	6%	16%	10%	2%	9%	-	7%	3%
							g			h		hj	m		o			
1 month or more, but less than 3 months	98	50	23	25	18	80	28	70	27	22	46	3	74	10	87	11	88	10
	17%	28%	13%	11%	15%	17%	17%	17%	23%	15%	19%	4%	20%	9%	19%	9%	17%	17%
									k	k	k		m		o			
3 months or more, but less than 6 months	113	28	38	47	20	93	25	86	26	27	48	12	85	9	102	10	106	5
	19%	16%	22%	21%	17%	20%	16%	21%	22%	19%	20%	17%	23%	8%	23%	9%	21%	8%
													m		o		q	
6 months or more, but less than 1 year	110	30	30	50	22	88	27	83	12	33	51	14	80	10	91	17	106	4
	19%	16%	17%	22%	18%	19%	17%	20%	10%	23%	21%	21%	22%	9%	20%	15%	21%	6%
										h	h	h	m				q	
12 months or more, but less than 2 years	57	9	20	28	15	42	14	43	13	17	19	7	36	13	42	13	46	11
	10%	5%	12%	12%	12%	9%	9%	10%	11%	12%	8%	10%	10%	11%	9%	12%	9%	18%
			a	a													p	
2 years or more	69	8	23	38	12	57	19	50	13	16	29	11	41	14	38	28	62	7
	12%	5%	13%	17%	10%	12%	12%	12%	11%	11%	12%	16%	11%	12%	8%	24%	12%	12%
			a	a											n			
My condition has not improved as a result of my treatment	60	33	18	10	19	41	14	46	15	13	21	11	3	47	31	28	40	19
	10%	18%	10%	4%	16%	9%	9%	11%	13%	9%	9%	15%	1%	41%	7%	25%	8%	31%
		bc	c		e								l		n		p	

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q17. After your diagnosis with rheumatoid arthritis, how long was it before your treatment resulted in an improvement in your condition?

Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	579	218	157	204	233	346	75	503	126	151	229	73	356	119	440	125	511	66
Weighted Total	580	180	173	227	120	460	161	418	120	144	247	70	364	114	451	115	516	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
My condition has improved, but I believe not as a result of medications but as a result of lifestyle changes I have made	11 2%	4 2%	6 3% c	1 * ab	2 2%	9 2%	8 5% g	3 1%	2 1%	1 *	8 3%	- -	* * l	7 6%	7 2%	3 3%	10 2%	1 1%
Don't know / can't remember	23 4%	4 2%	1 *	19 8% ab	6 5%	18 4%	7 4%	17 4%	9 7%	4 3%	10 4%	1 1%	7 2%	2 2%	14 3%	4 4%	21 4%	3 4%
NETS																		
Net: less than 3 months	137 24%	65 36% bc	37 22%	35 15%	24 20%	113 24%	47 29%	90 21%	30 25%	33 23%	60 24%	14 20%	110 30% m	12 11%	126 28% o	11 9%	125 24%	12 20%
Net: less than 6 months	250 43%	93 51% c	75 43%	82 36%	45 37%	205 45%	73 45%	176 42%	56 47%	61 42%	108 44%	26 37%	195 54% m	21 19%	228 51% o	21 18%	231 45% q	17 28%
Net: less than 1 year	360 62%	122 68% c	105 61%	132 58%	66 55%	294 64% d	100 62%	259 62%	68 57%	93 65%	159 64%	40 57%	275 76% m	31 27%	319 71% o	38 33%	337 65% q	21 34%
Net: less than 2 years	417 72%	132 73%	125 73%	160 70%	81 67%	336 73%	114 71%	302 72%	81 68%	110 77%	178 72%	47 68%	312 86% m	44 39%	361 80% o	52 45%	383 74% q	32 52%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q17. After your diagnosis with rheumatoid arthritis, how long was it before your treatment resulted in an improvement in your condition?

Base: All who have ever taken any prescribed medicines for treating their rheumatoid arthritis

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	579	218	157	204	233	346	75	503	126	151	229	73	356	119	440	125	511	66
Weighted Total	580	180	173	227	120	460	161	418	120	144	247	70	364	114	451	115	516	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Net: DK/ My condition has improved, but I believe not as a result of medications but as a result of lifestyle changes I have made	34	8	7	19	8	26	15	19	10	4	18	1	8	9	21	7	31	3
	6%	5%	4%	8%	7%	6%	9%	5%	9%	3%	7%	1%	2%	8%	5%	6%	6%	5%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q18. To what extent do you agree or disagree with the statement 'The treatment(s) that have been prescribed for me work well in treating my RA?'

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS	
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Strongly agree	(5) 142 24%	32 17%	54 31%	56 24%	19 16%	122 26%	53 33%	89 21%	20 17%	31 21%	73 29%	17 24%	142 39%	-	130 29%	11 9%	140 27%	2 3%
			a			d		g			h		m		o		q	
Tend to agree	(4) 225 38%	64 35%	59 34%	102 43%	48 40%	177 38%	47 29%	178 42%	56 46%	63 43%	87 35%	19 28%	225 61%	-	189 42%	32 26%	213 41%	13 20%
								f		jk	k		m		o		q	
Neither agree nor disagree	(3) 94 16%	37 21%	24 14%	32 14%	25 20%	69 15%	27 17%	65 15%	27 22%	19 13%	40 16%	8 11%	-	-	68 15%	21 17%	78 15%	14 22%
									i				-	-				
Tend to disagree	(2) 80 14%	25 14%	25 15%	29 13%	20 16%	61 13%	22 14%	58 14%	12 10%	17 11%	35 14%	16 23%	-	80 67%	45 10%	34 28%	56 11%	24 38%
												hi		l		n		p
Strongly disagree	(1) 39 7%	21 11%	10 6%	8 4%	8 7%	31 7%	9 5%	30 7%	6 5%	9 6%	14 6%	10 14%	-	39 33%	18 4%	21 17%	27 5%	11 17%
			c									hij		l		n		p
Don't know	10 2%	3 1%	1 *	7 3%	1 1%	9 2%	3 2%	7 2%	1 1%	8 5%	1 *	*	-	-	3 1%	2 2%	10 2%	* *
										hj								
NETS																		
Net: Agree	367 62%	96 53%	113 65%	158 67%	68 56%	299 64%	100 62%	267 62%	77 63%	94 64%	160 64%	36 51%	367 100%	-	320 70%	43 36%	352 67%	15 23%
			a	a									m		o		q	
Net: Disagree	119 20%	46 25%	35 20%	38 16%	28 23%	91 20%	31 19%	88 21%	18 15%	25 17%	50 20%	26 37%	-	119 100%	63 14%	55 45%	83 16%	35 55%
			c									hij		l		n		p
Mean score	3.60	3.34	3.70	3.74	3.43	3.65	3.72	3.56	3.60	3.66	3.67	3.24	4.39	1.67	3.82	2.82	3.74	2.53
			a	a		d			k	k	k		m		o		q	
Standard deviation	1.19	1.25	1.22	1.08	1.15	1.19	1.22	1.17	1.04	1.14	1.20	1.41	.49	.47	1.08	1.27	1.13	1.09

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q18. To what extent do you agree or disagree with the statement 'The treatment(s) that have been prescribed for me work well in treating my RA?'

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
Standard error	.05	.09	.10	.07	.07	.06	.14	.05	.09	.09	.08	.17	.03	.04	.05	.11	.05	.13

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q19. How comfortable are you in discussing the treatment(s) that work best for you with your healthcare professional?

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable	
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																			
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69	
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
Very comfortable	(4)	356	88	105	163	66	290	114	242	72	80	154	50	268	47	313	34	356	-
		60%	48%	61%	69%	55%	62%	71%	57%	59%	55%	61%	72%	73%	39%	69%	28%	68%	-
			a	a			g					i	m		o		q		
Fairly comfortable	(3)	167	68	43	56	42	124	37	129	39	42	69	16	85	36	122	41	167	-
		28%	37%	25%	24%	35%	27%	23%	30%	32%	29%	27%	23%	31%	27%	34%	32%	-	
			bc		e											q			
Not very comfortable	(2)	45	17	16	13	10	36	4	42	11	11	20	4	13	22	12	30	-	45
		8%	9%	9%	5%	8%	8%	2%	10%	9%	8%	8%	5%	3%	19%	3%	25%	-	70%
							f						l		n		p		
Not comfortable at all	(1)	19	9	7	4	3	16	7	12	*	11	8	-	2	13	6	13	-	19
		3%	5%	4%	2%	3%	3%	4%	3%	*	7%	3%	-	1%	11%	1%	11%	-	30%
											hk			l		n		p	
Don't know		2	1	2	-	2	-	2	-	2	1	-	-	1	1	2	-	-	
		*	*	1%	-	1%	-	1%	-	1%	*	-	-	*	*	2%	-	-	
															n				
NETS																			
Net: Comfortable	523	156	149	219	109	414	151	371	111	123	223	66	352	83	436	75	523	-	
	89%	86%	86%	93%	90%	88%	94%	87%	91%	84%	89%	95%	96%	70%	96%	62%	100%	-	
				ab								i	m		o		q		
Net: Not comfortable	64	25	23	17	13	52	10	54	11	22	28	4	15	35	18	44	-	64	
	11%	14%	13%	7%	10%	11%	6%	13%	9%	15%	11%	5%	4%	30%	4%	36%	-	100%	
		c								k			l	n		p			
Mean score	3.46	3.30	3.45	3.61	3.42	3.48	3.60	3.41	3.49	3.33	3.47	3.66	3.68	2.98	3.64	2.81	3.68	1.70	
				ab								i	m		o		q		
Standard deviation	.77	.83	.82	.67	.75	.78	.73	.78	.67	.91	.77	.58	.56	1.02	.60	.98	.47	.46	
Standard error	.03	.06	.07	.05	.05	.04	.08	.03	.06	.07	.05	.07	.03	.09	.03	.09	.02	.06	

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q20_SUM. To what extent, if at all, would you say that each of the following apply to you?

SUMMARY TABLE

Base: All respondents

	Total	To a great extent	To some extent	To no extent	Don't know	Not applicable	Net: to at least some extent	Mean
I play an active role in shaping my treatment plan with my rheumatologist	590 100%	192 32%	302 51%	87 15%	4 1%	6 1%	493 84%	2.18
I feel able to have effective conversations with my rheumatologist about symptoms and treatment	590 100%	306 52%	230 39%	48 8%	2 *	4 1%	536 91%	2.44
I feel comfortable discussing my condition with my friends	590 100%	196 33%	293 50%	84 14%	5 1%	13 2%	488 83%	2.20
I feel comfortable discussing my condition with my family	590 100%	281 48%	249 42%	55 9%	2 *	3 *	531 90%	2.39

Survey of Rheumatoid Arthritis Sufferers

Q20. To what extent, if at all, would you say that each of the following apply to you?

I play an active role in shaping my treatment plan with my rheumatologist

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable	
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																			
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69	
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
To a great extent	(3)	192	46	59	86	33	159	62	129	29	39	98	26	145	25	170	21	187	4
		32%	25%	34%	37%	27%	34%	39%	30%	24%	26%	39%	37%	39%	21%	37%	17%	36%	7%
				a							hi		m		o		q		
To some extent	(2)	302	96	87	118	71	231	85	216	73	76	118	34	186	57	237	56	280	21
		51%	53%	50%	50%	58%	49%	53%	50%	60%	52%	47%	49%	51%	48%	52%	46%	54%	33%
					e					j								q	
To no extent	(1)	87	35	22	29	16	71	14	72	17	29	33	7	32	35	42	40	48	36
		15%	20%	13%	13%	13%	15%	9%	17%	14%	20%	13%	10%	9%	29%	9%	33%	9%	55%
			c										l		n		p		
Don't know		4	4	-	1	1	3	-	4	1	-	1	2	2	*	4	*	4	*
		1%	2%	-	*	1%	1%	-	1%	1%	-	1%	3%	1%	*	1%	*	1%	*
												i							
Not applicable		6	1	5	*	1	5	-	6	2	2	1	1	2	2	2	4	3	3
		1%	*	3%	*	1%	1%	-	1%	2%	2%	*	1%	1%	2%	*	3%	1%	5%
				ac												n		p	
NETS																			
Net: to at least some extent		493	142	146	205	104	390	147	345	103	115	216	60	330	82	407	77	468	25
		84%	78%	85%	87%	85%	83%	91%	81%	84%	78%	86%	86%	90%	69%	90%	63%	89%	39%
					a			g				i		m		o		q	
Mean score		2.18	2.06	2.22	2.24	2.14	2.19	2.30	2.14	2.10	2.06	2.26	2.28	2.31	1.92	2.29	1.84	2.27	1.48
				a	a						hi	i		m		o		q	
Standard deviation		.67	.68	.66	.66	.62	.68	.62	.68	.62	.69	.68	.65	.62	.71	.62	.71	.62	.63
Standard error		.03	.05	.05	.05	.04	.04	.07	.03	.05	.06	.04	.08	.03	.07	.03	.06	.03	.08

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q20. To what extent, if at all, would you say that each of the following apply to you?

I feel able to have effective conversations with my rheumatologist about symptoms and treatment

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable	
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																			
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69	
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
To a great extent	(3)	306	75	86	145	59	247	92	214	58	69	138	40	238	37	270	34	303	4
		52%	42%	50%	49%	53%	57%	50%	48%	47%	55%	58%	65%	31%	59%	28%	58%	6%	
				ab									m		o		q		
To some extent	(2)	230	86	71	73	48	182	63	166	55	63	89	23	108	57	162	58	194	33
		39%	47%	41%	31%	39%	39%	39%	39%	45%	43%	35%	32%	29%	47%	36%	48%	37%	52%
			c	c									l		n		p		
To no extent	(1)	48	18	12	17	14	34	6	41	6	13	22	7	19	23	19	27	22	25
		8%	10%	7%	7%	11%	7%	4%	10%	5%	9%	9%	10%	5%	19%	4%	22%	4%	39%
													l		n		p		
Don't know		2	1	1	*	1	1	-	2	1	-	1	-	1	*	1	1	2	*
		*	1%	*	*	1%	*	-	*	*	-	1%	-	*	*	*	1%	*	*
Not applicable		4	1	4	-	-	4	-	4	2	2	1	-	2	2	2	2	2	2
		1%	*	2%	-	-	1%	-	1%	2%	1%	*	-	1%	2%	1%	2%	*	3%
				c														p	
NETS																			
Net: to at least some extent		536	161	157	218	107	429	155	380	114	132	227	63	345	93	432	91	497	37
		91%	89%	91%	93%	88%	92%	96%	89%	93%	90%	90%	90%	94%	78%	95%	76%	95%	58%
							g						m		o		q		
Mean score		2.44	2.32	2.44	2.54	2.38	2.46	2.53	2.41	2.44	2.39	2.47	2.48	2.60	2.12	2.56	2.06	2.54	1.65
				a									m		o		q		
Standard deviation		.64	.65	.62	.63	.68	.63	.57	.66	.59	.64	.65	.67	.59	.71	.58	.72	.58	.59
Standard error		.03	.04	.05	.04	.03	.07	.03	.05	.05	.04	.08	.03	.06	.03	.06	.03	.07	

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q20. To what extent, if at all, would you say that each of the following apply to you?

I feel comfortable discussing my condition with my friends

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable	
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																			
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69	
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
To a great extent	(3)	196	51	56	89	34	161	51	145	41	41	93	20	142	32	163	32	184	12
		33%	28%	32%	38%	28%	34%	32%	34%	34%	28%	37%	29%	39%	27%	36%	27%	35%	18%
				a									m				q		
To some extent	(2)	293	99	79	115	65	227	85	207	57	76	121	39	172	61	229	53	260	30
		50%	54%	46%	49%	54%	48%	53%	48%	46%	52%	48%	56%	47%	51%	50%	44%	50%	47%
To no extent	(1)	84	27	28	29	19	65	16	68	18	23	35	8	41	24	48	32	63	20
		14%	15%	16%	12%	16%	14%	10%	16%	14%	16%	14%	12%	11%	20%	11%	26%	12%	31%
													l			n		p	
Don't know		5	2	2	1	2	4	2	4	3	2	-	-	1	1	3	2	5	1
		1%	1%	1%	*	1%	1%	1%	1%	3%	2%	-	-	*	*	1%	2%	1%	1%
										j									
Not applicable		13	3	7	2	1	12	8	5	4	4	3	2	11	2	11	2	11	2
		2%	2%	4%	1%	1%	3%	5%	1%	3%	2%	1%	3%	3%	2%	2%	2%	2%	3%
				c			g												
NETS																			
Net: to at least some extent		488	149	135	204	100	388	136	351	98	117	214	59	314	92	392	85	444	42
		83%	82%	78%	87%	82%	83%	84%	82%	80%	80%	85%	85%	86%	77%	86%	70%	85%	65%
				b										m		o		q	
Mean score		2.20	2.14	2.17	2.26	2.13	2.21	2.23	2.18	2.20	2.13	2.24	2.17	2.28	2.06	2.26	2.00	2.24	1.87
														m		o		q	
Standard deviation		.67	.65	.70	.66	.66	.67	.62	.69	.69	.67	.68	.63	.66	.69	.64	.74	.66	.71
Standard error		.03	.04	.06	.05	.04	.04	.07	.03	.06	.05	.04	.08	.04	.06	.03	.07	.03	.09

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q20. To what extent, if at all, would you say that each of the following apply to you?

I feel comfortable discussing my condition with my family

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS	
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
To a great extent	(3) 281 48%	76 42%	87 50%	119 51%	52 42%	230 49%	84 52%	197 46%	51 41%	59 40%	137 55%	35 50%	203 55%	44 37%	241 53%	37 31%	265 51%	17 26%
To some extent	(2) 249 42%	88 48%	67 38%	95 40%	59 49%	190 41%	68 42%	180 42%	59 48%	68 46%	97 39%	26 37%	138 38%	52 44%	178 39%	62 51%	219 42%	29 45%
To no extent	(1) 55 9%	18 10%	17 10%	20 8%	10 9%	44 9%	8 5%	47 11%	11 9%	20 14%	17 7%	7 10%	23 6%	24 20%	32 7%	20 17%	35 7%	19 30%
Don't know	2 *	- -	2 1%	- -	- -	2 *	- -	2 *	2 2%	- -	- -	- -	- -	- -	- -	2 2%	2 *	- -
Not applicable	3 *	1 *	1 *	2 1%	1 *	2 1%	2 1%	1 *	- -	- -	1 *	2 3%	3 1%	- -	3 1%	- -	3 1%	- -
NETS																		
Net: to at least some extent	531 90%	163 90%	154 89%	214 91%	110 91%	420 90%	152 94%	378 88%	110 90%	126 86%	234 93%	61 87%	341 93%	96 80%	419 92%	99 82%	483 92%	45 70%
Mean score	2.39	2.32	2.41	2.43	2.34	2.40	2.48	2.35	2.33	2.26	2.48	2.41	2.50	2.17	2.46	2.14	2.44	1.96
Standard deviation	.65	.65	.67	.64	.63	.66	.59	.67	.64	.69	.62	.67	.61	.74	.63	.68	.62	.75
Standard error	.03	.04	.05	.04	.04	.04	.07	.03	.06	.06	.04	.08	.03	.07	.03	.06	.03	.09

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q21. As a result of having been diagnosed with RA which types of health care professionals do you now interact with on at least a yearly basis to help manage your RA?

Base: All respondents who have been diagnosed with rheumatoid arthritis for a year or more

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	538	168	158	212	204	334	71	466	117	139	216	66	334	108	404	120	473	63
Weighted Total	553	145	173	235	106	447	154	398	117	132	240	64	345	110	426	113	489	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Rheumatologist	504	135	155	214	98	407	142	362	100	119	223	61	315	96	392	100	447	55
	91%	93%	89%	91%	92%	91%	92%	91%	86%	91%	93%	95%	91%	87%	92%	88%	91%	89%
Specialist Nurse	373	93	106	174	79	294	97	276	92	89	149	43	232	73	289	73	337	34
	67%	64%	61%	74% ab	75% e	66%	63%	69%	79% ij	68%	62%	67%	67%	67%	68%	64%	69% q	55%
GP	350	88	112	150	69	282	111	239	67	86	153	43	216	76	280	63	308	41
	63%	61%	65%	64%	65%	63%	72%	60%	58%	66%	64%	67%	63%	70%	66% o	55%	63%	68%
Practice Nurse	183	50	55	77	42	141	63	120	40	40	79	24	119	29	144	36	159	24
	33%	35%	32%	33%	39%	32%	41%	30%	34%	31%	33%	37%	34%	26%	34%	31%	32%	39%
Podiatrist	149	32	34	83	26	123	32	117	32	34	57	26	87	29	117	30	131	16
	27%	22%	19%	35% ab	24%	28%	21%	29%	27%	26%	24%	40% ij	25%	27%	27%	26%	27%	27%
Pharmacist (Medicine Annual Review)	96	21	33	42	13	83	31	64	19	22	50	5	62	16	83	13	91	5
	17%	15%	19%	18%	13%	19%	20%	16%	16%	17%	21% k	8%	18%	15%	19% o	12%	19% q	8%
Physiotherapist	89	31	19	40	20	70	19	70	13	20	40	17	51	24	66	23	81	8
	16%	21% b	11%	17%	19%	16%	13%	18%	11%	15%	16%	26% h	15%	22%	16%	20%	17%	13%
Occupational therapist	65	21	20	24	21	44	15	50	10	18	20	18	28	23	49	16	57	8
	12%	15%	12%	10%	20% e	10%	12%	10%	8%	13%	8%	27% hij	8%	21% l	11%	14%	12%	13%
Psychologists/counsellor	11	4	3	4	4	7	2	9	2	7	1	1	6	4	8	2	9	2
	2%	3%	2%	2%	4%	1%	1%	2%	2%	5% j	*	1%	2%	4%	2%	2%	2%	3%

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q21. As a result of having been diagnosed with RA which types of health care professionals do you now interact with on at least a yearly basis to help manage your RA?

Base: All respondents who have been diagnosed with rheumatoid arthritis for a year or more

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	538	168	158	212	204	334	71	466	117	139	216	66	334	108	404	120	473	63
Weighted Total	553	145	173	235	106	447	154	398	117	132	240	64	345	110	426	113	489	61
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Dietician	4	1	1	2	1	3	-	4	1	2	1	1	1	3	2	2	2	2
	1%	1%	*	1%	1%	1%	-	1%	1%	1%	*	1%	*	3%	*	2%	*	4%
													l					p

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q22_SUM. To what extent do you agree or disagree with each of the following statements?

SUMMARY TABLE

Base: All respondents

	Total	Strongly agree	Tend to agree	Tend to disagree	Strongly disagree	Don't know	Net: Agree	Net: Disagree	Mean
I feel like my rheumatoid arthritis is a hidden condition which makes it difficult to talk about with others	590 100%	145 25%	231 39%	107 18%	99 17%	8 1%	376 64%	206 35%	2.73
My family and friends don't understand my condition well enough to be able to offer me adequate support	590 100%	74 13%	206 35%	176 30%	128 22%	6 1%	280 48%	304 51%	2.39
My family and friends have a good understanding of my condition	590 100%	108 18%	229 39%	179 30%	58 10%	16 3%	337 57%	237 40%	2.67

Survey of Rheumatoid Arthritis Sufferers

Q22. To what extent do you agree or disagree with each of the following statements?

I feel like my rheumatoid arthritis is a hidden condition which makes it difficult to talk about with others

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable	
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																			
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69	
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
Strongly agree	(4)	145	55	43	47	37	109	35	110	32	37	55	22	72	43	94	46	116	29
		25%	30%	25%	20%	30%	23%	22%	26%	26%	25%	22%	31%	19%	36%	21%	38%	22%	45%
			c											l		n		p	
Tend to agree	(3)	231	73	73	85	51	180	58	173	47	60	98	27	136	47	176	50	202	27
		39%	40%	42%	36%	42%	38%	36%	40%	38%	41%	39%	38%	37%	39%	39%	41%	39%	41%
Tend to disagree	(2)	107	31	21	55	19	88	25	81	19	28	47	12	76	16	91	12	102	5
		18%	17%	12%	24%	15%	19%	15%	19%	16%	19%	19%	18%	21%	14%	20%	10%	19%	8%
				b											o		q		
Strongly disagree	(1)	99	22	31	46	15	84	40	59	22	17	51	9	77	12	86	13	95	4
		17%	12%	18%	19%	12%	18%	25%	14%	18%	12%	20%	13%	21%	10%	19%	11%	18%	6%
				a			g				i		m		o		q		
Don't know		8	-	6	2	1	7	3	5	2	6	-	-	7	1	8	-	8	-
		1%	-	3%	1%	*	2%	2%	1%	2%	4%	-	-	2%	*	2%	-	2%	-
				a						j	j								
NETS																			
Net: Agree		376	128	116	132	87	289	93	283	79	96	153	49	207	90	270	96	318	56
		64%	71%	67%	56%	72%	62%	58%	66%	64%	66%	61%	70%	56%	76%	59%	79%	61%	87%
			c	c	e									l		n		p	
Net: Disagree		206	53	51	101	33	172	65	140	41	45	99	21	152	28	177	25	197	9
		35%	29%	30%	43%	28%	37%	40%	33%	34%	31%	39%	30%	41%	24%	39%	21%	38%	13%
				ab	d								m		o		q		
Mean score		2.73	2.89	2.77	2.57	2.90	2.68	2.56	2.79	2.74	2.82	2.62	2.88	2.56	3.03	2.62	3.07	2.66	3.26
			c		e									l		n		p	
Standard deviation		1.02	.98	1.04	1.02	.97	1.03	1.10	.98	1.05	.95	1.04	1.00	1.04	.96	1.02	.96	1.02	.84
Standard error		.04	.07	.08	.07	.06	.06	.13	.04	.09	.08	.07	.12	.05	.09	.05	.08	.05	.10

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q22. To what extent do you agree or disagree with each of the following statements?

My family and friends don't understand my condition well enough to be able to offer me adequate support

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable	
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																			
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69	
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
Strongly agree	(4)	74	33	20	21	13	61	13	61	18	29	18	9	37	22	43	27	55	18
		13%	18%	12%	9%	11%	13%	8%	14%	15%	20%	7%	13%	10%	19%	9%	22%	11%	29%
			c							j	j			l		n		p	
Tend to agree	(3)	206	64	63	79	55	152	47	159	51	46	82	27	106	54	150	51	174	33
		35%	35%	36%	33%	45%	32%	29%	37%	42%	31%	33%	39%	29%	45%	33%	42%	33%	51%
					e								l					p	
Tend to disagree	(2)	176	58	50	67	30	146	56	119	38	33	86	19	114	33	145	26	169	7
		30%	32%	29%	29%	25%	31%	35%	28%	31%	23%	34%	27%	31%	28%	32%	22%	32%	10%
											i				o		q		
Strongly disagree	(1)	128	26	34	68	23	105	42	86	16	33	64	14	106	10	113	14	122	6
		22%	14%	20%	29%	19%	22%	26%	20%	13%	23%	26%	20%	29%	8%	25%	11%	23%	9%
				ab							h	h		m	o		q		
Don't know		6	1	5	-	1	5	3	3	-	5	1	-	4	-	3	3	3	1
		1%	*	3%	-	1%	1%	2%	1%	-	4%	*	-	1%	-	1%	2%	1%	1%
				ac							hj								
NETS																			
Net: Agree		280	97	84	100	68	213	60	221	69	75	100	37	143	76	193	78	229	51
		48%	54%	48%	42%	56%	45%	37%	52%	56%	51%	40%	52%	39%	64%	42%	65%	44%	79%
			c			e		f		j	j			l		n		p	
Net: Disagree		304	84	84	136	53	251	99	204	54	66	150	33	220	43	258	40	291	13
		51%	46%	49%	58%	44%	54%	61%	48%	44%	45%	60%	48%	60%	36%	57%	33%	56%	20%
				a		d		g			hi			m	o		q		
Mean score		2.39	2.58	2.42	2.22	2.48	2.36	2.19	2.46	2.58	2.50	2.22	2.46	2.20	2.75	2.27	2.78	2.31	2.99
			c						f	j	j			l		n		p	
Standard deviation		.96	.95	.95	.97	.92	.97	.92	.97	.90	1.07	.91	.97	.98	.86	.94	.93	.95	.89
Standard error		.04	.06	.08	.07	.06	.05	.11	.04	.08	.09	.06	.11	.05	.08	.04	.08	.04	.11

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q22. To what extent do you agree or disagree with each of the following statements?

My family and friends have a good understanding of my condition

Base: All respondents

	Total	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
		Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable	
		a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																			
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69	
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
Strongly agree	(4)	108	19	31	57	17	91	36	72	21	25	51	12	80	14	90	15	101	7
		18%	11%	18%	24%	14%	20%	22%	17%	17%	17%	20%	16%	22%	12%	20%	12%	19%	10%
			a	a										m					
Tend to agree	(3)	229	65	65	98	40	189	71	157	43	53	102	30	161	42	187	38	217	10
		39%	36%	38%	42%	33%	40%	44%	37%	35%	36%	41%	43%	44%	35%	41%	32%	41%	16%
																	q		
Tend to disagree	(2)	179	74	46	60	49	130	31	147	41	43	71	24	88	44	130	43	150	29
		30%	41%	26%	25%	40%	28%	19%	34%	34%	30%	28%	34%	24%	37%	29%	36%	29%	45%
			bc		e		f							l				p	
Strongly disagree	(1)	58	17	25	16	15	43	13	45	12	18	22	5	26	16	32	24	39	18
		10%	9%	14%	7%	12%	9%	8%	11%	10%	12%	9%	7%	7%	13%	7%	20%	8%	28%
			c											l	n			p	
Don't know		16	6	6	4	2	15	10	6	4	7	5	-	12	4	16	1	16	1
		3%	3%	3%	2%	1%	3%	6%	2%	4%	5%	2%	-	3%	3%	3%	*	3%	1%
							g												
NETS																			
Net: Agree		337	85	97	155	56	281	108	229	64	78	153	42	241	56	277	53	318	17
		57%	47%	56%	66%	46%	60%	67%	54%	52%	53%	61%	60%	66%	47%	61%	44%	61%	26%
				a		d	g							m	o	q			
Net: Disagree		237	91	70	76	64	173	44	192	54	62	93	28	114	60	162	67	189	47
		40%	50%	41%	32%	52%	37%	27%	45%	44%	42%	37%	40%	31%	50%	36%	55%	36%	73%
			c		e		f							l	n			p	
Mean score		2.67	2.50	2.62	2.85	2.48	2.72	2.87	2.61	2.62	2.60	2.74	2.69	2.83	2.47	2.76	2.37	2.75	2.09
				ab		d	g							m	o	q			
Standard deviation		.89	.82	.95	.88	.88	.89	.88	.89	.90	.93	.89	.83	.86	.88	.86	.94	.86	.93
Standard error		.04	.06	.08	.06	.06	.05	.10	.04	.08	.08	.06	.10	.05	.08	.04	.08	.04	.11

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q1. Which of the following age groups do you fall into?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Net: 65+	318	81	95	142	-	318	86	232	66	80	144	29	210	60	245	64	281	35
	54%	45%	55%	60%	-	68%	53%	54%	54%	55%	57%	41%	57%	50%	54%	53%	54%	55%
			a		d						k							

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q2. Are you...?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Male	161	38	65	59	27	134	161	-	26	28	85	22	100	31	141	16	151	10
	27%	21%	37%	25%	22%	29%	100%	-	21%	19%	34%	32%	27%	26%	31%	13%	29%	16%
			ac				g			hi	i				o		q	
Female	428	143	109	176	94	333	-	428	95	119	166	48	267	88	313	105	371	54
	72%	79%	63%	75%	78%	71%	-	100%	78%	81%	66%	68%	73%	74%	69%	87%	71%	84%
		b		b			f		j	jk					n		p	
Transgender/other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prefer not to say	1	1	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-
	*	1%	-	-	-	*	-	-	1%	-	-	-	-	-	*	-	*	-

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q3. Which of these UK regions do you live in?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Scotland	28	11	5	12	7	21	7	21	-	-	-	28	20	4	24	3	27	1
	5%	6%	3%	5%	6%	5%	4%	5%	-	-	-	40%	5%	4%	5%	3%	5%	1%
												hij						
North East	27	7	6	13	6	21	7	20	27	-	-	-	18	5	21	5	25	2
	5%	4%	4%	6%	5%	4%	4%	5%	22%	-	-	-	5%	4%	5%	5%	5%	3%
									ijk									
North West	68	14	23	31	11	57	12	56	68	-	-	-	41	9	47	19	62	7
	12%	8%	13%	13%	9%	12%	8%	13%	56%	-	-	-	11%	7%	10%	16%	12%	10%
									ijk									
Yorkshire & Humberside	27	14	10	3	8	19	7	19	27	-	-	-	18	4	24	3	25	3
	5%	8%	6%	1%	7%	4%	4%	5%	22%	-	-	-	5%	3%	5%	3%	5%	4%
		c	c						ijk									
West Midlands	50	14	23	14	11	39	12	39	-	50	-	-	36	8	43	6	43	8
	8%	8%	13%	6%	9%	8%	7%	9%	-	34%	-	-	10%	6%	9%	5%	8%	12%
			c						-	hjk								
East Midlands	47	10	10	27	9	38	12	36	-	47	-	-	27	8	30	14	40	7
	8%	6%	6%	11%	8%	8%	7%	8%	-	32%	-	-	7%	7%	7%	11%	8%	10%
			a						-	hjk								
Wales	38	12	11	16	6	32	15	23	-	-	-	38	13	21	31	7	35	3
	7%	6%	6%	7%	5%	7%	9%	5%	-	-	-	55%	4%	18%	7%	6%	7%	5%
									-	-	-	hij		l				
Eastern England	49	23	11	15	10	39	5	44	-	49	-	-	31	10	31	12	40	7
	8%	12%	7%	6%	8%	8%	3%	10%	-	34%	-	-	8%	8%	7%	10%	8%	11%
		c					f		-	hjk								
London	34	17	5	12	9	25	15	19	-	-	34	-	22	8	28	6	31	3
	6%	9%	3%	5%	8%	5%	9%	4%	-	-	13%	-	6%	7%	6%	5%	6%	4%
		b							-	-	hik							

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q

Survey of Rheumatoid Arthritis Sufferers

Q3. Which of these UK regions do you live in?

Base: All respondents

	TIME SINCE DIAGNOSIS			AGE		GENDER		REGION				PERCEIVED EFFICACY OF TREATMENT		FEELING ABOUT DISCUSSING DIAGNOSIS WITH HCPS		FEELING ABOUT DISCUSSING TREATMENT WITH HCPS		
	Total	Less than 5 years	5 years or more but less than 10 years	10 years+	16-54	55+	Male	Female	North	Midlands and East	South and London	Scotland Wales and NI	Work well	Do not work well	Comfortable	Not comfortable	Comfortable	Not comfortable
	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	
Significance Level: 95%																		
Unweighted Total	590	220	158	212	237	353	75	514	129	153	235	73	360	123	444	131	519	69
Weighted Total	590	182	173	235	121	468	161	428	122	146	251	70	367	119	454	121	523	64
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
South East	126	34	43	49	23	104	41	85	-	-	126	-	83	27	104	22	116	11
	21%	19%	25%	21%	19%	22%	26%	20%	-	-	50%	-	23%	23%	23%	18%	22%	17%
											hik							
South West	91	25	27	39	18	73	30	62	-	-	91	-	55	15	68	23	76	14
	15%	14%	15%	17%	15%	16%	18%	14%	-	-	36%	-	15%	12%	15%	19%	15%	22%
											hik							
Northern Ireland	4	1	-	3	3	1	-	4	-	-	-	4	3	1	4	-	4	-
	1%	*	-	1%	3%	*	-	1%	-	-	-	5%	1%	*	1%	-	1%	-
					e						hij							

Columns Tested: a,b,c - d,e - f,g - h,i,j,k - l,m - n,o - p,q