

SUE RYDER – BEREAVEMENT SUPPORT

Methodology: ComRes interviewed 2,189 UK adults between 14th and 19th December 2018. Data were weighted to be demographically representative of UK adults by age, gender, region and social grade. ComRes is a member of the British Polling Council and abides by its rules.

All press releases or other publications must be checked with ComRes before use. ComRes requires 48 hours to check a press release unless otherwise agreed.

For information about commissioning research please contact info@comresglobal.com or call +44 (0)20 7871 8660.

REPUTATION | COMMUNICATIONS | PUBLIC POLICY

Four Millbank | London | SW1P 3JA | T. +44 (0)20 7871 8660

Rond-Point Schuman / Schumanplein 6 | Box 5 | 1040 Bruxelles | T. +32 (0)2 234 63 82

51/F Raffles City | No.268 Xi Zang Middle Road | HuangPu District Shanghai | 200001 China | T. +86 (0)21 2312 7674

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 1
Q.1 How often, if at all, do you feel lonely or socially isolated?
Base: All respondents

	Gender			Age									Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Ever	1281 59%	546 51%	735 66%A	190 78% <u>EF</u> GH	284 75% <u>EF</u> GH	230 66% <u>F</u> GH	215 55% <u>H</u>	169 52% <u>H</u>	193 38%	474 76% <u>J</u> K	445 60% <u>K</u>	363 44%	350 59%	360 59%	238 54%	332 62% <u>N</u>	200 60%	570 61%
Daily	265 12%	129 12%	137 12%	40 16% <u>GH</u>	64 17% <u>f</u> GH	52 15% <u>G</u> H	47 12% <u>H</u>	28 9%	35 7%	104 17% <u>K</u>	98 13% <u>K</u>	63 8%	54 9%	64 10%	55 12%	94 18% <u>LMN</u>	34 10%	101 11%
Weekly	353 16%	168 16%	185 17%	67 28% <u>EF</u> GH	81 21% <u>F</u> GH	69 20% <u>G</u> H	59 15% <u>g</u> H	34 10%	43 9%	148 24% <u>J</u> K	128 17% <u>K</u>	77 9%	98 16%	94 15%	60 14%	101 19% <u>N</u>	56 17%	155 17%
Monthly	209 10%	69 6%	140 12%A	42 17% <u>EF</u> GH	55 15% <u>f</u> GH	40 11% <u>G</u> H	34 9% <u>g</u> H	18 5%	20 4%	98 16% <u>J</u> K	74 10% <u>K</u>	37 4%	59 10% <u>o</u>	72 12% <u>O</u>	43 10%	35 7%	35 11%	104 11%
Less than monthly	453 21%	181 17%	273 24%A	41 17%	83 22%	69 20%	75 19%	90 28% <u>Cd</u> EFH	95 19%	124 20%	144 20%	185 22%	139 23% <u>n</u>	131 21%	80 18%	103 19%	75 23%	210 23%
Never	788 36%	465 44%B	323 29%	30 12%	74 20% <u>C</u>	95 27% <u>CD</u>	154 40% <u>CDE</u>	136 42% <u>CDE</u>	300 59% <u>CDEFG</u>	104 17% <u>K</u>	249 34% <u>l</u>	436 53% <u>L</u> J	217 36%	224 36% <u>o</u>	180 41% <u>O</u>	168 31%	119 36%	300 32%
Prefer not to say	28 1%	17 2%	11 1%	4 2% <u>gh</u>	7 2% <u>g</u> H	10 3% <u>G</u> H	4 1%	1 *	2 *	11 2% <u>k</u>	15 2% <u>K</u>	2 *	10 2%	9 2%	5 1%	4 1%	4 1%	21 2%
Don't know	91 4%	39 4%	52 5%	19 8% <u>De</u> FH	14 4%	15 4% <u>h</u>	14 4%	18 5% <u>H</u>	11 2%	33 5%	29 4%	29 3%	20 3%	22 4%	21 5%	29 5%	9 3%	40 4%
NET: Daily or weekly	619 28%	297 28%	322 29%	106 44% <u>EF</u> GH	146 38% <u>F</u> GH	121 34% <u>f</u> GH	106 27% <u>G</u> H	62 19%	78 15%	252 41% <u>J</u> K	227 31% <u>K</u>	140 17%	152 25%	157 26%	115 26%	194 37% <u>LMN</u>	90 27%	256 28%
NET: Monthly or less	1451 66%	715 67%	736 66%	113 47%	212 56% <u>C</u>	204 58% <u>C</u>	263 68% <u>CDE</u>	244 75% <u>CDEF</u>	415 82% <u>CDEFG</u>	325 52%	467 63% <u>l</u>	659 79% <u>L</u> J	416 70% <u>O</u>	426 69% <u>O</u>	303 68% <u>O</u>	306 57%	229 69%	614 66%

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 2
Q.1 How often, if at all, do you feel lonely or socially isolated?
Base: All respondents

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humber (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Ever	1281 59%	122 66%DIL	61 57%	35 54%	1063 58%	55 61%	146 60%	107 60%	116 61%l	82 53%	118 58%	173 60%l	157 53%	110 58%
Daily	265 12%	30 16%dFL	17 16%l	5 8%	214 12%	12 14%	23 9%	26 14%L	25 13%l	17 11%	25 13%	36 13%l	24 8%	25 13%l
Weekly	353 16%	37 20%	14 14%	8 13%	293 16%	18 20%	40 16%	26 15%	37 20%	21 13%	34 16%	42 15%	48 16%	28 15%
Monthly	209 10%	22 12%Cej	10 9%	2 3%	175 10%c	5 5%	24 10%	18 10%	16 9%	18 11%c	14 7%	37 13%CeJ	25 9%	19 10%
Less than monthly	453 21%	32 18%	20 19%	20 31% ^d Abhiklm	381 21%	20 22%	60 24% ^a	38 21%	37 20%	26 17%	45 22%	57 20%	60 20%	38 20%
Never	788 36%	53 29%	42 40%A	29 44% ^{Ak}	665 36%A	31 35%	81 33%	57 32%	68 36%	68 44% ^{AfGK}	78 38% ^a	90 31%	122 41% ^{AfgK}	70 37% ^a
Prefer not to say	28 1%	1 1%	1 1%	- -	26 1%	- -	4 2%	3 2%	1 *	- -	4 2%	7 2% ⁱ	5 2%	2 1%
Don't know	91 4%	9 5%	2 2%	2 2%	79 4%	4 4%	12 5%	10 6% ^j	5 2%	5 3%	4 2%	16 6% ^j	14 5%	8 4%
NET: Daily or weekly	619 28%	67 36% ^{DCFIKL}	31 30%	13 20%	507 28%	30 34% ^{cd}	63 26%	52 29%	62 33% ^{cdL}	38 24%	59 29%	79 27%	71 24%	53 28%
NET: Monthly or less	1451 66%	108 58%	71 67%	51 77% ^{dAeghk}	1221 67%A	55 62%	165 67% ^a	113 63%	121 64%	112 72%A	137 67% ^a	185 64%	207 70%A	126 67% ^a

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
 * small base

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 3
Q.1 How often, if at all, do you feel lonely or socially isolated?
Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Ever	1281 59%	619 100%B	662 46%	936 59%	339 57%	63 64%	819 58%	108 80%F	7 50%	15 58%	848 57%	266 59%	100 65%j	34 92%JKL
Daily	265 12%	265 43%B	-	205 13%d	59 10%	15 15%	170 12%	33 25%F	2 12%	4 16%	190 13%k	41 9%	21 14%	5 13%
Weekly	353 16%	353 57%B	-	255 16%	97 16%	15 15%	223 16%	30 22%f	3 19%	5 17%	232 16%	75 17%	21 14%	14 37%JKL
Monthly	209 10%	-	209 14%A	156 10%	52 9%	10 10%	140 10%	15 11%	1 5%	-	120 8%	54 12%J	23 15%J	10 26%JK
Less than monthly	453 21%	-	453 31%A	320 20%	130 22%	23 23%	286 20%	30 22%	2 14%	6 24%	306 21%	95 21%	35 23%	6 17%
Never	788 36%	-	788 54%A	558 35%	225 38%	29 29%	534 38%G	21 16%	6 45%	9 36%	556 37%LM	161 36%M	44 29%M	1 4%
Prefer not to say	28 1%	-	-	17 1%	8 1%	1 1%	11 1%	3 2%	-	-	12 1%	9 2%J	4 3%J	-
Don't know	91 4%	-	-	66 4%	22 4%	6 6%	57 4%	4 3%	1 5%	2 6%	69 5%	12 3%	5 3%	2 4%
NET: Daily or weekly	619 28%	619 100%B	-	460 29%	156 26%	30 30%	393 28%	63 46%F	4 30%	9 33%	422 28%	117 26%	42 27%	18 50%JKL
NET: Monthly or less	1451 66%	-	1451 100%A	1034 66%	407 69%	62 63%	960 68%G	66 49%	9 64%	16 61%	982 66%M	310 69%M	102 67%M	17 46%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 4

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

Summary**Base: All respondents**

	A GP/practice nurse	District nurse (a nurse who manages care in the community, rather than in a hospital)	A doctor or nurse working in a hospital	A hospice, or a member of hospice staff	A local or national charity	A religious or spiritual advisor	A social worker	A funeral director/undertaker	Mean average
Unweighted base	2189	2189	2189	2189	2189	2189	2189	2189	2189
Weighted base	2189	2189	2189	2189	2189	2189	2189	2189	2189
NET: Comfortable	1423 65%	1165 53%	1250 57%	1248 57%	921 42%	639 29%	727 33%	935 43%	1039 47%
Very comfortable	501 23%	283 13%	374 17%	389 18%	201 9%	191 9%	171 8%	262 12%	296 14%
Fairly comfortable	922 42%	882 40%	876 40%	859 39%	720 33%	448 20%	556 25%	673 31%	742 34%
Fairly uncomfortable	355 16%	400 18%	433 20%	346 16%	521 24%	416 19%	552 25%	478 22%	438 20%
Very uncomfortable	182 8%	243 11%	229 10%	234 11%	327 15%	719 33%	515 24%	424 19%	359 16%
NET: Uncomfortable	536 25%	644 29%	662 30%	580 26%	848 39%	1135 52%	1067 49%	902 41%	797 36%
Don't know	229 10%	380 17%	277 13%	361 16%	420 19%	415 19%	395 18%	352 16%	354 16%

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 5
Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?
A GP/practice nurse
Base: All respondents

	Gender		Age										Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Comfortable	1423 65%	678 63%	745 66%	133 55% ^d	179 47%	229 66% ^{CD}	270 70% ^{CD}	232 72% ^{CD}	379 75% ^{CDE}	312 50%	500 68% ^l	611 74% ^J	380 64%	418 68%	279 63%	346 65%	237 71% ^Q	576 62%
Very comfortable	501 23%	239 22%	262 23%	35 14%	63 17%	76 22% ^C	88 23% ^{Cd}	73 22% ^{Cd}	166 33% ^{CDEFG}	98 16%	164 22% ^l	239 29% ^J	134 22%	154 25% ⁿ	87 20%	125 24%	78 24%	185 20%
Fairly comfortable	922 42%	439 41%	483 43%	98 40% ^D	116 31%	153 44% ^D	183 47% ^D	160 49% ^{CDh}	213 42% ^D	214 34%	336 46% ^l	373 45% ^l	246 41%	264 43%	191 43%	221 41%	159 48% ^q	391 42%
Fairly uncomfortable	355 16%	175 16%	180 16%	52 22% ^{EFGH}	87 23% ^{EFGH}	154 44% ^D	57 15%	44 14%	62 12%	140 22% ^{JK}	109 15%	106 13%	107 18%	92 15%	72 16%	83 16%	50 15%	157 17%
Very uncomfortable	182 8%	99 9%	83 7%	23 9% ^h	46 12% ^{FGH}	37 11% ^{fgH}	26 7%	22 7%	28 5%	69 11% ^K	63 9% ^k	49 6%	57 10% ^m	41 7%	33 7%	50 9% ^m	17 5%	89 10% ^P
NET: Uncomfortable	536 25%	274 26%	263 23%	75 31% ^{FGH}	134 35% ^{EFGH}	89 25% ^H	83 21%	66 20%	89 18%	209 34% ^{JK}	172 23% ^k	155 19%	164 27% ^M	134 22%	105 24%	133 25%	67 20%	246 26% ^P
Don't know	229 10%	116 11%	113 10%	35 14% ^{eFGH}	66 17% ^{EFGH}	32 9%	34 9%	26 8%	38 7%	101 16% ^{JK}	65 9%	63 8%	53 9%	63 10%	60 14% ^L	53 10%	28 9%	109 12%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 6

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A GP/practice nurse

Base: All respondents

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Comfortable	1423 65%	115 62%	64 61%	46 70%	1198 65%	68 76%ABFGJKI	151 62%	109 61%	124 66%	119 77%ABFGHJKL	130 64%	174 61%	194 65%	130 69%
Very comfortable	501 23%	37 20%	22 20%	12 19%	431 23%	27 30%aFgl	37 15%	36 20%	52 27%aFI	38 25%F	47 23%F	85 30%AbFGL	60 20%	48 25%F
Fairly comfortable	922 42%	79 43%K	43 40%k	34 51%hK	767 42%	41 46%K	114 47%kK	73 41%k	72 38%	81 52%abGHJK	82 40%k	89 31%	133 45%K	82 43%K
Fairly uncomfortable	355 16%	29 16% <i>i</i>	18 17% <i>ei</i>	12 18%	295 16%	8 9%	37 15%	34 19% <i>EI</i>	30 16% <i>i</i>	15 10%	42 21% <i>EI</i>	52 18% <i>EI</i>	50 17% <i>ei</i>	27 14%
Very uncomfortable	182 8%	22 12% <i>dgHlj</i>	12 11% <i>hi</i>	6 9%	142 8%	6 6%	26 11% <i>hi</i>	12 7%	10 5%	8 5%	13 6%	30 10% <i>hi</i>	22 7%	15 8%
NET: Uncomfortable	536 25%	51 28% <i>EI</i>	30 28% <i>EI</i>	18 27% <i>ei</i>	437 24%	13 15%	62 26% <i>ei</i>	46 26% <i>ei</i>	41 21%	23 15%	55 27% <i>EI</i>	82 29% <i>EI</i>	72 24% <i>ei</i>	43 23% <i>i</i>
Don't know	229 10%	18 10% <i>c</i>	12 11% <i>c</i>	2 3%	197 11% <i>c</i>	8 9%	31 13% <i>C</i>	23 13% <i>C</i>	24 13% <i>C</i>	13 8%	19 9%	30 11% <i>c</i>	32 11% <i>c</i>	16 9%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 7
Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?
A GP/practice nurse
Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	Univ-ersity degree (k)	Higher univ-ersity degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Comfortable	1423 65%	350 57%	1022 70%A	1045 66%E	373 63%E	48 49%	935 66%	102 75%F	6 47%	17 64%	985 66%M	289 64%M	97 63% <i>m</i>	18 48%
Very comfortable	501 23%	127 20%	360 25%A	377 24%	122 21%	18 18%	324 23%	50 37%F	3 18%	6 24%	349 23%M	94 21% <i>m</i>	40 26%M	4 10%
Fairly comfortable	922 42%	223 36%	662 46%A	668 42% <i>e</i>	251 42% <i>e</i>	30 31%	611 43%	52 38%	4 28%	10 40%	636 43%	195 43%	57 37%	14 38%
Fairly uncomfortable	355 16%	135 22%B	201 14%	253 16%	99 17%	17 18%	232 16%	18 13%	3 21%	3 10%	229 15%	77 17%	31 20%	12 31% <i>JK</i>
Very uncomfortable	182 8%	76 12%B	96 7%	131 8%	49 8%	13 13%	124 9%	7 5%	1 6%	6 23%	114 8%	45 10%	13 9%	1 4%
NET: Uncomfortable	536 25%	211 34%B	298 21%	384 24%	149 25%	30 31%	356 25% <i>g</i>	24 18%	4 26%	9 33%	343 23%	121 27%	44 29%	13 35% <i>ij</i>
Don't know	229 10%	58 9%	131 9%	148 9%	72 12% <i>c</i>	20 20% <i>CD</i>	130 9%	10 7%	4 27%	1 3%	158 11%	38 9%	12 8%	6 17% <i>kl</i>

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 8

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

District nurse (a nurse who manages care in the community, rather than in a hospital)

Base: All respondents

	Gender		Age										Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Pri- vate (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Comfortable	1165 53%	598 56%B	567 51%	113 46%D	131 35%	181 52%D	220 57%CD	183 57%CD	337 67%CDEFG	244 39%	401 54%I	520 63%J	328 55%O	337 55%O	240 54%	261 49%	177 53%	482 52%
Very comfortable	283 13%	138 13%	145 13%	20 8%	25 6%	41 12%D	45 12%D	47 14%CD	105 21%CDEFG	45 7%	86 12%I	152 18%J	66 11%	86 14%	64 14%	67 13%	40 12%	114 12%
Fairly comfortable	882 40%	460 43%B	422 38%	92 38%D	107 28%	141 40%D	175 45%CD	136 42%D	232 46%CD	199 32%	315 43%I	368 44%I	262 44%O	251 41%	176 40%	194 36%	138 41%	368 40%
Fairly uncomfortable	400 18%	186 17%	214 19%	46 19%H	94 25%FGH	71 20%H	75 19%H	54 17%h	62 12%	139 22%K	146 20%K	115 14%	108 18%	104 17%	88 20%	100 19%	63 19%	177 19%
Very uncomfortable	243 11%	119 11%	125 11%	39 16%FgH	51 14%H	41 12%h	38 10%	35 11%	40 8%	90 14%jK	79 11%	75 9%	79 13%N	63 10%	35 8%	66 12%N	33 10%	112 12%
NET: Uncomfortable	644 29%	305 29%	339 30%	84 35%gH	145 38%FGH	113 32%H	112 29%H	88 27%H	102 20%	229 37%JK	225 30%K	190 23%	187 31%	167 27%	124 28%	166 31%	96 29%	289 31%
Don't know	380 17%	165 15%	215 19%A	46 19%h	102 27%CEFGH	56 16%	55 14%	53 16%	67 13%	148 24%JK	112 15%	120 14%	82 14%	111 18%L	81 18%L	105 20%L	59 18%	160 17%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 9

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

District nurse (a nurse who manages care in the community, rather than in a hospital)

Base: All respondents

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Comfortable	1165 53%	90 49%	59 56%	32 48%	985 54%	53 60%ak	123 50%	104 58%ak	106 56%	98 63%AcFKLM	115 57%k	138 48%	151 51%	96 51%
Very comfortable	283 13%	21 11%	13 12%	8 12%	241 13%	12 13%	33 13%	18 10%	33 17%gl	23 15%	29 14%	34 12%	34 11%	26 14%
Fairly comfortable	882 40%	69 37%	46 43%	24 36%	743 41%	42 47%	90 37%	85 48%aFKIM	74 39%	75 48%AFKIM	87 42%	104 36%	117 39%	70 37%
Fairly uncomfortable	400 18%	35 19%	19 17%	18 27%deFgi	329 18%	10 12%	35 14%	29 16%	36 19%	24 16%	37 18%	59 20%e	57 19%	41 22%ef
Very uncomfortable	243 11%	30 16%DGHJLM	13 13%h	8 12%	192 10%	12 13%	36 15%GHJ	13 7%	13 7%	12 8%	15 7%	43 15%GHJm	30 10%	18 9%
NET: Uncomfortable	644 29%	65 35%DGHJ	32 30%	25 39%deGhij	521 28%	22 25%	71 29%	42 24%	49 26%	36 23%	52 26%	101 35%GhJ	87 29%	59 31%
Don't know	380 17%	29 16%	15 14%	9 13%	327 18%	13 15%	50 21%	32 18%	33 18%	21 14%	36 18%	47 16%	60 20%	34 18%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 10

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

District nurse (a nurse who manages care in the community, rather than in a hospital)

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Comfortable	1165 53%	273 44%	851 59%A	867 55%DE	294 49%	40 41%	771 54%	89 66%F	3 24%	13 52%	787 53%	254 57%	80 52%	18 49%
Very comfortable	283 13%	66 11%	211 15%A	218 14%de	65 11%	7 7%	183 13%	34 25%F	1 10%	3 12%	207 14%M	49 11%m	19 12%g	1 2%
Fairly comfortable	882 40%	207 34%	640 44%A	649 41%	229 39%	34 35%	588 41%	55 41%	2 13%	10 39%	580 39%	205 46%J	61 40%	17 47%
Fairly uncomfortable	400 18%	141 23%B	243 17%	281 18%	117 20%	18 18%	255 18%	23 17%	3 21%	*	284 19%	78 17%	24 16%	11 29%kl
Very uncomfortable	243 11%	104 17%B	126 9%	179 11%	64 11%	11 11%	168 12%	10 7%	2 11%	5 19%	148 10%m	65 15%JM	20 13%g	1 2%
NET: Uncomfortable	644 29%	245 40%B	369 25%	480 29%	181 31%	29 29%	423 30%	32 24%	4 32%	5 21%	432 29%	143 32%	44 29%	12 31%
Don't know	380 17%	100 16%	230 16%	250 16%	119 20%C	29 30%Cd	227 16%	14 11%	6 45%	7 28%	266 18%K	51 11%	30 19%K	7 20%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 11

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A doctor or nurse working in a hospital

Base: All respondents

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Pri- vate (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Comfortable	1250 57%	633 59%b	617 55%	110 45%	169 45%	194 55%CD	227 59%CD	208 64%CDE	342 68%CDEF	280 45%	421 57%l	549 66%J	336 56%	367 60%	249 56%	298 56%	201 60%q	508 55%
Very comfortable	374 17%	196 18%	178 16%	29 12%	39 10%	57 16%D	72 18%CD	55 17%D	122 24%CDEFG	68 11%	129 17%l	177 21%lj	102 17%	102 17%	79 18%	90 17%	58 17%	149 16%
Fairly comfortable	876 40%	437 41%	439 39%	81 33%	130 34%	137 39%	155 40%	153 47%CDEF	219 43%CD	211 34%	292 40%i	372 45%J	234 39%	265 43%	170 38%	207 39%	143 43%	359 39%
Fairly uncomfortable	433 20%	198 19%	235 21%	59 24%GH	87 23%GH	77 22%gh	75 19%	52 16%	83 16%	147 24%K	152 21%K	135 16%	122 20%	122 20%	88 20%	102 19%	67 20%	188 20%
Very uncomfortable	229 10%	112 10%	117 10%	36 15%FGH	56 15%FGH	39 11%H	36 9%h	32 10%H	30 6%	92 15%JK	76 10%k	61 7%	82 14%MNI	50 8%	36 8%	61 11%o	31 9%	115 12%
NET: Uncomfortable	662 30%	310 29%	352 31%	96 39%FGH	143 38%FGH	116 33%GH	111 29%H	83 26%	113 22%	239 38%JK	227 31%K	196 24%	203 34%MNI	172 28%	124 28%	162 30%	98 29%	303 33%
Don't know	277 13%	125 12%	153 14%	37 15%gh	66 17%EGH	40 11%	50 13%	33 10%	52 10%	103 17%JK	90 12%	85 10%	58 10%	76 12%	71 16%L	72 14%l	34 10%	119 13%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 12

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A doctor or nurse working in a hospital

Base: All respondents

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Comfortable	1250 57%	103 56%	57 54%	43 66%F	1047 57%	59 66%bFk	120 49%	99 56%	117 62%F	103 66%aBFgkL	117 57%	156 54%	166 56%	110 58%f
Very comfortable	374 17%	31 17%	15 14%	13 20%	314 17%	18 21%	31 13%	29 16%	43 23%bFL	25 16%	40 20%fl	52 18%	40 13%	35 19%
Fairly comfortable	876 40%	72 39%	42 39%	30 45%	733 40%	40 45%	89 36%	71 40%	74 39%	78 50%AbFghJKm	76 38%	104 36%	126 42%	75 40%
Fairly uncomfortable	433 20%	30 16%	23 22%	14 22%	366 20%	12 13%	48 20%	35 20%	33 18%	24 16%	45 22%e	62 22%	70 24%aei	37 20%
Very uncomfortable	229 10%	28 15%DHIJL	11 11%	6 10%	183 10%	10 12%	32 13%Hi	17 10%	12 6%	10 7%	17 8%	36 13%Hi	26 9%	21 11%
NET: Uncomfortable	662 30%	58 31%i	34 32%i	21 32%	549 30%	22 25%	80 33%hl	52 29%	45 24%	34 22%	63 31%i	98 34%HI	96 32%hl	58 31%i
Don't know	277 13%	23 13%C	15 14%C	2 3%	237 13%C	8 9%	44 18%CeKlm	27 15%C	27 14%C	18 11%c	24 12%C	33 11%c	35 12%C	21 11%c

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

* small base

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 13

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A doctor or nurse working in a hospital

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Comfortable	1250 57%	310 50%	898 62%A	921 58%E	323 54%	44 45%	828 58%	87 64%	7 51%	13 50%	868 58%	248 55%	82 53%	19 51%
Very comfortable	374 17%	87 14%	277 19%A	283 18%E	89 15%	9 9%	244 17%	36 26%F	3 18%	3 12%	262 18%	65 15%	30 20%	5 14%
Fairly comfortable	876 40%	223 36%	620 43%A	638 40%	234 40%	35 36%	583 41%	51 38%	5 33%	10 38%	605 41%	182 41%	51 34%	14 37%
Fairly uncomfortable	433 20%	142 23%B	270 19%	313 20%	118 20%	18 18%	282 20%	28 21%	3 23%	5 21%	283 19%	99 22%	32 21%	10 27%
Very uncomfortable	229 10%	99 16%B	117 8%	162 10%	66 11%	13 13%	152 11%g	8 6%	1 6%	5 19%	136 9%	59 13%J	25 16%Jm	2 5%
NET: Uncomfortable	662 30%	241 39%B	386 27%	475 30%	184 31%	31 31%	433 30%	36 27%	4 29%	10 40%	418 28%	158 35%J	57 37%J	12 33%
Don't know	277 13%	68 11%	167 11%	181 11%	86 14%c	23 24%CD	161 11%	12 9%	3 20%	3 10%	199 13%K	43 10%	14 9%	6 16%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 14

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?
A hospice, or a member of hospice staff
Base: All respondents

	Gender		Age										Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Comfortable	1248 57%	617 58%	631 56%	111 46%	160 42%	199 57%CD	218 56%CD	194 60%CD	366 72%CDEFG	271 44%	417 57%I	560 67%J	360 60%O	357 58%O	254 57%	277 52%	193 58%	512 55%
Very comfortable	389 18%	185 17%	204 18%	24 10%	39 10%	54 15%cd	62 16%CD	66 20%CD	143 28%CDEFG	63 10%	116 16%I	209 25%J	100 17%	124 20%o	80 18%	84 16%	67 20%q	143 15%
Fairly comfortable	859 39%	433 40%	427 38%	86 36%	121 32%	145 41%D	156 40%D	128 39%cd	223 44%CD	207 33%	301 41%I	351 42%I	260 44%mo	233 38%	174 39%	193 36%	127 38%	368 40%
Fairly uncomfortable	346 16%	174 16%	172 15%	53 22%fGH	79 21%GH	58 17%h	62 16%h	46 14%h	49 10%	132 21%JK	120 16%K	95 11%	87 14%	95 15%	72 16%	92 17%	48 15%	170 18%
Very uncomfortable	234 11%	115 11%	119 11%	31 13%H	50 13%H	43 12%H	44 11%H	29 9%	36 7%	81 13%K	87 12%K	65 8%	72 12%o	54 9%	46 10%	62 12%	30 9%	108 12%
NET: Uncomfortable	580 26%	289 27%	291 26%	84 35%fGH	129 34%fGH	101 29%H	106 27%H	75 23%H	85 17%	213 34%JK	207 28%K	160 19%	159 27%	149 24%	118 27%	154 29%o	79 24%	278 30%p
Don't know	361 16%	162 15%	199 18%	48 20%eH	90 24%EFGH	49 14%	64 16%H	55 17%H	55 11%	138 22%JK	113 15%	110 13%	79 13%	109 18%L	73 16%	101 19%L	60 18%	141 15%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 15

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A hospice, or a member of hospice staff

Base: All respondents

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Comfortable	1248 57%	92 50%	61 57%	35 53%	1060 58%A	51 58%	131 54%	108 61%A	118 62%AfK	98 63%AfK	124 61%Ak	149 52%	169 57%	112 59%a
Very comfortable	389 18%	25 14%	19 18%	13 20%	331 18%	19 22% ^o ak	39 16%	25 14%	41 22%AgK	30 20%	43 21%aK	39 14%	52 17%	42 22%AgK
Fairly comfortable	859 39%	67 36%	41 39%	22 33%	729 40%	32 36%	91 37%	83 46%acfm	76 40%	68 44%	82 40%	110 38%	117 39%	70 37%
Fairly uncomfortable	346 16%	40 22%DBFGHI	12 11%	11 17%	283 15%	13 15%	34 14%	21 12%	23 12%	20 13%	34 17%	53 19%bgh	50 17%	34 18%bg
Very uncomfortable	234 11%	25 14%ghj	15 14%ghj	11 17%ghj	182 10%	13 14%h	32 13%hj	14 8%	13 7%	13 8%	16 8%	32 11%	31 10%	19 10%
NET: Uncomfortable	580 26%	65 35%DbfGHIJl	27 25%	22 34%GHI	466 25%	26 29%h	66 27%h	35 20%	36 19%	33 22%	49 24%	85 30%GHI	81 27%gh	53 28%gH
Don't know	361 16%	28 15%	19 18%	8 13%	307 17%	12 13%	47 19% ^m	35 20% ^m	36 19% ^m	24 15%	30 15%	52 18%	48 16%	23 12%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 16

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A hospice, or a member of hospice staff

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Comfortable	1248 57%	289 47%	918 63%A	930 59%DE	313 53%e	41 42%	834 59%	88 65%	2 15%	15 59%	828 56%	286 64%Jm	88 57%	18 48%
Very comfortable	389 18%	81 13%	297 20%A	299 19%dE	89 15%e	7 7%	255 18%	40 29%F	1 10%	5 19%	267 18%	80 18%	27 18%	3 8%
Fairly comfortable	859 39%	208 34%	621 43%A	631 40%	224 38%	34 35%	578 41%	48 36%	1 4%	10 40%	561 38%	206 46%J	60 39%	15 40%
Fairly uncomfortable	346 16%	128 21%B	199 14%	235 15%	108 18%c	15 15%	209 15%	23 17%	3 25%	3 13%	232 16%	73 16%	26 17%	6 17%
Very uncomfortable	234 11%	98 16%B	121 8%	178 11%	55 9%	10 10%	168 12%g	8 6%	2 11%	3 13%	160 11%m	50 11%m	17 11%m	1 2%
NET: Uncomfortable	580 26%	226 37%B	320 22%	413 26%	164 28%	24 25%	377 27%	32 23%	5 36%	7 26%	391 26%	124 28%	43 28%	7 19%
Don't know	361 16%	104 17%	212 15%	234 15%	116 20%C	32 33%CD	211 15%	16 12%	7 49%	4 15%	265 18%K	39 9%	22 14%k	12 33%JKL

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 17

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A local or national charity

Base: All respondents

	Gender		Age										Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	335	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Comfortable	921 42%	446 42%	475 42%	86 35%	126 33%	171 49%CDg	181 47%CD	132 41%d	225 45%CD	212 34%	352 48%lk	357 43%l	298 50%MNO	264 43%O	177 40%o	182 34%	157 47%	403 43%
Very comfortable	201 9%	94 9%	107 10%	16 7%	34 9%	39 11%cc	30 8%	26 8%	56 11%cc	50 8%	69 9%	82 10%	62 10%O	67 11%O	39 9%	33 6%	36 11%	86 9%
Fairly comfortable	720 33%	352 33%	368 33%	69 29%	92 24%	132 38%CD	151 39%CDh	106 33%D	169 33%D	162 26%	283 38%lK	275 33%l	236 40%MNO	197 32%	138 31%	149 28%	120 36%	317 34%
Fairly uncomfortable	521 24%	249 23%	272 24%	75 31%EFGH	105 28%efh	74 21%	84 22%	74 23%	109 22%	180 29%JK	158 21%	183 22%	126 21%	142 23%	122 27%L	132 25%	76 23%	228 24%
Very uncomfortable	327 15%	177 17%B	150 13%	34 14%	58 15%	51 15%	57 15%	51 16%	75 15%	92 15%	109 15%	126 15%	84 14%	84 14%	55 12%	103 19%LMN	37 11%	137 15%
NET: Uncomfortable	848 39%	426 40%	422 38%	109 45%EFH	163 43%eh	125 36%	142 37%	125 39%	184 36%	272 44%JK	267 36%	309 37%	210 35%	226 37%	177 40%	235 44%LM	113 34%	364 39%
Don't know	420 19%	196 18%	224 20%	48 20%	90 24%EF	54 15%	64 17%	67 21%	97 19%	138 22%J	118 16%	164 20%j	89 15%	124 20%L	91 20%L	116 22%L	62 19%	164 18%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 18

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A local or national charity

Base: All respondents

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Comfortable	921 42%	65 35%	37 35%	27 41%	791 43%Ab	34 38%	86 35%	70 39%	91 48%ABFg	76 49%ABFg	97 48%ABF	127 44%abf	130 44%caf	80 42%
Very comfortable	201 9%	8 5%	13 12%Aefg	5 8%	174 9%A	5 5%	17 7%	11 6%	23 12%Ag	14 9%	21 10%A	41 14%AEFGL	25 8%	17 9%a
Fairly comfortable	720 33%	57 31%	24 23%	22 33%	618 34%B	29 33%	69 28%	59 33%b	68 36%B	61 40%aBFk	76 37%Bf	87 30%	105 35%B	63 33%B
Fairly uncomfortable	521 24%	43 23%	28 27%	19 29%	430 23%	22 25%	53 22%	45 25%	37 19%	37 24%	45 22%	63 22%	74 25%	54 29%h
Very uncomfortable	327 15%	37 20%DGhijLM	21 19%dgm	11 17%	257 14%	18 20%gm	40 16%	21 12%	25 13%	19 12%	26 13%	47 16%	39 13%	23 12%
NET: Uncomfortable	848 39%	81 44%Hj	49 46%dHiJ	31 47%h	688 38%	40 45%h	93 38%	66 37%	61 32%	56 36%	71 35%	110 38%	113 38%	78 41%h
Don't know	420 19%	39 21%	20 19%	8 12%	353 19%	15 17%	65 27%CeHJKLM	42 24%ci	36 19%	24 15%	36 18%	49 17%	54 18%	32 17%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

*** small base**

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 19

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A local or national charity

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Comfortable	921 42%	225 36%	672 46%A	671 43%	248 42%	33 34%	583 41%	83 62%F	1 4%	11 42%	585 39%	221 49%J	79 51%J	18 48%
Very comfortable	201 9%	42 7%	155 11%A	151 10%	50 8%	6 6%	126 9%	24 18%F	- -	2 7%	118 8%	59 13%J	18 12%	3 7%
Fairly comfortable	720 33%	183 30%	517 36%A	520 33%	198 33%	28 28%	457 32%	59 44%F	1 4%	9 35%	467 31%	162 36%j	61 40%J	15 41%
Fairly uncomfortable	521 24%	174 28%B	325 22%	370 23%	147 25%	24 25%	346 24%G	20 15%	2 13%	6 24%	362 24%	105 23%	32 21%	11 31%
Very uncomfortable	327 15%	132 21%B	180 12%	252 16%D	73 12%	12 12%	232 16%	18 13%	3 18%	4 14%	232 16% <i>m</i>	64 14%	20 13%	2 5%
NET: Uncomfortable	848 39%	306 49%B	505 35%	622 39%	220 37%	36 37%	578 41%G	38 28%	4 31%	10 38%	594 40%	168 38%	52 34%	13 36%
Don't know	420 19%	88 14%	274 19%A	284 18%	126 21%	28 29%C	261 18%G	14 11%	9 65%	5 20%	306 21%Kl	59 13%	22 14%	6 16%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 20

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A religious or spiritual advisor

Base: All respondents

	Gender		Age										Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Comfortable	639 29%	315 29%	324 29%	62 25%	91 24%	114 33% ^{cDg}	112 29%	84 26%	176 35% ^{CDfG}	153 25%	226 31% ^l	260 31% ^l	193 32% ^O	192 31% ^O	126 28%	128 24%	103 31%	259 28%
Very comfortable	191 9%	86 8%	105 9%	16 7%	29 8%	40 11% ^{cF}	25 7%	24 8%	55 11% ^{cF}	46 7%	65 9%	80 10%	58 10% ^o	62 10% ^O	37 8%	34 6%	32 10%	84 9%
Fairly comfortable	448 20%	229 21%	219 20%	46 19%	62 16%	74 21%	87 22% ^d	60 18%	120 24% ^{Dg}	107 17%	161 22% ⁱ	180 22% ⁱ	135 23% ^o	130 21%	89 20%	94 18%	71 21%	174 19%
Fairly uncomfortable	416 19%	203 19%	213 19%	57 23% ^{fH}	78 21%	67 19%	69 18%	60 18%	85 17%	135 22% ^k	136 18%	145 17%	118 20%	111 18%	86 19%	101 19%	70 21%	181 19%
Very uncomfortable	719 33%	380 36% ^B	340 30%	67 28%	113 30%	116 33%	137 35% ^c	110 34%	176 35% ^c	180 29%	253 34% ⁱ	286 35% ^l	196 33%	200 33%	127 29%	196 37% ^N	91 27%	310 33% ^p
NET: Uncomfortable	1135 52%	583 55% ^B	552 49%	124 51%	191 51%	183 52%	206 53%	170 52%	262 52%	315 51%	388 53%	431 52%	313 52%	311 51%	213 48%	297 56% ^{mN}	160 48%	491 53%
Don't know	415 19%	171 16%	245 22% ^A	57 23% ^{EH}	96 25% ^{EFH}	53 15%	70 18% ^h	70 22% ^{EH}	69 14%	153 25% ^{JK}	123 17%	139 17%	91 15%	112 18%	105 24% ^{Lm}	107 20% ^L	69 21%	182 20%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 21

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A religious or spiritual advisor

Base: All respondents

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humber- side (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Comfortable	639 29%	49 27%	30 28%	23 35%	537 29%	37 42%ABFhijLM	64 26%	61 34%lm	56 29%	41 26%	61 30%	91 32%	78 26%	48 25%
Very comfortable	191 9%	11 6%	9 9%	7 11%	163 9%	10 11%	16 6%	20 11%af	19 10%	10 7%	19 9%	31 11%a	21 7%	16 8%
Fairly comfortable	448 20%	38 21%	21 19%	16 24%	374 20%	27 30%abfghijklM	48 20%	40 23%	36 19%	30 20%	42 21%	59 21%	58 19%	32 17%
Fairly uncomfortable	416 19%	25 14%	19 17%	14 22%	358 20%A	15 17%	47 19%	28 16%	41 22%A	38 24%Agk	50 24%AgKl	46 16%	53 18%	39 21%a
Very uncomfortable	719 33%	78 42%DCEFGHJl	36 34%	18 27%	587 32%	24 27%	72 29%	47 26%	56 30%	57 37%G	62 31%	100 35%g	102 34%g	66 35%g
NET: Uncomfortable	1135 52%	104 56%eG	55 52%	32 49%	944 52%	39 44%	119 49%	75 42%	97 52%g	95 61%EFghkl	112 55%G	146 51%g	155 52%g	105 56%eG
Don't know	415 19%	32 17%	21 20%i	10 16%	352 19%	13 14%	61 25%aelJk	43 24%eLJ	36 19%	19 12%	30 15%	50 17%	64 22%lj	36 19%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 22

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A religious or spiritual advisor

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Comfortable	639 29%	165 27%	458 32%A	480 30%d	157 26%	23 23%	403 28%	71 52%F	3 21%	7 25%	413 28%	151 34%J	45 30%	15 41%j
Very comfortable	191 9%	50 8%	136 9%	153 10%D	37 6%	8 9%	122 9%	30 22%F	-	1 3%	117 8%	50 11%J	14 9%	4 12%
Fairly comfortable	448 20%	115 19%	322 22%a	327 21%	119 20%	14 15%	282 20%	41 30%F	3 21%	6 22%	295 20%	100 22%	31 20%	11 29%
Fairly uncomfortable	416 19%	134 22%	269 19%	296 19%	115 19%	22 22%	274 19%	20 15%	3 20%	5 19%	287 19%	82 18%	30 20%	7 18%
Very uncomfortable	719 33%	217 35%	470 32%	502 32%	215 36%cE	24 24%	475 33%G	26 19%	4 28%	8 31%	489 33%	147 33%	58 38%M	8 21%
NET: Uncomfortable	1135 52%	351 57%B	739 51%	798 51%	330 56%c	46 47%	749 53%G	47 34%	7 48%	13 49%	776 52%m	229 51%	89 58%M	14 38%
Don't know	415 19%	103 17%	253 17%	299 19%	107 18%	29 30%CD	269 19%	18 13%	4 31%	7 25%	296 20%KL	69 15%	19 12%	8 20%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 23

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A social worker

Base: All respondents

	Gender		Age										Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Comfortable	727 33%	387 36%B	339 30%	77 32%	115 30%	135 39%DG	129 33%	90 28%	181 36%G	193 31%	263 36%i	270 33%	213 36%O	214 35%o	142 32%	157 29%	128 39%	310 33%
Very comfortable	171 8%	93 9%	78 7%	15 6%	24 6%	42 12%CDGH	33 9%	20 6%	37 7%	39 6%	75 10%lK	57 7%	58 10%o	48 8%	31 7%	34 6%	34 10%	85 9%
Fairly comfortable	556 25%	295 28%B	261 23%	62 26%	92 24%	93 27%	96 25%	70 22%	144 28%G	154 25%	189 26%	214 26%	155 26%	166 27%	111 25%	123 23%	94 28%	225 24%
Fairly uncomfortable	552 25%	267 25%	285 25%	68 28%	85 22%	94 27%	99 26%	90 28%	117 23%	153 25%	193 26%	207 25%	153 26%	162 26%	116 26%	120 23%	75 23%	251 27%
Very uncomfortable	515 24%	244 23%	271 24%	46 19%	87 23%	76 22%	98 25%c	88 27%C	120 24%	133 21%	175 24%	208 25%	143 24%	135 22%	90 20%	147 28%MN	70 21%	214 23%
NET: Uncomfortable	1067 49%	512 48%	556 50%	114 47%	172 45%	170 49%	197 51%	178 55%CDH	237 47%	286 46%	367 50%	415 50%	297 50%	297 48%	206 46%	268 50%	145 44%	466 50%p
Don't know	395 18%	169 16%	226 20%A	51 21%E	92 24%EFGH	45 13%	61 16%	57 17%	89 17%e	143 23%JK	107 14%	145 17%	88 15%	104 17%	96 22%Lm	108 20%L	59 18%	155 17%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 24

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A social worker

Base: All respondents

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Comfortable	727 33%	50 27%	33 31%	24 36%	620 34%a	37 41%Am	85 35%	56 31%	69 36%a	57 37%a	69 34%	99 35%a	94 32%	55 29%
Very comfortable	171 8%	8 4%	9 9%g	4 6%	149 8%a	9 10%ag	22 9%ag	7 4%	16 8%	17 11%AGI	17 8%	32 11%AGL	17 6%	14 8%
Fairly comfortable	556 25%	42 23%	24 23%	20 30%	471 26%	28 31%am	63 26%	49 27%	53 28%	40 26%	52 26%	67 24%	78 26%	40 21%
Fairly uncomfortable	552 25%	45 24%	22 21%	22 33%b	463 25%	20 23%	55 22%	47 27%	44 23%	43 28%	61 30%b	67 23%	79 27%	46 24%
Very uncomfortable	515 24%	54 29%DGHij	31 29%dgHj	15 23%	415 23%	18 20%	54 22%	35 20%	36 19%	32 21%	41 20%	73 25%	71 24%	54 29%gHj
NET: Uncomfortable	1067 49%	99 54%fH	53 50%	37 56%h	878 48%	38 43%	109 45%	82 46%	81 43%	76 49%	102 50%	140 49%	151 51%	99 53%h
Don't know	395 18%	36 19%C	20 18%c	5 8%	335 18%C	14 16%	51 21%C	40 23%CI	40 21%C	22 14%	33 16%	48 17%	52 18%c	35 18%c

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 25

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A social worker

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Comfortable	727 33%	177 29%	523 36%A	534 34%	190 32%	29 29%	466 33%	62 46%F	3 22%	9 36%	469 32%	170 38%J	51 33%	16 42%
Very comfortable	171 8%	43 7%	120 8%	134 8%de	37 6%	3 3%	103 7%	30 22%F	-	1 2%	104 7%	42 9%	19 12%J	4 10%
Fairly comfortable	556 25%	134 22%	402 28%A	400 25%	154 26%	26 27%	364 26%	32 24%	3 22%	9 34%	366 25%	128 29%I	32 21%	12 32%
Fairly uncomfortable	552 25%	167 27%	374 26%	392 25%	156 26%	23 23%	357 25%	32 24%	3 21%	7 27%	372 25%	116 26%	41 27%	12 31%
Very uncomfortable	515 24%	180 29%B	310 21%	387 25%	127 21%	16 17%	361 25%g	25 19%	4 27%	8 31%	363 24%M	93 21%M	41 26%M	3 7%
NET: Uncomfortable	1067 49%	348 56%B	684 47%	779 49%	282 48%	39 40%	717 50%g	58 42%	7 48%	15 58%	734 49%	210 47%	82 53%m	14 38%
Don't know	395 18%	94 15%	245 17%	263 17%	121 20%c	30 31%CD	238 17%	16 12%	4 31%	1 6%	281 19%	69 15%	20 13%	7 20%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 26

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A funeral director/undertaker

Base: All respondents

	Gender		Age										Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Comfortable	935 43%	498 47%B	438 39%	75 31%	117 31%	150 43%CD	178 46%CD	154 48%CD	261 51%CDE	192 31%	328 45%I	415 50%J	271 45%O	264 43%O	204 46%O	197 37%	151 45%	399 43%
Very comfortable	262 12%	144 13%B	118 11%	13 5%	38 10%c	41 12%C	46 12%C	44 14%C	79 16%CD	52 8%	87 12%i	123 15%j	65 11%	80 13%	62 14%	55 10%	48 15%	105 11%
Fairly comfortable	673 31%	354 33%B	320 29%	62 26%	78 21%	109 31%D	132 34%CD	111 34%CD	181 36%CD	140 23%	241 33%I	292 35%I	205 34%O	184 30%	142 32%	142 27%	103 31%	294 32%
Fairly uncomfortable	478 22%	235 22%	243 22%	65 27%g	80 21%	77 22%	83 21%	66 20%	107 21%	145 23%	160 22%	173 21%	130 22%	136 22%	92 21%	120 23%	67 20%	197 21%
Very uncomfortable	424 19%	187 17%	237 21%A	55 23%H	95 25%eFGH	66 19%	70 18%	60 18%	79 16%	150 24%JK	136 18%	139 17%	123 21%N	113 18%	67 15%	121 23%MN	55 17%	185 20%
NET: Uncomfortable	902 41%	422 39%	480 43%	119 49%eFGH	175 46%fgH	143 41%	153 39%	126 39%	186 37%	294 47%JK	296 40%	312 38%	253 42%n	249 41%	159 36%	241 45%N	122 37%	382 41%
Don't know	352 16%	149 14%	203 18%A	48 20%fGH	87 23%EFGH	57 16%h	56 15%	44 13%	60 12%	135 22%JK	114 15%	103 12%	74 12%	102 17%L	82 18%L	95 18%L	59 18%	150 16%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 27

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A funeral director/undertaker

Base: All respondents

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Comfortable	935 43%	63 34%	48 45%A	28 42%	796 43%A	43 49%Ak	100 41%	78 44%a	95 50%AfKLm	82 53%AFKLM	91 45%A	108 38%	121 41%	78 41%
Very comfortable	262 12%	17 9%	13 12%	8 12%	224 12%	15 17%afL	22 9%	18 10%	32 17%AFgkL	22 14%	32 15%afkL	28 10%	26 9%	28 15%fl
Fairly comfortable	673 31%	46 25%	35 33%a	20 30%	572 31%a	28 32%	77 32%	60 34%a	63 33%a	60 39%AjKM	60 29%	80 28%	94 32%	50 26%
Fairly uncomfortable	478 22%	50 27%dfH	21 20%	17 26%h	389 21%	18 20%	44 18%	41 23%	31 16%	34 22%	47 23%	63 22%	70 23%h	43 23%
Very uncomfortable	424 19%	41 22%i	19 18%	15 23%	349 19%	19 21%	51 21%	30 17%	33 18%	22 14%	32 16%	65 23%ij	53 18%	43 23%ij
NET: Uncomfortable	902 41%	91 49%DBFgHIJl	40 38%	32 49%H	738 40%	37 41%	95 39%	71 40%	64 34%	56 36%	78 38%	128 45%H	122 41%	86 46%Hi
Don't know	352 16%	30 16%	18 17%	6 9%	298 16%	9 10%	50 20%cElm	29 16%	30 16%	17 11%	34 17%	50 17%i	54 18%cei	25 13%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 28

Q.2 To what extent, if at all, would you feel comfortable approaching each of the following professionals to ask for support following the death of a relative, partner or close friend?

A funeral director/undertaker

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Comfortable	935 43%	192 31%	711 49%A	704 45%DE	229 39%	31 32%	626 44%	72 53%F	5 37%	10 38%	641 43%	183 41%	74 48%	13 36%
Very comfortable	262 12%	56 9%	199 14%A	204 13%cd	58 10%	8 8%	173 12%	29 22%F	2 14%	2 9%	184 12%	47 10%	20 13%	2 6%
Fairly comfortable	673 31%	135 22%	511 35%A	501 32%	171 29%	23 24%	453 32%	43 32%	3 23%	8 29%	457 31%	136 30%	54 35%	11 30%
Fairly uncomfortable	478 22%	156 25%b	305 21%	327 21%	146 25%c	21 22%	301 21%	22 16%	1 7%	5 18%	313 21%	116 26%Jl	29 19%	11 29%
Very uncomfortable	424 19%	176 29%B	226 16%	311 20%	112 19%	16 17%	286 20%	22 16%	3 19%	10 38%	277 19%	95 21%	32 21%	4 11%
NET: Uncomfortable	902 41%	332 54%B	531 37%	638 40%	258 43%	37 38%	588 41%g	45 33%	4 27%	15 56%	590 40%	211 47%J	61 40%	15 40%
Don't know	352 16%	95 15%	209 14%	235 15%	106 18%	29 30%CD	208 15%	19 14%	5 36%	1 6%	254 17%K	54 12%	18 12%	9 24%kI

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 29

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

Summary**Base: All respondents**

	I would be scared of 'saying the wrong thing' to someone who was recently bereaved	I would avoid talking to someone who was recently bereaved about their bereavement because I wouldn't know how to help	I would know what to do if someone who was recently bereaved told me they were having trouble	I would know what kind of help or support to offer someone who was bereaved
Unweighted base	2189	2189	2189	2189
Weighted base	2189	2189	2189	2189
NET: Agree	1110 51%	558 26%	1115 51%	1042 48%
Strongly agree (4)	258 12%	80 4%	221 10%	184 8%
Tend to agree (3)	852 39%	478 22%	894 41%	858 39%
Tend to disagree (2)	616 28%	750 34%	566 26%	619 28%
Strongly disagree (1)	299 14%	657 30%	157 7%	172 8%
NET: Disagree	914 42%	1407 64%	722 33%	791 36%
Prefer not to say	34 2%	39 2%	33 2%	34 2%
Don't know	130 6%	185 8%	318 15%	323 15%
Mean	2.53	1.99	2.64	2.57
Standard deviation	0.89	0.86	0.80	0.80
Standard error	0.02	0.02	0.02	0.02

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 30

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would be scared of 'saying the wrong thing' to someone who was recently bereaved

Base: All respondents

	Total	Gender		Age									Social Grade				Employment Sector	
		Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Agree	1110 51%	538 50%	572 51%	152 62%eFGH	237 63%EFGH	190 54%h	190 49%h	155 48%h	186 37%	389 63%JK	381 52%K	341 41%	309 52%	319 52%	218 49%	264 50%	188 57%	491 53%
Strongly agree	(4) 258 12%	125 12%	134 12%	53 22%EFGH	69 18%EFGH	40 11%h	42 11%h	32 10%h	22 4%	122 20%JK	82 11%K	54 7%	68 11%	76 12%	44 10%	70 13%	53 16%	123 13%
Tend to agree	(3) 852 39%	414 39%	438 39%	98 40%h	169 45%gH	150 43%h	148 38%h	122 38%	164 32%	267 43%K	299 41%K	286 35%	241 40%	243 40%	174 39%	193 36%	135 41%	368 40%
Tend to disagree	(2) 616 28%	303 28%	312 28%	38 16%	64 17%	87 25%CD	113 29%CD	107 33%CDE	207 41%CDEFG	102 16%	200 27%l	314 38%J	163 27%	180 29%	119 27%	154 29%	82 25%	230 25%
Strongly disagree	(1) 299 14%	133 12%	166 15%	17 7%	27 7%	42 12%cd	69 18%CDE	43 13%CD	100 20%CDEG	44 7%	111 15%l	143 17%l	84 14%	75 12%	68 15%	72 14%	38 12%	117 13%
NET: Disagree	914 42%	436 41%	478 43%	55 23%	91 24%	129 37%CD	182 47%CDE	150 46%CDE	307 61%CDEFG	147 24%	311 42%l	457 55%J	247 41%	255 41%	187 42%	226 43%	121 36%	347 37%
Prefer not to say	34 2%	23 2%b	12 1%	10 4%EFGH	14 4%EFGH	3 1%h	5 1%h	3 1%h	-	24 4%JK	8 1%	3 *	11 2%	7 1%	9 2%	7 1%	3 1%	26 3%p
Don't know	130 6%	71 7%	59 5%	26 11%FGH	36 10%FGH	28 8%FH	10 3%	17 5%fh	13 3%	62 10%JK	38 5%	30 4%	30 5%	34 5%	31 7%	36 7%	20 6%	67 7%
Mean	2.53	2.54	2.51	2.91EFGH	2.85EFGH	2.59FH	2.44H	2.47H	2.22	2.87JK	2.51K	2.32	2.53	2.56	2.48	2.53	2.66	2.59
Standard deviation	0.89	0.88	0.91	0.88	0.85	0.87	0.92	0.86	0.82	0.86	0.90	0.84	0.89	0.88	0.90	0.91	0.91	0.90
Standard error	0.02	0.03	0.03	0.06	0.05	0.05	0.05	0.05	0.04	0.04	0.03	0.03	0.04	0.04	0.05	0.04	0.05	0.03

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 31

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would be scared of 'saying the wrong thing' to someone who was recently bereaved

Base: All respondents

	Total	Region												
		Scotland (a)	Wales (b)	North-ern Ire-land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Agree	1110 51%	104 56%hJ	57 54%j	36 55%	913 50%	50 56%j	126 51%	88 49%	89 47%	74 48%	90 44%	146 51%	152 51%	99 53%
Strongly agree	(4) 258 12%	22 12%	15 15%hJl	10 16%jl	210 11%	11 12%	45 19%aGHJL	18 10%	16 8%	17 11%	15 7%	40 14%hJl	25 8%	24 13%j
Tend to agree	(3) 852 39%	81 44%F	42 39%	26 39%	703 38%	39 44%f	80 33%	70 39%	73 39%	57 37%	75 37%	106 37%	127 43%F	75 40%
Tend to disagree	(2) 616 28%	41 22%	28 26%	15 23%	531 29%a	25 28%	67 28%	53 30%	55 29%	42 27%	71 35%AcK	71 25%	86 29%	60 32%A
Strongly disagree	(1) 299 14%	27 15%	14 13%	10 16%	247 13%	8 10%	27 11%	20 11%	34 18%efgM	29 19%eFgM	26 13%	39 14%	46 16%m	18 10%
NET: Disagree	914 42%	68 37%	42 39%	26 39%	778 42%	33 37%	94 38%	73 41%	89 47%afk	71 46%	98 48%Afk	110 38%	133 45%	78 41%
Prefer not to say	34 2%	2 1%	* *	- -	32 2%	1 1%	5 2%l	5 3%L	1 1%	2 1%	4 2%	10 4%bhL	1 *	4 2%l
Don't know	130 6%	11 6%	7 6%	4 6%	109 6%	6 6%	20 8%l	12 7%	9 5%	9 6%	12 6%	20 7%	12 4%	8 4%
Mean	2.53	2.57hj	2.59hj	2.58	2.52	2.63hj	2.66HJL	2.54	2.40	2.42	2.42	2.58hj	2.46	2.59Hj
Standard deviation	0.89	0.91	0.92	0.97	0.89	0.84	0.94	0.85	0.90	0.94	0.83	0.93	0.87	0.85
Standard error	0.02	0.06	0.08	0.12	0.02	0.09	0.07	0.07	0.07	0.08	0.06	0.06	0.05	0.06

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

*** small base**

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 32

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would be scared of 'saying the wrong thing' to someone who was recently bereaved

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level						
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)	
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44	
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*	
NET: Agree	1110 51%	364 59%B	708 49%	776 49%	328 55%C	63 64%C	714 50%	58 43%	7 47%	16 60%	721 49%	252 56%J	74 48%	30 80%JKL	
Strongly agree	(4) 12%	101 16%B	147 10%	176 11%	78 13%	17 18% <i>c</i>	150 11%	26 19% <i>F</i>	1 9%	3 10%	165 11%	62 14%	15 10%	9 25% <i>JKL</i>	
Tend to agree	(3) 39%	852 42%	263 39%	561 39%	600 38%	250 42%	46 47%	564 40% <i>G</i>	32 24%	5 38%	13 51%	557 37%	190 42% <i>ij</i>	59 39%	20 54% <i>JI</i>
Tend to disagree	(2) 28%	616 28%	158 26%	432 30% <i>a</i>	468 30% <i>DE</i>	145 24% <i>E</i>	12 13%	423 30%	42 31%	5 34%	6 25%	437 29% <i>M</i>	120 27% <i>M</i>	39 26% <i>M</i>	1 3%
Strongly disagree	(1) 14%	299 14%	65 11%	222 15% <i>A</i>	230 15% <i>dE</i>	68 11%	6 6%	207 15%	23 17%	1 8%	2 9%	213 14%	50 11%	30 19% <i>KM</i>	2 6%
NET: Disagree	914 42%	223 36%	654 45% <i>A</i>	698 44% <i>DE</i>	213 36% <i>E</i>	18 19%	630 44%	66 48%	6 42%	9 34%	649 44% <i>KM</i>	169 38% <i>M</i>	69 45% <i>M</i>	3 9%	
Prefer not to say	34 2%	5 1%	17 1%	21 1%	6 1%	2 2%	9 1%	6 4% <i>F</i>	- -	- -	15 1%	8 2%	3 2%	2 6% <i>Jk</i>	
Don't know	130 6%	27 4%	72 5%	81 5%	46 8% <i>C</i>	15 15% <i>CD</i>	70 5%	6 5%	1 10%	2 6%	99 7% <i>ok</i>	19 4%	7 5%	2 5%	
Mean	2.53	2.68B	2.46	2.49	2.62C	2.92CD	2.49	2.49	2.54	2.65	2.49	2.63JL	2.42	3.13JKL	
Standard deviation	0.89	0.89	0.89	0.90	0.88	0.81	0.88	1.03	0.83	0.81	0.90	0.87	0.93	0.76	
Standard error	0.02	0.04	0.02	0.02	0.04	0.09	0.02	0.09	0.22	0.16	0.02	0.04	0.08	0.12	

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

*** small base; ** very small base (under 30) ineligible for sig testing**

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 33

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would avoid talking to someone who was recently bereaved about their bereavement because I wouldn't know how to help

Base: All respondents

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
NET: Agree	558 26%	330 31%B	228 20%	77 32%FGH	123 32%FGH	114 33%FGH	87 22%h	69 21%	88 17%	200 32%jk	201 27%K	157 19%	152 25%	148 24%	114 26%	144 27%	88 26%	270 29%
Strongly agree	(4) 80 4%	49 5%B	31 3%	15 6%fGH	22 6%fGH	14 4%g	12 3%	5 2%	12 2%	37 6%jk	26 3%	17 2%	20 3%	20 3%	12 3%	28 5%mn	14 4%	40 4%
Tend to agree	(3) 478 22%	281 26%B	197 18%	63 26%fGH	100 27%FGH	100 29%FGH	75 19%h	64 20%h	76 15%	163 26%K	176 24%K	139 17%	132 22%	128 21%	102 23%	115 22%	74 22%	230 25%
Tend to disagree	(2) 750 34%	360 34%	390 35%	71 29%	103 27%	111 32%	142 37%cd	125 39%CDe	197 39%CDE	175 28%	253 34%l	322 39%lj	212 35%	216 35%	145 33%	178 33%	114 34%	304 33%
Strongly disagree	(1) 657 30%	259 24%	399 36%A	49 20%	79 21%	99 28%CD	123 32%CD	102 31%CD	205 41%CDEFG	128 21%	222 30%l	307 37%lJ	183 31%	192 31%	130 29%	152 29%	103 31%	244 26%
NET: Disagree	1407 64%	619 58%	788 70%A	121 50%	182 48%	210 60%CD	265 68%CDE	227 70%CDE	402 79%CDEFG	303 49%	475 64%l	629 76%lJ	395 66%	408 66%	274 62%	330 62%	217 65%q	548 59%
Prefer not to say	39 2%	25 2%b	14 1%	9 4%EgH	15 4%EfgH	2 1%	6 2%h	5 1%h	2 *	24 4%JK	8 1%	6 1%	10 2%	11 2%	6 1%	11 2%	6 2%	22 2%
Don't know	185 8%	94 9%	91 8%	36 15%EFGH	58 15%EFGH	24 7%h	29 7%h	23 7%h	15 3%	94 15%JK	52 7%K	38 5%	40 7%	48 8%	50 11%Lm	47 9%	22 7%	91 10%
Mean	1.99	2.13B	1.86	2.22FGH	2.22FGH	2.09FGH	1.93H	1.91H	1.78	2.22JK	2.01K	1.83	1.98	1.96	1.99	2.04	2.00	2.08
Standard deviation	0.86	0.87	0.83	0.91	0.91	0.89	0.83	0.79	0.79	0.91	0.86	0.79	0.85	0.85	0.85	0.90	0.88	0.88
Standard error	0.02	0.03	0.03	0.06	0.06	0.05	0.04	0.04	0.04	0.04	0.03	0.03	0.04	0.03	0.05	0.04	0.05	0.03

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 34

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would avoid talking to someone who was recently bereaved about their bereavement because I wouldn't know how to help

Base: All respondents

	Total	Region												
		Scotland (a)	Wales (b)	North-ern Ire-land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Agree	558 26%	50 27%J	32 30%J	20 31%J	456 25%	20 22%	71 29%J	53 29%J	46 25%j	38 24%	35 17%	68 24%j	74 25%j	52 27%J
Strongly agree	(4) 80 4%	7 4%L	5 5%CL	- -	68 4%	2 3%	16 6%cjL	7 4%L	6 3%L	8 5%CL	5 2%	16 6%cjL	2 1%	6 3%l
Tend to agree	(3) 478 22%	43 23%J	27 25%J	20 31%diJK	388 21%	17 19%	55 23%j	46 26%kJ	40 21%	30 19%	30 15%	52 18%	72 24%J	46 24%J
Tend to disagree	(2) 750 34%	65 35%	36 34%	23 35%	626 34%	30 34%	78 32%	60 33%	62 33%	52 33%	74 36%	90 32%	111 37%	68 36%
Strongly disagree	(1) 657 30%	51 27%	31 29%	16 24%	560 31%	30 34%	60 25%	47 26%	65 35%F	54 35%F	74 37%acFG	83 29%	90 30%	56 30%
NET: Disagree	1407 64%	116 63%	67 63%	38 59%	1186 65%	60 68%	139 57%	107 60%	128 68%F	106 68%F	149 73%AbCFGK	173 60%	201 68%F	125 66%f
Prefer not to say	39 2%	2 1%	1 1%	- -	36 2%	- -	4 2%	3 2%	3 2%	1 *	5 2%	14 5%AbceffL	3 1%	4 2%
Don't know	185 8%	17 9%am	6 6%	7 11%am	154 8%	9 10%am	31 13%bHILM	16 9%	11 6%	11 7%	16 8%	32 11%hIM	20 7%	9 5%
Mean	1.99	2.04J	2.07J	2.07J	1.98	1.90	2.13eHiJL	2.07J	1.93	1.94	1.81	2.01J	1.95j	2.01J
Standard deviation	0.86	0.86	0.90	0.79	0.86	0.85	0.92	0.86	0.86	0.90	0.80	0.91	0.79	0.84
Standard error	0.02	0.06	0.08	0.10	0.02	0.09	0.07	0.07	0.06	0.08	0.06	0.06	0.05	0.06

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

*** small base**

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 35

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would avoid talking to someone who was recently bereaved about their bereavement because I wouldn't know how to help

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Agree	558 26%	180 29%B	353 24%	367 23%	186 31%C	40 41%C	321 23%	41 30%f	5 33%	8 30%	354 24%	135 30%J	41 27%	12 32%
Strongly agree	(4) 80 4%	37 6%B	43 3%	51 3%	28 5%	7 7%c	40 3%	11 8%F	- -	2 6%	47 3%	23 5%j	6 4%	1 4%
Tend to agree	(3) 478 22%	143 23%	310 21%	316 20%	158 27%C	33 34%C	281 20%	29 22%	5 33%	6 24%	306 21%	112 25%j	35 23%	11 28%
Tend to disagree	(2) 750 34%	217 35%	503 35%	550 35%	198 33%	29 30%	512 36%G	34 25%	6 41%	10 38%	524 35%	146 33%	46 30%	12 31%
Strongly disagree	(1) 657 30%	160 26%	474 33%A	513 33%DE	142 24%E	10 10%	462 33%	50 37%	1 4%	5 19%	452 30%M	135 30%M	52 34%M	5 15%
NET: Disagree	1407 64%	377 61%	978 67%A	1063 67%DE	340 57%E	39 40%	974 69%	84 62%	6 45%	15 56%	976 66%M	281 63%M	98 64%M	17 46%
Prefer not to say	39 2%	7 1%	20 1%	24 2%	8 1%	3 3%	14 1%	3 3%	2 11%	- -	19 1%	8 2%	4 3%	2 6%JK
Don't know	185 8%	54 9%	100 7%	123 8%	59 10%	16 17%Cd	112 8%	7 5%	1 10%	3 13%	136 9%K	25 6%	10 6%	6 16%kl
Mean	1.99	2.10B	1.94	1.93	2.14C	2.47CD	1.92	2.01	2.37	2.21	1.96	2.05j	1.96	2.27Jl
Standard deviation	0.86	0.89	0.85	0.85	0.88	0.83	0.83	1.00	0.62	0.88	0.84	0.90	0.90	0.84
Standard error	0.02	0.04	0.02	0.02	0.04	0.10	0.02	0.09	0.17	0.18	0.02	0.04	0.08	0.14

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

*** small base; ** very small base (under 30) ineligible for sig testing**

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 36

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would know what to do if someone who was recently bereaved told me they were having trouble

Base: All respondents

	Total	Gender		Age									Social Grade				Employment Sector		
		Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)	
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899	
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931	
NET: Agree	1115 51%	503 47%	612 55%A	105 43%	165 44%	174 50%	211 55%CD	167 51%cd	293 58%CDEg	270 43%	385 52%l	460 55%l	303 51%	324 53%	231 52%	258 48%	190 57%Q	467 50%	
Strongly agree	(4) 10%	221 10%	105 10%	117 10%	25 10%	33 9%	41 12%g	52 14%dGH	25 8%	45 9%	58 9%	94 13%iK	70 8%	63 11%	64 10%	49 11%	46 9%	49 15%q	98 11%
Tend to agree	(3) 41%	894 37%	399 44%A	495 33%	80 33%	132 35%	133 38%	159 41%c	142 44%CD	248 49%CDEF	212 34%	292 40%i	390 47%lJ	240 40%	260 42%	182 41%	212 40%	141 42%	369 40%
Tend to disagree	(2) 26%	566 28%B	299 24%	266 24%	62 26%	100 26%	99 28%	95 25%	87 27%	123 24%	162 26%	194 26%	209 25%	158 26%	156 25%	118 27%	135 25%	79 24%	231 25%
Strongly disagree	(1) 7%	157 8%	81 7%	75 7%	21 9%fg	42 11%FGH	28 8%	19 5%	15 5%	31 6%	64 10%JK	47 6%	46 6%	41 7%	45 7%	26 6%	45 8%	10 3%	82 9%P
NET: Disagree	722 33%	381 36%B	342 30%	83 34%	143 38%FH	126 36%f	114 29%	102 31%	154 30%	226 36%K	241 33%	256 31%	198 33%	201 33%	144 32%	179 34%	89 27%	313 34%P	
Prefer not to say	33 2%	22 2%b	11 1%	8 3%EFH	12 3%EFH	3 1%	5 1%	4 1%	2 *	20 3%JK	7 1%	6 1%	8 1%	7 1%	11 3%	7 1%	2 1%	22 2%p	
Don't know	318 15%	162 15%	156 14%	46 19%eH	59 16%h	47 13%	57 15%	51 16%h	58 11%	105 17%k	104 14%	109 13%	88 15%	84 14%	59 13%	88 16%	50 15%	129 14%	
Mean	2.64	2.60	2.69A	2.58	2.51	2.63	2.75CDe	2.66D	2.69D	2.53	2.69I	2.67I	2.65	2.65	2.68	2.59	2.82Q	2.62	
Standard deviation	0.80	0.81	0.79	0.86	0.86	0.83	0.79	0.72	0.75	0.86	0.81	0.74	0.80	0.80	0.79	0.81	0.76	0.84	
Standard error	0.02	0.03	0.03	0.06	0.05	0.05	0.04	0.04	0.03	0.04	0.03	0.03	0.04	0.03	0.04	0.04	0.05	0.03	

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 37

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would know what to do if someone who was recently bereaved told me they were having trouble

Base: All respondents

	Total	Region												
		Scotland (a)	Wales (b)	North-ern Ire-land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Agree	1115 51%	93 50%	47 44%	34 51%	941 51%	49 55%	114 47%	86 48%	102 54%bm	77 50%	120 59%aBFGM	153 53%m	154 52%	85 45%
Strongly agree	(4) 221 10%	22 12%	15 14%FJM	6 9%	180 10%	7 8%	18 7%	15 8%	28 15%FgJIM	18 12%	16 8%	40 14%FgJIM	26 9%	13 7%
Tend to agree	(3) 894 41%	72 39%	32 31%	28 43%	762 42%B	42 47%B	97 40%	71 40%	75 40%	59 38%	105 51%ABFGHIKIM	113 39%	128 43%B	72 38%
Tend to disagree	(2) 566 26%	46 25%	33 31%eJK	19 30%	467 25%	19 21%	64 26%	54 30%JK	46 24%	40 26%	42 21%	60 21%	85 29%jk	57 30%JK
Strongly disagree	(1) 157 7%	15 8%	7 7%	3 5%	132 7%	7 8%	27 11%gJKI	10 6%	17 9%j	9 6%	9 4%	16 6%	18 6%	19 10%Jk
NET: Disagree	722 33%	61 33%j	40 38%JK	23 34%	599 33%	26 29%	91 37%JK	64 36%JK	63 33%j	50 32%	50 25%	76 27%	102 34%Jk	76 40%eJK
Prefer not to say	33 2%	3 1%	1 1%	-	29 2%	1 1%	5 2%il	3 2%	2 1%	-	4 2%il	11 4%ILm	1 *	2 1%
Don't know	318 15%	28 15%	18 17%	9 14%	263 14%	14 15%	34 14%	25 14%	22 12%	28 18%	29 14%	47 16%	40 13%	26 14%
Mean	2.64	2.65m	2.63	2.64	2.64	2.65	2.51	2.60	2.69fM	2.68m	2.75FgM	2.77FgIM	2.63m	2.49
Standard deviation	0.80	0.84	0.86	0.74	0.80	0.78	0.83	0.76	0.87	0.81	0.69	0.82	0.76	0.81
Standard error	0.02	0.06	0.08	0.10	0.02	0.09	0.06	0.06	0.07	0.07	0.05	0.06	0.05	0.06

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

*** small base**

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 38

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would know what to do if someone who was recently bereaved told me they were having trouble

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Agree	1115 51%	308 50%	761 52%	865 55%DE	243 41%E	21 22%	757 53%	101 75%F	6 46%	15 56%	756 51%M	233 52%M	78 51%M	12 32%
Strongly agree	(4) 221 10%	71 11%	138 10%	164 10%	56 9%	6 6%	126 9%	36 27%F	1 8%	1 4%	139 9%	50 11%	22 15%j	5 15%
Tend to agree	(3) 894 41%	237 38%	623 43%a	701 44%DE	188 32%E	15 15%	631 44%	65 48%	5 38%	13 52%	616 41%M	183 41%M	56 36%M	6 17%
Tend to disagree	(2) 566 26%	166 27%	384 26%	377 24%	186 31%C	31 31%	353 25%G	22 16%	2 17%	7 28%	376 25%	122 27%	41 27%	14 38%j
Strongly disagree	(1) 157 7%	60 10%B	90 6%	104 7%	52 9%	20 20%CD	99 7%	6 4%	2 11%	3 12%	104 7%	32 7%	14 9%	1 4%
NET: Disagree	722 33%	226 37%	473 33%	482 31%	238 40%C	50 51%Cd	452 32%G	28 20%	4 29%	10 40%	480 32%	154 34%	55 36%	16 42%
Prefer not to say	33 2%	4 1%	16 1%	20 1%	6 1%	1 1%	10 1%	3 3%F	- -	- -	13 1%	10 2%J	3 2%	2 6%J
Don't know	318 15%	80 13%	200 14%	211 13%	106 18%C	26 26%Cd	203 14%G	3 2%	4 26%	1 4%	237 16%K	51 11%	17 11%	7 20%
Mean	2.64	2.60	2.66	2.69DE	2.51E	2.11	2.65	3.02F	2.57	2.50	2.64	2.65	2.66	2.59
Standard deviation	0.80	0.85	0.77	0.78	0.84	0.91	0.77	0.79	0.92	0.79	0.79	0.81	0.88	0.87
Standard error	0.02	0.04	0.02	0.02	0.04	0.11	0.02	0.07	0.28	0.16	0.02	0.04	0.08	0.15

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 39

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would know what kind of help or support to offer someone who was bereaved

Base: All respondents

	Gender			Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)	
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899	
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931	
NET: Agree	1042 48%	483 45%	559 50%A	108 44%D	133 35%	156 45%D	202 52%cDe	155 48%D	288 57%CDEG	240 39%	358 49%l	443 53%ij	292 49%	302 49%	196 44%	252 47%	157 47%	428 46%	
Strongly agree	(4) 8%	184 8%	87 9%	97 11%g	26 7%	27 9%	30 9%	33 8%	20 6%	47 9%	53 9%	67 8%	53 9%	46 8%	41 9%	44 8%	32 10%	79 8%	
Tend to agree	(3) 39%	858 39%	396 37%	462 41%a	81 33%	106 28%	126 36%D	169 44%cDe	135 42%cD	241 48%CDEg	187 30%	295 40%l	376 45%lJ	239 40%	255 42%an	155 35%	208 39%	125 38%	349 37%
Tend to disagree	(2) 28%	619 28%	315 30%	304 27%	64 26%	114 30%	115 33%cFh	96 25%	94 29%	136 27%	178 29%	211 29%	230 28%	168 28%	170 28%	144 32%O	137 26%	108 33%	256 28%
Strongly disagree	(1) 8%	172 8%	91 9%	81 7%	21 9%	47 12%eFGH	28 8%	26 7%	18 6%	31 6%	68 11%JK	55 7%	49 6%	49 8%	48 6%	28 6%	46 9%	19 6%	80 9%
NET: Disagree	791 36%	406 38%b	385 34%	85 35%	161 42%cFgH	143 41%FH	122 32%	112 35%	167 33%	245 39%K	266 36%	280 34%	217 36%	218 35%	172 39%	183 34%	128 38%	337 36%	
Prefer not to say	34 2%	21 2%	14 1%	13 5%EFGH	11 3%gH	3 1%h	4 1%h	3 1%	1 *	24 4%JK	7 1%	3 *	9 2%	6 1%	10 2%	9 2%	-	28 3%P	
Don't know	323 15%	159 15%	164 15%	38 16%H	74 20%EH	47 14%	59 15%H	54 17%H	50 10%	112 18%jK	106 14%	104 13%	79 13%	90 15%	66 15%	88 17%	48 14%	138 15%	
Mean	2.57	2.54	2.61a	2.59D	2.39	2.53d	2.64De	2.59D	2.67DE	2.47	2.59I	2.64I	2.58	2.58	2.57	2.57	2.60	2.56	
Standard deviation	0.80	0.81	0.78	0.86	0.86	0.80	0.77	0.73	0.75	0.86	0.79	0.74	0.80	0.78	0.79	0.81	0.78	0.82	
Standard error	0.02	0.03	0.03	0.06	0.05	0.05	0.04	0.04	0.03	0.04	0.03	0.03	0.04	0.03	0.05	0.04	0.05	0.03	

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 40

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would know what kind of help or support to offer someone who was bereaved

Base: All respondents

	Total	Region												
		Scotland (a)	Wales (b)	North-ern Ire-land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
NET: Agree	1042 48%	74 40%	47 45%	32 49%	889 49%A	44 50%	98 40%	92 51%AFm	100 53%AFM	75 48%	110 54%AFM	146 51%AFm	147 49%AFm	78 41%
Strongly agree	(4) 184 8%	14 8%	9 9%	4 5%	156 9%	9 10%	16 7%	11 6%	17 9%	18 12%fgM	15 7%	37 13%aFGjIM	24 8%	10 5%
Tend to agree	(3) 858 39%	59 32%	38 36%	28 43%	733 40%A	35 40%	82 33%	81 45%AbFm	82 43%Af	57 37%	95 47%AbFikM	109 38%	123 41%Af	68 36%
Tend to disagree	(2) 619 28%	58 31%Ghk	39 37%DGHlJK	21 32%g	501 27%	25 28%	76 31%Ghk	37 21%	43 23%	39 25%	55 27%	66 23%	93 31%GhK	68 36%GHlJK
Strongly disagree	(1) 172 8%	17 9%	5 4%	4 6%	146 8%	8 9%	21 9%	16 9%	16 8%	12 8%	15 7%	23 8%	18 6%	18 9%b
NET: Disagree	791 36%	75 40%GhK	44 41%GhK	25 38%	647 35%	33 37%	96 39%gk	53 30%	59 31%	51 33%	69 34%	88 31%	111 37%	86 46%GHlJKI
Prefer not to say	34 2%	3 1%	1 1%	-	31 2%	1 1%	5 2%il	5 3%iL	2 1%	-	3 1%	10 4%bIL	1 *	4 2%il
Don't know	323 15%	34 18%Jm	14 14%	9 13%	266 15%	11 12%	45 18%Jm	29 16%	29 15%	29 19%Jm	22 11%	42 15%	39 13%	21 11%
Mean	2.57	2.48	2.57	2.55	2.59	2.58	2.48	2.60m	2.64afM	2.64M	2.62M	2.68AFM	2.59M	2.43
Standard deviation	0.80	0.82	0.75	0.73	0.80	0.83	0.80	0.78	0.81	0.85	0.75	0.85	0.76	0.76
Standard error	0.02	0.06	0.07	0.10	0.02	0.09	0.06	0.06	0.06	0.08	0.06	0.06	0.05	0.06

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

*** small base**

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 41

Q.3 To what extent do you agree or disagree, if at all, with the following statements about talking to someone who has recently experienced the death of a relative, partner or close friend (otherwise known as a bereavement).

I would know what kind of help or support to offer someone who was bereaved

Base: All respondents

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
NET: Agree	1042 48%	291 47%	716 49%	810 51%DE	230 39%E	22 23%	711 50%	95 70%F	4 26%	9 34%	703 47%	216 48%	83 54% <i>m</i>	14 39%
Strongly agree (4)	184 8%	67 11%B	110 8%	145 9% <i>d</i>	38 6%	7 7%	118 8%	27 20%F	1 8%	- -	113 8%	43 10%	21 13% <i>J</i>	4 11%
Tend to agree (3)	858 39%	224 36%	606 42%A	665 42%DE	192 32%E	15 16%	593 42%	69 51% <i>f</i>	3 18%	9 34%	591 40%	173 38%	63 41%	10 28%
Tend to disagree (2)	619 28%	180 29%	414 29%	416 26%	199 33%C	37 38%C	386 27% <i>g</i>	27 20%	3 22%	11 44%	410 28%	134 30%	40 26%	13 35%
Strongly disagree (1)	172 8%	65 11%B	102 7%	114 7%	54 9%	13 14%C	110 8%G	4 3%	1 5%	3 12%	112 8%	41 9%	13 8%	2 6%
NET: Disagree	791 36%	245 40% <i>b</i>	516 36%	531 34%	253 43%C	51 52%C	496 35%G	31 23%	4 27%	15 56%	522 35%	175 39%	53 35%	15 41%
Prefer not to say	34 2%	4 1%	14 1%	22 1%	5 1%	2 2%	11 1%	3 2% <i>f</i>	- -	1 4%	15 1%	8 2%	3 2%	3 8% <i>JKI</i>
Don't know	323 15%	78 13%	205 14%	214 14%	106 18%C	23 23%C	204 14%G	6 4%	6 47%	2 6%	245 16% <i>KL</i>	50 11%	14 9%	4 12%
Mean	2.57	2.55	2.59	2.63DE	2.44E	2.21	2.60	2.94F	2.55	2.24	2.57	2.56	2.67	2.54
Standard deviation	0.80	0.86	0.77	0.79	0.79	0.86	0.79	0.74	0.93	0.69	0.78	0.82	0.85	0.84
Standard error	0.02	0.04	0.02	0.02	0.04	0.10	0.02	0.06	0.31	0.15	0.02	0.04	0.07	0.14

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

*** small base; ** very small base (under 30) ineligible for sig testing**

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 42

Q.4 Have you experienced the death of a relative, partner or close friend (otherwise known as bereavement) in the last five years?**Base: All respondents**

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	2189	1033	1156	264	335	334	387	346	523	599	721	869	600	657	368	564	316	899
Weighted base	2189	1068	1121	243	379	350	387	324	506	622	737	830	598	615	444	532	332	931
Yes, once in the last five years	862 39%	414 39%	447 40%	108 44%H	165 44%H	133 38%	157 40%h	127 39%	172 34%	273 44%K	289 39%	299 36%	243 41%	243 40%	184 41%	192 36%	152 46%	393 42%
Yes, more than once in the last five years	715 33%	318 30%	397 35%A	77 32%	101 27%	108 31%	114 29%	122 38%DeF	193 38%cDEF	178 29%	222 30%	315 38%lJ	192 32%	195 32%	145 33%	184 35%	98 30%	281 30%
No - I have experienced this but not in the last five years	495 23%	272 26%B	223 20%	34 14%	79 21%c	86 25%C	98 25%C	71 22%C	127 25%C	113 18%	185 25%l	198 24%l	137 23%	142 23%	89 20%	128 24%	64 19%	204 22%
No - I have never experienced this	98 4%	51 5%	47 4%	18 7%GH	27 7%GH	20 6%GH	18 5%Gh	2 1%	13 2%g	45 7%K	38 5%K	15 2%	23 4%	31 5%	21 5%	23 4%	18 5%	46 5%
Prefer not to say	19 1%	12 1%	7 1%	5 2%FgH	7 2%FH	2 1%	1 *	2 *	1 *	13 2%JK	3 *	3 *	3 *	5 1%	6 1%	5 1%	1 *	7 1%
NET: Bereaved in the last five years	1577 72%	733 69%	844 75%A	185 76%ef	266 70%	241 69%	270 70%	249 77%deF	366 72%	451 73%	511 69%	615 74%j	435 73%	438 71%	328 74%	376 71%	250 75%	674 72%
NET: Not bereaved in the last five years	593 27%	324 30%B	270 24%	53 22%	105 28%	106 30%CG	116 30%CG	73 23%	139 28%c	158 25%	223 30%ik	212 26%	160 27%	172 28%	110 25%	151 28%	82 25%	250 27%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 43

Q.4 Have you experienced the death of a relative, partner or close friend (otherwise known as bereavement) in the last five years?**Base: All respondents**

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	2189	217	146	64	1762	90	216	176	191	149	205	248	285	202
Weighted base	2189	185	106	66*	1832	89*	244	178	189	155	204	287	297	189
Yes, once in the last five years	862 39%	79 43%	40 38%	28 43%	715 39%	35 39%	88 36%	73 41%	72 38%	58 38%	78 38%	126 44%l	107 36%	79 42%
Yes, more than once in the last five years	715 33%	58 31%	42 39%clM	17 26%	599 33%	35 39%lm	88 36%	64 36%	65 35%	45 29%	63 31%	88 31%	97 33%	53 28%
No - I have experienced this but not in the last five years	495 23%	41 22%	17 16%	17 26%b	421 23%b	17 19%	59 24%bk	34 19%	47 25%bk	42 27%BgK	55 27%BgK	48 17%	69 23%bk	51 27%BgK
No - I have never experienced this	98 4%	6 3%	7 7%aHJM	3 4%	82 4%	2 2%	8 3%	6 3%	3 2%	8 5%h	4 2%	22 8%AefgHJM	23 8%AeFgHJM	6 3%
Prefer not to say	19 1%	2 1%	-	1 1%	16 1%	1 1%	2 1%	2 1%	2 1%	1 1%	4 2%l	2 1%	1 *	1 *
NET: Bereaved in the last five years	1577 72%	136 74%	82 77%ll	45 68%	1314 72%	70 78%il	175 72%	136 76%il	137 73%	104 67%	141 69%	214 75%	204 69%	132 70%
NET: Not bereaved in the last five years	593 27%	46 25%	24 23%	20 31%	503 27%	19 21%	67 27%	40 22%	50 26%	51 33%beg	59 29%	70 25%	92 31%eg	56 30%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

* small base

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 44

Q.4 Have you experienced the death of a relative, partner or close friend (otherwise known as bereavement) in the last five years?**Base: All respondents**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal educ= ation (h)	Pri= mary (i)	Sec= ondary (j)	Univ= ersity degree (k)	Higher univ= ersity degree (l)	Still in full time educ= ation (m)
Unweighted base	2189	637	1432	1596	575	92	1433	144	16	25	1494	433	152	44
Weighted base	2189	619	1451	1577	593	98*	1421	136	14**	26**	1485	448	153	37*
Yes, once in the last five years	862 39%	254 41%	564 39%	862 55%DE	-	-	762 54%	89 66%F	4 31%	10 40%	568 38%	191 43%	69 45%	11 31%
Yes, more than once in the last five years	715 33%	206 33%	470 32%	715 45%DE	-	-	659 46%G	47 34%	5 39%	10 39%	489 33%	143 32%	42 28%	13 36%
No - I have experienced this but not in the last five years	495 23%	126 20%	345 24%	-	495 84%CE	-	-	-	4 29%	4 17%	360 24%K	81 18%	37 24%	7 20%
No - I have never experienced this	98 4%	30 5%	62 4%	-	98 16%C	98 100%CD	-	-	-	1 4%	60 4%	31 7%JL	4 3%	2 5%
Prefer not to say	19 1%	2 *	10 1%	-	-	-	-	-	-	-	8 1%	2 *	1 1%	3 8%JKL
NET: Bereaved in the last five years	1577 72%	460 74%	1034 71%	1577 100%DE	-	-	1421 100%	136 100%	10 71%	20 78%	1057 71%	335 75%	111 73%	25 66%
NET: Not bereaved in the last five years	593 27%	156 25%	407 28%	-	593 100%C	98 100%C	-	-	4 29%	6 22%	420 28%	111 25%	41 27%	9 25%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 45

Q.5 Thinking about the most recent bereavement that you have experienced, which of the following best describes your relationship with the person who died?

Base: All who have experienced bereavement in the last 5 years

	Gender			Age									Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	1596	723	873	197	243	233	273	271	379	440	506	650	440	474	279	403	244	663
Weighted base	1577	733	844	185	266	241	270	249	366	451	511	615	435	438	328	376	250	674
Other close family member	886 56%	394 54%	492 58%a	94 51%	155 58%	143 59%ch	159 59%h	146 59%	189 52%	249 55%	302 59%	335 55%	246 57%	244 56%	180 55%	215 57%	147 59%	374 56%
Friend	290 18%	138 19%	152 18%	17 9%	37 14%	37 15%c	60 22%CD	46 18%C	93 25%CE	54 12%	97 19%l	138 23%l	81 19%	81 18%	54 17%	74 20%	40 16%	121 18%
More distant family member	262 17%	126 17%	136 16%	50 27%DEFGH	49 19%fh	42 18%	34 13%	40 16%	46 13%	99 22%JK	76 15%	87 14%	73 17%	77 18%	57 17%	56 15%	46 18%	112 17%
Spouse/partner	47 3%	20 3%	26 3%	4 2%	7 3%	3 1%	4 2%	4 2%	24 7%CDEFG	11 2%	8 1%	28 5%ij	5 1%	14 3%L	14 4%L	14 4%L	6 2%	17 2%
Colleague	27 2%	18 2%B	9 1%	1 1%	6 2%	7 3%	4 1%	4 2%	5 1%	7 2%	11 2%	9 1%	7 2%	4 1%	12 4%MO	3 1%	5 2%	15 2%
Neighbour	25 2%	11 1%	14 2%	2 1%	2 1%	2 1%	3 1%	8 3%def	7 2%	5 1%	5 1%	15 2%j	4 1%	8 2%	6 2%	7 2%	1 1%	7 1%
Other	18 1%	8 1%	9 1%	6 3%GH	3 1%	4 2%h	3 1%	1 1%	1 *	9 2%K	7 1%k	2 *	9 2%am	3 1%	2 1%	4 1%	1 1%	12 2%
Prefer not to say	23 1%	18 2%B	5 1%	11 6%dEFGH	6 2%GH	2 1%h	4 1%gH	-	-	17 4%JK	6 1%K	-	10 2%o	7 2%	3 1%	3 1%	3 1%	17 2%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 46

Q.5 Thinking about the most recent bereavement that you have experienced, which of the following best describes your relationship with the person who died?

Base: All who have experienced bereavement in the last 5 years

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humber side (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	1596	158	112	46	1280	70	156	137	144	102	141	183	204	143
Weighted base	1577	136	82	45*	1314	70*	175	136	137	104*	141	214	204	132
Other close family member	886 56%	78 57%	51 62%Gk	31 69%dfGK	727 55%	43 61%	91 52%	67 49%	76 55%	57 55%	88 63%fGK	109 51%	115 56%	82 62%fGk
Friend	290 18%	31 23%C	12 15%	3 7%	243 19% <i>c</i>	11 16%	40 23% <i>C</i>	22 16%	27 20% <i>c</i>	16 16%	27 19% <i>c</i>	40 18% <i>c</i>	36 18% <i>c</i>	24 18% <i>c</i>
More distant family member	262 17%	16 12%	16 19%	6 14%	224 17%	8 12%	21 12%	30 22%AeFj	24 17%	16 15%	18 13%	46 22%AeFj	41 20% <i>Af</i>	20 15%
Spouse/partner	47 3%	5 4% <i>m</i>	1 2%	1 2%	39 3%	1 2%	5 3%	9 7% <i>bJLM</i>	3 3%	7 7% <i>bJLM</i>	1 1%	8 4% <i>m</i>	3 2%	1 *
Colleague	27 2%	3 3%	1 1%	2 4% <i>j</i>	20 2%	2 3%	4 3%	3 2%	3 2%	1 1%	1 *	3 1%	2 1%	1 1%
Neighbour	25 2%	1 *	1 1%	- -	24 2%	1 1%	6 4% <i>a</i>	2 1%	3 2%	2 2%	2 1%	3 1%	3 1%	3 2%
Other	18 1%	1 1%	- -	1 2%	16 1%	2 3% <i>h</i>	2 1%	2 2%	- -	2 2%	3 2%	1 *	3 1%	1 1%
Prefer not to say	23 1%	1 1%	- -	1 2%	21 2%	2 3%	6 3% <i>bl</i>	1 1%	1 1%	2 2%	1 1%	5 2%	1 1%	1 *

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 47

Q.5 Thinking about the most recent bereavement that you have experienced, which of the following best describes your relationship with the person who died?

Base: All who have experienced bereavement in the last 5 years

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	1596	477	1037	1596	-	-	1433	144	12	18	1079	325	112	30
Weighted base	1577	460	1034	1577	-**	-**	1421	136	10**	20**	1057	335	111*	25**
Other close family member	886 56%	275 60%	569 55%	886 56%	-	-	811 57%	69 51%	4 40%	12 60%	598 57%	183 55%	65 59%	14 58%
Friend	290 18%	69 15%	214 21%A	290 18%	-	-	266 19%	22 16%	2 20%	-	196 19%	68 20%	18 17%	4 16%
More distant family member	262 17%	73 16%	171 17%	262 17%	-	-	251 18%G	11 8%	2 22%	4 20%	169 16%	62 19%	19 17%	4 18%
Spouse/partner	47 3%	25 5%B	19 2%	47 3%	-	-	22 2%	25 18%F	1 10%	-	36 3%k	4 1%	3 3%	-
Colleague	27 2%	3 1%	23 2%a	27 2%	-	-	23 2%	4 3%	-	-	17 2%	7 2%	1 1%	1 4%
Neighbour	25 2%	7 1%	16 2%	25 2%	-	-	25 2%	-	1 7%	3 13%	19 2%k	1 *	-	1 4%
Other	18 1%	6 1%	10 1%	18 1%	-	-	15 1%	3 2%	-	-	11 1%	4 1%	2 2%	-
Prefer not to say	23 1%	3 1%	11 1%	23 1%	-	-	9 1%	2 2%	-	2 7%	10 1%	5 2%	3 2%	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 48

Q.6 And which of the following support services, if any, did you receive for this bereavement? Please do not include any support that you received from family and friends.

Base: All who have experienced bereavement in the last 5 years

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	1596	723	873	197	243	233	273	271	379	440	506	650	440	474	279	403	244	663
Weighted base	1577	733	844	185	266	241	270	249	366	451	511	615	435	438	328	376	250	674
NET: Any support	136 9%	67 9%	69 8%	26 14%FgH	29 11%FH	28 12%FH	16 6%	20 8%h	17 5%	55 12%jK	44 9%	37 6%	41 9%	37 8%	25 8%	33 9%	21 8%	70 10%
One-to-one counselling - in person	71 5%	33 4%	38 5%	13 7%fH	14 5%	9 4%	9 3%	15 6%h	11 3%	27 6%j	18 4%	25 4%	17 4%	20 4%	16 5%	19 5%	7 3%	34 5%
Local support group with other bereaved people	17 1%	11 2%	6 1%	5 3%fGH	4 1%	5 2%gh	2 1%	1 *	1 *	9 2%K	6 1%k	2 *	7 2%n	4 1%	1 *	5 1%n	6 2%	9 1%
Online forum or community advice	23 1%	11 1%	12 1%	4 2%F	8 3%FGH	8 3%FGH	- -	1 *	2 1%	12 3%K	8 2%k	3 *	7 2%	11 3%no	2 1%	3 1%	3 1%	16 2%
One-to-one counselling - telephone	26 2%	13 2%	13 2%	4 2%fGH	10 4%FGH	8 3%FGH	1 *	1 *	1 *	14 3%K	9 2%K	2 *	8 2%	10 2%	4 1%	4 1%	3 1%	17 3%
One-to-one counselling - online	14 1%	9 1%	5 1%	2 1%fGH	6 2%FGH	6 2%FGH	- -	- -	- -	9 2%K	6 1%K	- -	1 *	6 1%l	5 1%l	2 1%	3 1%	9 1%
I received bereavement support from another service not listed	24 2%	9 1%	15 2%	5 2%G	- -	5 2%D	4 2%G	7 3%D	4 1%	5 1%	9 2%	11 2%	8 2%	6 1%	4 1%	7 2%	3 1%	11 2%
I did not receive any support services	1421 90%	651 89%	770 91%	152 82%	231 87%	212 88%	250 93%CD	229 92%Cd	348 95%CDE	383 85%	462 90%l	577 94%lJ	388 89%	395 90%	299 91%	339 90%	229 92%q	589 87%
Prefer not to say	20 1%	15 2%B	5 1%	7 4%EGH	6 2%Gh	1 1%	4 2%G	- -	1 *	13 3%jK	6 1%k	1 *	6 1%	6 1%	4 1%	4 1%	- -	15 2%P

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 49

Q.6 And which of the following support services, if any, did you receive for this bereavement? Please do not include any support that you received from family and friends.

Base: All who have experienced bereavement in the last 5 years

	Region													
	Total	Scotland (a)	Wales (b)	North- em Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humber side (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	1596	158	112	46	1280	70	156	137	144	102	141	183	204	143
Weighted base	1577	136	82	45*	1314	70*	175	136	137	104*	141	214	204	132
NET: Any support	136 9%	13 10%	6 7%	2 5%	114 9%	5 6%	17 10%	14 10%	13 9%	11 10%	8 6%	28 13% _{ijLM}	11 6%	7 6%
One-to-one counselling - in person	71 5%	7 5%	4 5%	2 4%	59 4%	3 4%	11 7% _L	7 5%	8 6% _l	4 4%	5 3%	13 6% _l	4 2%	3 3%
Local support group with other bereaved people	17 1%	1 1%	-	-	16 1%	-	3 2%	1 *	-	5 5% _{aBeGHJLM}	-	7 3% _{hijm}	1 *	-
Online forum or community advice	23 1%	2 2%	-	-	21 2%	-	4 2%	3 2%	2 1%	3 3%	4 3%	2 1%	3 1%	1 1%
One-to-one counselling - telephone	26 2%	4 3% _b	-	1 2%	21 2%	-	2 1%	3 2%	1 1%	1 1%	2 2%	5 2%	2 1%	4 3% _b
One-to-one counselling - online	14 1%	1 1%	1 1%	1 2% _l	12 1%	-	2 1%	2 2% _l	1 1%	-	-	3 2%	-	3 2% _l
I received bereavement support from another service not listed	24 2%	1 1%	2 2%	-	22 2%	3 4% _j	2 1%	2 2%	4 3%	2 2%	1 *	4 2%	3 1%	1 1%
I did not receive any support services	1421 90%	121 89%	76 93% _{tK}	42 92%	1183 90%	63 91%	156 89%	120 88%	125 91%	91 88%	133 94% _{tK}	181 85%	192 94% _{agijK}	122 93% _{tK}
Prefer not to say	20 1%	2 1%	-	1 2%	17 1%	2 3% _{hj}	2 1%	2 2%	-	2 2%	-	5 2% _{hj}	1 1%	2 2%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

* small base

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 50

Q.6 And which of the following support services, if any, did you receive for this bereavement? Please do not include any support that you received from family and friends.

Base: All who have experienced bereavement in the last 5 years

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	1596	477	1037	1596	-	-	1433	144	12	18	1079	325	112	30
Weighted base	1577	460	1034	1577	**	**	1421	136	10**	20**	1057	335	111*	25**
NET: Any support	136 9%	63 14%B	66 6%	136 9%	-	-	-	136 100%F	2 17%	1 7%	76 7%	33 10%	16 14%J	3 12%
One-to-one counselling - in person	71 5%	38 8%B	33 3%	71 5%	-	-	-	71 52%F	1 6%	1 3%	42 4%	18 5%	5 5%	2 10%
Local support group with other bereaved people	17 1%	9 2%B	5 *	17 1%	-	-	-	17 13%F	-	-	6 1%	5 2%	5 4%J	1 3%
Online forum or community advice	23 1%	12 3%B	11 1%	23 1%	-	-	-	23 17%F	1 10%	-	10 1%	9 3%J	3 3%	-
One-to-one counselling - telephone	26 2%	11 2%	15 1%	26 2%	-	-	-	26 19%F	1 10%	-	11 1%	9 3%j	3 3%	1 3%
One-to-one counselling - online	14 1%	4 1%	10 1%	14 1%	-	-	-	14 11%F	1 10%	-	7 1%	3 1%	1 1%	1 3%
I received bereavement support from another service not listed	24 2%	7 2%	15 1%	24 2%	-	-	-	24 18%F	-	1 3%	18 2%	3 1%	2 2%	-
I did not receive any support services	1421 90%	393 86%	960 93%A	1421 90%	-	-	1421 100%G	-	8 83%	17 86%	969 92%L	299 89%	93 83%	22 88%
Prefer not to say	20 1%	4 1%	7 1%	20 1%	-	-	-	-	-	2 7%	11 1%	3 1%	2 2%	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 51

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

Summary

Base: All who have received each type of support

	One-to-one counselling - in person	Local support group with other bereaved people	Online forum/ community/ advice	One-to-one counselling - telephone	One-to-one counselling - online	Bereavement support from another service not listed	Mean average
Unweighted base	79	17	22	27	15	25	31
Weighted base	71	17	23	26	14	24	29
I received the support when I needed it	23 32%	3 19%	3 14%	5 18%	5 34%	9 37%	8 27%
The support was helpful	29 40%	7 42%	9 38%	4 14%	3 17%	11 45%	10 35%
I received the support for as long as I needed it	19 26%	2 12%	5 21%	4 17%	2 17%	9 38%	7 24%
It was easy to find out about and access this support	18 26%	4 24%	8 36%	9 36%	4 29%	4 16%	8 27%
I would have liked a different form of bereavement support	7 10%	1 3%	3 14%	5 20%	3 24%	3 12%	4 13%
N/A	1 1%	3 20%	2 8%	2 9%	1 7%	1 3%	2 6%

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 52

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?**One-to-one counselling - in person****Base: All who have received One-to-one counselling - in person**

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	79	35	44	17	14	8	10	17	13	31	18	30	17	25	14	23	9	36
Weighted base	71*	33*	38*	13**	14**	9**	9**	15**	11**	27**	18**	25**	17**	20**	16**	19**	7**	34*
I received the support when I needed it	23 32%	9 27%	14 36%	4 34%	3 21%	2 24%	5 58%	3 23%	4 41%	7 27%	7 41%	8 31%	4 23%	7 37%	6 36%	6 32%	2 24%	9 27%
The support was helpful	29 40%	11 33%	18 47%	3 22%	4 31%	5 53%	5 50%	10 65%	3 24%	7 27%	9 52%	12 48%	8 47%	10 51%	5 30%	6 32%	3 50%	16 46%
I received the support for as long as I needed it	19 26%	8 26%	10 27%	4 28%	4 31%	4 38%	1 10%	4 28%	2 18%	8 29%	4 24%	6 24%	5 27%	7 33%	4 25%	3 18%	-	14 41%
It was easy to find out about and access this support	18 26%	10 29%	9 23%	4 32%	-	2 17%	3 28%	7 47%	3 31%	4 15%	4 23%	10 40%	2 15%	6 29%	6 36%	5 25%	3 49%	6 19%
I would have liked a different form of bereavement support	7 10%	2 6%	5 14%	3 22%	3 18%	-	-	2 13%	-	5 19%	-	2 8%	2 11%	1 3%	2 11%	3 16%	3 36%	4 12%
N/A	1 1%	1 2%	-	-	-	-	-	-	1 6%	-	-	1 2%	-	-	-	1 3%	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 53

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

One-to-one counselling - in person

Base: All who have received One-to-one counselling - in person

	Region													
	Total	Scotland (a)	Wales (b)	North- em Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	79	8	6	2	63	3	12	7	8	5	5	13	5	5
Weighted base	71*	7**	4**	2**	59*	3**	11**	7**	8**	4**	5**	13**	4**	3**
I received the support when I needed it	23 32%	2 31%	3 73%	1 56%	17 29%	-	1 12%	4 59%	2 23%	-	-	6 44%	2 59%	1 43%
The support was helpful	29 40%	4 67%	3 70%	-	22 37%	2 63%	3 24%	-	3 39%	2 46%	4 86%	5 36%	3 65%	1 19%
I received the support for as long as I needed it	19 26%	2 34%	-	1 44%	16 26%	-	6 54%	2 32%	1 18%	1 19%	1 29%	2 14%	2 42%	-
It was easy to find out about and access this support	18 26%	3 45%	1 27%	-	15 25%	1 37%	1 7%	2 22%	2 26%	1 21%	1 14%	4 34%	2 60%	1 20%
I would have liked a different form of bereavement support	7 10%	1 21%	-	-	6 10%	-	2 15%	2 25%	1 9%	-	-	1 8%	-	1 18%
N/A	1 1%	-	-	-	1 1%	-	-	-	-	1 14%	-	-	-	-

Proportions/Mean: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 54

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?**One-to-one counselling - in person****Base: All who have received One-to-one counselling - in person**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	79	43	36	79	-	-	-	79	1	1	48	18	5	3
Weighted base	71*	38*	33*	71*	-**	-**	-**	71*	1**	1**	42*	18**	5**	2**
I received the support when I needed it	23 32%	10 27%	13 38%	23 32%	-	-	-	23 32%	-	-	16 38%	4 20%	2 35%	1 34%
The support was helpful	29 40%	17 44%	12 36%	29 40%	-	-	-	29 40%	-	-	15 37%	8 44%	2 48%	1 44%
I received the support for as long as I needed it	19 26%	7 19%	11 34%	19 26%	-	-	-	19 26%	1 100%	-	9 22%	5 26%	2 45%	1 22%
It was easy to find out about and access this support	18 26%	11 30%	7 21%	18 26%	-	-	-	18 26%	-	1 100%	13 31%	4 21%	-	-
I would have liked a different form of bereavement support	7 10%	5 14%	2 6%	7 10%	-	-	-	7 10%	-	-	4 9%	4 20%	-	-
N/A	1 1%	-	1 2%	1 1%	-	-	-	1 1%	-	-	1 1%	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 55

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?**Local support group with other bereaved people****Base: All who have received Local support group with other bereaved people**

	Gender			Age									Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	17	11	6	5	3	4	2	1	2	8	6	3	6	5	1	5	5	9
Weighted base	17*	11**	6**	5**	4**	5**	2**	1**	1**	9**	6**	2**	7**	4**	1**	5**	6**	9**
I received the support when I needed it	3 19%	2 20%	1 17%	2 45%	- -	- -	1 62%	- -	- -	2 25%	1 15%	- -	2 31%	- -	- -	1 19%	1 16%	2 24%
The support was helpful	7 42%	2 22%	5 78%	3 68%	1 26%	2 43%	- -	- -	1 49%	4 50%	2 32%	1 33%	2 32%	1 15%	- -	4 77%	3 54%	3 35%
I received the support for as long as I needed it	2 12%	2 19%	- -	- -	- -	2 43%	- -	- -	- -	- -	2 33%	- -	- -	2 52%	- -	- -	1 18%	1 11%
It was easy to find out about and access this support	4 24%	2 21%	2 28%	2 39%	1 20%	1 15%	- -	1 100%	- -	3 31%	1 11%	1 33%	2 24%	1 33%	- -	1 19%	1 12%	3 29%
I would have liked a different form of bereavement support	1 3%	1 5%	- -	- -	- -	- -	1 38%	- -	- -	- -	1 9%	- -	- -	- -	1 100%	- -	- -	1 6%
N/A	3 20%	3 25%	1 11%	1 13%	2 54%	- -	- -	- -	1 51%	3 31%	- -	1 34%	2 30%	- -	- -	1 23%	- -	3 29%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 56

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

Local support group with other bereaved people

Base: All who have received Local support group with other bereaved people

	Region												
	Total	Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	17	2	-	15	-	3	1	-	4	-	6	1	-
Weighted base	17*	1**	-**	16**	-**	3**	1**	-**	5**	-**	7**	1**	-**
I received the support when I needed it	3 19%	-	-	3 20%	-	-	-	-	1 25%	-	1 16%	1 100%	-
The support was helpful	7 42%	-	-	7 45%	-	2 65%	-	-	4 88%	-	1 16%	-	-
I received the support for as long as I needed it	2 12%	-	-	2 13%	-	-	-	-	-	-	2 31%	-	-
It was easy to find out about and access this support	4 24%	1 58%	-	3 21%	-	1 35%	1 100%	-	-	-	2 26%	-	-
I would have liked a different form of bereavement support	1 3%	1 42%	-	-	-	-	-	-	-	-	-	-	-
N/A	3 20%	-	-	3 21%	-	-	-	-	1 12%	-	3 42%	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 57

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?**Local support group with other bereaved people****Base: All who have received Local support group with other bereaved people**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	17	8	6	17	-	-	-	17	-	-	6	4	5	1
Weighted base	17*	9**	5**	17**	-**	-**	-**	17**	-**	-**	6**	5**	5**	1**
I received the support when I needed it	3 19%	3 36%	-	3 19%	-	-	-	3 19%	-	-	1 16%	1 20%	1 26%	-
The support was helpful	7 42%	5 61%	2 34%	7 42%	-	-	-	7 42%	-	-	4 64%	1 20%	2 48%	-
I received the support for as long as I needed it	2 12%	1 11%	1 22%	2 12%	-	-	-	2 12%	-	-	-	1 20%	1 21%	-
It was easy to find out about and access this support	4 24%	3 28%	1 31%	4 24%	-	-	-	4 24%	-	-	1 10%	2 38%	1 31%	-
I would have liked a different form of bereavement support	1 3%	-	-	1 3%	-	-	-	1 3%	-	-	-	-	-	-
N/A	3 20%	-	1 13%	3 20%	-	-	-	3 20%	-	-	1 10%	2 42%	-	1 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 58

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?**Online forum/community/advice****Base: All who have received Online forum/community/advice**

	Gender			Age									Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	22	11	11	5	7	7	-	1	2	12	7	3	7	11	2	2	2	15
Weighted base	23*	11**	12**	4**	8**	8**	-**	1**	2**	12**	8**	3**	7**	11**	2**	3**	3**	16**
I received the support when I needed it	3 14%	1 8%	2 20%	-	1 13%	1 17%	-	1 100%	-	1 9%	1 17%	1 28%	1 13%	2 22%	-	-	1 30%	2 15%
The support was helpful	9 38%	2 15%	7 59%	1 16%	2 27%	4 50%	-	1 100%	1 52%	3 24%	4 50%	2 65%	3 45%	3 24%	-	3 100%	2 70%	5 30%
I received the support for as long as I needed it	5 21%	2 18%	3 24%	1 20%	1 13%	2 27%	-	1 100%	-	2 15%	2 27%	1 28%	2 29%	3 26%	-	-	-	5 31%
It was easy to find out about and access this support	8 36%	5 46%	3 27%	1 38%	1 11%	3 37%	-	1 100%	2 100%	2 20%	3 37%	3 100%	3 37%	4 33%	1 49%	1 34%	-	4 25%
I would have liked a different form of bereavement support	3 14%	2 14%	2 14%	* 12%	3 34%	-	-	-	-	3 27%	-	-	-	3 30%	-	-	-	3 18%
N/A	2 8%	2 18%	-	1 26%	1 12%	-	-	-	-	2 16%	-	-	1 14%	-	1 51%	-	-	2 12%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 59

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

Online forum/community/advice

Base: All who have received Online forum/community/advice

	Region												
	Total	Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	22	3	-	19	-	3	3	2	2	3	2	3	1
Weighted base	23*	2**	..**	21**	..**	4**	3**	2**	3**	4**	2**	3**	1**
I received the support when I needed it	3 14%	1 24%	-	3 13%	-	-	-	-	-	1 20%	1 50%	1 31%	-
The support was helpful	9 38%	1 52%	-	8 37%	-	3 73%	-	1 64%	2 68%	1 20%	-	1 38%	-
I received the support for as long as I needed it	5 21%	-	-	5 23%	-	-	-	1 36%	-	2 56%	1 50%	1 31%	-
It was easy to find out about and access this support	8 36%	1 24%	-	8 37%	-	3 73%	1 57%	-	1 32%	1 20%	-	1 38%	1 100%
I would have liked a different form of bereavement support	3 14%	-	-	3 16%	-	-	2 61%	-	-	2 44%	-	-	-
N/A	2 8%	1 48%	-	1 4%	-	1 27%	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 60

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?**Online forum/community/advice****Base: All who have received Online forum/community/advice**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	22	12	10	22	-	-	-	22	1	-	9	9	3	-
Weighted base	23*	12**	11**	23**	-**	-**	-**	23**	1**	-**	10**	9**	3**	-**
I received the support when I needed it	3 14%	1 11%	2 18%	3 14%	-	-	-	3 14%	-	-	2 24%	-	1 31%	-
The support was helpful	9 38%	5 46%	3 31%	9 38%	-	-	-	9 38%	-	-	6 57%	3 35%	-	-
I received the support for as long as I needed it	5 21%	1 7%	4 36%	5 21%	-	-	-	5 21%	-	-	1 8%	2 23%	2 69%	-
It was easy to find out about and access this support	8 36%	7 57%	2 14%	8 36%	-	-	-	8 36%	-	-	4 37%	5 49%	-	-
I would have liked a different form of bereavement support	3 14%	2 13%	2 15%	3 14%	-	-	-	3 14%	-	-	2 22%	1 12%	-	-
N/A	2 8%	2 17%	-	2 8%	-	-	-	2 8%	1 100%	-	-	1 10%	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 61

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?**One-to-one counselling - telephone****Base: All who have received One-to-one counselling - telephone**

	Gender			Age									Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Pri- vate (q)
Unweighted base	27	14	13	5	10	8	1	2	1	15	9	3	7	10	4	6	3	17
Weighted base	26*	13**	13**	4**	10**	8**	1**	1**	1**	14**	9**	2**	8**	10**	4**	4**	3**	17**
I received the support when I needed it	5 18%	3 19%	2 17%	1 20%	-	3 31%	1 100%	* 44%	-	1 6%	3 38%	* 18%	2 21%	1 8%	1 27%	1 31%	-	4 23%
The support was helpful	4 14%	3 20%	1 9%	* 11%	-	2 28%	-	1 100%	-	* 3%	2 25%	1 40%	2 28%	* 4%	1 20%	* 10%	1 18%	2 12%
I received the support for as long as I needed it	4 17%	2 13%	3 21%	-	3 25%	2 22%	-	-	-	3 18%	2 20%	-	1 18%	2 17%	-	1 29%	1 37%	3 15%
It was easy to find out about and access this support	9 36%	5 39%	4 33%	3 70%	6 54%	1 11%	-	-	-	8 58%	1 10%	-	3 39%	3 31%	1 24%	2 54%	-	7 44%
I would have liked a different form of bereavement support	5 20%	1 11%	4 28%	* 11%	2 23%	2 27%	-	-	-	3 20%	2 24%	-	1 16%	3 31%	-	1 15%	1 44%	3 20%
N/A	2 9%	2 18%	-	-	1 10%	-	-	-	1 100%	1 7%	-	1 60%	-	1 13%	1 28%	-	-	1 6%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 62

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

One-to-one counselling - telephone

Base: All who have received One-to-one counselling - telephone

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	27	5	-	1	21	-	2	3	1	1	2	5	2	5
Weighted base	26*	4**	-**	1**	21**	-**	2**	3**	1**	1**	2**	5**	2**	4**
I received the support when I needed it	5 18%	- -	- -	- -	5 23%	- -	2 73%	- -	- -	- -	* 19%	1 19%	- -	2 41%
The support was helpful	4 14%	1 12%	- -	- -	3 15%	- -	2 73%	* 16%	- -	- -	* 19%	- -	1 45%	- -
I received the support for as long as I needed it	4 17%	1 15%	- -	1 100%	3 14%	- -	1 27%	1 46%	- -	- -	- -	1 20%	- -	- -
It was easy to find out about and access this support	9 36%	1 19%	- -	- -	8 41%	- -	1 27%	1 38%	1 100%	1 100%	- -	2 36%	1 55%	1 35%
I would have liked a different form of bereavement support	5 20%	2 44%	- -	- -	3 15%	- -	- -	* 16%	- -	- -	2 81%	- -	- -	1 24%
N/A	2 9%	1 24%	- -	- -	1 6%	- -	- -	- -	- -	- -	- -	1 25%	- -	- -

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 63

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

One-to-one counselling - telephone

Base: All who have received One-to-one counselling - telephone

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	27	12	15	27	-	-	-	27	1	-	13	8	3	1
Weighted base	26*	11**	15**	26**	-**	-**	-**	26**	1**	-**	11**	9**	3**	1**
I received the support when I needed it	5 18%	- -	5 31%	5 18%	- -	- -	- -	5 18%	- -	- -	1 11%	3 29%	- -	1 100%
The support was helpful	4 14%	1 11%	3 17%	4 14%	- -	- -	- -	4 14%	- -	- -	2 18%	2 18%	- -	- -
I received the support for as long as I needed it	4 17%	1 6%	4 25%	4 17%	- -	- -	- -	4 17%	- -	- -	2 17%	2 26%	- -	- -
It was easy to find out about and access this support	9 36%	4 41%	5 33%	9 36%	- -	- -	- -	9 36%	- -	- -	4 35%	3 34%	2 58%	- -
I would have liked a different form of bereavement support	5 20%	3 31%	2 12%	5 20%	- -	- -	- -	5 20%	- -	- -	3 25%	1 11%	1 42%	- -
N/A	2 9%	2 22%	- -	2 9%	- -	- -	- -	2 9%	1 100%	- -	1 12%	- -	- -	- -

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 64

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

One-to-one counselling - online

Base: All who have received One-to-one counselling - online

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	15	9	6	4	6	5	-	-	-	10	5	-	1	7	4	3	2	9
Weighted base	14*	9**	5**	2**	6**	6**	-**	-**	-**	9**	6**	-**	1**	6**	5**	2**	3**	9**
I received the support when I needed it	5 34%	2 24%	3 50%	2 75%	1 21%	2 30%	-	-	-	3 37%	2 30%	-	-	3 53%	2 35%	-	2 62%	2 21%
The support was helpful	3 17%	1 14%	1 23%	2 67%	1 14%	-	-	-	-	3 29%	-	-	-	1 17%	1 18%	1 25%	-	1 16%
I received the support for as long as I needed it	2 17%	1 12%	1 25%	1 24%	1 18%	1 14%	-	-	-	2 20%	1 14%	-	1 100%	1 23%	-	-	-	2 19%
It was easy to find out about and access this support	4 29%	2 18%	2 46%	1 49%	2 30%	1 18%	-	-	-	3 36%	1 18%	-	-	2 27%	-	2 100%	1 38%	2 27%
I would have liked a different form of bereavement support	3 24%	3 30%	1 15%	1 51%	-	2 39%	-	-	-	1 15%	2 39%	-	-	2 38%	1 26%	-	-	2 25%
N/A	1 7%	1 11%	-	-	1 17%	-	-	-	-	1 12%	-	-	-	-	1 21%	-	-	1 11%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 65

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

One-to-one counselling - online

Base: All who have received One-to-one counselling - online

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	15	1	1	1	12	-	2	2	1	-	-	3	-	4
Weighted base	14*	1**	1**	1**	12**	-**	2**	2**	1**	-**	-**	3**	-**	3**
I received the support when I needed it	5 34%	-	1 100%	-	4 36%	-	-	2 100%	1 100%	-	-	-	-	1 25%
The support was helpful	3 17%	-	1 100%	-	2 16%	-	-	* 21%	-	-	-	-	-	1 45%
I received the support for as long as I needed it	2 17%	-	1 100%	1 100%	1 9%	-	-	-	-	-	-	1 32%	-	-
It was easy to find out about and access this support	4 29%	-	1 100%	-	4 29%	-	1 32%	-	-	-	-	2 68%	-	1 19%
I would have liked a different form of bereavement support	3 24%	-	-	-	3 29%	-	1 68%	* 21%	-	-	-	-	-	2 55%
N/A	1 7%	1 100%	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 66

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

One-to-one counselling - online

Base: All who have received One-to-one counselling - online

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	15	5	10	15	-	-	-	15	1	-	7	3	1	1
Weighted base	14*	4**	10**	14**	-**	-**	-**	14**	1**	-**	7**	3**	1**	1**
I received the support when I needed it	5 34%	* 11%	4 42%	5 34%	- -	- -	- -	5 34%	- -	- -	3 50%	1 22%	- -	1 100%
The support was helpful	3 17%	2 49%	1 6%	3 17%	- -	- -	- -	3 17%	- -	- -	1 19%	1 22%	- -	- -
I received the support for as long as I needed it	2 17%	- -	2 24%	2 17%	- -	- -	- -	2 17%	- -	- -	1 11%	1 22%	- -	- -
It was easy to find out about and access this support	4 29%	1 16%	3 33%	4 29%	- -	- -	- -	4 29%	- -	- -	2 27%	2 62%	- -	- -
I would have liked a different form of bereavement support	3 24%	1 37%	2 20%	3 24%	- -	- -	- -	3 24%	- -	- -	* 6%	1 38%	1 100%	1 100%
N/A	1 7%	1 26%	- -	1 7%	- -	- -	- -	1 7%	1 100%	- -	- -	- -	- -	- -

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 67

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?**Bereavement support from another service not listed****Base: All who have received Bereavement support from another service not listed**

	Gender			Age									Social Grade				Employment Sector	
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Pri- vate (q)
Unweighted base	25	11	14	4	-	6	5	6	4	4	11	10	8	6	4	7	3	13
Weighted base	24*	9**	15**	5**	-**	5**	4**	7**	4**	5**	9**	11**	8**	6**	4**	7**	3**	11**
I received the support when I needed it	9 37%	2 26%	7 44%	-	-	1 14%	1 29%	5 65%	3 73%	-	2 21%	7 68%	2 29%	4 64%	1 20%	2 36%	3 100%	4 34%
The support was helpful	11 45%	5 53%	6 40%	1 27%	-	3 65%	2 38%	3 47%	2 43%	1 27%	5 52%	5 45%	5 55%	3 51%	2 43%	2 27%	1 19%	7 66%
I received the support for as long as I needed it	9 38%	6 64%	3 22%	2 45%	-	1 14%	2 51%	4 51%	1 17%	2 45%	3 31%	4 39%	4 47%	2 40%	2 58%	1 13%	1 19%	5 45%
It was easy to find out about and access this support	4 16%	2 20%	2 13%	-	-	1 14%	-	2 31%	1 27%	-	1 7%	3 30%	2 22%	1 19%	-	1 15%	1 19%	2 21%
I would have liked a different form of bereavement support	3 12%	2 19%	1 8%	1 27%	-	1 21%	1 18%	-	-	1 27%	2 19%	-	2 27%	-	1 20%	-	-	2 17%
N/A	1 3%	1 7%	-	-	-	1 14%	-	-	-	-	1 7%	-	-	-	-	1 10%	-	1 6%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 68

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?

Bereavement support from another service not listed

Base: All who have received Bereavement support from another service not listed

	Total	Region											
		Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	25	1	2	22	3	1	3	3	2	1	4	3	2
Weighted base	24*	1**	2**	22**	3**	2**	2**	4**	2**	1**	4**	3**	1**
I received the support when I needed it	9 37%	-	1 62%	8 37%	-	2 100%	-	1 30%	-	1 100%	1 21%	3 100%	1 48%
The support was helpful	11 45%	-	2 100%	9 42%	3 100%	-	-	1 33%	2 100%	1 100%	1 21%	1 35%	1 48%
I received the support for as long as I needed it	9 38%	1 100%	1 62%	7 33%	1 29%	-	1 48%	1 37%	-	1 100%	2 34%	1 35%	1 48%
It was easy to find out about and access this support	4 16%	-	1 62%	3 12%	-	-	-	-	-	1 100%	1 22%	1 35%	-
I would have liked a different form of bereavement support	3 12%	-	-	3 14%	1 29%	-	1 52%	-	-	-	1 23%	-	-
N/A	1 3%	-	-	1 3%	-	-	-	-	-	-	-	-	1 52%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 69

Q.7 Thinking about the support services you have received, which of the following would you say that you agree with?**Bereavement support from another service not listed****Base: All who have received Bereavement support from another service not listed**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	25	7	15	25	-	-	-	25	-	1	19	3	2	-
Weighted base	24*	7**	15**	24**	-**	-**	-**	24**	-**	1**	18**	3**	2**	-**
I received the support when I needed it	9 37%	1 18%	8 54%	9 37%	- -	- -	- -	9 37%	- -	- -	7 39%	1 28%	1 53%	- -
The support was helpful	11 45%	3 40%	8 55%	11 45%	- -	- -	- -	11 45%	- -	- -	8 43%	2 56%	1 53%	- -
I received the support for as long as I needed it	9 38%	4 53%	6 38%	9 38%	- -	- -	- -	9 38%	- -	1 100%	6 32%	2 44%	1 53%	- -
It was easy to find out about and access this support	4 16%	- -	3 20%	4 16%	- -	- -	- -	4 16%	- -	- -	3 15%	- -	1 53%	- -
I would have liked a different form of bereavement support	3 12%	1 11%	1 7%	3 12%	- -	- -	- -	3 12%	- -	- -	2 11%	- -	1 47%	- -
N/A	1 3%	- -	- -	1 3%	- -	- -	- -	1 3%	- -	- -	1 4%	- -	- -	- -

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 70

Q.8 How did you find out about the support you received?**Summary****Base: All who have received support**

	One-to-one counselling - in person	Local support group with other bereaved people	Online forum/ community/ advice	One-to-one counselling - telephone	One-to-one counselling - online	Bereavement support from another service not listed
Unweighted base	79	17	22	27	15	25
Weighted base	71	17	23	26	14	24
I was referred by a healthcare professional (such as GP)	29 41%	2 11%	2 9%	5 19%	1 9%	4 14%
I was told about it by someone who was caring for the person who died	10 13%	6 35%	3 15%	4 17%	1 6%	6 24%
I was told about it by funeral director or undertaker	7 10%	1 6%	1 4%	1 3%	1 4%	3 14%
I did my own research online	15 22%	3 17%	12 50%	10 40%	8 55%	7 27%
I saw a leaflet/poster about it	5 8%	2 14%	5 20%	4 16%	3 20%	- -
Other	12 17%	1 6%	1 6%	1 4%	- -	8 32%
Prefer not to say	- -	1 3%	- -	- -	1 8%	- -
N/A	1 2%	3 20%	- -	1 5%	- -	- -
Don't know	1 1%	- -	2 8%	1 4%	1 7%	1 3%

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 71

Q.8 How did you find out about the support you received?**One-to-one counselling - in person****Base: All who have received support**

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	79	35	44	17	14	8	10	17	13	31	18	30	17	25	14	23	9	36
Weighted base	71*	33*	38*	13**	14**	9**	9**	15**	11**	27**	18**	25**	17**	20**	16**	19**	7**	34*
I was referred by a healthcare professional (such as GP)	29 41%	9 27%	20 53%A	6 45%	3 22%	2 17%	6 68%	10 68%	3 25%	9 33%	8 42%	13 50%	5 28%	7 35%	7 44%	11 58%	3 42%	15 45%
I was told about it by someone who was caring for the person who died	10 13%	4 12%	5 14%	2 17%	1 5%	2 17%	1 11%	1 10%	2 23%	3 11%	3 14%	4 16%	2 10%	4 19%	1 7%	3 17%	1 9%	4 11%
I was told about it by funeral director or undertaker	7 10%	3 8%	4 11%	2 13%	4 25%	1 5%	1 12%	- -	- -	5 19%	2 9%	- -	1 6%	1 7%	3 18%	2 9%	- -	5 15%
I did my own research online	15 22%	9 28%	6 16%	5 40%	3 19%	3 38%	2 19%	1 4%	2 17%	8 29%	5 28%	2 9%	5 28%	7 35%	1 8%	3 13%	1 21%	9 26%
I saw a leaflet/poster about it	5 8%	2 5%	4 10%	1 8%	3 21%	- -	- -	1 5%	1 6%	4 15%	- -	1 6%	3 18%	- -	1 4%	2 9%	1 17%	4 11%
Other	12 17%	6 19%	6 15%	1 10%	2 14%	4 48%	1 12%	1 9%	2 17%	3 12%	6 31%	3 12%	3 15%	4 20%	4 23%	2 9%	1 11%	6 17%
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	1 2%	1 4%	-	-	-	-	-	-	1 12%	-	-	1 5%	-	-	1 4%	1 3%	-	-
Don't know	1 1%	1 2%	-	-	-	-	-	1 4%	-	-	-	1 2%	-	-	-	1 3%	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 72

Q.8 How did you find out about the support you received?**One-to-one counselling - in person****Base: All who have received support**

	Region													
	Total	Scotland (a)	Wales (b)	North- em Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	79	8	6	2	63	3	12	7	8	5	5	13	5	5
Weighted base	71*	7**	4**	2**	59*	3**	11**	7**	8**	4**	5**	13**	4**	3**
I was referred by a healthcare professional (such as GP)	29 41%	3 46%	1 26%	1 56%	24 41%	3 100%	6 52%	2 32%	4 47%	1 19%	- -	5 37%	3 83%	1 20%
I was told about it by someone who was caring for the person who died	10 13%	1 23%	1 27%	- -	7 12%	- -	1 5%	1 11%	1 9%	2 43%	1 15%	2 13%	- -	1 19%
I was told about it by funeral director or undertaker	7 10%	2 25%	- -	- -	5 9%	- -	- -	- -	- -	1 24%	- -	4 27%	- -	1 19%
I did my own research online	15 22%	2 24%	- -	- -	14 23%	- -	4 33%	1 19%	- -	- -	1 29%	6 45%	1 17%	1 24%
I saw a leaflet/poster about it	5 8%	- -	- -	1 44%	5 8%	- -	1 10%	- -	1 9%	- -	1 14%	2 16%	- -	- -
Other	12 17%	* 6%	2 47%	- -	10 17%	- -	- -	3 37%	2 27%	- -	3 71%	1 7%	- -	1 18%
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	1 2%	- -	- -	- -	1 2%	- -	- -	- -	1 8%	1 14%	- -	- -	- -	- -
Don't know	1 1%	1 10%	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 73

Q.8 How did you find out about the support you received?**One-to-one counselling - in person****Base: All who have received support**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	79	43	36	79	-	-	-	79	1	1	48	18	5	3
Weighted base	71*	38*	33*	71*	**	**	**	71*	1**	1**	42*	18**	5**	2**
I was referred by a healthcare professional (such as GP)	29 41%	19 50%	10 32%	29 41%	-	-	-	29 41%	-	1 100%	20 49%	8 41%	-	-
I was told about it by someone who was caring for the person who died	10 13%	7 19%	3 8%	10 13%	-	-	-	10 13%	-	-	4 10%	3 17%	1 14%	1 22%
I was told about it by funeral director or undertaker	7 10%	5 13%	2 6%	7 10%	-	-	-	7 10%	-	-	3 8%	1 6%	2 37%	-
I did my own research online	15 22%	5 13%	10 31% ^a	15 22%	-	-	-	15 22%	-	-	7 16%	6 33%	1 17%	2 78%
I saw a leaflet/poster about it	5 8%	2 6%	3 9%	5 8%	-	-	-	5 8%	-	-	1 3%	3 16%	1 22%	-
Other	12 17%	5 13%	7 21%	12 17%	-	-	-	12 17%	-	-	6 16%	4 22%	1 27%	-
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	1 2%	-	1 4%	1 2%	-	-	-	1 2%	-	-	1 3%	-	-	-
Don't know	1 1%	1 2%	-	1 1%	-	-	-	1 1%	1 100%	-	-	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 74

Q.8 How did you find out about the support you received?**Local support group with other bereaved people****Base: All who have received support**

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	17	11	6	5	3	4	2	1	2	8	6	3	6	5	1	5	5	9
Weighted base	17*	11**	6**	5**	4**	5**	2**	1**	1**	9**	6**	2**	7**	4**	1**	5**	6**	9**
I was referred by a healthcare professional (such as GP)	2 11%	2 17%	-	1 19%	-	-	1 62%	-	-	1 11%	1 15%	-	2 27%	-	-	-	1 16%	1 10%
I was told about it by someone who was caring for the person who died	6 35%	1 11%	5 79%	2 43%	1 26%	3 57%	-	-	-	3 36%	3 43%	-	1 15%	1 18%	-	4 77%	4 66%	2 22%
I was told about it by funeral director or undertaker	1 6%	1 9%	-	-	-	1 21%	-	-	-	-	1 16%	-	-	1 26%	-	-	-	1 11%
I did my own research online	3 17%	3 26%	-	1 25%	-	1 21%	-	1 100%	-	1 14%	1 16%	1 33%	1 18%	2 41%	-	-	1 18%	1 13%
I saw a leaflet/poster about it	2 14%	1 7%	2 27%	1 20%	1 20%	-	-	-	1 49%	2 20%	-	1 33%	1 11%	1 15%	-	1 19%	-	2 19%
Other	1 6%	-	1 17%	1 20%	-	-	-	-	-	1 11%	-	-	-	-	-	1 19%	-	1 11%
Prefer not to say	1 3%	1 5%	-	-	-	-	1 38%	-	-	-	-	1 9%	-	-	1 100%	-	-	1 6%
N/A	3 20%	3 25%	1 11%	1 13%	2 54%	-	-	-	1 51%	3 31%	-	1 34%	2 30%	-	-	1 23%	-	3 29%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 75

Q.8 How did you find out about the support you received?**Local support group with other bereaved people****Base: All who have received support**

	Total	Region											
		Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	17	2	-	15	-	3	1	-	4	-	6	1	-
Weighted base	17*	1**	..**	16**	..**	3**	1**	..**	5**	..**	7**	1**	..**
I was referred by a healthcare professional (such as GP)	2 11%	-	-	2 12%	-	1 35%	-	-	-	-	-	1 100%	-
I was told about it by someone who was caring for the person who died	6 35%	-	-	6 38%	-	1 43%	-	-	3 62%	-	2 26%	-	-
I was told about it by funeral director or undertaker	1 6%	-	-	1 7%	-	-	-	-	-	-	1 16%	-	-
I did my own research online	3 17%	-	-	3 18%	-	-	1 100%	-	1 25%	-	1 16%	-	-
I saw a leaflet/poster about it	2 14%	1 58%	-	2 10%	-	1 22%	-	-	-	-	1 16%	-	-
Other	1 6%	-	-	1 6%	-	-	-	-	-	-	1 16%	-	-
Prefer not to say	1 3%	1 42%	-	-	-	-	-	-	-	-	-	-	-
N/A	3 20%	-	-	3 21%	-	-	-	-	1 12%	-	3 42%	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 76

Q.8 How did you find out about the support you received?**Local support group with other bereaved people****Base: All who have received support**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	17	8	6	17	-	-	-	17	-	-	6	4	5	1
Weighted base	17*	9**	5**	17**	-**	-**	-**	17**	-**	-**	6**	5**	5**	1**
I was referred by a healthcare professional (such as GP)	2 11%	2 21%	-	2 11%	-	-	-	2 11%	-	-	1 16%	1 18%	-	-
I was told about it by someone who was caring for the person who died	6 35%	4 47%	2 36%	6 35%	-	-	-	6 35%	-	-	3 54%	1 20%	2 36%	-
I was told about it by funeral director or undertaker	1 6%	1 11%	-	1 6%	-	-	-	1 6%	-	-	-	-	1 21%	-
I did my own research online	3 17%	2 20%	1 22%	3 17%	-	-	-	3 17%	-	-	1 10%	1 20%	1 26%	-
I saw a leaflet/poster about it	2 14%	1 11%	1 29%	2 14%	-	-	-	2 14%	-	-	1 10%	1 20%	1 16%	-
Other	1 6%	1 11%	-	1 6%	-	-	-	1 6%	-	-	-	1 20%	-	-
Prefer not to say	1 3%	-	-	1 3%	-	-	-	1 3%	-	-	-	-	-	-
N/A	3 20%	-	1 13%	3 20%	-	-	-	3 20%	-	-	1 10%	2 42%	-	1 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 77

Q.8 How did you find out about the support you received?**Online forum/community/advice****Base: All who have received support**

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	22	11	11	5	7	7	-	1	2	12	7	3	7	11	2	2	2	15
Weighted base	23*	11**	12**	4**	8**	8**	-**	1**	2**	12**	8**	3**	7**	11**	2**	3**	3**	16**
I was referred by a healthcare professional (such as GP)	2 9%	2 18%	-	-	1 13%	1 11%	-	-	-	1 9%	1 11%	-	2 29%	-	-	-	1 30%	1 7%
I was told about it by someone who was caring for the person who died	3 15%	1 13%	2 17%	* 12%	-	3 37%	-	-	-	* 4%	3 37%	-	-	1 13%	-	2 66%	2 70%	1 6%
I was told about it by funeral director or undertaker	1 4%	1 9%	-	1 26%	-	-	-	-	-	1 8%	-	-	-	1 9%	-	-	-	-
I did my own research online	12 50%	4 36%	8 63%	1 28%	3 40%	4 53%	-	1 100%	2 100%	4 37%	4 53%	3 100%	4 58%	6 50%	1 49%	1 34%	-	8 52%
I saw a leaflet/poster about it	5 20%	2 19%	2 20%	1 20%	3 34%	1 12%	-	-	-	4 30%	1 12%	-	-	5 41%	-	-	-	5 29%
Other	1 6%	-	1 11%	-	-	1 17%	-	-	-	-	1 17%	-	-	1 12%	-	-	-	1 9%
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	2 8%	2 18%	-	1 26%	1 12%	-	-	-	-	2 16%	-	-	1 14%	-	1 51%	-	-	2 12%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 78

Q.8 How did you find out about the support you received?**Online forum/community/advice****Base: All who have received support**

	Total	Region											
		Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	22	3	-	19	-	3	3	2	2	3	2	3	1
Weighted base	23*	2**	**	21**	**	4**	3**	2**	3**	4**	2**	3**	1**
I was referred by a healthcare professional (such as GP)	2 9%	-	-	2 9%	-	-	-	-	-	-	1 50%	1 31%	-
I was told about it by someone who was caring for the person who died	3 15%	-	-	3 17%	-	-	* 18%	-	2 68%	-	-	-	1 100%
I was told about it by funeral director or undertaker	1 4%	-	-	1 5%	-	-	-	-	1 32%	-	-	-	-
I did my own research online	12 50%	1 52%	-	11 50%	-	3 73%	1 57%	1 64%	-	2 56%	1 50%	2 69%	-
I saw a leaflet/poster about it	5 20%	-	-	5 22%	-	-	1 43%	1 36%	-	2 44%	-	-	1 100%
Other	1 6%	-	-	1 7%	-	-	-	-	-	1 35%	-	-	-
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	2 8%	1 48%	-	1 4%	-	1 27%	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 79

Q.8 How did you find out about the support you received?

Online forum/community/advice

Base: All who have received support

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	22	12	10	22	-	-	-	22	1	-	9	9	3	-
Weighted base	23*	12**	11**	23**	-**	-**	-**	23**	1**	-**	10**	9**	3**	-**
I was referred by a healthcare professional (such as GP)	2 9%	-	2 18%	2 9%	-	-	-	2 9%	-	-	-	-	2 69%	-
I was told about it by someone who was caring for the person who died	3 15%	3 29%	-	3 15%	-	-	-	3 15%	-	-	2 25%	1 11%	-	-
I was told about it by funeral director or undertaker	1 4%	1 8%	-	1 4%	-	-	-	1 4%	-	-	-	1 10%	-	-
I did my own research online	12 50%	5 40%	7 60%	12 50%	-	-	-	12 50%	-	-	6 62%	5 49%	1 31%	-
I saw a leaflet/poster about it	5 20%	2 18%	2 22%	5 20%	-	-	-	5 20%	-	-	2 18%	3 30%	-	-
Other	1 6%	-	1 12%	1 6%	-	-	-	1 6%	-	-	-	1 15%	-	-
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	2 8%	2 17%	-	2 8%	-	-	-	2 8%	1 100%	-	-	1 10%	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 80

Q.8 How did you find out about the support you received?**One-to-one counselling - telephone****Base: All who have received support**

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	27	14	13	5	10	8	1	2	1	15	9	3	7	10	4	6	3	17
Weighted base	26*	13**	13**	4**	10**	8**	1**	1**	1**	14**	9**	2**	8**	10**	4**	4**	3**	17**
I was referred by a healthcare professional (such as GP)	5 19%	* 3%	4 34%	1 36%	1 6%	3 33%	- -	- -	- -	2 15%	3 30%	- -	1 16%	1 12%	1 20%	2 39%	1 44%	2 10%
I was told about it by someone who was caring for the person who died	4 17%	1 10%	3 23%	1 30%	3 25%	- -	- -	1 56%	- -	4 26%	- -	1 23%	3 34%	2 17%	- -	- -	1 18%	3 15%
I was told about it by funeral director or undertaker	1 3%	1 7%	- -	- -	1 9%	- -	- -	- -	- -	1 6%	- -	- -	- -	1 8%	- -	- -	- -	1 5%
I did my own research online	10 40%	6 45%	4 35%	1 20%	4 40%	4 55%	1 100%	- -	- -	5 34%	5 59%	- -	4 50%	3 30%	2 51%	1 36%	1 37%	8 50%
I saw a leaflet/poster about it	4 16%	3 20%	2 13%	2 51%	1 11%	1 12%	- -	- -	- -	3 22%	1 11%	- -	- -	3 24%	- -	2 40%	- -	3 18%
Other	1 4%	- -	1 8%	- -	1 6%	- -	- -	* 44%	- -	1 4%	- -	* 18%	- -	- -	- -	1 24%	- -	1 6%
Prefer not to say	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
N/A	1 5%	1 10%	- -	- -	- -	- -	- -	- -	1 100%	- -	- -	1 60%	- -	1 13%	- -	- -	- -	- -
Don't know	1 4%	1 8%	- -	- -	1 10%	- -	- -	- -	- -	1 7%	- -	- -	- -	- -	1 28%	- -	- -	1 6%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 81

Q.8 How did you find out about the support you received?**One-to-one counselling - telephone****Base: All who have received support**

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	27	5	-	1	21	-	2	3	1	1	2	5	2	5
Weighted base	26*	4**	**	1**	21**	**	2**	3**	1**	1**	2**	5**	2**	4**
I was referred by a healthcare professional (such as GP)	5 19%	2 44%	-	1 100%	2 11%	-	-	* 16%	-	-	-	1 19%	1 45%	-
I was told about it by someone who was caring for the person who died	4 17%	1 31%	-	-	3 14%	-	-	-	-	1 100%	2 81%	-	-	-
I was told about it by funeral director or undertaker	1 3%	-	-	-	1 4%	-	-	-	-	-	-	1 17%	-	-
I did my own research online	10 40%	-	-	-	10 49%	-	2 100%	1 46%	1 100%	-	-	2 38%	1 55%	3 61%
I saw a leaflet/poster about it	4 16%	-	-	-	4 20%	-	-	2 54%	-	-	-	1 19%	-	2 39%
Other	1 4%	1 15%	-	-	* 2%	-	-	-	-	-	* 19%	-	-	-
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	1 5%	-	-	-	1 6%	-	-	-	-	-	-	1 25%	-	-
Don't know	1 4%	1 24%	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 82

Q.8 How did you find out about the support you received?**One-to-one counselling - telephone****Base: All who have received support**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	27	12	15	27	-	-	-	27	1	-	13	8	3	1
Weighted base	26*	11**	15**	26**	-**	-**	-**	26**	1**	-**	11**	9**	3**	1**
I was referred by a healthcare professional (such as GP)	5 19%	4 38%	1 5%	5 19%	-	-	-	5 19%	-	-	3 22%	1 11%	1 42%	-
I was told about it by someone who was caring for the person who died	4 17%	1 7%	3 23%	4 17%	-	-	-	4 17%	-	-	3 30%	-	1 28%	-
I was told about it by funeral director or undertaker	1 3%	-	1 6%	1 3%	-	-	-	1 3%	-	-	-	-	1 30%	-
I did my own research online	10 40%	1 8%	9 63%	10 40%	-	-	-	10 40%	-	-	4 32%	6 65%	-	1 100%
I saw a leaflet/poster about it	4 16%	4 39%	-	4 16%	-	-	-	4 16%	-	-	* 4%	3 35%	-	-
Other	1 4%	1 6%	* 3%	1 4%	-	-	-	1 4%	-	-	1 9%	-	-	-
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	1 5%	1 12%	-	1 5%	-	-	-	1 5%	-	-	1 12%	-	-	-
Don't know	1 4%	1 9%	-	1 4%	-	-	-	1 4%	1 100%	-	-	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 83

Q.8 How did you find out about the support you received?**One-to-one counselling - online****Base: All who have received support**

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	15	9	6	4	6	5	-	-	-	10	5	-	1	7	4	3	2	9
Weighted base	14*	9**	5**	2**	6**	6**	-**	-**	-**	9**	6**	-**	1**	6**	5**	2**	3**	9**
I was referred by a healthcare professional (such as GP)	1 9%	* 5%	1 15%	* 18%	-	1 14%	-	-	-	* 5%	1 14%	-	-	1 21%	-	-	-	-
I was told about it by someone who was caring for the person who died	1 6%	1 9%	-	-	1 14%	-	-	-	-	1 10%	-	-	-	-	1 18%	-	-	1 9%
I was told about it by funeral director or undertaker	1 4%	1 7%	-	-	1 10%	-	-	-	-	1 7%	-	-	-	-	1 24%	-	-	1 7%
I did my own research online	8 55%	5 51%	3 63%	1 33%	3 56%	4 65%	-	-	-	4 49%	4 65%	-	-	4 70%	3 53%	1 51%	3 100%	4 49%
I saw a leaflet/poster about it	3 20%	2 19%	1 23%	2 67%	-	1 22%	-	-	-	2 19%	1 22%	-	-	1 17%	1 26%	1 25%	-	2 20%
Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prefer not to say	1 8%	1 12%	-	-	1 18%	-	-	-	-	1 13%	-	-	1 100%	-	-	-	-	1 12%
N/A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	1 7%	1 11%	-	-	1 17%	-	-	-	-	1 12%	-	-	-	-	1 21%	-	-	1 11%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 84

Q.8 How did you find out about the support you received?**One-to-one counselling - online****Base: All who have received support**

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	15	1	1	1	12	-	2	2	1	-	-	3	-	4
Weighted base	14*	1**	1**	1**	12**	-**	2**	2**	1**	-**	-**	3**	-**	3**
I was referred by a healthcare professional (such as GP)	1 9%	-	-	1 100%	* 4%	-	-	* 21%	-	-	-	-	-	-
I was told about it by someone who was caring for the person who died	1 6%	-	-	-	1 7%	-	-	-	-	-	-	-	-	1 26%
I was told about it by funeral director or undertaker	1 4%	-	-	-	1 5%	-	1 32%	-	-	-	-	-	-	-
I did my own research online	8 55%	-	-	-	8 66%	-	-	2 79%	1 100%	-	-	2 68%	-	3 81%
I saw a leaflet/poster about it	3 20%	-	1 100%	-	2 19%	-	1 68%	* 21%	-	-	-	-	-	1 19%
Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prefer not to say	1 8%	-	-	-	1 9%	-	-	-	-	-	-	1 32%	-	-
N/A	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	1 7%	1 100%	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 85

Q.8 How did you find out about the support you received?**One-to-one counselling - online****Base: All who have received support**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	15	5	10	15	-	-	-	15	1	-	7	3	1	1
Weighted base	14*	4**	10**	14**	-**	-**	-**	14**	1**	-**	7**	3**	1**	1**
I was referred by a healthcare professional (such as GP)	1 9%	* 11%	1 8%	1 9%	-	-	-	1 9%	-	-	1 18%	-	-	-
I was told about it by someone who was caring for the person who died	1 6%	1 22%	-	1 6%	-	-	-	1 6%	-	-	1 12%	-	-	-
I was told about it by funeral director or undertaker	1 4%	-	1 6%	1 4%	-	-	-	1 4%	-	-	1 8%	-	-	-
I did my own research online	8 55%	2 47%	6 59%	8 55%	-	-	-	8 55%	-	-	5 74%	2 78%	-	1 100%
I saw a leaflet/poster about it	3 20%	1 27%	2 18%	3 20%	-	-	-	3 20%	-	-	* 6%	1 22%	1 100%	-
Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prefer not to say	1 8%	-	1 11%	1 8%	-	-	-	1 8%	-	-	-	-	-	-
N/A	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	1 7%	1 26%	-	1 7%	-	-	-	1 7%	1 100%	-	-	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 86

Q.8 How did you find out about the support you received?**Bereavement support from another service not listed****Base: All who have received support**

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	25	11	14	4	-	6	5	6	4	4	11	10	8	6	4	7	3	13
Weighted base	24*	9**	15**	5**	-**	5**	4**	7**	4**	5**	9**	11**	8**	6**	4**	7**	3**	11**
I was referred by a healthcare professional (such as GP)	4 14%	1 8%	3 18%	- -	- -	1 18%	2 37%	1 15%	- -	- -	2 27%	1 10%	- -	1 19%	2 43%	1 13%	- -	3 25%
I was told about it by someone who was caring for the person who died	6 24%	2 21%	4 26%	2 39%	- -	1 14%	2 46%	1 20%	- -	2 39%	3 29%	1 13%	2 23%	1 10%	2 58%	1 19%	2 55%	1 12%
I was told about it by funeral director or undertaker	3 14%	1 15%	2 13%	- -	- -	- -	2 52%	1 15%	- -	- -	2 24%	1 10%	- -	1 26%	1 20%	1 16%	- -	2 21%
I did my own research online	7 27%	4 42%	3 18%	2 34%	- -	1 21%	1 18%	2 26%	2 44%	2 34%	2 19%	3 32%	3 38%	1 19%	2 40%	1 15%	- -	4 40%
I saw a leaflet/poster about it	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other	8 32%	3 30%	5 32%	1 27%	- -	2 34%	- -	3 39%	2 56%	1 27%	2 18%	5 45%	3 40%	3 45%	- -	2 28%	2 45%	3 27%
Prefer not to say	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
N/A	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Don't know	1 3%	1 7%	- -	- -	- -	1 14%	- -	- -	- -	- -	1 7%	- -	- -	- -	- -	1 10%	- -	1 6%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 87

Q.8 How did you find out about the support you received?**Bereavement support from another service not listed****Base: All who have received support**

	Total	Region											
		Scotland (a)	Wales (b)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	25	1	2	22	3	1	3	3	2	1	4	3	2
Weighted base	24*	1**	2**	22**	3**	2**	2**	4**	2**	1**	4**	3**	1**
I was referred by a healthcare professional (such as GP)	4 14%	1 100%	-	3 12%	2 60%	-	-	-	-	-	-	1 35%	-
I was told about it by someone who was caring for the person who died	6 24%	-	-	6 27%	1 29%	-	1 22%	3 70%	-	1 100%	-	1 41%	-
I was told about it by funeral director or undertaker	3 14%	-	-	3 15%	2 68%	-	1 26%	-	1 47%	-	-	-	-
I did my own research online	7 27%	-	-	7 31%	1 29%	-	-	-	-	-	4 79%	2 59%	1 48%
I saw a leaflet/poster about it	-	-	-	-	-	-	-	-	-	-	-	-	-
Other	8 32%	-	2 100%	6 27%	-	2 100%	1 52%	1 30%	1 53%	-	1 21%	-	-
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	1 3%	-	-	1 3%	-	-	-	-	-	-	-	-	1 52%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
 * small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey
ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 88

Q.8 How did you find out about the support you received?**Bereavement support from another service not listed****Base: All who have received support**

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	25	7	15	25	-	-	-	25	-	1	19	3	2	-
Weighted base	24*	7**	15**	24**	-**	-**	-**	24**	-**	1**	18**	3**	2**	-**
I was referred by a healthcare professional (such as GP)	4 14%	2 23%	2 13%	4 14%	-	-	-	4 14%	-	-	4 19%	-	-	-
I was told about it by someone who was caring for the person who died	6 24%	3 37%	3 23%	6 24%	-	-	-	6 24%	-	-	6 32%	-	-	-
I was told about it by funeral director or undertaker	3 14%	2 26%	1 10%	3 14%	-	-	-	3 14%	-	1 100%	3 15%	-	-	-
I did my own research online	7 27%	2 33%	3 24%	7 27%	-	-	-	7 27%	-	-	4 23%	2 44%	1 47%	-
I saw a leaflet/poster about it	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other	8 32%	1 14%	6 38%	8 32%	-	-	-	8 32%	-	-	5 26%	2 56%	1 53%	-
Prefer not to say	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Don't know	1 3%	-	-	1 3%	-	-	-	1 3%	-	-	1 4%	-	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 89

Q.9 You said that you did not receive any of the support services listed for your most recent bereavement. Which of the following support services, if any, do you think would have been helpful?

Base: All who have not received support

	Gender		Age									Social Grade				Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	1433	640	793	159	211	205	251	248	359	370	456	607	395	426	251	361	223	575
Weighted base	1421	651	770	152	231	212	250	229	348	383	462	577	388	395	299	339	229	589
NET: Any support	434 31%	182 28%	252 33% ^a	59 39% ^{GH}	83 36% ^{GH}	82 39% ^{GH}	80 32% ^H	58 25%	72 21%	142 37% ^k	162 35% ^K	130 23%	123 32%	139 35% ^{nO}	82 27%	89 26%	80 35%	195 33%
One-to-one counselling - in person	255 18%	106 16%	149 19%	42 28% ^{FGH}	49 21% ^{GH}	54 26% ^{fGH}	47 19% ^{gH}	28 12%	35 10%	91 24% ^k	101 22% ^K	63 11%	74 19%	85 21% ^{nO}	47 16%	49 14%	49 22%	106 18%
A local support group with other bereaved people	165 12%	73 11%	92 12%	14 9%	28 12%	32 15% ^H	33 13%	27 12%	31 9%	42 11%	65 14% ^k	59 10%	49 13%	41 10%	34 12%	41 12%	27 12%	83 14%
Online forum or community advice	103 7%	34 5%	69 9% ^A	21 14% ^{FGH}	26 11% ^{fGH}	25 12% ^{FGH}	15 6% ^H	10 4% ^h	6 2%	47 12% ^K	40 9% ^K	16 3%	32 8%	31 8%	20 7%	19 6%	22 10%	54 9%
One-to-one counselling - over the telephone	62 4%	22 3%	40 5%	6 4%	12 5%	8 4%	19 8% ^{gH}	8 4%	9 2%	18 5%	28 6% ^K	17 3%	23 6% ⁿ	21 5% ⁿ	7 2%	11 3%	9 4%	32 5%
One-to-one counselling - online (for example by email or video call)	58 4%	22 3%	36 5%	10 6% ^H	17 7% ^{fgH}	10 5% ^H	9 4% ^h	7 3%	5 1%	27 7% ^{jk}	19 4% ^k	12 2%	17 4%	20 5% ^o	12 4%	8 2%	12 5%	24 4%
Other	23 2%	14 2%	9 1%	1 1%	3 1%	2 1%	5 2%	4 2%	8 2%	4 1%	7 2%	12 2%	5 1%	7 2%	7 2%	4 1%	3 1%	11 2%
None of the above	616 43%	301 46% ^b	315 41%	61 40%	86 37%	76 36%	99 39%	104 45% ^e	191 55% ^{CDEFG}	147 38%	175 38%	295 51% ^J	170 44%	171 43%	131 44%	144 42%	86 38%	249 42%
Prefer not to say	8 1%	5 1%	2 *	2 1%	-	1 1%	2 1%	2 1%	2 *	2 *	3 1%	3 1%	2 1%	-	3 1% ^m	3 1% ^m	1 *	4 1%
Don't know	363 26%	163 25%	201 26%	30 20%	62 27%	52 25%	70 28% ^c	66 29% ^c	83 24%	92 24%	122 26%	149 26%	92 24%	85 21%	83 28% ^m	103 30% ^{LM}	62 27%	142 24%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 90

Q.9 You said that you did not receive any of the support services listed for your most recent bereavement. Which of the following support services, if any, do you think would have been helpful?

Base: All who have not received support

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	1433	139	104	42	1148	63	138	121	132	90	132	152	190	130
Weighted base	1421	121	76*	42*	1183	63*	156	120	125	91*	133	181	192	122
NET: Any support	434 31%	36 30%	28 36%il	15 35%	355 30%	16 25%	44 28%	37 31%	41 33%	21 23%	40 30%	65 36%il	50 26%	41 34%
One-to-one counselling - in person	255 18%	17 14%	19 25%AFIL	7 18%	212 18%	10 15%	22 14%	19 16%	25 20%il	10 11%	31 24%afIL	45 25%AFgIL	25 13%	24 20%il
A local support group with other bereaved people	165 12%	11 9%	13 17%eJ	4 10%	137 12%	4 6%	15 9%	13 10%	12 10%	12 13%	9 7%	32 18%aEfhJ	22 12%	19 15%eJ
Online forum or community advice	103 7%	10 8%	5 7%	1 4%	86 7%	7 11%	11 7%	10 8%	7 6%	5 6%	10 8%	15 8%	12 6%	7 6%
One-to-one counselling - over the telephone	62 4%	1 1%	6 8%AGIm	5 12%DAFGILM	50 4%	5 8%AGIm	5 4%il	2 1%	7 6%agl	-	8 6%AgI	13 7%AGIm	6 3%	3 2%
One-to-one counselling - online (for example by email or video call)	58 4%	3 2%	4 5%L	2 4%	49 4%	2 4%	4 2%	10 8%aFIL	7 6%L	2 2%	8 6%L	11 6%L	2 1%	4 3%
Other	23 2%	3 3%am	2 3%kM	1 2%	17 1%	1 1%	5 3%km	1 1%	3 2%	1 1%	1 1%	1 *	5 3%km	-
None of the above	616 43%	52 43%c	31 41%	11 26%	522 44%C	23 37%	72 46%C	48 40%	54 43%c	45 50%C	59 45%C	78 43%c	93 49%C	49 40%
Prefer not to say	8 1%	-	1 1%	-	7 1%	-	-	3 3%afhIm	-	1 1%	1 1%	1 1%	1 *	-
Don't know	363 26%	32 27%	17 22%	16 39%dbhJKI	298 25%	24 38%BfhjKI	40 26%	32 27%	29 23%	24 26%	32 24%	37 20%	48 25%	32 26%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m

* small base

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 91

Q.9 You said that you did not receive any of the support services listed for your most recent bereavement. Which of the following support services, if any, do you think would have been helpful?

Base: All who have not received support

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	1433	404	961	1433	-	-	1433	-	10	15	984	291	94	26
Weighted base	1421	393	960	1421	**	**	1421	**	8**	17**	969	299	93*	22**
NET: Any support	434 31%	168 43%B	257 27%	434 31%	-	-	434 31%	-	-	4 22%	293 30%	99 33%	24 26%	12 57%
One-to-one counselling - in person	255 18%	114 29%B	135 14%	255 18%	-	-	255 18%	-	-	3 20%	163 17%	59 20%	18 19%	11 51%
A local support group with other bereaved people	165 12%	59 15%B	105 11%	165 12%	-	-	165 12%	-	-	-	116 12% ^d	42 14% ^L	5 6%	2 11%
Online forum or community advice	103 7%	44 11%B	57 6%	103 7%	-	-	103 7%	-	-	* 3%	68 7%	24 8%	5 6%	4 17%
One-to-one counselling - over the telephone	62 4%	24 6% ^b	37 4%	62 4%	-	-	62 4%	-	-	-	37 4%	19 7% ^j	4 5%	1 5%
One-to-one counselling - online (for example by email or video call)	58 4%	27 7%B	28 3%	58 4%	-	-	58 4%	-	-	* 3%	34 4%	17 6%	4 4%	1 5%
Other	23 2%	6 1%	17 2%	23 2%	-	-	23 2%	-	-	-	16 2%	4 1%	3 3%	-
None of the above	616 43%	114 29%	479 50%A	616 43%	-	-	616 43%	-	4 48%	8 47%	417 43%	129 43%	45 48%	8 35%
Prefer not to say	8 1%	4 1% ^b	3 *	8 1%	-	-	8 1%	-	-	-	6 1%	1 *	-	-
Don't know	363 26%	107 27%	221 23%	363 26%	-	-	363 26%	-	4 52%	5 31%	253 26%	69 23%	24 26%	2 8%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 92

Q.10 You have said that you did not receive any of the listed support for your most recent bereavement, but that services would have helped you. Which of the following statements, if any, best describes why you did not receive support services for your most recent bereavement?

Base: All who have not received support for their most recent bereavement, but said it would have been helpful

	Gender		Age										Social Grade			Employment Sector		
	Total	Male (a)	Female (b)	18-24 (c)	25-34 (d)	35-44 (e)	45-54 (f)	55-64 (g)	65+ (h)	18-34 (i)	35-54 (j)	55+ (k)	AB (l)	C1 (m)	C2 (n)	DE (o)	Public (p)	Private (q)
Unweighted base	432	174	258	65	70	79	79	63	76	135	158	139	129	143	66	94	79	182
Weighted base	434	182	252	59*	83*	82*	80*	58*	72*	142	162	130	123	139	82*	89*	80*	195
I did not want any support at the time because my family and friends provided me with enough support	213 49%	75 41%	138 55%A	27 46%	30 36%	35 43%	42 53% _d	30 52%	47 66% _{CDE}	58 41%	78 48%	77 59% _{ij}	64 52%	71 51%	39 47%	39 44%	37 47%	88 45%
I did not want any support at the time because I did not think it would help me	91 21%	32 17%	59 23%	20 34% _{EFh}	19 22%	13 15%	11 14%	14 24%	14 20%	39 27% _J	24 15%	28 22%	23 19%	29 21%	21 25%	17 20%	15 19%	44 23%
I didn't know how to get it	88 20%	45 25% _b	43 17%	13 22% _{gH}	25 30% _{GH}	22 27% _{GH}	17 22% _{gH}	5 9%	6 8%	38 27% _K	40 25% _K	11 9%	21 17%	25 18%	17 21%	25 28% _{lm}	16 21%	47 24%
I felt uncomfortable asking for it	77 18%	31 17%	46 18%	12 20% _{tH}	27 33% _{FGH}	17 21% _{gH}	12 15% _h	5 9%	4 6%	39 27% _{JK}	29 18% _K	9 7%	20 16%	15 11%	19 23% _M	22 25% _M	14 18%	36 19%
I did not want any bereavement support at the time for another reason	60 14%	31 17%	29 12%	5 8%	15 18%	7 9%	13 16%	12 21% _{CE}	8 11%	20 14%	20 12%	20 16%	20 17%	15 11%	13 16%	11 12%	9 11%	28 15%
The support I wanted was not available to me	23 5%	11 6%	12 5%	4 6% _g	10 12% _{efG}	3 3%	3 4%	-	4 5% _g	14 10% _{JK}	6 3%	4 3%	4 3%	9 6%	6 8%	3 4%	6 8%	11 5%
Other	15 4%	10 6% _b	5 2%	3 6%	2 3%	3 4%	4 5%	2 3%	1 1%	5 4%	7 4%	3 2%	8 6% _o	5 4%	1 1%	1 1%	3 4%	8 4%
Prefer not to say	2 *	-	2 1%	-	1 1%	-	-	1 2%	-	1 1%	-	1 1%	-	1 1%	-	1 1%	1 1%	-
Don't know	6 1%	3 2%	3 1%	-	1 2%	1 2%	3 4%	-	1 1%	1 1%	4 2%	1 1%	2 2%	1 1%	1 1%	2 2%	* 1%	5 3%

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e/f/g/h - i/j/k - l/m/n/o - p/q
* small base

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 93

Q.10 You have said that you did not receive any of the listed support for your most recent bereavement, but that services would have helped you. Which of the following statements, if any, best describes why you did not receive support services for your most recent bereavement?

Base: All who have not received support for their most recent bereavement, but said it would have been helpful

	Region													
	Total	Scotland (a)	Wales (b)	North- ern Ire- land (c)	NET: England (d)	North East (e)	North West (f)	Yorkshire & Humberside (g)	West Midlands (h)	East Midlands (i)	Eastern (j)	London (k)	South East (l)	South West (m)
Unweighted base	432	44	35	14	339	16	40	37	46	22	39	51	49	39
Weighted base	434	36*	28*	15**	355	16**	44*	37*	41*	21**	40*	65*	50*	41*
I did not want any support at the time because my family and friends provided me with enough support	213 49%	16 44%	13 47%	7 46%	177 50%	9 58%	21 47%	20 56%J	19 46%	10 49%	12 30%	29 44%	31 63%aJk	25 61%J
I did not want any support at the time because I did not think it would help me	91 21%	8 23%	6 22%	4 26%	73 20%	4 23%	8 18%	10 26%	8 19%	3 12%	10 25%	18 27%	6 13%	7 18%
I didn't know how to get it	88 20%	6 17%	5 19%	4 28%	73 21%	2 12%	13 29%l	7 18%	8 20%	5 23%	9 21%	16 24%	7 14%	7 18%
I felt uncomfortable asking for it	77 18%	6 17%	6 20%	4 26%	61 17%	4 22%	10 23%	7 19%	10 23%	5 24%	6 15%	8 12%	7 14%	5 13%
I did not want any bereavement support at the time for another reason	60 14%	5 15%	2 9%	1 8%	51 14%	2 11%	7 16%	1 4%	7 18%g	1 7%	8 19%g	12 18%g	7 15%	5 12%
The support I wanted was not available to me	23 5%	-	1 4%	-	22 6%	2 10%	3 6%	1 4%	-	1 4%	4 11%aHm	8 12%AHM	3 6%	-
Other	15 4%	4 10%DfHM	1 4%	1 7%	10 3%	-	1 1%	1 2%	-	-	4 10%hm	2 4%	2 4%	-
Prefer not to say	2 *	-	-	-	2 1%	-	1 2%	-	-	-	-	1 2%	-	-
Don't know	6 1%	-	1 5%	-	5 1%	-	1 2%	-	-	-	2 4%	1 2%	1 3%	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/d - b/d - c/d - a/b/c/e/f/g/h/i/j/k/l/m
* small base; ** very small base (under 30) ineligible for sig testing

Bereavement Survey

ONLINE Fieldwork: 14th-19th December 2018

Absolutes/col percents

Table 94

Q.10 You have said that you did not receive any of the listed support for your most recent bereavement, but that services would have helped you. Which of the following statements, if any, best describes why you did not receive support services for your most recent bereavement?

Base: All who have not received support for their most recent bereavement, but said it would have been helpful

	Feel Lonely or Socially Isolated			Bereavement			Received Support		Highest Educational Level					
	Total	Daily or weekly (a)	Monthly or less (b)	Bereaved in the last five years (c)	Not bereaved in the last five years (d)	Never bereaved (e)	Did not receive support (f)	NET: Any support (g)	No formal education (h)	Primary (i)	Secondary (j)	University degree (k)	Higher university degree (l)	Still in full time education (m)
Unweighted base	432	168	255	432	-	-	432	-	-	3	288	97	27	15
Weighted base	434	168	257	434	**	**	434	**	**	4**	293	99*	24**	12**
I did not want any support at the time because my family and friends provided me with enough support	213 49%	56 33%	151 59%A	213 49%	-	-	213 49%	-	-	-	150 51%	45 45%	9 39%	7 59%
I did not want any support at the time because I did not think it would help me	91 21%	36 21%	53 21%	91 21%	-	-	91 21%	-	-	-	56 19%	25 25%	6 27%	4 30%
I didn't know how to get it	88 20%	52 31%B	35 14%	88 20%	-	-	88 20%	-	-	* 12%	61 21%	22 22%	3 11%	2 19%
I felt uncomfortable asking for it	77 18%	50 30%B	27 10%	77 18%	-	-	77 18%	-	-	* 12%	50 17%	20 20%	4 16%	3 23%
I did not want any bereavement support at the time for another reason	60 14%	20 12%	38 15%	60 14%	-	-	60 14%	-	-	3 67%	35 12%	17 17%	5 19%	1 7%
The support I wanted was not available to me	23 5%	18 11%B	3 1%	23 5%	-	-	23 5%	-	-	-	12 4%	10 10%J	1 4%	-
Other	15 4%	7 4%	8 3%	15 4%	-	-	15 4%	-	-	-	11 4%	2 2%	3 12%	-
Prefer not to say	2 *	1 1%	1 *	2 *	-	-	2 *	-	-	-	2 1%	-	-	-
Don't know	6 1%	1 1%	5 2%	6 1%	-	-	6 1%	-	-	1 21%	4 2%	1 1%	-	-

Proportions/Means: Columns Tested (5%, 10% risk level) - a/b - c/d/e - f/g - h/i/j/k/l/m

* small base; ** very small base (under 30) ineligible for sig testing